Assalam-o-Alikum

Welcome to ShamsherAli Tech

AI Automation Full course

Python Basic to Advanced

By - Shamsher Ali (AI Automation Engineer)

Programming

way to talk with computer

Program

Instruction for computer to do something

Machine

Translator

(Compiler / Interpreter)

Code

SA-Tech

What is Python?

- Python is simple & easy
- Free & Open Source
- High Level Language
- Developed by Guido van Rossum
- Portable

SA-Tech

Our First Program

```
print("Hello World")
```

SA-Tech

Python Character Set

- Letters - A to Z, a to z
- Digits - 0 to 9
- Special Symbols - + - * / etc.
- Whitespaces - Blank Space, tab, carriage return, newline, formfeed
- Other characters - Python can process all ASCII and Unicode characters as part of data or literals

SA-Tech

Variables

A variable is a name given to a memory location in a program.

```
name = "Shamsher"
age = 26
price = 25.99
```

SA-Tech

Memory



name = "Shamsher"

age = 26

price = 25.99

SA-Tech

Rules for Identifiers

1. Identifiers can be combination of uppercase and lowercase letters, digits or an underscore(_). So **myVariable**, **variable_1**, **variable_for_print** all are valid python identifiers.
2. An Identifier can not start with digit. So while **variable1** is valid, **1variable** is not valid.
3. We can't use special symbols like !,#,@,%,$ etc in our Identifier.
4. Identifier can be of any length.

SA-Tech

Data Types

- Integers
- String
- Float
- Boolean
- None

SA-Tech

Data Types

```python
print(type(age))
print(type(pi))
print(type(complex_num))
print(type(A))
print(type(name))
```

```
<class 'int'>
<class 'float'>
<class 'complex'>
<class 'bool'>
<class 'str'>
```

SA-Tech

Keywords

Keywords are reserved words in python.

*False should be uppercase

and	else	in	return
as	except	is	True
assert	finally	lambda	try
break	false	nonlocal	with
class	for	None	while
continue	from	not	yield
def	global	or	
del	if	pass	
elif	import	raise	

Comments in Python

```
# Single Line Comment

"""
Multi Line
Comment
"""
```

SA-Tech

Types of Operators

An operator is a symbol that performs a certain operation between operands.

- Arithmetic Operators (+ , - , * , / , % , **)
- Relational / Comparison Operators (== , != , > , < , >= , <=)
- Assignment Operators (= , +=, -= , *= , /= , %= , **=)
- Logical Operators (not , and , or)

SA-Tech

Type Conversion

```
a, b = 1, 2.0
sum = a + b
```

```
#error
a, b = 1, "2"
sum = a + b
```

SA-Tech

Type Casting

```
a, b = 1, "2"
c = int(b)
sum = a + c
```

SA-Tech

Type Casting

Function	Description
int(y [base])	It converts *y* to an integer, and Base specifies the number base. For example, if you want to convert the string in decimal numbers then you'll use 10 as base.
float(y)	It converts *y* to a floating-point number.
complex(real [imag])	It creates a complex number.
str(y)	It converts *y* to a string.
tuple(y)	It converts *y* to a tuple.
list(y)	It converts *y* to a list.
set(y)	It converts *y* to a set.
dict(y)	It creates a dictionary and *y* should be a sequence of (key, value) tuples.
ord(y)	It converts a character into an integer.
hex(y)	It converts an integer to a hexadecimal string.
oct(y)	It converts an integer to an octal string

Input in Python

input( ) statement is used to accept values (using keyboard) from user

```
input( )  #result for input( ) is always a str

int ( input( ) )  #int

float ( input( ) )  #float
```

SA-Tech

Let's Practice

Write a Program to input 2 numbers & print their sum.

SA-Tech

Let‘s Practice

WAP to input side of a square & print its area.

SA-Tech

Let's Practice

WAP to input 2 floating point numbers & print their average.

SA-Tech

Let‘s Practice

WAP to input 2 int numbers, a and b.

Print True if a is greater than or equal to b. If not print False.

SA-Tech

thanks for Watching

Like , Commit, Share
& Subcribe