

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
HISAL NUMBER );

INSERT INTO SALGRADE VALUES (1,700,1200);
INSERT INTO SALGRADE VALUES (2,1201,1400);
INSERT INTO SALGRADE VALUES (3,1401,2000);
INSERT INTO SALGRADE VALUES (4,2001,3000);
INSERT INTO SALGRADE VALUES (5,3001,9999);

describe dept;

describe dept;

select * from dept;

SELECT ename, job, deptno FROM emp WHERE job='CLERK';
```

Results Explain Describe Saved SQL History

ENAME	JOB	DEPTNO
SMITH	CLERK	20
ADAMS	CLERK	20
JAMES	CLERK	30
MILLER	CLERK	10

4 rows returned in 0.00 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
INSERT INTO SALGRADE VALUES (2,1201,1400);
INSERT INTO SALGRADE VALUES (3,1401,2000);
INSERT INTO SALGRADE VALUES (4,2001,3000);
INSERT INTO SALGRADE VALUES (5,3001,9999);

describe dept;

describe dept;

select * from dept;

SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
```

Results Explain Describe Saved SQL History

ENAME	JOB	DEPTNO
JAMES	CLERK	30

1 rows returned in 0.00 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
INSERT INTO SALGRADE VALUES (5,3001,9999);

describe dept;

describe dept;

select * from dept;

SELECT ename, job, deptno FROM emp WHERE job='CLERK';

SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';

SELECT ename, sal, comm FROM emp WHERE sal<=comm;
```

Results Explain Describe Saved SQL History

ENAME	SAL	COMM
MARTIN	1250	1400

1 rows returned in 0.00 seconds [CSV Export](#)

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

```
describe dept;
describe dept;
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
```

Results

Explain

Describe

Saved SQL

History

ENAME	SAL
WARD	1250
MARTIN	1250
TURNER	1500
ADAMS	1100
MILLER	1300

5 rows returned in 0.00 seconds

[CSV Export](#)

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:09 AM2/10/2024

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10

SaveRun

```
describe dept;
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
```

Results Explain Describe Saved SQL History

EMPNO	ENAME	SAL	MGR
7369	SMITH	800	7902
7788	SCOTT	3000	7566
7876	ADAMS	1100	7788
7902	FORD	3000	7566

4 rows returned in 0.00 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10

SaveRun

```
describe dept;
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788,7566);
```

Results Explain Describe Saved SQL History

EMPNO	ENAME	SAL	MGR
7369	SMITH	800	7902
7788	SCOTT	3000	7566
7876	ADAMS	1100	7788
7902	FORD	3000	7566

4 rows returned in 0.00 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

Autocommit Display 10 Save Run

```
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'S%';
```

Results Explain Describe Saved SQL History

ENAME
SMITH
SCOTT

2 rows returned in 0.00 seconds CSV Export

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

```
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A%';
```

Results

Explain

Describe

Saved SQL

History

ENAME
ALLEN
ADAMS

2 rows returned in 0.00 seconds

[CSV Export](#)

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:13 AM2/10/2024

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A%';
SELECT ename FROM emp WHERE ename LIKE '_A%';
```

Results Explain Describe Saved SQL History

ENAME
WARD
MARTIN
JAMES

3 rows returned in 0.00 seconds [CSV Export](#)

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO...

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

SaveRun

```
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A%';
SELECT ename FROM emp WHERE ename LIKE '_L%';
```

Results

Explain

Describe

Saved SQL

History

ENAME
ALLEN
BLAKE
CLARK

3 rows returned in 0.00 seconds

CSV Export

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:15 AM2/10/2024

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

SELECT

ename,

job,

deptno

FROM

emp

WHERE

job='CLERK';

SELECT

ename,

job,

deptno

FROM

emp

WHERE

ename = 'JAMES';

SELECT

ename,

sal,

comm

FROM

emp

WHERE

sal<=comm;

SELECT

ename,

sal

FROM

emp

WHERE

sal BETWEEN 1000 AND 1500;

SELECT

empno,

ename,

sal,

mgr

FROM

emp

WHERE

mgr IN (7902, 7566, 7788);

SELECT

ename

FROM

emp

WHERE

ename LIKE 'A%';

SELECT

ename

FROM

emp

WHERE

ename LIKE '_L%';

SELECT

ename,

mgr

FROM

emp

WHERE

mgr IS NULL;

Results

Explain

Describe

Saved SQL

History

ENAME

MGR

KING

-

1 rows returned in 0.00 seconds

CSV Export

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 15

2,671 characters

100%

Windows (CRLF)

UTF-8

9:16 AM

2/10/2024

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';

SELECT ename FROM emp WHERE ename LIKE '_L%';

SELECT ename, mgr FROM emp WHERE mgr IS NULL;

SELECT * from emp;

SELECT ename, comm FROM emp WHERE comm IS NULL;

Results

Explain

Describe

Saved SQL

History

ENAME	COMM
SMITH	-
JONES	-
BLAKE	-
CLARK	-
SCOTT	-
KING	-
ADAMS	-
JAMES	-
FORD	-
MILLER	-

10 rows returned in 0.00 seconds

CSV Export

Language: en-us

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:19 AM2/10/2024

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';

SELECT ename FROM emp WHERE ename LIKE '_L%';

SELECT ename, mgr FROM emp WHERE mgr IS NULL;

SELECT * from emp;

SELECT ename, comm FROM emp WHERE comm IS NULL;

Results

Explain

Describe

Saved SQL

History

ENAME	COMM
SMITH	-
JONES	-
BLAKE	-
CLARK	-
SCOTT	-
KING	-
ADAMS	-
JAMES	-
FORD	-
MILLER	-

10 rows returned in 0.00 seconds

CSV Export

Language: en-us

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:20 AM2/10/2024

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
describe dept;

select * from dept;

SELECT ename, job, deptno FROM emp WHERE job='CLERK';

SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1 AND 800;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';
```

Results Explain Describe Saved SQL History

ENAME	SAL
SMITH	800

1 rows returned in 0.02 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
describe dept;
select * from dept;
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT ename, comm FROM emp WHERE comm BETWEEN 1000 AND 1500;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A%';
```

Results Explain Describe Saved SQL History

ENAME	COMM
MARTIN	1400

1 rows returned in 0.01 seconds [CSV Export](#)

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

SELECT ename, job, deptno FROM emp WHERE job='CLERK';

SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT ename, comm FROM emp WHERE comm BETWEEN 1 AND 1500;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';

SELECT ename FROM emp WHERE ename LIKE '_L%';

Results

Explain

Describe

Saved SQL

History

ENAME	COMM
ALLEN	300
WARD	500
MARTIN	1400

3 rows returned in 0.00 seconds

CSV Export

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:22 AM2/10/2024

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

Save

Run

SELECT ename, job, deptno FROM emp WHERE job='CLERK';

SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT ename, comm FROM emp WHERE comm BETWEEN 1 AND 800;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';

SELECT ename FROM emp WHERE ename LIKE '_L%';

Results

Explain

Describe

Saved SQL

History

ENAME	COMM
ALLEN	300
WARD	500

2 rows returned in 0.00 seconds

CSV Export

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:23 AM2/10/2024

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT ename, comm FROM emp WHERE comm BETWEEN 1 AND 800;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A% ';
SELECT ename FROM emp WHERE ename LIKE '_L%';
```

Results Explain Describe Saved SQL History

ENAME
ALLEN
ADAMS

2 rows returned in 0.00 seconds [CSV Export](#)

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
SELECT ename, job, deptno FROM emp WHERE job='CLERK';
SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';
SELECT ename, sal, comm FROM emp WHERE sal<=comm;
SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;
SELECT ename, comm FROM emp WHERE comm BETWEEN 1 AND 800;
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE 'A%_';
SELECT ename FROM emp WHERE ename LIKE '_L%';
```

Results Explain Describe Saved SQL History

ENAME
ALLEN
BLAKE
CLARK

3 rows returned in 0.00 seconds [CSV Export](#)

SQL Commands

127.0.0.1:8080/apex/f?p=4500:1003:2034940093856991::NO::

ORACLE Database Express Edition

Home Logout Help

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit

Display 10

SaveRun

SELECT ename, job, deptno FROM emp WHERE job='CLERK';

SELECT ename, job, deptno FROM emp WHERE ename = 'JAMES';

SELECT ename, sal, comm FROM emp WHERE sal<=comm;

SELECT ename, sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

SELECT ename, comm FROM emp WHERE comm BETWEEN 1 AND 800;

SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);

SELECT ename FROM emp WHERE ename LIKE 'A%';

SELECT ename FROM emp WHERE ename LIKE '_L%';

Results

Explain

Describe

Saved SQL

History

ENAME

WARD

MARTIN

JAMES

3 rows returned in 0.00 seconds

CSV Export

Application Express 2.1.0.00.39

Copyright © 1999, 2006, Oracle. All rights reserved.

Ln 69, Col 152,671 characters

100%

Windows (CRLF)

UTF-8

9:25 AM2/10/2024

User: SYSTEM

Home > SQL > SQL Commands

☒ Autocommit Display 10 Save Run

```
SELECT empno, ename, sal, mgr FROM emp WHERE mgr IN (7902, 7566, 7788);
SELECT ename FROM emp WHERE ename LIKE '_A%';
SELECT ename FROM emp WHERE ename LIKE '_L%';
SELECT ename, mgr FROM emp WHERE mgr IS NULL;
SELECT * from emp;
SELECT ename, comm FROM emp WHERE comm IS NULL;
SELECT ename FROM emp WHERE ename LIKE 'M%';
```

Results Explain Describe Saved SQL History

ENAME
MARTIN
MILLER

2 rows returned in 0.00 seconds [CSV Export](#)