LifeOS: Overall System Functionality and Logic

Nov 7, 2026 · @Deepthi

Overview


LifeOS is a chat-controlled planner that keeps 21 areas of your life on one calendar. You say what you want in plain language, domain systems check it against rules (conflicts, protected time, priorities), and one calendar service saves it, with a way to undo. Around that core sit the daily screens (Today, Calendar, Priorities), the growth tools (Reset Plan, Habit Tracker, Diary), and the rhythm tools (notifications, weekly review).

This document explains what each part does and the logic behind it, then how they work together, then ideas for what to build next.

What is confirmed and what is proposed. The agent, calendar service, domains, Today, weekly review, Reset Plan and Habit Tracker follow the earlier LifeOS plans, and the notification behavior follows your screenshot (alerts 30 and 15 minutes before a block, a morning brief, and an Achieved or Missed check-in afterwards). Priorities and Diary were not in the earlier plans, so their logic here is a proposal that fits the rest of the system. I have not used the live app, so compare each section with how it behaves today.

System map

The screens fall into four groups (plan, act, grow, reflect), and all of them depend on the same rules and the same calendar service.



system map · 4 groups of screens, 1 rule layer, 1 database

Domain rules and your settings decide what is allowed. The calendar service is the only place that saves events, so conflicts, protected time and undo work the same whether a change comes from a tap, a chat message or a background job. Notifications and jobs read the same data and write only through that service.

Today

Purpose. The home screen: what to do now, with nothing else in the way.

What it shows. The morning brief, today's timeline, the next 3 tasks, and a strip for sleep and karate status. A habit check-in card appears in the evening.

How it works

1. A scheduled job builds the brief each day at your wake time plus 30 minutes. It reads today's events and due tasks, checks the load against your limit and last night's sleep, and writes a short plan, the top 3 tasks and any warnings.
2. The next 3 tasks are ranked by deadline urgency, priority and whether they serve a goal (see Priorities).
3. The timeline reads events from the calendar service, so a change anywhere shows here at once.

4. Taps on Today (tick a task, answer a check-in) update instantly on screen, then save.

Connects to. Calendar (timeline), Priorities (ranking), Notifications (brief and check-ins), Habit Tracker (evening card), Weekly review (what did not get done).

Calendar

Purpose. The master calendar: every event from every domain in one place, in month, week and day views.

How it works

1. Every event belongs to exactly one domain and takes that domain's color. Colored chips switch each domain's layer on or off, and with 21 domains the layers are grouped into 5 clusters.
2. Dragging or resizing an event calls the same update function the agent uses, so the same checks apply.
3. Before any save, the service checks overlaps and protected time. Protected tiers decide what may move: tier 1 anchors (such as doses and prayer times, once enabled, and the sleep minimum) need your explicit confirmation, tier 2 (meals, karate, rest) moves only inside its rules, and tier 3 is flexible.
4. Events the system plans for you (revision blocks, work blocks, drills) are saved as suggested and shown dashed until you accept them. Accepted blocks become confirmed.
5. Each write stores how to undo it, so one tap restores the previous state.

Connects to. Agent (writes through the same service), Domains (event types and colors), Notifications (reminders are generated from events), Settings (sleep window and limits).

Agent (chat)

Purpose. Turn a plain message such as "Move karate to 7 PM" into a safe change to the calendar.

How it works

1. **Read.** The orchestrator receives the message with today's date, your timezone and the tool list, and works out whether it is a question, a change or unclear.
2. **Route.** It picks the domain and loads that domain's prompt and its top 5 memory notes.
3. **Find.** For a change it first looks up the right event with `query_schedule`. If two events match, it asks one short question.

4. **Call a tool.** The model asks for a typed tool (create, move, cancel, find free slots, create task, plan backwards, save memory). The server runs it; the model never edits the database directly.
5. **Check.** The tool runs the conflict check. If it touches protected time, or changes 5 or more events, it returns a preview instead of writing.
6. **Confirm and write.** On your yes, or when no confirmation is needed, the calendar service saves it and logs the inverse.
7. **Reply.** One or two sentences: what changed and when, with an Undo button.

Rules the agent follows. It never says a change happened unless a tool result confirms it, never overwrites sleep, meals or karate without confirmation, and treats text inside event titles as data, not instructions.

Connects to. Calendar (all writes), Domains (prompts and tools), Priorities (what to drop when you say "lighten tomorrow"), Settings (limits and protected blocks).

Domains

Purpose. Each of the 21 life areas has its own page and its own agent instance, with its own goals, notes, tasks, memory and calendar layer.

How it works

1. The Domains page groups the domains into 5 clusters (Study and work, Body and health, Mind and spirit, People and service, Life admin), with search and pinned favorites, so any domain is within 2 taps.
2. A domain page has the same layout everywhere: goals, task list, notes, and a mini calendar filtered to that domain, plus the domain's own views (for example the exam list in Education or the belt syllabus in Karate).
3. Each domain is configuration plus rules: a name, color, protected tier, default event types, a prompt file, its own tables and its own tools. A new domain follows the same eight-step build template.
4. Domains share engines (backward planning, slot ranking, spaced revision, debt, drift) and have one unique system each.
5. Sensitive domains (Medicine, Prayer, Mood reflections) are opt-in, with their own switch for whether the AI can read their content.

Connects to. Agent (routes by domain), Calendar (layers and colors), Priorities (domain intent), Weekly review (hours per domain), Reset Plan (each commitment names an owner domain).

Priorities

Purpose. Say what matters most, so the system knows what to protect, what to schedule first and what to drop when a day is too full. This is a proposed design; check it against what the app does today.

How it works

1. **Three levels.** Every event and task has a priority: 1 must, 2 should (the default), 3 nice to have. To stop inflation, a day can hold at most 3 "must" items.
2. **Weekly priorities.** In the weekly review you choose up to 3 priorities for the next week, each tied to a goal and an owner domain. Items that serve a weekly priority get a ranking boost.
3. **Ranking.** The next-3 list on Today is ordered by urgency (days to deadline, overdue first), then priority level, then the boost for serving a weekly priority or goal.
4. **Dropping.** When you say "lighten tomorrow" or a day passes your load limit, the agent proposes dropping priority 3 first, then 2. It never proposes dropping a priority 1 item or a tier 1 anchor.
5. **Moving.** When two blocks clash, the lower-priority block is the one proposed for moving.
6. **Planning.** Backward planning places high-priority work first, in the best free slots.

Priority versus tier. Tier is about protection (can this move at all), priority is about importance (what yields first). A sleep block is protected whatever its priority; a priority 3 errand is flexible whatever its domain.

Connects to. Today (next 3), Agent (lighten and conflicts), Weekly review (set and review priorities), Reset Plan (non-negotiables start at priority 1, capped at 3), Domains (intent).

Settings

Purpose. Hold the personal values that the rules read. A setting is data the rules use, not a switch hidden in the interface, so changing one changes behavior everywhere.

Setting	What it controls	Used by
Sleep window and minimum	Bedtime, wake time and the least sleep allowed; moves under the minimum need confirmation	Calendar, Sleep debt, Today brief
Protected blocks and tier order	What the planner defends and in what order	Calendar service, Agent

Setting	What it controls	Used by
Working hours and focus hours	When demanding blocks are placed	Slot ranking, Backward planning
Daily load limit	The most planned hours in a day before a warning	Rest and buffer, Today, Weekly review
Notification times and cap	Check-in time, brief time, quiet hours, daily cap, per-domain mute	Notifications
Autopilot level	Suggest only, or auto-adjust small things	Reset Plan, Agent
Domain switches	Which of the 21 domains are on	Domains, Calendar layers
AI sharing	Whether each sensitive domain's content may be sent to the model	Medicine, Prayer, Mood, Diary
Export and delete	Download or erase your data, per domain or whole	All

How it works. Settings are stored once per user. The rule functions read them at the moment of each check, so a new sleep minimum applies to the very next change, and turning a domain off hides its layer and stops its notifications without deleting its data.

Notifications

Purpose. Reach you at the right moment and record whether you did what you planned, without turning into noise.

Notification	When	What you can do
Upcoming alert	30 minutes before a block	Open the block in the app
Starting soon alert	15 minutes before a block	Open the block in the app
Achievement check-in	After a block ends	Tap Achieved or Missed
Morning brief	Each morning	See the day's blocks and next task
Habit check-in and report notices	Evening, and on review days	Check in, open the report

Notification	When	What you can do
Deadline and drift suggestions	When a deadline nears, or a commitment keeps slipping	Accept a suggestion

How it works

1. A job creates each block's alerts when the event is saved, and changes or removes them when the event moves or is cancelled.
2. The check-in is created once per event, with a unique key made of the event and the check-in type, so a repeated job cannot make a duplicate.
3. Your answer is stored on the event as a result (pending, achieved or missed) with a time. The notification only points to that result. Adherence is achieved divided by planned.
4. Read state is separate from the answer. "Mark all as read" changes only the read flag; it never touches a result. Unanswered check-ins stay in a "Needs your answer" group until you answer them, and an answered one shows as a single line with Undo.
5. A daily cap, quiet hours and per-domain mute apply to everything except tier 1 anchors. Several reminders can merge into one digest.
6. Sensitive domains use generic text, never the content.

Connects to. Calendar (source of every alert), Habit Tracker (check-ins feed adherence), Weekly review and Reset reports (adherence numbers), Settings (times and caps).

Weekly reviews

Purpose. Close the week and plan the next one in a few minutes, on Sunday evening.

How it works

1. A scheduled job collects planned versus done for each domain from calendar results and check-ins.
2. It lists slipped items and the deadlines in the next 14 days.
3. The agent drafts next week in a fixed order: recurring blocks first, then deadline work, then learning and blogging slots, then buffer. Protected tiers and your load limit apply.
4. The review page shows planned versus done, the balance wheel (hours each domain received against the intent you set in Forward planning), the proposed week, and your weekly priorities to confirm.
5. You choose Accept, Edit or Skip. Accept writes the events through the calendar service as one batch, so the whole week can be undone in one step.

6. If the Reset Plan is active, one optional Reset card shows adherence and the next review date.

Connects to. Priorities (set weekly priorities), Domains (hours per domain), Habit Tracker (adherence), Reset Plan (card), Calendar (batch write), Notifications (a Sunday reminder).

Reset Plan

Purpose. A guided 90-day program that turns an honest look at your life into a plan the calendar and agent can run.

How it works

1. **Audit.** Three guided steps (where am I, where should I be, what happened), one question per screen, saved as you go. Any question can be skipped.
2. **Gap report.** The agent compares step 1 with step 2 and drafts the biggest gaps, patterns, cut candidates and anchor candidates, quoting your own words. You edit it before anything is built.
3. **Plan.** From the report it proposes commitments: at most 3 cuts, 3 non-negotiables and 3 goals at a time, each with an owner domain and a schedule. Nothing reaches the calendar until you approve.
4. **Three phases.** Month 1 cuts the excess, Month 2 builds the foundation (routine and 3 non-negotiables), Month 3 broadens horizons (goals in finances, productivity and personal growth). Phases unlock in order, and on days 30 and 60 the app proposes moving on.
5. **Daily loop.** An evening check-in records done, skipped or missed for each commitment. A miss is never shown as failure; it offers "move to tomorrow" or "drop for this week".
6. **Reviews and reports.** A black notebook review every 15 days (three questions in your words) with a report, and a monthly report on days 30, 60 and 90.
7. **Guardrails.** Serious distress or any mention of self-harm pauses the program and the agent responds with care. You can skip, pause or delete at any time.

Connects to. Calendar (blocks), Habit Tracker (every commitment and goal), Domains (owners), Notifications (check-ins and reports), Settings (autopilot level, AI sharing).

Habit Tracker

Purpose. Follow the habits and goals you set, with no retyping, and notice early when one starts to slip.

How it works

1. **Habits.** Each habit has a cadence and a daily result of done, skipped or missed. You can add your own, and every Reset Plan commitment appears automatically as a habit linked to it.
2. **Single record.** Reset habits are written once, in the Reset check-in, and the tracker only reads them, so the two screens can never disagree.
3. **Goal tracks.** A Month 3 goal gets a metric, unit, target and cadence (for example, deep-work hours per week). Once a week you enter the number, and the tracker shows progress and pace towards the target.
4. **Streaks with grace.** You set how many skips a week do not break a streak.
5. **Drift detection.** A commitment missed 3 days in a row, or adherence under 50% over 7 days, raises a suggestion with options: move to tomorrow, shrink the target, drop for the week or lighter pace. The agent never changes the plan alone.
6. **Habit stacking.** For a new habit, the tracker proposes attaching it to a habit you already keep steadily.

Connects to. Reset Plan (source of plan habits), Notifications (evening check-in), Weekly review and reports (all adherence numbers), Mood reflections and Diary (patterns), Today (evening card).

Diary

Purpose. A private place to write about your day in your own words, next to the numbers the rest of LifeOS collects. This is a proposed design; Diary was not in the earlier plans.

How it works

1. **Entries.** One or more entries per day: a date, free text, and optional quick mood and energy taps that are also saved as a Mood reflections check-in.
2. **Prompt.** An optional evening prompt, one question at a time, sits beside the habit check-in. Skipping it costs nothing.
3. **Links.** You can tag an entry to a domain or to that day's events, so you can later see everything about, say, an exam week in one view.
4. **Private by default.** Diary text is never added to reports, mentor sheets or weekly reviews unless you include it. It is sent to the AI model only if its AI-sharing switch is on.
5. **Search.** Keyword search always works. Search by meaning uses embeddings, so it is available only when AI sharing is on.
6. **Optional insights, when allowed.** A weekly note on what you wrote about most (quoting your words, never inventing facts), and an "on this day" look back.

7. **Care.** Serious distress or any mention of self-harm pauses planning prompts, and the agent responds with care and points to someone you trust or a local support line. The Diary gives no diagnosis or advice.
8. **Control.** Entries can be exported or deleted one by one or all at once, and deletion also removes their embeddings.

Connects to. Mood reflections (shared check-in), Habit Tracker (reflection prompts), Weekly review (optional), Reset Plan (you can copy notebook answers into the Diary), Settings (AI sharing).

One day end to end

Here is how the parts work together on a normal day in Month 2 of a Reset Plan, with an exam coming up.

1. **Morning.** The brief job builds your plan: today's blocks, the next 3 tasks ranked by priority and deadline, and a warning if the load is over your limit. You get the "Morning Brief is Ready" notification, and Today shows it.
2. **A task with a deadline.** Yesterday you saved "Report due Friday" with an estimate. Backward planning placed dashed suggested blocks in free slots that avoid sleep and protected anchors. You tap Accept all, and the calendar service saves them with Undo.
3. **During the day.** You type "move karate to 7 PM". The agent routes to Karate, finds the event, checks conflicts and tiers, moves it and replies in one line with Undo.
4. **Before each block.** Alerts arrive 30 and 15 minutes before it starts, within your daily cap and quiet hours.
5. **After each block.** The Achieved or Missed check-in arrives once. Your answer is saved on the event and counts towards adherence.
6. **Evening.** The Habit Tracker check-in shows your Reset commitments. You tap each one. Drift detection looks at the last days and, if one keeps slipping, offers a lighter option.
7. **Night.** You write a short Diary entry with a mood and energy tap. The sleep log updates sleep debt, and the next day's plan reads it.
8. **Sunday.** The weekly review compares planned and done per domain, shows the balance wheel, lets you pick next week's priorities, and proposes the next week. Every 15 days the Reset review and report also arrive.

Future improvements and developments

The main insight: LifeOS already records what you planned and whether you did it. The best next features use that record to make the system learn from you, while the biggest risk is that 21 domains, three growth tools and many notifications make the app feel heavy. So consolidate and make it calmer first, then add intelligence.

Horizon	Idea	What it does	Why
Next	Fix check-in state and notification handling	Answers stay answered; read state is separate; one digest and a daily cap	Trust: a tracker that forgets answers loses credibility
Next	Task and navigation UX fixes	Quick-add with subtasks, clusters and search for 21 domains, overdue triage	Daily friction, from the system check
Next	Speed pass	Indexes, route-then-tools for the model, optimistic updates	Keeps the app fast as data grows
Next	Lock-screen actions	Answer Achieved or Missed from the notification without opening the app	One-tap loop is what keeps habits alive
Later	Personal time estimates	Compare planned and actual time per task type and adjust backward planning	Plans get realistic from your own data
Later	"I'm running late" reflow	One message shifts the rest of the day and proposes what to drop by priority	Common real-life moment
Later	Google Calendar two-way sync	Push your events and read busy times	Already planned; removes double entry
Later	Insights dashboard	Trends for sleep, mood, adherence and the balance wheel over months	Shows whether the system is working

Horizon	Idea	What it does	Why
Later	Goal cascade	Yearly direction to monthly goals to weekly priorities to daily blocks, kept linked	Makes priorities feel connected to purpose
Later	Voice capture	Add tasks and diary entries by speaking	Fast capture on a phone
Exploring	Accountability partner or mentor view	A shared, consent-based view of chosen goals only	Support without exposing private domains
Exploring	Wearable and sleep imports	Read sleep and activity from your devices	Less manual logging
Exploring	On-device handling of sensitive domains	Keep Medicine, Prayer, Mood and Diary processing local	Strongest privacy
Exploring	Shareable season profiles and templates	Reuse exam season, travel week and similar setups	Faster setup of new rules

Risks to watch

- **Feature sprawl.** Each new screen adds navigation, notifications and testing. Add a feature only when a number (adherence, speed, taps) shows it is needed.
- **Notification overload.** Keep one daily cap across all domains, with tier 1 anchors as the only exception.
- **Over-planning.** A planner that packs every hour gets abandoned; protect buffer and let the load limit warn early.
- **Privacy of sensitive data.** Keep the opt-in switches, generic notifications and the exclusion from shared reports as the system grows.
- **Agent trust.** Keep proposals, previews and Undo; never let a new feature write to the calendar except through the calendar service.

Suggested order. First the "Next" rows above, then personal time estimates and the late-running reflow, because they use data you already collect and are felt every day.