完整项目如何改为exe文件

- 1.将所有数据库相关去掉,改为与本地文件交互,路径要写相对路径./
- 2.修改静态资源打包输出目录
- · vue.config.js

```
const { defineConfig } = require('@vue/cli-service')
module.exports = defineConfig({
  transpileDependencies: true,
  lintOnSave: false,
  assetsDir: 'static',// 静态资源打包输出目录 (js, css, img, fonts), 相应的url路径也会改变
})
```

3.前端目录下打包文件

```
cd frontend
npm run build
```

!!打包完成后,将favicon.ico图标挪入static目录下,并将dist文件改名为frontend_dist,并整体挪入后端根目录下

4.修改后端文件配置(修改完后只启动后端即可运行)

· backend/settings.py

· backend/urls.py

```
from django.views.generic.base import TemplateView

urlpatterns = [
    path("admin/", admin.site.urls),
    path('api/', include('bkapp.urls')),

# 以下两条为新加
    path('', TemplateView.as_view(template_name="index.html")),
    re_path(r'.*', TemplateView.as_view(template_name="index.html")),
]
```

5.生成manage.spec文件

```
pyi-makespec -D manage.py
```

6.修改manage.spec,并开始打包项目

(1) 修改manage.spec,将settings.py中INSTALLED_APPS复制至manage.spec的hiddenimports


```
hiddenimports=[
  "django.contrib.admin",
  "django.contrib.auth",
  "django.contrib.contenttypes",
  "django.contrib.sessions",
  "django.contrib.messages",
  "django.contrib.staticfiles",
  'corsheaders',
  "bkapp",
],
```

(2) 开始打包, 生成build和dist文件

```
pyinstaller manage.spec
```

7.移动文件

(1) 移动后端文件,bkapp/database移动至/dist/manage/bkapp



(2) 移动前端文件,frontend_dist移动至/dist/manage

8.进入目录,运行项目

```
# mac
cd dist/manage
./manage runserver --noreload

# windows
cd dist/manage
manage.exe runserver
```