

Account : AP-Unilever
Region : AP-Singapore
AZ : ap-southeast-1a
EC2/VPC : i-25584970/vpc-44c1102d
OS : CentOS

#####

===== PRODUCTION =====

Site : www.hairfashion.me
Public IP/DNS : 46.51.218.244
SFTP User (port 22) : hairfashionme_sftp
Password : aE7Oznlld0hg5flC

----- PRD DATABASE -----

Linux : centos 6.0
DB H0st : db-www.hairfashion.me
DB Name : hairfashionme
DBA Name : hairfashion_me
DB Port : 3306
DB Pwd : MAiS1z524OK74pL

The phpmyadmin tool has been set up for this site and can be accessed by going to <http://46.51.218.244:3814/phpmyadmin/>

-----PRD Database HTACCESS Password-----

user : hthairfashionme
Password : ++nT5DxQ5Uqe7ndc

-----SVN Access -----

Checkout URL : https://svn.unileverservices.com/usvn/svn/hairfashion_me/trunk

SVN-UI HT-Access

User Name : hthairfashionme
Password : mBryQ02wVzhwz7g

SVNRepo Access

User Name : hairfashionme
Password : mBryQ02wVzhwz7g

===== STAGING =====

Site : stage.hairfashion.me
Public IP/DNS : 46.51.218.245

SFTP User (port 22) : shairfashionme_sftp
Password : 1FbLD9RxLaSvZkQs

-----Stage WEB HTACCESS-----

User : shthairfashionme
Password : ThYVkJHJ2XJKzNsEY

----- STG DATABASE -----

Linux : centos 6.0
DB Host : db-stage.hairfashion.me
DB Name : shairfashion_me
Port : 3306
DBA Name : shairfashionme
DB Pwd : CR22i95JS4USN4b

The phpmyadmin tool has been set up for this site and can be accessed by going to <http://46.51.218.245:3814/phpmyadmin/>

----- PROXY INFORMATION -----

Proxy Hostname : proxy.unileverservices.com
Proxy Port : 3128
Proxy User : hairfashionme
Proxy Password : y0cE0L2578z9i22
Whitelist : .facebook.com .twitter.com .google.com

===== ALIASES =====

PRD : hairfashion.me www.hairfashion.me origin-hairfashion.me secure.hairfashion.me prod.hairfashion.me
STG : stage.hairfashion.me

===== Google Analytics CODE =====

NONE

===== Agency Info =====

Agency :

Agency IP : 103.2.146.18

----- Akamai info -----

We utilize Akamai for content caching on all of our hosted sites.
Please notify us when the content is at it's stable end state so
we can enable caching prior to site launch. I will include
a companion document outlining the details of the redirect and other
considerations when developing a site using Akamai content caching.

Please be sure to let us know when the content is at it's end state
so we can direct the www entry to Akamai. This is also our trigger
to request production monitoring for the site.

#####

Account : AP-Unilever
Region : AP-Singapore
AZ : ap-southeast-1a
EC2/VPC : vpc-c53fe5ac
OS : CentOS

Note: use "mailhost" or "localhost" for SMTP outbound mail from the site

===== Prod =====

Site : www.hairfashion.me
IP : 54.251.151.6
Host Name : AP-LAMP-PRD-XL-0031-HAIRFASHION-WEB01 (i-e73c72b0)
SFTP User (port 22) : hairfashion_sftp
Password : FqZn9VyDt+TtdV4n

Site : www.hairfashion.me
IP : 54.251.151.119
Host Name : AP-LAMP-PRD-XL-0032-HAIRFASHION-WEB02 (i-e93977be)
SFTP User (port 22) : hairfashion_sftp
Password : eWbxbp4flSt4l4bf

-----SUDO Access -----

IP : 54.251.151.6
IP : 54.251.151.119

Sudo User : hairfashion_admin
Password : bEI78z9Vzhwm

----- PRD DATABASE -----

DB Host : db-www.hairfashion.me
DB Name : hairfashionme
DBA Name : hairfashion_me
DB Port : 3306
DB Pwd : MAiS1z524OK74pL

The phpmyadmin tool has been set up for this site and can be accessed by going to <http://54.251.151.6:3814/phpmyadmin/>

-----Phpmyadmin htaccess username & password-----

User name : hthairfashion
Password : Eos/ahnsC9xqdXLx

----- Prod ELB details-----

DNS Name: (A Record) www-hairfashion-me-623469074.ap-southeast-1.elb.amazonaws.com

-- -----SVN Access -----

Checkout URL : https://svn.unileverservices.com/usvn/svn/hairfashion_me/trunk

SVN-UI HT-Access

User Name : hthairfashionme
Password : mBryQ02wVzhwz7g

SVNRepo Access

User Name : hairfashionme
Password : mBryQ02wVzhwz7g

----- PROXY INFORMATION -----

Proxy Server IP : 46.137.208.67
Proxy Port : 3128
Proxy User : hairfashionme
Proxy Password : y0cE0L2578z9i22
Whitelist : .facebook.com .twitter.com .google.com

===== Prod / STAGE ALIASES =====

PROD Aliases : www.hairfashion.me hairfashion.me prod.hairfashion.me origin-hairfashion.me
secure.hairfashion.me
STAGE Aliases : stage.hairfashion.me

===== Agency Info =====

Agency Name :
Agency Exit IP : 103.2.146.18

----- Akamai info -----

We utilize Akamai for content caching on all of our hosted sites.
Please notify us when the content is at it's stable end state so
we can enable caching prior to site launch. I will include
a companion document outlining the details of the redirect and other
considerations when developing a site using Akamai content caching.

Please be sure to let us know when the content is at it's end state
so we can direct the www entry to Akamai. This is also our trigger
to request production monitoring for the site.
