Lab Notebook Entry from LeCroy DSO

DSO S/N:

User: LeCroyUser Time: 4/15/2016 2:17:50 AM





hw8p2

Channel Status

		C1	C3	C4
	V / Div	10.0 mV	10.0 V	10.0 V
	Offset	-8.000000 V	0 mV	0 mV
Vertical	Coupling	DC1MΩ	DC1MΩ	DC1MΩ
	BW-Limit	FULL	FULL	FULL
	Probe	1.000000	1.000000	1.000000
	Sweeps	1#	1#	1#

Horizontal	Time / Div	50.0 μs	Sampling Rate	1.250000000 GS/s
	Time / Pt	800.000 ps	Sampling Mode	RealTime
	Pts / Div	62.5000 kS	Trigger Delay	-248 µs
	Mode	Stop	Slope	Positive
Trigger	Туре	I2C	Level	2.50 V
	Source	C4	Couplina	DC

User: LeCroyUser Time: 4/15/2016 2:19:54 AM

4/15/2016 2:19:54 AM






Channel Status

		C1	C3	C4
Vertical	V / Div	10.0 mV	10.0 V	10.0 V
	Offset	-8.000000 V	0 mV	0 mV
	Coupling	DC1MΩ	DC1MΩ	DC1MΩ
	BW-Limit	FULL	FULL	FULL
	Probe	1.000000	1.000000	1.000000
	Sweeps	1#	1#	1#


Horizontal	Time / Div	100 μs	Sampling Rate	500.000000 MS/s
	Time / Pt	2.000000 ns	Sampling Mode	RealTime
	Pts / Div	50.0000 kS	Trigger Delay	-248 µs
	Mode	Stop	Slope	Positive
Trigger	Туре	I2C	Level	2.50 V
	Source	C4	Coupling	DC

DSO S/N:

User: LeCroyUser Time: 4/15/2016 2:21:47 AM







Channel Status


		C1	C3	C4
	V / Div	10.0 mV	10.0 V	10.0 V
	Offset	-8.000000 V	0 mV	0 mV
Vertical	Coupling	DC1MΩ	DC1MΩ	DC1MΩ
	BW-Limit	FULL	FULL	FULL
	Probe	1.000000	1.000000	1.000000
	Sweeps	1#	1#	1#

Horizontal	Time / Div	200 μs	Sampling Rate	500.000000 MS/s
	Time / Pt	2.000000 ns	Sampling Mode	RealTime
	Pts / Div	100.0000 kS	Trigger Delay	-400 μs
	Mode	Stop	Slope	Positive
Trigger	Type	I2C	Level	2.50 V
	Source	C4	Couplina	DC

User: LeCroyUser Time: 4/15/2016 2:22:17 AM

4/15/2016 2:22:17 AM





Channel Status

		C1	C3	C4
Vertical	V / Div	10.0 mV	10.0 V	10.0 V
	Offset	-8.000000 V	0 mV	0 mV
	Coupling	DC1MΩ	DC1MΩ	DC1MΩ
	BW-Limit	FULL	FULL	FULL
	Probe	1.000000	1.000000	1.000000
	Sweeps	1#	1#	1 #

	Time / Div	200 μs	Sampling Rate	500.000000 MS/s
Horizontal	Time / Pt	2.000000 ns	Sampling Mode	RealTime
	Pts / Div	100.0000 kS	Trigger Delay	-400 μs
	Mode	Stop	Slope	Positive
Trigger	Туре	I2C	Level	2.50 V
	Source	C4	Coupling	DC