In[168]:=
```
SetOptions[SelectedNotebook[],
 PrintingStyleEnvironment → "Printout", ShowSyntaxStyles → True]
```

```
(*Importing RISC packages*)
```

In[82]:=
```
<< RISC`qMultiSum`
<< RISC`qGeneratingFunctions`
```

qMultiSum Package version 2.54
written by Axel Riese
Copyright Research Institute for Symbolic Computation (RISC),
Johannes Kepler University, Linz, Austria

qGeneratingFunctions Package version 1.9.1
written by Christoph Koutschan
Copyright Research Institute for Symbolic Computation (RISC),
Johannes Kepler University, Linz, Austria

```
(*Initial values of T_M, using the original definition*)
```

In[96]:=
```
MyQP[A_, q_, n_] := ∏_{k=0}^{n-1} (1 - A q^k);

ClearAll[M, N1, N2, N3, N4, N5];

For[M = 0, M ≤ 10, M++,
 S =
  ∑_{N3=0}^{Floor[M/2]} ∑_{N1=0}^{M-2 N3} ∑_{N2=0}^{M-2 N3-N1} ∑_{N4=0}^{M-2 N3-N1-N2}
   q^(N1^2+N2^2+N3^2+N4^2+(M-N1-N2-2 N3-N4)^2+N1 N2+N1 N3+N1 (M-N1-N2-2 N3-N4)+N2 N3+N2 N4+N3 N4+N3 (
    / (MyQP[q^2, q^2, N1] MyQP[q^2, q^2, N2] MyQP[q^2, q^2, N3]
      MyQP[q^2, q^2, N4] MyQP[q^2, q^2, (M - N1 - N2 - 2 N3 - N4)]);
 Print[Factor[S]];
]
```

$$1$$

$$-\frac{2}{-1+q}$$

$$\frac{4q}{(-1+q)^2(1+q)}$$

$$-\frac{2q^2(1+q)}{(-1+q)^3(1+q+q^2)}$$

$$\frac{4q^4(1+q^2)}{(-1+q)^4(1+q)^2(1+q+q^2)}$$

$$-\frac{2q^6(1+q)^2(1-q+q^2)^2}{(-1+q)^5(1+q^2)(1+q+q^2)(1+q+q^2+q^3+q^4)}$$

$$\frac{4q^9(1+q^2)(1+q^4)^2}{(-1+q)^6(1+q)^3(1-q+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)}$$

$$-\left(\left(2q^{12}(1+q)^3(1-q+q^2)(1-q+q^2-q^3+q^4)^2\right)/\left((-1+q)^7(1+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)(1+q+q^2+q^3+q^4+q^5+q^6)\right)\right)$$

$$\left(4q^{16}(1+q^2)^2(1+q^4)(1-q^2+q^4)^2\right)/\left((-1+q)^8(1+q)^4(1-q+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)(1+q+q^2+q^3+q^4+q^5+q^6)\right)$$

$$-\left(\left(2q^{20}(1+q)^4(1-q+q^2)(1-q+q^2-q^3+q^4)^2(1-q+q^2-q^3+q^4-q^5+q^6)^2\right)/\left((-1+q)^9(1+q^2)^2(1+q+q^2)^3(1+q^4)(1+q+q^2+q^3+q^4)(1+q^3+q^6)(1+q+q^2+q^3+q^4+q^5+q^6)\right)\right)$$

$$\left(4q^{25}(1+q^2)^2(1+q^4)(1-q^2+q^4)^2(1+q^8)^2\right)/\left((-1+q)^{10}(1+q)^5(1-q+q^2)(1+q+q^2)^3(1-q+q^2-q^3+q^4)(1+q+q^2+q^3+q^4)^2(1+q^3+q^6)(1+q+q^2+q^3+q^4+q^5+q^6)\right)$$

```
(*Initial values of T_M, using the rewritten formula*)

In[84]:= MyQP[A_, q_, n_] := Product[(1 - A q^k), {k, 0, n-1}];

ClearAll[M, N1, N2, N3, N4, N5];

SList = {};

For[M = 0, M ≤ 10, M++,
 S = Sum[Sum[Sum[q^(M^2-N1-M N1+N1^2-N2-2 M N2+2 N1 N2+2 N2^2-3 M N3+2 N1 N3+4 N2 N3+3 N3^2),
     {N2, 0, M-2 N3-N1}], {N1, 0, M-2 N3}], {N3, 0, Floor[M/2]}]
       MyQP[-q^(1+2 N2+2 N3-M), q^2, M - N1 - N2 - 2 N3] /
         (MyQP[q^2, q^2, N1] MyQP[q^2, q^2, N2] MyQP[q^2, q^2, N3] MyQP[q^2, q^2, M - N1 - N2 - 2 N3]);
 Print[Factor[S]];
 SList = Append[SList, Factor[S]];
]
```

$$1$$

$$-\frac{2}{-1+q}$$

$$\frac{4q}{(-1+q)^2(1+q)}$$

$$-\frac{2q^2(1+q)}{(-1+q)^3(1+q+q^2)}$$

$$\frac{4q^4(1+q^2)}{(-1+q)^4(1+q)^2(1+q+q^2)}$$

$$-\frac{2q^6(1+q)^2(1-q+q^2)^2}{(-1+q)^5(1+q^2)(1+q+q^2)(1+q+q^2+q^3+q^4)}$$

$$\frac{4q^9(1+q^2)(1+q^4)^2}{(-1+q)^6(1+q)^3(1-q+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)}$$

$$-\left(\left(2q^{12}(1+q)^3(1-q+q^2)(1-q+q^2-q^3+q^4)^2\right)/\left((-1+q)^7(1+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)(1+q+q^2+q^3+q^4+q^5+q^6)\right)\right)$$

$$\left(4q^{16}(1+q^2)^2(1+q^4)(1-q^2+q^4)^2\right)/\left((-1+q)^8(1+q)^4(1-q+q^2)(1+q+q^2)^2(1+q+q^2+q^3+q^4)(1+q+q^2+q^3+q^4+q^5+q^6)\right)$$

$$-\left(\left(2q^{20}(1+q)^4(1-q+q^2)(1-q+q^2-q^3+q^4)^2(1-q+q^2-q^3+q^4-q^5+q^6)^2\right)/\left((-1+q)^9(1+q^2)^2(1+q+q^2)^3(1+q^4)(1+q+q^2+q^3+q^4)(1+q^3+q^6)(1+q+q^2+q^3+q^4+q^5+q^6)\right)\right)$$

$$\left(4q^{25}(1+q^2)^2(1+q^4)(1-q^2+q^4)^2(1+q^8)^2\right)/\left((-1+q)^{10}(1+q)^5(1-q+q^2)(1+q+q^2)^3(1-q+q^2-q^3+q^4)(1+q+q^2+q^3+q^4)^2(1+q^3+q^6)(1+q+q^2+q^3+q^4+q^5+q^6)\right)$$

(*Recurrence for T_M, with M odd*)

In[•]:=
```
ClearAll[M, N1, N2, N3, N4, N5];
summand = q^(M^2-N1-M N1+N1^2-N2-2 M N2+2 N1 N2+2 N2^2-3 M N3+2 N1 N3+4 N2 N3+3 N3^2)
    qPochhammer[-q^(1+2 N2+2 N3-M), q^2, M - N1 - N2 - 2 N3] /
     (qPochhammer[q^2, q^2, N1] qPochhammer[q^2, q^2, N2] qPochhammer[q^2, q^2, N3]
       qPochhammer[q^2, q^2, M - N1 - N2 - 2 N3]) /. {M → 2 M + 1};
stru = qFindStructureSet[summand, {M}, {N1, N2, N3}, {1}, {1, 2, 2},
   {1, 1, 1}, qProtocol → True];
rec = qFindRecurrence[summand, {M}, {N1, N2, N3}, {1}, {1, 2, 2},
   {1, 1, 1}, qProtocol → True, StructSet → stru[[1]]];
sumrec = qSumRecurrence[rec]
```

```
Structure set (231 elts.):
 {{0, 0, 0, 0}, {0, 0, 1, 0}, {0, 1, 0, 0}, {1, 0, 0, 0}, {1, 0, 0, 1}, {1, 0, 1, 0}, {1, 0, 1, 1},
  {1, 0, 2, 0}, {1, 1, 0, 0}, {1, 1, 0, 1}, {1, 1, 1, 0}, {1, 1, 2, 0}, {1, 2, 0, 0}, {1, 2, 1, 0},
  {1, 3, 0, 0}, {2, 0, 0, 0}, {2, 0, 0, 1}, {2, 0, 0, 2}, {2, 0, 1, 0}, {2, 0, 1, 1}, {2, 0, 1, 2},
  {2, 0, 2, 0}, {2, 0, 2, 1}, {2, 1, 0, 0}, {2, 1, 0, 1}, {2, 1, 0, 2}, {2, 1, 1, 0}, {2, 1, 1, 1},
  {2, 1, 2, 0}, {2, 1, 2, 1}, {2, 2, 0, 0}, {2, 2, 0, 1}, {2, 2, 1, 0}, {2, 2, 1, 1}, {2, 2, 2, 0},
  {2, 3, 0, 0}, {2, 3, 0, 1}, {2, 3, 1, 0}, {2, 3, 2, 0}, {2, 4, 1, 0}, {3, 0, 0, 0}, {3, 0, 0, 1},
  {3, 0, 0, 2}, {3, 0, 0, 3}, {3, 0, 1, 0}, {3, 0, 1, 1}, {3, 0, 1, 2}, {3, 0, 1, 3}, {3, 0, 2, 0},
  {3, 0, 2, 1}, {3, 0, 2, 2}, {3, 1, 0, 0}, {3, 1, 0, 1}, {3, 1, 0, 2}, {3, 1, 0, 3}, {3, 1, 1, 0},
  {3, 1, 1, 1}, {3, 1, 1, 2}, {3, 1, 2, 0}, {3, 1, 2, 1}, {3, 1, 2, 2}, {3, 2, 0, 0}, {3, 2, 0, 1},
  {3, 2, 0, 2}, {3, 2, 1, 0}, {3, 2, 1, 1}, {3, 2, 1, 2}, {3, 2, 2, 0}, {3, 2, 2, 1}, {3, 3, 0, 0},
  {3, 3, 0, 1}, {3, 3, 0, 2}, {3, 3, 1, 0}, {3, 3, 1, 1}, {3, 3, 2, 0}, {3, 3, 2, 1}, {3, 4, 1, 1},
  {3, 4, 2, 0}, {4, 0, 0, 0}, {4, 0, 0, 1}, {4, 0, 0, 2}, {4, 0, 0, 3}, {4, 0, 0, 4}, {4, 0, 1, 0},
  {4, 0, 1, 1}, {4, 0, 1, 2}, {4, 0, 1, 3}, {4, 0, 2, 0}, {4, 0, 2, 1}, {4, 0, 2, 2}, {4, 1, 0, 0},
  {4, 1, 0, 1}, {4, 1, 0, 2}, {4, 1, 0, 3}, {4, 1, 0, 4}, {4, 1, 1, 0}, {4, 1, 1, 1}, {4, 1, 1, 2},
  {4, 1, 1, 3}, {4, 1, 2, 0}, {4, 1, 2, 1}, {4, 1, 2, 2}, {4, 1, 2, 3}, {4, 1, 3, 0}, {4, 2, 0, 1},
  {4, 2, 0, 2}, {4, 2, 0, 3}, {4, 2, 1, 0}, {4, 2, 1, 1}, {4, 2, 1, 2}, {4, 2, 1, 3}, {4, 2, 2, 0},
  {4, 2, 2, 1}, {4, 2, 2, 2}, {4, 2, 3, 0}, {4, 2, 4, 0}, {4, 3, 0, 1}, {4, 3, 0, 2}, {4, 3, 0, 3},
  {4, 3, 1, 0}, {4, 3, 1, 1}, {4, 3, 1, 2}, {4, 3, 2, 0}, {4, 3, 2, 1}, {4, 3, 2, 2}, {4, 4, 1, 2},
  {4, 4, 2, 1}, {5, 0, 0, 4}, {5, 0, 0, 5}, {5, 0, 1, 2}, {5, 0, 1, 3}, {5, 0, 1, 4}, {5, 0, 2, 1},
  {5, 0, 2, 2}, {5, 0, 2, 3}, {5, 1, 0, 2}, {5, 1, 0, 3}, {5, 1, 0, 4}, {5, 1, 0, 5}, {5, 1, 1, 0},
  {5, 1, 1, 1}, {5, 1, 1, 2}, {5, 1, 1, 3}, {5, 1, 1, 4}, {5, 1, 2, 1}, {5, 1, 2, 2}, {5, 1, 2, 3},
  {5, 1, 3, 1}, {5, 2, 0, 2}, {5, 2, 0, 3}, {5, 2, 0, 4}, {5, 2, 1, 1}, {5, 2, 1, 2}, {5, 2, 1, 3},
  {5, 2, 1, 4}, {5, 2, 2, 0}, {5, 2, 2, 1}, {5, 2, 2, 2}, {5, 2, 2, 3}, {5, 2, 3, 1}, {5, 2, 4, 1},
  {5, 3, 0, 2}, {5, 3, 0, 3}, {5, 3, 0, 4}, {5, 3, 1, 1}, {5, 3, 1, 2}, {5, 3, 1, 3}, {5, 3, 2, 0},
  {5, 3, 2, 1}, {5, 3, 2, 2}, {5, 3, 2, 3}, {5, 3, 3, 0}, {5, 4, 1, 3}, {5, 4, 2, 2}, {5, 4, 4, 0},
  {6, 0, 2, 4}, {6, 1, 0, 6}, {6, 1, 1, 4}, {6, 1, 1, 5}, {6, 1, 2, 2}, {6, 1, 2, 3}, {6, 1, 2, 4},
  {6, 1, 3, 2}, {6, 2, 0, 4}, {6, 2, 0, 5}, {6, 2, 1, 2}, {6, 2, 1, 3}, {6, 2, 1, 4}, {6, 2, 1, 5},
  {6, 2, 2, 1}, {6, 2, 2, 2}, {6, 2, 2, 3}, {6, 2, 2, 4}, {6, 2, 3, 2}, {6, 2, 4, 2}, {6, 3, 0, 3},
  {6, 3, 0, 4}, {6, 3, 0, 5}, {6, 3, 1, 2}, {6, 3, 1, 3}, {6, 3, 1, 4}, {6, 3, 2, 1}, {6, 3, 2, 2},
  {6, 3, 2, 3}, {6, 3, 2, 4}, {6, 3, 3, 1}, {6, 4, 1, 4}, {6, 4, 2, 3}, {6, 4, 4, 1}, {7, 2, 1, 6},
  {7, 2, 2, 4}, {7, 2, 2, 5}, {7, 2, 3, 3}, {7, 2, 4, 3}, {7, 3, 0, 6}, {7, 3, 1, 4}, {7, 3, 1, 5},
  {7, 3, 2, 2}, {7, 3, 2, 3}, {7, 3, 2, 4}, {7, 3, 2, 5}, {7, 3, 3, 2}, {7, 4, 1, 5}, {7, 4, 2, 4},
  {7, 4, 4, 2}, {8, 2, 4, 4}, {8, 3, 2, 6}, {8, 4, 1, 6}, {8, 4, 2, 5}, {8, 4, 4, 3}, {9, 4, 4, 4}}

Setting up equations

Eliminating trivial equations

Starting equation solver

Dimension of matrix: 4855x1318

Simplifying 9 solution(s)

Solution exists
```

```
Structure set (89 elts.):
 {{0, 0, 0, 0}, {1, 0, 0, 0}, {1, 0, 0, 1}, {1, 0, 1, 0}, {1, 0, 2, 0}, {1, 1, 0, 0}, {1, 1, 1, 0},
  {1, 2, 0, 0}, {2, 0, 0, 0}, {2, 0, 0, 1}, {2, 0, 0, 2}, {2, 0, 1, 0}, {2, 0, 1, 1}, {2, 0, 2, 0},
  {2, 0, 2, 1}, {2, 1, 0, 0}, {2, 1, 0, 1}, {2, 1, 1, 0}, {2, 1, 1, 1}, {2, 1, 2, 0}, {2, 2, 0, 0},
  {2, 2, 0, 1}, {2, 2, 1, 0}, {3, 0, 0, 1}, {3, 0, 0, 2}, {3, 0, 0, 3}, {3, 0, 1, 0}, {3, 0, 1, 1},
  {3, 0, 1, 2}, {3, 0, 2, 0}, {3, 0, 2, 1}, {3, 0, 2, 2}, {3, 1, 0, 0}, {3, 1, 0, 1}, {3, 1, 0, 2},
  {3, 1, 1, 0}, {3, 1, 1, 1}, {3, 1, 1, 2}, {3, 1, 2, 0}, {3, 1, 2, 1}, {3, 2, 0, 0}, {3, 2, 0, 1},
  {3, 2, 0, 2}, {3, 2, 1, 0}, {3, 2, 1, 1}, {3, 2, 2, 0}, {4, 0, 0, 2}, {4, 0, 0, 3}, {4, 0, 0, 4},
  {4, 0, 1, 1}, {4, 0, 1, 2}, {4, 0, 1, 3}, {4, 0, 2, 1}, {4, 0, 2, 2}, {4, 1, 0, 1}, {4, 1, 0, 2},
  {4, 1, 0, 3}, {4, 1, 1, 0}, {4, 1, 1, 1}, {4, 1, 1, 2}, {4, 1, 1, 3}, {4, 1, 2, 0}, {4, 1, 2, 1},
  {4, 1, 2, 2}, {4, 2, 0, 1}, {4, 2, 0, 2}, {4, 2, 1, 0}, {4, 2, 1, 1}, {4, 2, 1, 2}, {4, 2, 2, 0},
  {4, 2, 2, 1}, {5, 0, 0, 4}, {5, 0, 0, 5}, {5, 0, 1, 3}, {5, 0, 1, 4}, {5, 0, 2, 2}, {5, 0, 2, 3},
  {5, 1, 0, 3}, {5, 1, 0, 4}, {5, 1, 1, 2}, {5, 1, 1, 3}, {5, 1, 2, 1}, {5, 1, 2, 2},
  {5, 2, 0, 2}, {5, 2, 0, 3}, {5, 2, 1, 1}, {5, 2, 1, 2}, {5, 2, 2, 0}, {5, 2, 2, 1}}

Setting up equations

Eliminating trivial equations

Starting equation solver

Dimension of matrix: 1992x670

Simplifying 1 solution(s)
```

Out[•]=

$$\Big\{-q^{50+10M}\left(-1+q^{3+M}\right)\left(1+q^{3+M}\right)\left(1+q^{1+2M}\right)^2\left(1+q^{3+2M}\right)^2\,\text{SUM}[M]+q^{40+8M}\left(1+q^{3+2M}\right)^2\left(-1-q^2-q^4-q^6-q^8-2q^{5+2M}-2q^{7+2M}+2q^{8+2M}-2q^{9+2M}+q^{10+2M}+q^{12+2M}+q^{14+2M}-q^{10+4M}-q^{12+4M}+2q^{13+4M}+2q^{15+4M}-q^{16+4M}+q^{18+6M}+2q^{19+6M}+2q^{20+6M}\right)\text{SUM}[1+M]-q^{30+6M}\left(1+q^{5+2M}\right)\left(-1-q^2-2q^4-2q^6-2q^8-q^{10}-q^{12}-q^{5+2M}-3q^{7+2M}+q^{8+2M}-4q^{9+2M}+2q^{10+2M}-4q^{11+2M}+2q^{12+2M}-2q^{13+2M}+3q^{14+2M}-q^{15+2M}+q^{16+2M}+q^{17+2M}+q^{18+2M}-2q^{12+4M}+q^{13+4M}-3q^{14+4M}+2q^{15+4M}-2q^{16+4M}+4q^{17+4M}-q^{18+4M}+q^{19+4M}+q^{20+4M}+q^{21+4M}-q^{22+4M}-q^{23+4M}-q^{19+6M}+2q^{22+6M}+3q^{23+6M}+q^{24+6M}-q^{25+6M}-q^{26+6M}+q^{27+6M}+2q^{28+8M}+3q^{29+8M}+4q^{30+8M}+q^{31+8M}\right)\text{SUM}[2+M]+q^{20+4M}\left(1+q^{7+2M}\right)\left(-1-q^2-2q^4-2q^6-2q^8-q^{10}-q^{12}-q^{7+2M}+q^{8+2M}-3q^{9+2M}+q^{10+2M}-2q^{11+2M}+3q^{12+2M}-2q^{13+2M}+2q^{14+2M}+2q^{16+2M}+q^{17+2M}+q^{18+2M}+q^{19+2M}+q^{15+4M}-2q^{16+4M}+q^{17+4M}+q^{19+4M}+q^{20+4M}+q^{22+4M}-2q^{23+4M}-q^{25+4M}+2q^{25+6M}-q^{26+6M}+q^{27+6M}-3q^{28+6M}-q^{29+6M}-2q^{30+6M}+q^{33+8M}+4q^{34+8M}+3q^{35+8M}+2q^{36+8M}\right)\text{SUM}[3+M]-q^{10+2M}\left(-1+q^{4+M}\right)\left(1+q^{4+M}\right)\left(1+q^{9+2M}\right)\left(1+q^2+q^4+q^6+q^8+q^{9+2M}+q^{11+2M}-q^{13+2M}-q^{14+2M}-q^{15+2M}+q^{16+2M}-q^{17+2M}+2q^{19+4M}-2q^{20+4M}-q^{22+4M}+q^{23+4M}-q^{25+4M}+2q^{29+6M}+2q^{30+6M}+q^{31+6M}\right)\text{SUM}[4+M]+\left(-1+q^{4+M}\right)\left(1+q^{4+M}\right)\left(-1+q^{5+M}\right)\left(1+q^{5+M}\right)\left(1+q^{10+2M}\right)\left(-1+q^{11+2M}\right)\left(1+q^{11+2M}\right)\text{SUM}[5+M]==0\Big\}$$

```
(*Verifying recurrence for odd M*)
```

In[•]:=
```
ClearAll[M, A];

MyQP[A_, q_, n_] := Product[(1 - A q^k), {k, 0, n - 1}];

A[k_, M_] := q^(M (M+1)) MyQP[-q^(2 M+1), q^2, k]^2 / (q^(M (M+1)) MyQP[q^(2 M+2), q, 2 k]);

(-q^(50+10 M) (-1 + q^(3+M)) (1 + q^(3+M)) (1 + q^(1+2 M))^2 (1 + q^(3+2 M))^2 A[0, M] +
   q^(40+8 M) (1 + q^(3+2 M))^2 (-1 - q^2 - q^4 - q^6 - q^8 - 2 q^(5+2 M) - 2 q^(7+2 M) + 2 q^(8+2 M) - 2 q^(9+2 M) + q^(10+2 M) + q^(12+2 M) +
      q^(14+2 M) - q^(10+4 M) - q^(12+4 M) + 2 q^(13+4 M) + 2 q^(15+4 M) - q^(16+4 M) + q^(18+6 M) + 2 q^(19+6 M) + 2 q^(20+6 M)) A[1, M] -
   q^(30+6 M) (1 + q^(5+2 M)) (-1 - q^2 - 2 q^4 - 2 q^6 - 2 q^8 - q^10 - q^12 - q^(5+2 M) - 3 q^(7+2 M) + q^(8+2 M) - 4 q^(9+2 M) +
      2 q^(10+2 M) - 4 q^(11+2 M) + 2 q^(12+2 M) - 2 q^(13+2 M) + 3 q^(14+2 M) - q^(15+2 M) + q^(16+2 M) + q^(17+2 M) + q^(18+2 M) - 2 q^(12+4 M) +
      q^(13+4 M) - 3 q^(14+4 M) + 2 q^(15+4 M) - 2 q^(16+4 M) + 4 q^(17+4 M) - q^(18+4 M) + q^(19+4 M) + q^(20+4 M) + q^(21+4 M) - q^(22+4 M) - q^(23+4 M) -
      q^(19+6 M) + 2 q^(22+6 M) + 3 q^(23+6 M) + q^(24+6 M) - q^(25+6 M) - q^(26+6 M) + q^(27+6 M) + 2 q^(28+8 M) + 3 q^(29+8 M) + 4 q^(30+8 M) + q^(31+8 M))
    A[2, M] + q^(20+4 M) (1 + q^(7+2 M)) (-1 - q^2 - 2 q^4 - 2 q^6 - 2 q^8 - q^10 - q^12 - q^(7+2 M) + q^(8+2 M) - 3 q^(9+2 M) +
      q^(10+2 M) - 2 q^(11+2 M) + 3 q^(12+2 M) - 2 q^(13+2 M) + 2 q^(14+2 M) + 2 q^(16+2 M) + q^(17+2 M) + q^(18+2 M) + q^(19+2 M) + q^(15+4 M) -
      2 q^(16+4 M) + q^(17+4 M) + q^(19+4 M) + q^(20+4 M) + q^(22+4 M) - 2 q^(23+4 M) - q^(25+4 M) + 2 q^(25+6 M) - q^(26+6 M) + q^(27+6 M) - 3 q^(28+6 M) -
      q^(29+6 M) - 2 q^(30+6 M) + q^(33+8 M) + 4 q^(34+8 M) + 3 q^(35+8 M) + 2 q^(36+8 M)) A[3, M] - q^(10+2 M) (-1 + q^(4+M)) (1 + q^(4+M))
    (1 + q^(9+2 M)) (1 + q^2 + q^4 + q^6 + q^8 + q^(9+2 M) + q^(11+2 M) - q^(13+2 M) - q^(14+2 M) - q^(15+2 M) + q^(16+2 M) - q^(17+2 M) +
      2 q^(19+4 M) - 2 q^(20+4 M) - q^(22+4 M) + q^(23+4 M) - q^(25+4 M) + 2 q^(29+6 M) + 2 q^(30+6 M) + q^(31+6 M)) A[4, M] + (-1 + q^(4+M))
    (1 + q^(4+M)) (-1 + q^(5+M)) (1 + q^(5+M)) (1 + q^(10+2 M)) (-1 + q^(11+2 M)) (1 + q^(11+2 M)) A[5, M]) // Simplify
```

Out[•]=
```
0
```

```
(*Recurrence for T_M, with M even*)
```

In[99]:=
```
ClearAll[M, N1, N2, N3, N4, N5];
summand = q^(M^2 - N1 - M N1 + N1^2 - N2 - 2 M N2 + 2 N1 N2 + 2 N2^2 - 3 M N3 + 2 N1 N3 + 4 N2 N3 + 3 N3^2)
    qPochhammer[-q^(1+2 N2+2 N3-M), q^2, M - N1 - N2 - 2 N3] / (qPochhammer[q^2, q^2, N1] qPochhammer[q^2,
        q^2, N2] qPochhammer[q^2, q^2, N3] qPochhammer[q^2, q^2, M - N1 - N2 - 2 N3]) /. {M -> 2 M};
stru = qFindStructureSet[summand, {M}, {N1, N2, N3}, {1}, {1, 2, 2},
   {1, 1, 1}, qProtocol -> True];
rec = qFindRecurrence[summand, {M}, {N1, N2, N3}, {1}, {1, 2, 2},
   {1, 1, 1}, qProtocol -> True, StructSet -> stru[[1]]];
sumrec = qSumRecurrence[rec]
```

```
Structure set (231 elts.):
 {{0, 0, 0, 0}, {0, 0, 1, 0}, {0, 1, 0, 0}, {1, 0, 0, 0}, {1, 0, 0, 1}, {1, 0, 1, 0}, {1, 0, 1, 1},
  {1, 0, 2, 0}, {1, 1, 0, 0}, {1, 1, 0, 1}, {1, 1, 1, 0}, {1, 1, 2, 0}, {1, 2, 0, 0}, {1, 2, 1, 0},
  {1, 3, 0, 0}, {2, 0, 0, 0}, {2, 0, 0, 1}, {2, 0, 0, 2}, {2, 0, 1, 0}, {2, 0, 1, 1}, {2, 0, 1, 2},
  {2, 0, 2, 0}, {2, 0, 2, 1}, {2, 1, 0, 0}, {2, 1, 0, 1}, {2, 1, 0, 2}, {2, 1, 1, 0}, {2, 1, 1, 1},
  {2, 1, 2, 0}, {2, 1, 2, 1}, {2, 2, 0, 0}, {2, 2, 0, 1}, {2, 2, 1, 0}, {2, 2, 1, 1}, {2, 2, 2, 0},
  {2, 3, 0, 0}, {2, 3, 0, 1}, {2, 3, 1, 0}, {2, 3, 2, 0}, {2, 4, 1, 0}, {3, 0, 0, 0}, {3, 0, 0, 1},
  {3, 0, 0, 2}, {3, 0, 0, 3}, {3, 0, 1, 0}, {3, 0, 1, 1}, {3, 0, 1, 2}, {3, 0, 1, 3}, {3, 0, 2, 0},
  {3, 0, 2, 1}, {3, 0, 2, 2}, {3, 1, 0, 0}, {3, 1, 0, 1}, {3, 1, 0, 2}, {3, 1, 0, 3}, {3, 1, 1, 0},
  {3, 1, 1, 1}, {3, 1, 1, 2}, {3, 1, 2, 0}, {3, 1, 2, 1}, {3, 1, 2, 2}, {3, 2, 0, 0}, {3, 2, 0, 1},
  {3, 2, 0, 2}, {3, 2, 1, 0}, {3, 2, 1, 1}, {3, 2, 1, 2}, {3, 2, 2, 0}, {3, 2, 2, 1}, {3, 3, 0, 0},
  {3, 3, 0, 1}, {3, 3, 0, 2}, {3, 3, 1, 0}, {3, 3, 1, 1}, {3, 3, 2, 0}, {3, 3, 2, 1}, {3, 4, 1, 1},
  {3, 4, 2, 0}, {4, 0, 0, 0}, {4, 0, 0, 1}, {4, 0, 0, 2}, {4, 0, 0, 3}, {4, 0, 0, 4}, {4, 0, 1, 0},
  {4, 0, 1, 1}, {4, 0, 1, 2}, {4, 0, 1, 3}, {4, 0, 2, 0}, {4, 0, 2, 1}, {4, 0, 2, 2}, {4, 1, 0, 0},
  {4, 1, 0, 1}, {4, 1, 0, 2}, {4, 1, 0, 3}, {4, 1, 0, 4}, {4, 1, 1, 0}, {4, 1, 1, 1}, {4, 1, 1, 2},
  {4, 1, 1, 3}, {4, 1, 2, 0}, {4, 1, 2, 1}, {4, 1, 2, 2}, {4, 1, 2, 3}, {4, 1, 3, 0}, {4, 2, 0, 1},
  {4, 2, 0, 2}, {4, 2, 0, 3}, {4, 2, 1, 0}, {4, 2, 1, 1}, {4, 2, 1, 2}, {4, 2, 1, 3}, {4, 2, 2, 0},
  {4, 2, 2, 1}, {4, 2, 2, 2}, {4, 2, 3, 0}, {4, 2, 4, 0}, {4, 3, 0, 1}, {4, 3, 0, 2}, {4, 3, 0, 3},
  {4, 3, 1, 0}, {4, 3, 1, 1}, {4, 3, 1, 2}, {4, 3, 2, 0}, {4, 3, 2, 1}, {4, 3, 2, 2}, {4, 4, 1, 2},
  {4, 4, 2, 1}, {5, 0, 0, 4}, {5, 0, 0, 5}, {5, 0, 1, 2}, {5, 0, 1, 3}, {5, 0, 1, 4}, {5, 0, 2, 1},
  {5, 0, 2, 2}, {5, 0, 2, 3}, {5, 1, 0, 2}, {5, 1, 0, 3}, {5, 1, 0, 4}, {5, 1, 0, 5}, {5, 1, 1, 0},
  {5, 1, 1, 1}, {5, 1, 1, 2}, {5, 1, 1, 3}, {5, 1, 1, 4}, {5, 1, 2, 1}, {5, 1, 2, 2}, {5, 1, 2, 3},
  {5, 1, 3, 1}, {5, 2, 0, 2}, {5, 2, 0, 3}, {5, 2, 0, 4}, {5, 2, 1, 1}, {5, 2, 1, 2}, {5, 2, 1, 3},
  {5, 2, 1, 4}, {5, 2, 2, 0}, {5, 2, 2, 1}, {5, 2, 2, 2}, {5, 2, 2, 3}, {5, 2, 3, 1}, {5, 2, 4, 1},
  {5, 3, 0, 2}, {5, 3, 0, 3}, {5, 3, 0, 4}, {5, 3, 1, 1}, {5, 3, 1, 2}, {5, 3, 1, 3}, {5, 3, 2, 0},
  {5, 3, 2, 1}, {5, 3, 2, 2}, {5, 3, 2, 3}, {5, 3, 3, 0}, {5, 4, 1, 3}, {5, 4, 2, 2}, {5, 4, 4, 0},
  {6, 0, 2, 4}, {6, 1, 0, 6}, {6, 1, 1, 4}, {6, 1, 1, 5}, {6, 1, 2, 2}, {6, 1, 2, 3}, {6, 1, 2, 4},
  {6, 1, 3, 2}, {6, 2, 0, 4}, {6, 2, 0, 5}, {6, 2, 1, 2}, {6, 2, 1, 3}, {6, 2, 1, 4}, {6, 2, 1, 5},
  {6, 2, 2, 1}, {6, 2, 2, 2}, {6, 2, 2, 3}, {6, 2, 2, 4}, {6, 2, 3, 2}, {6, 2, 4, 2}, {6, 3, 0, 3},
  {6, 3, 0, 4}, {6, 3, 0, 5}, {6, 3, 1, 2}, {6, 3, 1, 3}, {6, 3, 1, 4}, {6, 3, 2, 1}, {6, 3, 2, 2},
  {6, 3, 2, 3}, {6, 3, 2, 4}, {6, 3, 3, 1}, {6, 4, 1, 4}, {6, 4, 2, 3}, {6, 4, 4, 1}, {7, 2, 1, 6},
  {7, 2, 2, 4}, {7, 2, 2, 5}, {7, 2, 3, 3}, {7, 2, 4, 3}, {7, 3, 0, 6}, {7, 3, 1, 4}, {7, 3, 1, 5},
  {7, 3, 2, 2}, {7, 3, 2, 3}, {7, 3, 2, 4}, {7, 3, 2, 5}, {7, 3, 3, 2}, {7, 4, 1, 5}, {7, 4, 2, 4},
  {7, 4, 4, 2}, {8, 2, 4, 4}, {8, 3, 2, 6}, {8, 4, 1, 6}, {8, 4, 2, 5}, {8, 4, 4, 3}, {9, 4, 4, 4}}

Setting up equations

Eliminating trivial equations

Starting equation solver

Dimension of matrix: 4855x1318

Simplifying 9 solution(s)

Solution exists
```

```
Structure set (89 elts.):
 {{0, 0, 0, 0}, {1, 0, 0, 0}, {1, 0, 0, 1}, {1, 0, 1, 0}, {1, 0, 2, 0}, {1, 1, 0, 0}, {1, 1, 1, 0},
  {1, 2, 0, 0}, {2, 0, 0, 0}, {2, 0, 0, 1}, {2, 0, 0, 2}, {2, 0, 1, 0}, {2, 0, 1, 1}, {2, 0, 2, 0},
  {2, 0, 2, 1}, {2, 1, 0, 0}, {2, 1, 0, 1}, {2, 1, 1, 0}, {2, 1, 1, 1}, {2, 1, 2, 0}, {2, 2, 0, 0},
  {2, 2, 0, 1}, {2, 2, 1, 0}, {3, 0, 0, 1}, {3, 0, 0, 2}, {3, 0, 0, 3}, {3, 0, 1, 0}, {3, 0, 1, 1},
  {3, 0, 1, 2}, {3, 0, 2, 0}, {3, 0, 2, 1}, {3, 0, 2, 2}, {3, 1, 0, 0}, {3, 1, 0, 1}, {3, 1, 0, 2},
  {3, 1, 1, 0}, {3, 1, 1, 1}, {3, 1, 1, 2}, {3, 1, 2, 0}, {3, 1, 2, 1}, {3, 2, 0, 0}, {3, 2, 0, 1},
  {3, 2, 0, 2}, {3, 2, 1, 0}, {3, 2, 1, 1}, {3, 2, 2, 0}, {4, 0, 0, 2}, {4, 0, 0, 3}, {4, 0, 0, 4},
  {4, 0, 1, 1}, {4, 0, 1, 2}, {4, 0, 1, 3}, {4, 0, 2, 1}, {4, 0, 2, 2}, {4, 1, 0, 1}, {4, 1, 0, 2},
  {4, 1, 0, 3}, {4, 1, 1, 0}, {4, 1, 1, 1}, {4, 1, 1, 2}, {4, 1, 1, 3}, {4, 1, 2, 0}, {4, 1, 2, 1},
  {4, 1, 2, 2}, {4, 2, 0, 1}, {4, 2, 0, 2}, {4, 2, 1, 0}, {4, 2, 1, 1}, {4, 2, 1, 2}, {4, 2, 2, 0},
  {4, 2, 2, 1}, {5, 0, 0, 4}, {5, 0, 0, 5}, {5, 0, 1, 3}, {5, 0, 1, 4}, {5, 0, 2, 2}, {5, 0, 2, 3},
  {5, 1, 0, 3}, {5, 1, 0, 4}, {5, 1, 1, 2}, {5, 1, 1, 3}, {5, 1, 2, 1}, {5, 1, 2, 2},
  {5, 2, 0, 2}, {5, 2, 0, 3}, {5, 2, 1, 1}, {5, 2, 1, 2}, {5, 2, 2, 0}, {5, 2, 2, 1}}

Setting up equations

Eliminating trivial equations

Starting equation solver

Dimension of matrix: 1992x670

Simplifying 1 solution(s)
```

Out[103]=

$$\Big\{-q^{45+10M}\left(1+q^{2M}\right)^2\left(1+q^{2+2M}\right)^2\left(-1+q^{5+2M}\right)\,\mathrm{SUM}[M]+$$
$$q^{36+8M}\left(1+q^{2+2M}\right)^2\left(-1-q^2-q^4-q^6-q^8-2q^{4+2M}-2q^{6+2M}+2q^{7+2M}-2q^{8+2M}+q^{9+2M}+q^{11+2M}+\right.$$
$$\left.q^{13+2M}-q^{8+4M}-q^{10+4M}+2q^{11+4M}+2q^{13+4M}-q^{14+4M}+q^{15+6M}+2q^{16+6M}+2q^{17+6M}\right)\,\mathrm{SUM}[1+M]-$$
$$q^{27+6M}\left(1+q^{4+2M}\right)\left(-1-q^2-2q^4-2q^6-2q^8-q^{10}-q^{12}-q^{4+2M}-3q^{6+2M}+q^{7+2M}-4q^{8+2M}+\right.$$
$$2q^{9+2M}-4q^{10+2M}+2q^{11+2M}-2q^{12+2M}+3q^{13+2M}-q^{14+2M}+q^{15+2M}+q^{16+2M}+q^{17+2M}-2q^{10+4M}+$$
$$q^{11+4M}-3q^{12+4M}+2q^{13+4M}-2q^{14+4M}+4q^{15+4M}-q^{16+4M}+q^{17+4M}+q^{18+4M}+q^{19+4M}-q^{20+4M}-q^{21+4M}-$$
$$\left.q^{16+6M}+2q^{19+6M}+3q^{20+6M}+q^{21+6M}-q^{22+6M}-q^{23+6M}+q^{24+6M}+2q^{24+8M}+3q^{25+8M}+4q^{26+8M}+q^{27+8M}\right)$$
$$\mathrm{SUM}[2+M]+q^{18+4M}\left(1+q^{6+2M}\right)\left(-1-q^2-2q^4-2q^6-2q^8-q^{10}-q^{12}-q^{6+2M}+q^{7+2M}-\right.$$
$$3q^{8+2M}+q^{9+2M}-2q^{10+2M}+3q^{11+2M}-2q^{12+2M}+2q^{13+2M}+2q^{15+2M}+q^{16+2M}+q^{17+2M}+q^{18+2M}+$$
$$q^{13+4M}-2q^{14+4M}+q^{15+4M}+q^{17+4M}+q^{18+4M}+q^{20+4M}-2q^{21+4M}-q^{23+4M}+2q^{22+6M}-q^{23+6M}+$$
$$\left.q^{24+6M}-3q^{25+6M}-q^{26+6M}-2q^{27+6M}+q^{29+8M}+4q^{30+8M}+3q^{31+8M}+2q^{32+8M}\right)\,\mathrm{SUM}[3+M]-$$
$$q^{9+2M}\left(-1+q^{7+2M}\right)\left(1+q^{8+2M}\right)\left(1+q^2+q^4+q^6+q^8+q^{8+2M}+q^{10+2M}-q^{12+2M}-q^{13+2M}-q^{14+2M}+q^{15+2M}-\right.$$
$$\left.q^{16+2M}+2q^{17+4M}-2q^{18+4M}-q^{20+4M}+q^{21+4M}-q^{23+4M}+2q^{26+6M}+2q^{27+6M}+q^{28+6M}\right)\,\mathrm{SUM}[4+M]+$$
$$\left(-1+q^{5+M}\right)\left(1+q^{5+M}\right)\left(-1+q^{7+2M}\right)\left(-1+q^{9+2M}\right)\left(1+q^{9+2M}\right)\left(1+q^{10+2M}\right)\,\mathrm{SUM}[5+M]==0\Big\}$$

```
(*Verifying recurrence for even M*)
```

In[111]:=
```
ClearAll[M, A];

MyQP[A_, q_, n_] := Product[(1 - A q^k), {k, 0, n-1}];

A[k_, M_] := q^((M+k)^2) MyQP[-q^(2 M), q^2, k]^2 / (q^(M^2) MyQP[q^(2 M+1), q, 2 k]);

(-q^(45+10 M) (1 + q^(2 M))^2 (1 + q^(2+2 M))^2 (-1 + q^(5+2 M)) A[0, M] + q^(36+8 M) (1 + q^(2+2 M))^2 (-1 - q^2 - q^4 - q^6 - q^8 -
      2 q^(4+2 M) - 2 q^(6+2 M) + 2 q^(7+2 M) - 2 q^(8+2 M) + q^(9+2 M) + q^(11+2 M) + q^(13+2 M) - q^(8+4 M) - q^(10+4 M) + 2 q^(11+4 M) + 2 q^(13+4 M) -
      q^(14+4 M) + q^(15+6 M) + 2 q^(16+6 M) + 2 q^(17+6 M)) A[1, M] - q^(27+6 M) (1 + q^(4+2 M)) (-1 - q^2 - 2 q^4 - 2 q^6 - 2 q^8 - q^10 -
      q^12 - q^(4+2 M) - 3 q^(6+2 M) + q^(7+2 M) - 4 q^(8+2 M) + 2 q^(9+2 M) - 4 q^(10+2 M) + 2 q^(11+2 M) - 2 q^(12+2 M) + 3 q^(13+2 M) - q^(14+2 M) +
      q^(15+2 M) + q^(16+2 M) + q^(17+2 M) - 2 q^(10+4 M) + q^(11+4 M) - 3 q^(12+4 M) + 2 q^(13+4 M) - 2 q^(14+4 M) + 4 q^(15+4 M) - q^(16+4 M) + q^(17+4 M) +
      q^(18+4 M) + q^(19+4 M) - q^(20+4 M) - q^(21+4 M) - q^(16+6 M) + 2 q^(19+6 M) + 3 q^(20+6 M) + q^(21+6 M) - q^(22+6 M) - q^(23+6 M) + q^(24+6 M) +
      2 q^(24+8 M) + 3 q^(25+8 M) + 4 q^(26+8 M) + q^(27+8 M)) A[2, M] + q^(18+4 M) (1 + q^(6+2 M)) (-1 - q^2 - 2 q^4 - 2 q^6 - 2 q^8 -
      q^10 - q^12 - q^(6+2 M) + q^(7+2 M) - 3 q^(8+2 M) + q^(9+2 M) - 2 q^(10+2 M) + 3 q^(11+2 M) - 2 q^(12+2 M) + 2 q^(13+2 M) + 2 q^(15+2 M) + q^(16+2 M) +
      q^(17+2 M) + q^(18+2 M) + q^(13+4 M) - 2 q^(14+4 M) + q^(15+4 M) + q^(17+4 M) + q^(18+4 M) + q^(20+4 M) - 2 q^(21+4 M) - q^(23+4 M) + 2 q^(22+6 M) -
      q^(23+6 M) + q^(24+6 M) - 3 q^(25+6 M) - q^(26+6 M) - 2 q^(27+6 M) + q^(29+8 M) + 4 q^(30+8 M) + 3 q^(31+8 M) + 2 q^(32+8 M)) A[3, M] -
   q^(9+2 M) (-1 + q^(7+2 M)) (1 + q^(8+2 M)) (1 + q^2 + q^4 + q^6 + q^8 + q^(8+2 M) + q^(10+2 M) - q^(12+2 M) - q^(13+2 M) - q^(14+2 M) +
      q^(15+2 M) - q^(16+2 M) + 2 q^(17+4 M) - 2 q^(18+4 M) - q^(20+4 M) + q^(21+4 M) - q^(23+4 M) + 2 q^(26+6 M) + 2 q^(27+6 M) + q^(28+6 M)) A[4, M] +
   (-1 + q^(5+M)) (1 + q^(5+M)) (-1 + q^(7+2 M)) (-1 + q^(9+2 M)) (1 + q^(9+2 M)) (1 + q^(10+2 M)) A[5, M]) // Simplify
```

Out[113]= 0

```
(*Verifying the Rogers-Ramanujan type identity*)

MyQP[A_, q_, n_] := Product[(1 - A q^k), {k, 0, n-1}];
f[k_] := QPochhammer[q^k, q^k];

SumMax = 6;
PowerMax = 30;

Normal[Series[Sum[Sum[Sum[Sum[Sum[Sum[
      q^(N1^2+N2^2+N3^2+N4^2+N5^2+N6^2+N1 N2+N1 N3+N1 N5+N1 N6+N2 N3+N2 N4+N2 N6+N3 N4+N3 N5+2 N3 N6+N4 N5+N4 N6+N5 N6-(N1+N2+N6)) /
       (MyQP[q^2, q^2, N1] MyQP[q^2, q^2, N2] MyQP[q^2, q^2, N3]
        MyQP[q^2, q^2, N4] MyQP[q^2, q^2, N5] MyQP[q^2, q^2, N6]), {N1, 0, SumMax}], {N2, 0, SumMax}], {N3, 0, SumMax}], {N4, 0, SumMax}], {N5, 0, SumMax}], {N6, 0, SumMax}], {q, 0, PowerMax}]]

Normal[Series[4 f[2]^2 / f[1]^2, {q, 0, PowerMax}]]
```

Out[119]= $4 + 8\,q + 12\,q^2 + 24\,q^3 + 36\,q^4 + 56\,q^5 + 88\,q^6 + 128\,q^7 + 184\,q^8 + 264\,q^9 + 372\,q^{10} + 512\,q^{11} + 704\,q^{12} + 952\,q^{13} + 1276\,q^{14} + 1704\,q^{15} + 2248\,q^{16} + 2944\,q^{17} + 3840\,q^{18} + 4968\,q^{19} + 6392\,q^{20} + 8192\,q^{21} + 10\,432\,q^{22} + 13\,224\,q^{23} + 16\,700\,q^{24} + 20\,992\,q^{25} + 26\,280\,q^{26} + 32\,792\,q^{27} + 40\,760\,q^{28} + 50\,488\,q^{29} + 62\,356\,q^{30}$

Out[120]= $4 + 8\,q + 12\,q^2 + 24\,q^3 + 36\,q^4 + 56\,q^5 + 88\,q^6 + 128\,q^7 + 184\,q^8 + 264\,q^9 + 372\,q^{10} + 512\,q^{11} + 704\,q^{12} + 952\,q^{13} + 1276\,q^{14} + 1704\,q^{15} + 2248\,q^{16} + 2944\,q^{17} + 3840\,q^{18} + 4968\,q^{19} + 6392\,q^{20} + 8192\,q^{21} + 10\,432\,q^{22} + 13\,224\,q^{23} + 16\,700\,q^{24} + 20\,992\,q^{25} + 26\,280\,q^{26} + 32\,792\,q^{27} + 40\,760\,q^{28} + 50\,488\,q^{29} + 62\,356\,q^{30}$