Introduction

LING 571 — Deep Processing Techniques for NLP
September 28, 2022
Shane Steinert-Threlkeld

Roadmap

- Motivation
- Language and Intelligence
- Knowledge of Language
- Course Overview
- Intro to Syntax and Parsing



How are you feeling about the start of the quarter and a new academic year generally?

Total Results: 0



Motivation: Applications

- Applications of Speech and Language Processing
 - Call Routing
 - Information Retrieval
 - Question Answering
 - Machine Translation
 - Dialog Systems
 - Spell– and Grammar– Checking
 - Sentiment Analysis
 - Information Extraction

• ...

Building on Many Fields

- Linguistics: Morphology, phonology, syntax, semantics...
- Psychology: Reasoning, mental representations
- Formal Logic
- Philosophy (of Language)
- Theory of Computation: Automata theory
- Artificial Intelligence: Search, Reasoning, Knowledge Representation, Machine Learning, Pattern Matching
- Probability

Roadmap

- Motivation
- Language and Intelligence
- Knowledge of Language
- Course Overview
- Intro to Syntax and Parsing

Operationalizing Intelligence: The Turing Test (1950)

- Two contestants: Human vs. Computer
 - Judge: human
 - Test: interact via text questions
 - Question: Can judge tell which contestant is human?

Operationalizing Intelligence: The Turing Test (1950)

- Two contestants: Human vs. Computer
 - Judge: human
 - Test: interact via text questions
 - Question: Can judge tell which contestant is human?
- Crucially:
 - Posits that passing requires language use and understanding

• ELIZA (Weizenbaum, 1966) [Try it Online]

- ELIZA (Weizenbaum, 1966) [Try it Online]
 - Simulates Rogerian therapist:

```
User: You are like my father in some ways
```

ELIZA: WHAT RESEMBLANCE DO YOU SEE

USER: You are not very aggressive

ELIZA: WHAT MAKES YOU THINK I AM NOT AGGRESSIVE

- ELIZA (Weizenbaum, 1966) [Try it Online]
 - Simulates Rogerian therapist:

```
User: You are like my father in some ways
ELIZA: WHAT RESEMBLANCE DO YOU SEE
USER: You are not very aggressive
ELIZA: WHAT MAKES YOU THINK I AM NOT AGGRESSIVE
```

Passes the Test! (Sort of)

- ELIZA (Weizenbaum, 1966) [Try it Online]
 - Simulates Rogerian therapist:

```
User: You are like my father in some ways
ELIZA: WHAT RESEMBLANCE DO YOU SEE
USER: You are not very aggressive
ELIZA: WHAT MAKES YOU THINK I AM NOT AGGRESSIVE
```

- Passes the Test! (Sort of)
- Simple pattern matching technique

"On the web, no one knows you're a..."

• Problem: "Bots":

- Problem: "Bots":
 - Automated agents overrun services

- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human

- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human
- Test: Something a human can do, but a bot can't.


- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human
- Test: Something a human can do, but a bot can't.
- Solution: CAPTCHAs

- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human
- Test: Something a human can do, but a bot can't.
- Solution: CAPTCHAs
 - Completely Automated Public Turing test to tell Computers and Humans Apart (Von Ahn et al., 2003)


- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human
- Test: Something a human can do, but a bot can't.
- Solution: CAPTCHAs
 - Completely Automated Public Turing test to tell Computers and Humans Apart (Von Ahn et al., 2003)
 - Initially: Distorted images, driven by perception

- Problem: "Bots":
 - Automated agents overrun services
 - Challenge: Prove you're human
- Test: Something a human can do, but a bot can't.
- Solution: CAPTCHAs
 - Completely Automated Public Turing test to tell Computers and Humans Apart (Von Ahn et al., 2003)
 - Initially: Distorted images, driven by perception
 - Long-term: Inspires "arms race"

CAPTCHA arms race



CAPTCHA arms race




"On the web, no one knows you're a..."


Current Incarnation

"On the web, no one knows you're a..."


Current Incarnation




- Current Incarnation
 - Still perception-based




- Current Incarnation
 - Still perception-based
 - But also relies on world knowledge




- Current Incarnation
 - Still perception-based
 - But also relies on world knowledge
 - "What is a bus?"




- Current Incarnation
 - Still perception-based
 - But also relies on world knowledge
 - "What is a bus?"
 - Assumes that the user has extrinsic, shared world knowledge



- Current Incarnation
 - Still perception-based
 - But also relies on world knowledge
 - "What is a bus?"
 - Assumes that the user has extrinsic, shared world knowledge





Roadmap

- Motivation
- Language and Intelligence
- Knowledge of Language
- Course Overview
- Intro to Syntax and Parsing

NLP vs. Data Processing

- NLP vs. Data Processing
- POSIX command "wc"

- NLP vs. Data Processing
- POSIX command "wc"
 - Counts total number of bytes, words, and lines in text file

- NLP vs. Data Processing
- POSIX command "wc"
 - Counts total number of bytes, words, and lines in text file
 - bytes and lines → data processing

- NLP vs. Data Processing
- POSIX command "wc"
 - Counts total number of bytes, words, and lines in text file
 - bytes and lines → data processing
 - words → what do we mean by "word"?

What does HAL (of 2001, A Space Odyssey) need to know to converse?

Dave: Open the pod bay doors, HAL.

HAL: I'm sorry, Dave. I'm afraid I can't do that.

What does HAL (of 2001, A Space Odyssey) need to know to converse?

Dave: Open the pod bay doors, HAL.

HAL: I'm sorry, Dave. I'm afraid I can't do that.

- Phonetics & Phonology (Ling 450/550)
 - Sounds of a language, acoustics
 - Legal sound sequences in words

What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Morphology (Ling 570)
 - Recognize, produce variation in word forms
 - Singular vs. plural:
 Door + sg → "door"
 Door + pl → "doors"
 - Verb inflection:
 be + 1st Person + sg + present → "am"

What does HAL (of 2001, A Space Odyssey) need to know to converse?

Dave: Open the pod bay doors, HAL.

HAL: I'm sorry, Dave. I'm afraid I can't do that.

- Part-of-speech Tagging (Ling 570)
 - Identify word use in sentence
 - Bay (Noun) Not verb, adjective

What does HAL (of 2001, A Space Odyssey) need to know to converse?

Dave: Open the pod bay doors, HAL. HAL: I'm sorry, Dave. I'm afraid I can't do that.

Syntax

- (566: Analysis, 570: Chunking, 571: Parsing)
- Order and group words in sentence
 - cf. *"I'm I do, sorry that afraid Dave I can't"

• What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Semantics (Word Meaning)
 - Individual (lexical) + Combined (Compositional)
 - 'Open': AGENT cause THEME to become open;
 - 'pod bay doors' → doors to the 'pod bay' → the bay which houses the pods.

What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Pragmatics/Discourse/Dialogue (Ling 571)
 - Interpret utterances in context

• What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Pragmatics/Discourse/Dialogue (Ling 571)
 - Interpret utterances in context
 - Speech as acts (request vs. statement)

• What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Pragmatics/Discourse/Dialogue (Ling 571)
 - Interpret utterances in context
 - Speech as acts (request vs. statement)
 - Reference resolution: "I"=[HAL]; "that"=[open...doors]

• What does HAL (of 2001, A Space Odyssey) need to know to converse?

- Pragmatics/Discourse/Dialogue (Ling 571)
 - Interpret utterances in context
 - Speech as acts (request vs. statement)
 - Reference resolution: "I"=[HAL]; "that"=[open...doors]
 - Politeness: "I'm sorry, I'm afraid I can't..."

Roadmap

- Motivation
- Language and Intelligence
- Knowledge of Language
- Course Overview
- Intro to Syntax and Parsing


Course Overview: Shallow vs. Deep Processing

- Shallow processing (LING 570)
 - Less elaborate linguistic representations
 - Usually relies on surface forms (e.g. words)
 - Examples: HMM POS-tagging; FST morphology


Course Overview: Shallow vs. Deep Processing

- Shallow processing (LING 570)
 - Less elaborate linguistic representations
 - Usually relies on surface forms (e.g. words)
 - Examples: HMM POS-tagging; FST morphology
- Deep processing (LING 571)
 - Relies on *more elaborate* linguistic representations
 - Deep syntactic analysis (Parsing)
 - Rich spoken language understanding (NLU)

Language Processing Pipeline




Language Processing Pipeline




"Deep" can be a tricky word these days in NLP

- "Deep" can be a tricky word these days in NLP
- "Deep Learning" ← "Deep Neural Networks" [572 WI, 574/575N SPR]


- "Deep" can be a tricky word these days in NLP
- "Deep Learning" ← "Deep Neural Networks" [572 WI, 574/575N SPR]
 - Refers to depth of network architecture:




- "Deep" can be a tricky word these days in NLP
- "Deep Learning" ← "Deep Neural Networks" [572 WI, 574/575N SPR]
 - Refers to depth of network architecture:



"Deep Processing" ← "Depth" of Analysis (Amt. of Abstraction)




- "Deep Processing" ← "Depth" of Analysis (Amt. of Abstraction)
 - Depth of parse graph (tree) is one representation



- "Deep Processing" ← "Depth" of Analysis (Amt. of Abstraction)
 - Depth of parse graph (tree) is one representation

Depth



Depth of NN ⇒ Depth of Analysis

- Depth of NN ⇒ Depth of Analysis
- NNs are general function approximators

- Depth of NN ⇒ Depth of Analysis
- NNs are general function approximators
 - can be used for "shallow" analysis:
 - POS tagging, chunking, etc.

- Depth of NN ⇒ Depth of Analysis
- NNs are general function approximators
 - can be used for "shallow" analysis:
 - POS tagging, chunking, etc.
 - Can *also* be used for "deep" analysis:
 - Semantic role labeling
 - Parsing

- Depth of NN ⇒ Depth of Analysis
- NNs are general function approximators
 - can be used for "shallow" analysis:
 - POS tagging, chunking, etc.
 - Can also be used for "deep" analysis:
 - Semantic role labeling
 - Parsing
- In both paradigms, graph depth aids, but ⇒ abstraction

Cross-cutting Themes

- Ambiguity
 - How can we select from among alternative analyses?

Cross-cutting Themes

Ambiguity

How can we select from among alternative analyses?

Evaluation

- How well does this approach perform:
 - On a standard data set?
 - As part of a system implementation?

Cross-cutting Themes

Ambiguity

How can we select from among alternative analyses?

Evaluation

- How well does this approach perform:
 - On a standard data set?
 - As part of a system implementation?

Multilinguality

- Can we apply the same approach to other languages?
- How much must it be modified to do so?

• "I made her duck."

- "I made her duck."
- Could mean...
 - I caused her to duck down.
 - I made the (carved) duck she has.
 - I cooked duck for her.
 - I cooked a duck that she owned.
 - I magically turned her into a duck.

NOUN

- "I made her duck."
- Could mean...
 - I caused her to duck down
 - I made the (carved) duck she has.
 - I cooked duck for her.
 - I cooked a duck that she owned.
 - I magically turned her into a duck.


- "I made her duck."
- Could mean...
 - I caused her to duck down.
 - I made the (carved) duck she has.
 - I cooked duck for her.
 - I cooked a duck that she owned.
 - I magically turned her into a duck.

PRON

POSS

Ambiguity: Syntax


- "I made her duck."
- Could mean...
 - I made the (carved) duck she has




Ambiguity: Syntax

- "I made her duck."
- Could mean...
 - I made the (carved) duck she has

I cooked a duck for her





"I made her duck."

I caused her to duck down

made = [AG] cause [TH] [to_do_sth]

```
I caused her to duck down

made = [AG] cause [TH] [to_do_sth]

I cooked duck for her

made = [AG] cook [TH] for [REC]
```

```
I caused her to duck down

made = [AG] cause [TH] [to_do_sth]

I cooked duck for her

made = [AG] cook [TH] for [REC]

I cooked the duck she owned

made = [AG] cook [TH]
```

```
I caused her to duck down

| Cooked duck for her | made = [AG] cook [TH] for [REC]
| Cooked the duck she owned | made = [AG] cook [TH]
| Cooked the duck she owned | made = [AG] cook [TH]
| made the (carved) duck she has | duck = duck-shaped-figurine
```

```
I caused her to duck down

| Cooked duck for her | made = [AG] cook [TH] for [REC]
| Cooked the duck she owned | made = [AG] cook [TH]
| Cooked the duck she owned | made = [AG] cook [TH]
| Cooked the duck she owned | made = [AG] sculpted [TH]
| Cooked the duck she owned | duck she has | made = [AG] sculpted [TH]
| duck = duck-shaped-figurine | duck = [AG] transformed [TH]
| duck = animal
```

Pervasive in language

- Pervasive in language
- Not a bug, a feature! (Piantadosi et al 2012)

- Pervasive in language
- Not a bug, a feature! (<u>Piantadosi et al 2012</u>)
- "I believe we should all pay our tax bill with a smile.
 I tried—but they wanted cash."

- Pervasive in language
- Not a bug, a feature! (<u>Piantadosi et al 2012</u>)
- "I believe we should all pay our tax bill with a smile.
 I tried—but they wanted cash."
- What would language be like without ambiguity?

Challenging for computational systems

- Challenging for computational systems
- Issue we will return to again and again in class.

Course Information

Course Information

- Website is main source of information: https://www.shane.st/teaching/571/
 - slides, office hours, resources, etc
- Canvas: lecture recordings, homework submission / grading
 - Communication!!! Please use the discussion board for questions about the course and its content.
 - Other students have same questions, can help each other.
 - May get prompter reply. The teaching staff will not respond outside of normal business hours, and may take up to 24 hours.

Course Information

- Grading, policies, etc: see link under "Policies" on course page
 - Shared policies for 570, 571, 572, 574
- Office hours:
 - Shane: MW 230-330 (GUG 415K + Zoom; see website)
 - Cassie: T 9-10AM, Th 12-1PM (GUG 407 + Zoom)
- Homeworks:
 - 9, released on Wednesday, due the following Wednesday
 - With a pause during Thanksgiving week
 - [NB: also no class the Wednesday before Thanksgiving]

Course Content

- Syntax
 - (Probabilistic) Context-Free Grammars
 - Parsing algorithms (CKY, Earley)
 - Dependency Parsing
- Semantics
 - Logical / event semantics, lambda calculus
 - Distributional semantics, lexical semantics
 - Semantic Role Labeling
- Pragmatics / Discourse
 - Reference, Co-reference, structure / discourse parsing

W What are you most looking forward to in 571 this quarter?

Total Results: 0



Syntax Crash Course

LING 571 — Deep Processing Techniques for NLP September 28, 2022 Shane Steinert-Threlkeld

Roadmap

- Sentence Structure
 - More than a bag of words
- Representation
 - Context-free Grammars
 - Formal Definition

39

Applications

- Shallow techniques useful, but limited
- Deeper analysis supports:
 - Grammar checking and teaching
 - Question-answering
 - Information extraction
 - Dialogue understanding
 - ...

Grammar and NLP

- "Grammar" in linguistics is NOT prescriptive high school grammar
 - Explicit rules
 - "Don't split infinitives!" etc.

Grammar and NLP

- "Grammar" in linguistics is NOT prescriptive high school grammar
 - Explicit rules
 - "Don't split infinitives!" etc.
- "Grammar" in linguistics IS:
 - How to capture structural knowledge of language as a native speaker would have
 - Largely implicit
 - Learned early, naturally

More than a Bag of Words

- Sentences are structured
- Choice of structure can impact:

More than a Bag of Words

- Sentences are structured
- Choice of structure can impact:
 - Meaning:
 - Dog bites man. vs. Man bites dog.

More than a Bag of Words

- Sentences are structured
- Choice of structure can impact:
 - Meaning:
 - Dog bites man. vs. Man bites dog.
 - Acceptability:
 - Colorless green ideas sleep furiously.
 - * Colorless sleep ideas furiously green.
 - * Dog man bites

Constituency

- Constituents: basic units of sentences
 - Word or group of words that act as a single unit syntactically

Constituency

- Constituents: basic units of sentences
 - Word or group of words that act as a single unit syntactically
- Phrases:
 - Noun Phrase (NP)
 - Verb Phrase (VP)
 - Prepositional Phrase (PP)
 - ...

Constituency

- Constituents: basic units of sentences
 - Word or group of words that act as a single unit syntactically
- Phrases:
 - Noun Phrase (NP)
 - Verb Phrase (VP)
 - Prepositional Phrase (PP)
 - ...
- Single unit: type determined by "head"
 - e.g. N heads NP

Representing Sentence Structure

- Basic Units
 - Phrases (NP, VP, etc...)
 - Capture constituent structure

Representing Sentence Structure

- Basic Units
 - Phrases (NP, VP, etc...)
 - Capture constituent structure
- Subcategorization
 - (NP-SUBJ, VP-INTRANS, etc...)
 - Capture <u>argument</u> structure
 - Components expected by verbs

Representing Sentence Structure

- Basic Units
 - Phrases (NP, VP, etc...)
 - Capture <u>constituent</u> structure
- Subcategorization
 - (NP-SUBJ, VP-INTRANS, etc...)
 - Capture <u>argument</u> structure
 - Components expected by verbs
- Hierarchical

Representation: Context-free Grammars

- CFGs: 4-tuple
 - A set of terminal symbols: Σ
 - [think: words]
 - A set of nonterminal symbols: N
 - [think: phrase categories]
 - A set of productions *P*:
 - of the form $A \rightarrow \alpha$
 - Where A is a non-terminal and $\alpha \in \{\Sigma \cup N\}^*$
 - A start symbol $S \in N$

Representation: Context-free Grammars

- Altogether a grammar defines a language L
 - $L = \{ w \in \Sigma^* \mid S \Rightarrow^* w \}$
 - The language *L* is the set of all words in which:
 - $S \Rightarrow^* w$: w can be derived starting from S by some sequence of productions

CFG Components

Terminals:

- Only appear as leaves of parse tree (hence the name)
- Right-hand side of productions (RHS)
- Words of the language
 - cat, dog, is, the, bark, chase...

CFG Components

Terminals:

- Only appear as leaves of parse tree (hence the name)
- Right-hand side of productions (RHS)
- Words of the language
 - cat, dog, is, the, bark, chase...


Non-terminals

- Do not appear as leaves of parse tree
- Appear on left or right side of productions
- Represent constituent phrases of language
- NP, VP, S[entence], etc...

Representation: Context-free Grammars

Partial example:

- Σ : the, cat, dog, bit, bites, man
- N: NP, VP, Nom, Det, V, N, Adj
- \bullet P:
 - S→NP VP;
 - NP→Det Nom;
 - Nom→N Nom I N;
 - VP→V NP;
 - $N \rightarrow cat$; $N \rightarrow dog$; $N \rightarrow man$;
 - Det→the;
 - V→bit; V→bites
- S: S



Parsing Goals

- Acceptance
 - Legal string in language?
 - Formally: rigid
 - Practically: degrees of acceptability

Parsing Goals

- Acceptance
 - Legal string in language?
 - Formally: rigid
 - Practically: degrees of acceptability
- Analysis
 - What structure produced the string
 - Produce one (or all) parses for the string


Parsing Goals

- Acceptance
 - Legal string in language?
 - Formally: rigid
 - Practically: degrees of acceptability
- Analysis
 - What structure produced the string
 - Produce one (or all) parses for the string
- Will develop techniques to produce analyses of sentences
 - Rigidly accept (with analysis) or reject
 - Produce varying degrees of acceptability

Sentence-level Knowledge: Syntax

• Different models of language that specify the expressive power of a

formal language



Representing Sentence Structure

- Why not just Finite State Models (Regular Expressions)?
 - Cannot describe some grammatical phenomena
 - Inadequate expressiveness to capture generalization


- Regular Language: $A \rightarrow w$; $A \rightarrow w^*B$
- Context-Free: $A \rightarrow \alpha A\beta$ (e.g.)
 - Allows recursion:

- Regular Language: $A \rightarrow w$; $A \rightarrow w^*B$
- Context-Free: $A \rightarrow \alpha A\beta$ (e.g.)
 - Allows recursion:
 - The luggage arrived


- Regular Language: $A \to w$; $A \to w^*B$
- Context-Free: $A \rightarrow \alpha A\beta$ (e.g.)
 - Allows recursion:
 - The luggage arrived
 - The luggage that the passengers checked arrived

- Regular Language: $A \rightarrow w$; $A \rightarrow w^*B$
- Context-Free: $A \rightarrow \alpha A\beta$ (e.g.)
 - Allows recursion:
 - The luggage arrived
 - The luggage that the passengers checked arrived
 - The luggage that the passengers whom the storm delayed checked arrived

Recursion in Grammar




Recursion in Grammar



This is JD lying on the desk next to a picture of JD lying on the desk next to a picture of JD lying on the desk.

Recursion in Grammar



This is JD lying on the desk next to a picture of JD lying on the desk next to a picture of JD lying on the desk.

Exercise: write a toy grammar for producing this sentence!

Is Context-Free Enough?


Natural language not finite state

Is Context-Free Enough?

- Natural language not finite state
- ...but do we need context-sensitivity?
 - Many articles have attempted to demonstrate we do
 - ...many have failed.

Is Context-Free Enough?


- Natural language not finite state
- ...but do we need context-sensitivity?
 - Many articles have attempted to demonstrate we do
 - ...many have failed.
- Solid proof for Swiss German: Cross-Serial Dependencies (Shieber, 1985)
 - aibicidi



Context-Sensitive Example

- Verbs and their arguments must be ordered cross-serially
 - Arguments and verbs must match

```
...mer em Hans s huus hälfed aastriiche.
...we Hans (DAT) the house.ACC help paint
"We helped hans paint the house."
```



What questions do you have?