Syntax: Context-Free Grammars

LING 571 — Deep Processing Techniques for NLP Shane Steinert-Threlkeld

Announcements

- Output format: try to copy exactly; your hw1 script run with the toy data should produce output that exactly matches toy_output.txt
 - Single space after the colon
 - Truncate decimals to 3 places
 - Your parse trees can be a single line, unlike the toy output file
- File paths will be given as full paths, so your script should accept those
- readme.(txt|pdf): not strictly required for this assignment, but feel free to include one explaining any thought processes in your code, issues you overcame, etc

Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

Constituency

Some examples of noun phrases (NPs):

Harry the Horse a high-class spot such as Mindy's the Broadway coppers the reason he comes into the Hot Box three parties from Brooklyn they

Constituency

Some examples of noun phrases (NPs):

Harry the Horse a high-class spot such as Mindy's the Broadway coppers the reason he comes into the Hot Box three parties from Brooklyn

- How do we know that these are constituents?
 - We can perform constituent tests


- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
 - It is _____ that ____
 - Is the resulting sentence valid English?

- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
 - It is _____ that ____
 - Is the resulting sentence valid English?


It is the Supreme Court that made the ruling




- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
 - It is _____ that _____
 - Is the resulting sentence valid English?



- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
 - It is _____ that _____
 - Is the resulting sentence valid English?



- Many types of tests for constituency (see <u>Sag, Wasow, Bender (2003)</u>, pp. 29-33)
- One type (for English) is clefting
 - It is _____ that _____
 - Is the resulting sentence valid English?



- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...

- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...


Shane and all of the students




- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...

Shane and all of the students three players and the coach's brother


- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...



- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...



- Another popular one: coordination.
 - Only constituents of the same type can be coordinated.
 - ... ____ CONJ ____ ...





What are some constituents in: "The students are currently responding to a PollEverywhere abou constituency in natural language."?



Nobody has responded yet.

Hang tight! Responses are coming in.



What are some non-constituents in: "The students are currently responding to a PollEverywhere abou constituency in natural language."?



Nobody has responded yet.

Hang tight! Responses are coming in.

Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

Representation: Context-free Grammars

- CFGs: 4-tuple
 - A set of terminal symbols: Σ
 - (think: words)
 - A set of nonterminal symbols: N
 - (Think: phrase categories)
 - A set of productions P:
 - of the form $A \rightarrow \alpha$
 - Where A is a non-terminal and $\alpha \in (\Sigma \cup N)^*$
 - A start symbol $S \in N$

- Productions:
 - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS

- Productions:
 - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
 - \bullet $S \rightarrow NP VP$

- Productions:
 - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
 - \bullet $S \rightarrow NP VP$
 - $\bullet VP \to VNPPP \mid VNP$

- Productions:
 - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
 - \bullet $S \rightarrow NP VP$
 - $\bullet VP \to VNPPP \mid VNP$
 - Nominal → Noun | Nominal Noun


- Productions:
 - One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
 - \bullet $S \rightarrow NP VP$
 - $\bullet VP \to VNPPP \mid VNP$
 - Nominal → Noun | Nominal Noun
 - Noun → 'dog' | 'cat' | 'rat'


Productions:


- One non-terminal on LHS and any seq. of terminals and non-terminals on RHS
 - \bullet $S \rightarrow NP VP$
 - $VP \rightarrow V NP PP \mid V NP$
 - Nominal → Noun | Nominal Noun
 - Noun → 'dog' | 'cat' | 'rat'
 - $Det \rightarrow \text{'the'}$


Grammar Rules Examples

S → NP VP I + want a morning flight











Parse Tree




Visualizing Parse Trees

- >>> tree = nltk.tree.Tree.fromstring("(S (NP (Pro I)) (VP (V prefer) (NP (Det a) (Nom (Noun flight) (Noun flight))))")
 - >>> tree.draw()
- Web apps: https://yohasebe.com/rsyntaxtree/
- LaTeX: qtree (/ tikz-qtree) package



Partial Parses



Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

Some English Grammar

- Sentences: Full sentence or clause; a complete thought
- Declarative: $S \rightarrow NP VP$
 - (S (NP I) (VP want a flight from SeaTac to Amsterdam))

- Sentences: Full sentence or clause; a complete thought
- Declarative: $S \rightarrow NP VP$
 - (S (NP I) (VP want a flight from SeaTac to Amsterdam)
- Imperative: S → VP
 - (VP Show me the cheapest flight from New York to Los Angeles.)

- Sentences: Full sentence or clause; a complete thought
- Declarative: $S \rightarrow NP VP$
 - (S (NP I) (VP want a flight from SeaTac to Amsterdam)
- Imperative: S → VP
 - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question: S → Aux NP VP
 - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)

- Sentences: Full sentence or clause; a complete thought
- Declarative: $S \rightarrow NP VP$
 - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative: S → VP
 - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question: S → Aux NP VP
 - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)
- Wh-subject question: S → Wh-NP VP
 - (Wh-NP Which flights) (VP arrive in Pittsburgh before 10pm?)

- Sentences: Full sentence or clause; a complete thought
- Declarative: S → NP VP
 - (S (NP I) (VP want a flight from SeaTac to Amsterdam))
- Imperative: S → VP
 - (VP Show me the cheapest flight from New York to Los Angeles.)
- Yes-no Question: S → Aux NP VP
 - (Aux Can) (NP you) (NP give me the nonstop flights to Boston?)
- Wh-subject question: S → Wh-NP VP
 - (Wh-NP Which flights) (VP arrive in Pittsburgh before 10pm?)
- Wh-non-subject question: S → Wh-NP Aux NP VP
 - (Wh-NP What flights) (Aux do) (NP you) (VP have from Seattle to Orlando?)

The Noun Phrase

Noun phrase constituents can take a range of different forms:

Harry the Horse a magazine
water twenty-three alligators
Ram's homework the last page of Ram's homework's

We'll examine a few ways these differ

 Determiners provide referential information about an NP (e.g. definiteness)

- Determiners provide referential information about an NP (e.g. definiteness)
- Often position the NP within the current discourse

| a stop | the flights | this flight |
|---------------|-------------|--------------|
| those flights | any flights | some flights |

- Determiners provide referential information about an NP (e.g. definiteness)
- Often position the NP within the current discourse

| a stop | the flights | this flight |
|---------------|-------------|--------------|
| those flights | any flights | some flights |

Can more explicitly introduce an entity as part of the specifier

```
United's flight
United's pilot's union
Denver's mayor's mother's canceled flight
```

- $Det \rightarrow DT$
 - 'the', 'this', 'a', 'those'

- $Det \rightarrow DT$
 - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$'s

- $Det \rightarrow DT$
 - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$'s
 - "United's flight": (Det (NP United) 's)

- $Det \rightarrow DT$
 - 'the', 'this', 'a', 'those'
- $Det \rightarrow NP$'s
 - "United's flight": (Det (NP United) 's)
 - "the professor's favorite brewery": (Det (NP (Det the) (NP professor)) 's)

The Nominal

- Nominals contain pre- and post-head noun modifiers
 - Occurs after the determiner (in English)
- Can exist as just a bare noun:
 - Nominal → Noun
 - PTB POS: NN, NNS, NNP, NNPS
 - 'flight', 'dinners', 'Chicago Midway', 'UW Libraries'

Pre-nominal modifiers ("Postdeterminers")

- Occur before the head noun in a nominal
- Can be any combination of:

```
    Cardinal numbers

                            (e.g. one, fifteen)
```

- Ordinal numbers (e.g. first, thirty-second)
- Quantifiers (e.g. some, a few)
- Adjective phrases (e.g. longest, non-stop)

Postmodifiers

- Occur after the head noun
- In English, most common are: (a flight...)
 - (e.g. ... from Cleveland) Prepositional phrase
 - non-finite clause (e.g. ... arriving after eleven a.m.)
 - (e.g. ... that serves breakfast) relative clause

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- $Nom \rightarrow Nom PP$

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- Nom → Nom PP
 - The least expensive fare

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- $Nom \rightarrow Nom PP$
 - The least expensive fare
 - one flight

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- \bullet Nom \rightarrow Nom PP
 - The least expensive fare
 - one flight
 - the first route

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- \bullet Nom \rightarrow Nom PP
 - The least expensive fare
 - one flight
 - the first route
 - the last flight from Chicago

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- \bullet Nom \rightarrow Nom PP
 - The least expensive fare
 - one flight
 - the first route
 - the last flight from Chicago

- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- \bullet Nom \rightarrow Nom PP
 - The least expensive fare
 - one flight
 - the first route
 - the last flight from Chicago
- (Bonus: within the AP: adjective ordering preferences [Scontras et al '19])


- *NP* → (*Det*) *Nom*
- Nom → (Card) (Ord) (Quant) (AP) Nom
- \bullet Nom \rightarrow Nom PP
 - The least expensive fare
 - one flight
 - the first route
 - the last flight from Chicago
- (Bonus: within the AP: adjective ordering preferences [Scontras et al '19])
 - e.g. The big red mug > the red big mug

Before the Noun Phrase

- "Predeterminers" can "scope" noun phrases
 - e.g. 'all,'
 - "all the morning flights from Denver to Tampa"

A Complex Example

"all the morning flights from Denver to Tampa looking for passengers"







- This grammar licenses the following correctly:
 - The teacher handed the student a book



- This grammar licenses the following correctly:
 - The teacher handed the student a book
- And the following incorrectly (i.e. the grammar "overgenerates"):
 - *The teacher handed the student
 - *The teacher handed a book
 - *The teacher handed



- It also licenses
 - *The teacher handed a book the student

With this grammar:



- It also licenses
 - *The teacher handed a book the student

This is problematic for semantic reasons, which we'll cover later.

Verb phrases include a verb and optionally other constituents

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

 $VP \rightarrow Verb \emptyset$

disappear

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

```
VP \rightarrow Verb \emptyset
VP \rightarrow Verb NP
                                               disappear
                                               book a flight
```

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

```
VP \rightarrow Verb \emptyset
                          disappear
VP → Verb NP
                          book a flight
VP → Verb PP PP
                          fly from Chicago to Seattle
```

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

```
VP \rightarrow Verb \emptyset
                          disappear
VP → Verb NP
                           book a flight
VP → Verb PP PP
                          fly from Chicago to Seattle
                          think I want that flight
```

Verb Phrase and Subcategorization

- Verb phrases include a verb and optionally other constituents
- Subcategorization frame
 - what constituent arguments the verb requires

```
VP \rightarrow Verb \emptyset
                         disappear
VP → Verb NP
                         book a flight
VP → Verb PP PP
                         fly from Chicago to Seattle
VP → Verb S
                         think I want that flight
                         want to arrange three flights
VP → Verb VP
```

- Issues?
 - "I know United has a flight." (→ S)
 - "I know my neighbor." (→ NP)

- Issues?
 - "I know United has a flight." (→ S)
 - "I know my neighbor." ($\rightarrow NP$)
- How can we solve this problem?

- Issues?
 - "I know United has a flight." (→ S)
 - "I know my neighbor." ($\rightarrow NP$)
- How can we solve this problem?
 - Create explicit subclasses of verb
 - Verb-with-NP → ...
 - Verb-with-S-complement → ...

- Issues?
 - "I know United has a flight." (→ S)
 - "I know my neighbor." ($\rightarrow NP$)
- How can we solve this problem?
 - Create explicit subclasses of verb
 - Verb-with-NP → ...
 - Verb-with-S-complement → ...
 - Is this a good solution?

- Issues?
 - "I know United has a flight." (→ S)
 - "I know my neighbor." (→ NP)
- How can we solve this problem?
 - Create explicit subclasses of verb
 - Verb-with-NP → ...
 - Verb-with-S-complement → ...
 - Is this a good solution?
 - No, explosive increase in number of rules
 - Similar problem with agreement (NN↔ADJ↔PRON↔VB)

Better solution:

- Better solution:
 - Feature structures:
 - Further nested information
 - a.k.a → Deeper analysis!

- Better solution:
 - Feature structures:
 - Further nested information
 - a.k.a → Deeper analysis!
 - Will get to this toward end of the month

Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

Grammars... So What?


- Grammars propose a formal way to make distinctions in syntax
- Distinctions in syntax can help us get a hold on distinctions in meaning

■■■ AT&T LTE 21:10 67% ■ en.m.wikipedia.org

remains of victims.^[62] On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.^[63]

h/t to Amandalynne Paullada

Possible Interpretations:




remains of victims.^[62] On his late night talk show David Letterman questioned two of his audience members who were Canadian about the mystery.^[63]

h/t to Amandalynne Paullada

Possible Interpretations:


Two audience members, when questioned, behaved Canadian-ly





Possible Interpretations:


Two audience members, when questioned, behaved Canadian-ly

Two audience members, who happened to be Canadian Citizens, were questioned










- Shallow techniques useful, but limited
 - "Supreme Court of the United States"
 - ADJ NN IN DET NNP NNPS
 - What does this tell us about the fragment?

- Shallow techniques useful, but limited
 - "Supreme Court of the United States"
 - ADJ NN IN DET NNP NNPS
 - What does this tell us about the fragment?

VS.



- Meaning implicit in this analysis tree:
 - "The United States" is an entity
 - The court is specific to the US

- Meaning implicit in this analysis tree:
 - "The United States" is an entity
 - The court is specific to the US
- Inferable from this tree:
 - "The United States" is an entity that can possess (grammatically) other institutions

- Meaning implicit in this analysis tree:
 - "The United States" is an entity
 - The court is specific to the US
- Inferable from this tree:
 - "The United States" is an entity that can posse institutions



Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

 Instead of writing out grammars by hand, could we learn them from data?

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences
- All sentences annotated syntactically with a parse

- Instead of writing out grammars by hand, could we learn them from data?
- Large corpus of sentences
- All sentences annotated syntactically with a parse
- Built semi-automatically
 - Automatically parsed, manually corrected

A well-established and large treebank

- A well-established and large treebank
- English:
 - Brown Univ. Standard Corp. of Present-Day Am. Eng.
 - Switchboard (conversational speech)
 - ATIS (human-computer dialog, Airline bookings)
 - Wall Street Journal

- A well-established and large treebank
- English:
 - Brown Univ. Standard Corp. of Present-Day Am. Eng.
 - Switchboard (conversational speech)
 - ATIS (human-computer dialog, Airline bookings)
 - Wall Street Journal
- Chinese:
 - Xinhua, Sinoarma (newswire)

- A well-established and large treebank
- English:
 - Brown Univ. Standard Corp. of Present-Day Am. Eng.
 - Switchboard (conversational speech)
 - ATIS (human-computer dialog, Airline bookings)
 - Wall Street Journal
- Chinese:
 - Xinhua, Sinoarma (newswire)
- Arabic
 - Newswire, Broadcast News + Conversation, Web Text...

Other Treebanks

- DeepBank (HPSG)
- Prague Dependency Treebank (Czech: Morphologically rich)
- Universal Dependency Treebank (many languages, reduced POS tags)
- CCGBank (Penn, but with CCG annotations)


- Include wealth of language information
 - Traces (for movement analyses)
 - Grammatical function (subject, topic, etc)
 - Semantic function (temporal, location)

- Include wealth of language information
 - Traces (for movement analyses)
 - Grammatical function (subject, topic, etc)
 - Semantic function (temporal, location)
- Implicitly constitute grammar of language
 - Can read off rewrite rules from bracketing
 - Not only presence of rules, but frequency counts
 - Will be crucial in building statistical parsers

Treebank WSJ Example

```
(S (''')
  (S-TPC-2)
   (NP-SBJ-1 (PRP We))
   (VP (MD would)
     (VP (VB have)
         (S
           (NP-SBJ (-NONE- *-1))
           (VP (TO to)
                (VP (VB wait)
                     (SBAR-TMP (IN until))
                     (NP-SBJ (PRP we))
                     (VP (VBP have)
                       (VP (VBN collected)
                         (PP-CLR (IN on)
                            (NP (DT those) (NNS assets))))))))))
  (, ,) (''')
   (NP-SBJ (PRP he))
   (VP (VBD said)
     (S (-NONE- *T*-2)))
  (..)
```

Treebank WSJ Example



Treebanks & Corpora on Patas

patas\$ ls /corpora

birkbeck coconut Communicator2000 Emotion

ComParE

Conll

delph-in

DUC

ELRA

enron_email_dataset

europarl

europarl-old

framenet

freebase

grammars

HathiTrust

ICAME

ICSI

JRC-Acquis.3.0

LDC

LEAP

lemur

levow

mdsd-2.0

med-data

nltk

OANC

opt

private

proj-gutenberg

reuters

scope

tc-wikipedia

TREC

treebanks

UIC

UWCL

UWCSE

Treebanks & Corpora on Patas

- Many large corpora from LDC, such as the <u>Penn Treebank v3</u>:
 - /corpora/LDC/LDC99T42/
 - Find the full LDC corpora catalog online: <u>catalog.ldc.upenn.edu</u>
- Web search interface: https://cldb.ling.washington.edu/live/livesearch- corpus-form.php
- Many corpus samples in NLTK
 - /corpora/nltk/nltk-data
- NOTE: do not move corpora, either within or off of patas!!

• Large, expensive to produce

- Large, expensive to produce
- Complex
 - Agreement among annotators can be an issue

- Large, expensive to produce
- Complex
 - Agreement among annotators can be an issue
- Labeling implicitly captures bias in theory
 - Penn Treebank is "bushy," long productions

- Large, expensive to produce
- Complex
 - Agreement among annotators can be an issue
- Labeling implicitly captures bias in theory
 - Penn Treebank is "bushy," long productions
- Enormous numbers of rules
 - 4,500 rules in PTB for VP alone
 - 1M rule tokens; 17,500 distinct types and counting!

Roadmap

- Constituency
- Context-free grammars (CFGs)
- English Grammar Rules
- Grammars Revisiting our Motivation
- Treebanks
- Parsing

Computational Parsing

- Given a grammar, how can we derive the analysis of an input sentence?
 - Parsing as search
 - CKY parsing
- Given a body of (annotated) text, how can we derive the grammar rules of a language, and employ them in automatic parsing?
 - Treebanks & PCFGs

What is Parsing?

- CFG parsing is the task of assigning trees to input strings
 - For any input A and grammar G
 - ...assign ≥ 0 parse trees T that represent its syntactic structure, and...
 - Cover all and only the elements of A
 - Have, as root, the start symbol S of G
 - ...do not necessarily pick one single (or correct) analysis
- Subtask: Recognition
 - Given input **A**, **G** is **A** in language defined by **G** or not?

Motivation

- Is this sentence in the language i.e. is it "grammatical?"
 - * I prefer United has the earliest flight.
 - FSAs accept regular languages defined by finite-state automata.
 - Parsers accept languages defined by CFG (equiv. pushdown automata).

Motivation

- Is this sentence in the language i.e. is it "grammatical?"
 - * I prefer United has the earliest flight.
 - FSAs accept regular languages defined by finite-state automata.
 - Parsers accept languages defined by CFG (equiv. pushdown automata).
- What is the syntactic structure of this sentence?
 - What airline has the cheapest flight?
 - What airport does Southwest fly from near Boston?
 - Syntactic parse provides framework for semantic analysis
 - What is the subject? Direct object?

Parsing as Search

 Syntactic parsing searches through possible trees to find one or more trees that derive input

Parsing as Search

- Syntactic parsing searches through possible trees to find one or more trees that derive input
- Formally, search problems are defined by:
 - Start state **S**
 - Goal state G (with a test)
 - Set of actions that transition from one state to another
 - "Successor function"
 - A path cost function

Start State S: Start Symbol

- Start State S: Start Symbol
- Goal test:
 - Does the parse tree cover all of, and only, the input?

- Start State S: Start Symbol
- Goal test:
 - Does the parse tree cover all of, and only, the input?
- Successor function:
 - Expand a nonterminal using a production where nonterminal is the LHS of the production

- Start State S: Start Symbol
- Goal test:
 - Does the parse tree cover all of, and only, the input?
- Successor function:
 - Expand a nonterminal using a production where nonterminal is the LHS of the production
- Path cost:
 - …ignored for now.

- Node:
 - Partial solution to search problem (partial parse)

- Node:
 - Partial solution to search problem (partial parse)
- Search start node (initial state):
 - Input string
 - Start symbol of CFG

- Node:
 - Partial solution to search problem (partial parse)
- Search start node (initial state):
 - Input string
 - Start symbol of CFG
- Goal node:
 - Full parse tree: covering all of, and only the input, rooted at S

Search Algorithms

- Depth First
 - Keep expanding nonterminals until they reach words
 - If no more expansions available, back up

Search Algorithms

- Depth First
 - Keep expanding nonterminals until they reach words
 - If no more expansions available, back up
- Breadth First
 - Consider all parses that expand a single nonterminal...
 - ...then all with two expanded, etc...

Search Algorithms

- Depth First
 - Keep expanding nonterminals until they reach words
 - If no more expansions available, back up
- Breadth First
 - Consider all parses that expand a single nonterminal...
 - ...then all with two expanded, etc...
- Other alternatives, if have associated path costs.

Parse Search Strategies

- Two constraints on parsing:
 - Must start with the start symbol
 - Must cover exactly the input string

Parse Search Strategies

- Two constraints on parsing:
 - Must start with the start symbol
 - Must cover exactly the input string
- Correspond to main parsing search strategies
 - Top-down search (Goal-directed)
 - Bottom-up search (Data-driven search)

```
GrammarLexiconS \rightarrow NP VPDet \rightarrow that \mid this \mid aS \rightarrow Aux NP VPNoun \rightarrow book \mid flight \mid meal \mid moneyS \rightarrow VPVerb \rightarrow book \mid include \mid prefer
```

| Grammar | Lexicon |
|--------------------------------|---|
| $S \rightarrow NP VP$ | Det → that this a |
| $S \rightarrow Aux NP VP$ | Noun → book flight meal money |
| $S \rightarrow VP$ | Verb → book include prefer |
| NP → Pronoun | Pronoun → I she me |
| <i>NP</i> → <i>Proper-Noun</i> | Proper-Noun → Houston NWA |
| NP → Det Nominal | $Aux \rightarrow does$ |
| Nominal → Noun | Preposition → from to on near through |

```
Grammar
                                                       Lexicon
                                                Det \rightarrow that \mid this \mid a
        S \rightarrow NP VP
                                       Noun → book | flight | meal | money
      S \rightarrow Aux NP VP
                                          Verb → book | include | prefer
          S \rightarrow VP
                                              Pronoun \rightarrow 1 | she | me
      NP → Pronoun
                                          Proper-Noun → Houston | NWA
   NP → Proper-Noun
    NP → Det Nominal
                                                     Aux \rightarrow does
                                  Preposition → from | to | on | near | through
    Nominal → Noun
Nominal → Nominal Noun
 Nominal → Nominal PP
        VP \rightarrow Verb
```

```
Grammar
                                                     Lexicon
                                              Det → that | this | a
        S \rightarrow NP VP
                                     Noun → book | flight | meal | money
      S \rightarrow Aux NP VP
                                         Verb → book | include | prefer
          S \rightarrow VP
                                            Pronoun → I | she | me
      NP → Pronoun
                                        Proper-Noun → Houston | NWA
   NP → Proper-Noun
    NP → Det Nominal
                                                   Aux \rightarrow does
                                 Preposition → from | to | on | near | through
    Nominal → Noun
Nominal → Nominal Noun
 Nominal → Nominal PP
        VP \rightarrow Verb
      VP → Verb NP
     VP \rightarrow Verb NP PP
      VP → Verb PP
        VP \rightarrow VP PP
   PP → Preposition NP
```

All valid parse trees must be rooted with start symbol


- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
 - e.g. $S \rightarrow NP VP$

- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
 - e.g. $S \rightarrow NP VP$
- Successively expand nonterminals
 - e.g. $NP \rightarrow Det Nominal; VP \rightarrow V NP$


- All valid parse trees must be rooted with start symbol
- Begin search with productions where S is on LHS
 - e.g. $S \rightarrow NP VP$
- Successively expand nonterminals
 - e.g. $NP \rightarrow Det Nominal; VP \rightarrow V NP$
- Terminate when all leaves are terminals

Depth-First Search


Start State




Depth-First Search





Depth-First Search







Start State









Start State 1 Rule Aux NP VP NP VP 2 Rules VP Aux NP VP NPAux NP VP VP VP


Det Nom


PropN


Det Nom


PropN


NP
























Pros and Cons of Top-down Parsing

- Pros:
 - Doesn't explore trees not rooted at S
 - Doesn't explore subtrees that don't fit valid trees


Pros and Cons of Top-down Parsing

- Pros:
 - Doesn't explore trees not rooted at S
 - Doesn't explore subtrees that don't fit valid trees
- Cons:
 - Produces trees that may not match input
 - May not terminate in presence of recursive rules
 - May re-derive subtrees as part of search

Recursion in Grammar




Recursion in Grammar



This is JD lying on the desk next to a picture of JD lying on the desk next to a picture of JD lying on the desk.

Recursion in Grammar




This is JD lying on the desk next to a picture of JD lying on the desk next to a picture of JD lying on the desk.


Exercise: write a toy grammar for producing this sentence! Is context-freeness required?

- Try to find all trees that span the input
 - Start with input string
 - Book that flight


- Try to find all trees that span the input
 - Start with input string
 - Book that flight
- Use all productions with current subtree(s) on RHS
 - e.g. $N \rightarrow Book$; $V \rightarrow Book$

- Try to find all trees that span the input
 - Start with input string
 - Book that flight
- Use all productions with current subtree(s) on RHS
 - e.g. N → Book; V → Book
- Stop when spanned by S, or no more rules apply






Book that flight



Book that flight



Book that flight

Pros and Cons of Bottom-Up Search

- Pros:
 - Will not explore trees that don't match input
 - Recursive rules less problematic
 - Useful for incremental/fragment parsing

Pros and Cons of Bottom-Up Search


- Pros:
 - Will not explore trees that don't match input
 - Recursive rules less problematic
 - Useful for incremental/fragment parsing
- Cons:
 - Explore subtrees that will not fit full input


Cross-Serial Dependencies, Revisited


$$L' = ambncmdn$$

```
ik<sub>1</sub> Henk<sub>2</sub> haar<sub>3</sub> nijlpaarden<sub>3</sub> zag<sub>1</sub> helpen<sub>2</sub> voeren<sub>3</sub>
        Henk<sub>2</sub> her<sub>3</sub>
                                             hippos saw<sub>1</sub> help<sub>2</sub> feed<sub>3</sub>
```

A Dutch example from <u>Rentier (1994)</u>







Next Time

- Beginning to implement CFG parsing algorithms
- Conversion to Chomsky Normal Form
 - Required for CKY algorithm
- HW2 out