Ansible Automation - Use Cases

A reference of the use cases by which Ansible Automation Platform is commonly implemented, by domain. Each use case is described in the same format (Description, Collection, Key content, Notes) and mapped to Red Hat Certified and Validated content.

8 solution use cases · 30 product use cases · generated 2026-10-21 · community reference, not an official Red Hat publication

Contents

1. Windows
    - Solution use cases (8)
        - Patch Windows servers
        - Patch Windows with MECM
        - Manage Active Directory
        - Deploy IIS web applications
        - Distribute software to Windows hosts
        - Harden Windows
        - Manage Hyper-V and SCVMM virtual machines
        - Respond to Windows alerts from SCOM
    - Product use cases
        - Microsoft Windows (9)
        - Chocolatey (1)
        - Microsoft Configuration Manager (SCCM/MECM) (1)
        - Microsoft Windows Server operations (7)
        - Microsoft Active Directory (5)
        - Microsoft IIS (1)
        - Microsoft Configuration Manager (MECM/SCCM) (4)
        - Microsoft System Center Operations Manager (SCOM) (2)

Windows

Patch, configure and manage Windows Server, Active Directory and Windows applications.

Solution use cases

Use Case: Patch Windows servers

Description	Apply Windows updates to servers on a schedule, in order, with the reboots and retries that Windows Update needs. Servers are grouped into rings (test, then production tiers) so a bad update is caught before it reaches critical systems.
Collection	`ansible.windows` (Certified, v3.8.0, updated 2026-08-26), `infra.windows_ops` (Validated, v2.1.0, updated 2026-09-10)
Key content	• `infra.windows_ops.windows_manage_updates` — A role to Manage Windows Updates. • `ansible.windows.win_updates` — Download and install Windows updates • `ansible.windows.win_reboot` — Reboot a windows machine • `ansible.windows.win_reboot_info` — Get reboot status information for a Windows host • `ansible.windows.win_disk_info` — Gather disk, partition, and volume information on Windows • `infra.windows_ops.windows_manage_disk_cleanup` — Perform Windows disk cleanup maintenance. • `ansible.windows.win_service_info` — Gather information about Windows services
Notes	• Where MECM controls update deployment, use Patch Windows with MECM instead of installing updates directly on the servers. • The role can compile .NET native images after updates that change the host (`windows_manage_updates_compile_assemblies`), which avoids a slow first start of .NET applications. • Put monitored servers in maintenance mode while patching with Respond to Windows alerts from SCOM. • Use `ansible.windows.win_hotfix` for a single standalone hotfix package that is not delivered through Windows Update.

Use Case: Patch Windows with MECM

Description	Keep Microsoft Endpoint Configuration Manager (MECM, also known as SCCM or ConfigMgr) as the patch authority and use Ansible to orchestrate it. Automation checks the health of the MECM environment, creates and deploys update groups, runs patch-and-reboot cycles on target collections and handles out-of-band emergency patches with a report at the end.
Collection	`infra.mecm_ops` (Validated, v1.0.2, updated 2026-01-22), `microsoft.mecm` (Certified, v2.1.0, updated 2026-09-02)

Key content	• `infra.mecm_ops.patch_and_reboot` — Orchestrate end-to-end Windows patching and reboot operations with comprehensive reporting • `infra.mecm_ops.emergency_patch` — Create a temporary software update group and deployment for emergency patching • `infra.mecm_ops.health_check_report` — Generate SCCM infrastructure health check reports with comprehensive monitoring data • `microsoft.mecm.software_update_group` — Create, update, or delete software update groups in a Configuration Manager site • `microsoft.mecm.software_update_deployment` — Create, update, or delete a software update deployment. • `microsoft.mecm.maintenance_windows` — Create, update, or delete a Maintenance Window on a Device Collection in MECM • `microsoft.mecm.install_updates` — Install deployed software updates on SCCM clients with intelligent progress monitoring • `microsoft.mecm.software_update_adr` — Create, update, or delete a Software Update Auto Deployment Rule (ADR) in MECM
Notes	• Where servers are not under MECM, use Patch Windows servers. • `microsoft.mecm.wsus_server_config` and its info module manage WSUS settings if that is part of the scope. • Put the same collections into a workflow: health check, deploy, patch, report. Add an approval before the production rings. • Software deployment through MECM is covered in Distribute software to Windows hosts.

Use Case: Manage Active Directory

Description	Treat the directory as code. New forests, domain controllers, organizational units, accounts and group memberships are created from definitions in Git, and servers join the domain as part of their build, so joiner, mover and leaver changes run the same way each time.
Collection	`microsoft.ad` (Certified, v1.12.1, updated 2026-08-26)
Key content	• `microsoft.ad.domain` — Ensures the existence of a Windows domain • `microsoft.ad.domain_controller` — Manage domain controller/member server state for a Windows host • `microsoft.ad.membership` — Manage domain/workgroup membership for a Windows host • `microsoft.ad.ou` — Manage Active Directory organizational units • `microsoft.ad.user` — Manage Active Directory users • `microsoft.ad.group` — Manage Active Directory group objects • `microsoft.ad.computer` — Manage Active Directory computer objects • `microsoft.ad.gpo_link` — Manage Group Policy Object links
Notes	• Domain trusts (`microsoft.ad.domain_trust`), AD Certificate Services templates (`microsoft.ad.cs_template`) and AD FS trusts are available in the same collection for larger directory projects. • Joining Linux hosts to the same domain is covered in Manage users, sudo and SSH. • Test domain-controller changes in a lab forest, and keep a system-state backup before schema or topology changes. • Pair with Harden Windows to apply domain-level security baselines.

Use Case: Deploy IIS web applications

Description	Build web servers that are identical in every environment. Ansible installs IIS, creates the application pools, sites and applications, sets authentication and publishes the application files, so a rebuilt or scaled-out server is ready without manual console work.
Collection	`microsoft.iis` (Certified, v1.3.0, updated 2026-08-26), `ansible.windows` (Certified, v3.8.0, updated 2026-08-26), `infra.windows_ops` (Validated, v2.1.0, updated 2026-09-10)
Key content	• `microsoft.iis.website` — Configures an IIS website • `microsoft.iis.web_app_pool` — Configure IIS Web Application Pools • `microsoft.iis.web_application` — Configures IIS web applications • `microsoft.iis.virtual_directory` — Configures a virtual directory in IIS • `microsoft.iis.authentication` — Configures authentication options in IIS • `ansible.windows.win_feature` — Installs and uninstalls Windows Features on Windows Server • `ansible.windows.win_uri` — Interacts with webservices • `infra.windows_ops.windows_manage_iis` — A role to Create/Delete an IIS Web server.
Notes	• Read back current settings with the `*_info` modules, such as `microsoft.iis.website_info`, to audit existing servers before bringing them under management. • Import certificates with `ansible.windows.win_certificate_store`. Site bindings, including host names and SNI, are set with the `bindings` option of `microsoft.iis.website`. • Use Distribute software to Windows hosts for application packages that are installers rather than file copies. • Apply Harden Windows to the web servers after the application is configured.

Use Case: Distribute software to Windows hosts

Description	Deliver applications and agents to Windows servers and desktops with a defined version and a record of what is installed. Choose the method that fits the estate: Chocolatey for package-managed software, native MSI/EXE/MSIX installers for vendor packages, or MECM for devices that already use it as their software distribution system.
Collection	`chocolatey.chocolatey` (Certified, v1.6.0, updated 2026-03-25), `ansible.windows` (Certified, v3.8.0, updated 2026-08-26), `infra.windows_ops` (Validated, v2.1.0, updated 2026-09-10), `microsoft.mecm` (Certified, v2.1.0, updated 2026-09-02)

Key content	• `chocolatey.chocolatey.win_chocolatey` — Manage packages using chocolatey • `chocolatey.chocolatey.win_chocolatey_source` — Manages Chocolatey sources • `chocolatey.chocolatey.win_chocolatey_facts` — Create a facts collection for Chocolatey • `ansible.windows.win_package` — Installs/uninstalls an installable package • `infra.windows_ops.windows_manage_packages` — Install and remove Windows software packages. • `microsoft.mecm.application` — Create, update, or delete applications in Microsoft Endpoint Configuration Manager (MECM) • `microsoft.mecm.application_deployments` — Create, update, or delete an Application Deployment in Microsoft Endpoint Configuration Manager (MECM) • `microsoft.mecm.device_collection` — Create, update, or delete a Device Collection in MECM
Notes	• `windows_manage_packages` is described in its collection as a native replacement for Chocolatey-based package management without third-party dependencies, so choose it if Chocolatey is not already in use. • For patches to Windows itself, use Patch Windows servers or Patch Windows with MECM. • Download large installers from an internal source with `ansible.windows.win_get_url` or stage them on a distribution point, rather than fetching from the internet on every host. • Web server software and application content are covered in Deploy IIS web applications.

Use Case: Harden Windows

Description	Bring Windows Server to a published security baseline and keep it there. The `infra.windows_ops` roles implement the CIS Benchmark and DISA STIG controls for Windows Server 2019, 2022 and 2025, report which controls pass or fail, and can run read-only so the same job serves for both enforcement and audit.
Collection	`infra.windows_ops` (Validated, v2.1.0, updated 2026-09-10), `ansible.windows` (Certified, v3.8.0, updated 2026-08-26)
Key content	• `infra.windows_ops.windows_manage_cis` — Windows Server CIS benchmark compliance role • `infra.windows_ops.windows_manage_stig` — Windows Server DISA STIG compliance role • `infra.windows_ops.compliance_hardening` — Apply Windows Server DISA STIG hardening • `infra.windows_ops.compliance_drift_detection` — Detect configuration drift from CIS baseline • `infra.windows_ops.compliance_audit_report` — Generate audit-ready compliance report • `infra.windows_ops.windows_manage_audit` — Manage Windows audit policies and audit rules. • `ansible.windows.win_audit_policy_system` — Used to make changes to the system wide Audit Policy

Notes	• Controls that need manual verification are listed in the report as a checklist instead of being forced. Plan time for them. • Always test hardening on a copy of each server type first. Some controls change authentication and service behaviour. • Combine with Patch Windows servers so patching and hardening run on the same schedule and rings. • Generic CIS and STIG programmes across operating systems are covered by the security use cases.

Use Case: Manage Hyper-V and SCVMM virtual machines

Description	Run the virtual machine lifecycle on Microsoft virtualization from Automation Platform: create VMs from standard definitions or templates, adjust CPU, memory, disks and networks, take checkpoints before changes, power VMs on and off, and move them off hosts before maintenance.
Collection	`microsoft.hyperv` (Certified, v1.1.0, updated 2026-05-19), `microsoft.scvmm` (Certified, v1.2.1, updated 2026-08-27)
Key content	• `microsoft.hyperv.hv_vm` — Manage Hyper-V Virtual Machines • `microsoft.hyperv.hv_vm_state` — Manage Hyper-V Virtual Machine power states • `microsoft.hyperv.hv_checkpoint` — Manage Hyper-V Virtual Machine Checkpoints (Snapshots) • `microsoft.hyperv.hv_vm_move` — Manage Hyper-V Virtual Machine Live Migration and Storage Migration • `microsoft.hyperv.hv_cluster_node_maintenance` — Manage Hyper-V Cluster Node Maintenance Mode • `microsoft.scvmm.scvmm_vm` — Manage SCVMM virtual machines • `microsoft.scvmm.scvmm_template` — Manage VM templates in System Center Virtual Machine Manager • `microsoft.scvmm.scvmm_vm_checkpoint` — Manage VM checkpoints in System Center Virtual Machine Manager
Notes	• Use `microsoft.hyperv` for standalone hosts or clusters managed directly. Use `microsoft.scvmm` where System Center VMM is the control point, so changes stay visible in VMM. • Hyper-V replication (`microsoft.hyperv.hv_replication`) and shielded VMs (`microsoft.hyperv.hv_shielded_vm`) are available in the same collection for disaster recovery and security scenarios. • Checkpoints are not a backup. Remove them promptly; long-lived checkpoints affect performance and disk use. • Other hypervisors are covered in the virtualization use cases.

Use Case: Respond to Windows alerts from SCOM

Description	Connect System Center Operations Manager (SCOM) to Event-Driven Ansible so that a critical alert starts a fix immediately instead of waiting for an operator. The same collection manages SCOM itself: maintenance windows during patching, monitor overrides, notification channels and management packs.
Collection	`microsoft.scom` (Certified, v2.0.0, updated 2026-10-07)

Key content	• `microsoft.scom.scom_plugin` — Event Driven Ansible source for System Center Operations Manager (SCOM) Alerts. • `microsoft.scom.alert` — Manage the state of a SCOM alert. • `microsoft.scom.alert_info` — Retrieve information about SCOM alerts. • `microsoft.scom.maintenance_schedule` — Manage SCOM maintenance schedules. • `microsoft.scom.monitor_override` — Manage SCOM monitor overrides. • `microsoft.scom.notification_channel` — Manage SCOM notification channels. • `microsoft.scom.management_pack` — Import or remove SCOM management packs. • `microsoft.scom.group` — Manage SCOM groups with explicit membership.
Notes	• Start with a few alert types that have a safe, well-understood fix, and add a human approval for risky actions. • Add rate limits or throttling in the rulebook so one flapping monitor does not start a flood of jobs. • Combine with Patch Windows servers and Patch Windows with MECM by creating the maintenance schedule at the start of the patch workflow. • The same event-driven pattern applies to other monitoring sources; see the Event-Driven Ansible use cases.

Product use cases

Grouped from the modules of each certified or validated collection. Key content lists the components each use case supports, with the modules that manage them (create, update, delete) and query them (_info).

Microsoft Windows `ansible.windows`

Certified Red Hat · version 3.8.0 · updated 2026-08-26 · 81 modules → 9 use cases

Use Case: Manage files, folders and permissions

Description	Copy, create, find, template and edit files and folders, and set ACLs, ownership, inheritance, compression and auditing.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)

Key content	**Copy files** `win_copy` **Files and directories** `win_file` **Find files** `win_find` **File information** `win_stat` **Temporary files** `win_tempfile` **Templates** `win_template` **Line in file** `win_lineinfile` **Download files** `win_get_url` **Fetch files from hosts** `slurp` **ACLs** `win_acl` **ACL inheritance** `win_acl_inheritance` **Ownership** `win_owner` **File compression** `win_file_compression` **Audit rules** `win_audit_rule` **File shares** `win_share` **Mapped drives** `win_mapped_drive`

Use Case: Install software and updates

Description	Install packages, features, optional features, capabilities, hotfixes and Windows updates, and read product licence information.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Packages** `win_package` **Windows features** `win_feature`, `win_feature_info` **Optional features** `win_optional_feature` **Windows capabilities** `win_capability`, `win_capability_info` **Hotfixes** `win_hotfix` **Windows updates** `win_updates` **Product and licence info** `win_product_facts`

Use Case: Manage services, tasks and processes

Description	Manage Windows services and scheduled tasks, and wait for conditions or listening ports.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Services** `win_service`, `win_service_info` **Scheduled tasks** `win_scheduled_task`, `win_scheduled_task_info` **Wait for conditions** `win_wait_for` **Listening ports** `win_listen_ports_facts`

Use Case: Manage users, groups and security policy

Description	Manage local users, groups, group membership, profiles, user rights, credentials, certificates, audit policy and auto logon.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)

Key content	**Local users** `win_user` **Local groups** `win_group` **Group membership** `win_group_membership` **User profiles** `win_user_profile` **User rights** `win_user_right` **Credential Manager** `win_credential` **Certificate info** `win_certificate_info` **Certificate store** `win_certificate_store` **System audit policy** `win_audit_policy_system` **Auto logon** `win_auto_logon` **Current user information** `win_whoami`

Use Case: Configure networking and firewall

Description	Configure DNS client, DNS zones and records, DHCP leases, hosts file, proxies, static routes and Windows Firewall.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**DNS client** `win_dns_client` **DNS records** `win_dns_record`, `win_dns_record_info` **DNS zones** `win_dns_zone` **DHCP leases** `win_dhcp_lease` **Hosts file** `win_hosts` **WinHTTP proxy** `win_http_proxy` **WinINet proxy** `win_inet_proxy` **Static routes** `win_route` **Windows Firewall** `win_firewall` **Firewall rules** `win_firewall_rule`, `win_firewall_rule_info`

Use Case: Configure system settings and registry

Description	Set hostname, computer description, time zone, region, environment variables, PATH, registry values, event logs and reboot hosts.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Hostname** `win_hostname` **Computer description** `win_computer_description` **Time zone** `win_timezone` **Region settings** `win_region` **Environment variables** `win_environment` **PATH variable** `win_path` **Registry values** `win_regedit` **Registry information** `win_reg_stat` **Event logs** `win_eventlog` **Reboot** `win_reboot`, `win_reboot_info`

Use Case: Manage disks and volumes

Description	Gather disk information, initialise disks, create partitions and format volumes.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Disk information** `win_disk_info` **Disk initialisation** `win_initialize_disk`, `win_initialize_disk_info` **Partitions** `win_partition`, `win_partition_info` **Volume formatting** `win_format`, `win_format_info`

Use Case: Run commands, scripts and DSC configurations

Description	Run commands, shell and PowerShell scripts, apply PowerShell DSC and DSC v3 configurations, call web services and check async tasks.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Commands** `win_command` **Shell commands** `win_shell` **PowerShell scripts** `win_powershell` **DSC configurations** `win_dsc` **DSC v3 configurations** `dsc3` **Web service calls** `win_uri` **Async task status** `async_status`

Use Case: Gather facts and test connectivity

Description	Gather host facts, test connectivity and quote arguments safely for Windows shells.
Collection	`ansible.windows` (Certified, Red Hat, v3.8.0, updated 2026-08-26)
Key content	**Facts** `setup` **Ping** `win_ping` **Shell quoting filter** filter `quote`

Chocolatey `chocolatey.chocolatey`

Certified Chocolatey · version 1.6.0 · updated 2026-03-25 · 5 modules → 1 use cases

Use Case: Manage Windows packages with Chocolatey

Description	Install and remove packages and configure Chocolatey settings, features and sources.
Collection	`chocolatey.chocolatey` (Certified, Chocolatey, v1.6.0, updated 2026-03-25)

Key content	**Packages** `win_chocolatey`, `win_chocolatey_facts` **Configuration settings** `win_chocolatey_config` **Features** `win_chocolatey_feature` **Sources** `win_chocolatey_source`

Microsoft Configuration Manager (SCCM/MECM) `infra.mecm_ops`

Validated Red Hat · version 1.0.2 · updated 2026-01-22 · 0 modules → 1 use cases

Use Case: Patch Windows systems and report on MECM health

Description	Orchestrate Windows patching and reboots, create emergency patch deployments and generate MECM health check reports.
Collection	`infra.mecm_ops` (Validated, Red Hat, v1.0.2, updated 2026-01-22)
Key content	**Patch and reboot** role `patch_and_reboot` **Patch and reboot playbook** playbook `patch_and_reboot` **Emergency patch** role `emergency_patch` **Emergency patch playbook** playbook `emergency_patch` **Health check report** role `health_check_report` **Health check report playbook** playbook `health_check_report`

Microsoft Windows Server operations `infra.windows_ops`

Validated Red Hat · version 2.1.0 · updated 2026-09-10 · 0 modules → 7 use cases

Use Case: Harden and audit compliance

Description	Apply CIS and DISA STIG baselines, detect drift from the CIS baseline, produce audit-ready compliance reports and manage audit policy.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)
Key content	**CIS benchmark role** role `windows_manage_cis` **DISA STIG role** role `windows_manage_stig` **Audit policy role** role `windows_manage_audit` **STIG hardening** playbook `compliance_hardening` **CIS drift detection** playbook `compliance_drift_detection` **Compliance audit report** playbook `compliance_audit_report`

Use Case: Manage accounts and remote access

Description	Manage local accounts, file permissions, and remote access through RDP, OpenSSH Server and WinRM.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)

Key content	**Local accounts role** role `windows_manage_accounts` **File ACL role** role `windows_manage_file_acl` **RDP role** role `windows_manage_rdp` **OpenSSH Server role** role `windows_manage_sshd` **WinRM role** role `windows_manage_winrm`

Use Case: Configure system settings

Description	Set hostname, description, locale and time, registry and environment variables, boot, recovery, performance, WSL and user experience settings, and run initial setup.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)
Key content	**System initialization role** role `windows_manage_init` **Hostname role** role `windows_manage_hostname` **Description role** role `windows_manage_description` **Locale role** role `windows_manage_locale` **Time role** role `windows_manage_time` **System registry role** role `windows_manage_registry` **Per-user registry role** role `windows_manage_user_settings` **Environment variables role** role `windows_manage_environment` **Boot manager role** role `windows_manage_boot` **Recovery environment role** role `windows_manage_recovery` **Performance tuning role** role `windows_manage_performance` **User experience role** role `windows_manage_user_experience` **WSL role** role `windows_manage_wsl` **.NET optimization role** role `windows_manage_dotnet`

Use Case: Configure networking and firewall

Description	Configure network and DNS client settings, the hosts file, and Windows Firewall profiles and rules.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)
Key content	**Network role** role `windows_manage_network` **DNS client role** role `windows_manage_dns_client` **Hosts file role** role `windows_manage_hosts_file` **Firewall role** role `windows_manage_firewall`

Use Case: Install software, features and updates

Description	Install packages, roles and features, optional features and capabilities, deploy IIS web servers, and manage Windows updates.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)

Key content	**Packages role** role `windows_manage_packages` **Roles and features role** role `windows_manage_features` **Optional features role** role `windows_manage_optional_features` **Capabilities role** role `windows_manage_capabilities` **IIS role** role `windows_manage_iis` **Windows updates role** role `windows_manage_updates`

Use Case: Manage files and storage

Description	Create, copy, download, fetch and remove files and directories, and clean up disks.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)
Key content	**File creation role** role `windows_manage_file_create` **File copy role** role `windows_manage_file_copy` **File download role** role `windows_manage_file_get` **File fetch role** role `windows_manage_file_fetch` **File removal role** role `windows_manage_file_remove` **Disk cleanup role** role `windows_manage_disk_cleanup`

Use Case: Run services, scheduled tasks and desired state configuration

Description	Manage Windows services, scheduled tasks and reboots, and apply PowerShell DSC and DSC v3 configurations.
Collection	`infra.windows_ops` (Validated, Red Hat, v2.1.0, updated 2026-09-10)
Key content	**Services role** role `windows_manage_service` **Scheduled tasks role** role `windows_manage_scheduled_tasks` **Reboot role** role `windows_manage_reboot` **DSC role** role `windows_manage_dsc` **DSC v3 role** role `windows_manage_dsc3`

Microsoft Active Directory `microsoft.ad`

Certified Red Hat · version 1.12.1 · updated 2026-08-26 · 25 modules → 5 use cases

Use Case: Manage directory objects

Description	Create and manage users, groups, computers, service accounts, organizational units and generic AD objects.
Collection	`microsoft.ad` (Certified, Red Hat, v1.12.1, updated 2026-08-26)

Key content	**Users** `user` **Groups** `group` **Computers** `computer` **Service accounts** `service_account` **Organizational units** `ou` **Directory objects** `object`, `object_info` **Password settings objects** `pso` **KDS root keys** `kds_root_key`, `kds_root_key_info`

Use Case: Build domains and domain controllers

Description	Create domains and child domains, promote or demote domain controllers, join hosts to domains and manage trusts.
Collection	`microsoft.ad` (Certified, Red Hat, v1.12.1, updated 2026-08-26)
Key content	**Domains** `domain` **Child domains** `domain_child` **Domain controllers** `domain_controller` **Domain trusts** `domain_trust` **Domain membership** `membership` **Offline domain join** `offline_join`

Use Case: Configure sites and Group Policy

Description	Manage replication sites, site links, subnets and Group Policy object links.
Collection	`microsoft.ad` (Certified, Red Hat, v1.12.1, updated 2026-08-26)
Key content	**Replication sites** `site` **Site links** `site_link` **Site subnets** `site_subnet` **GPO links** `gpo_link`

Use Case: Manage certificate and federation services

Description	Manage AD Certificate Services templates and distribution points and AD FS relying party trusts and claim rules.
Collection	`microsoft.ad` (Certified, Red Hat, v1.12.1, updated 2026-08-26)
Key content	**Certificate templates** `cs_template` **CRL and AIA settings** `cs_authority` **AD FS relying party trusts** `fs_trust` **AD FS claim rules** `fs_claim_rule`

Use Case: Query AD and debug LDAP

Description	Build inventory from AD, parse LDAP values and distinguished names in playbooks, and debug LDAP client connections.
Collection	`microsoft.ad` (Certified, Red Hat, v1.12.1, updated 2026-08-26)
Key content	**LDAP inventory** inventory `ldap` **LDAP client debugging** `debug_ldap_client` **LDAP datetime** filter `as_datetime` **LDAP GUID** filter `as_guid` **LDAP SID** filter `as_sid` **DN escaping** filter `dn_escape` **DN parsing** filter `parse_dn` **DN splitting** filter `split_dn`

Microsoft IIS `microsoft.iis`

Certified Red Hat · version 1.3.0 · updated 2026-08-26 · 10 modules → 1 use cases

Use Case: Manage IIS websites and applications

Description	Configure IIS websites, web applications, application pools, virtual directories, authentication and default document order.
Collection	`microsoft.iis` (Certified, Red Hat, v1.3.0, updated 2026-08-26)
Key content	**Websites** `website`, `website_info` **Web applications** `web_application`, `web_application_info` **Application pools** `web_app_pool`, `web_app_pool_info` **Virtual directories** `virtual_directory`, `virtual_directory_info` **Authentication** `authentication` **Default document order** `page_order`

Microsoft Configuration Manager (MECM/SCCM) `microsoft.mecm`

Certified Red Hat · version 2.1.0 · updated 2026-09-02 · 35 modules → 4 use cases

Use Case: Deploy applications and task sequences

Description	Create applications, deployment types and deployments, and manage task sequences.
Collection	`microsoft.mecm` (Certified, Red Hat, v2.1.0, updated 2026-09-02)
Key content	**Applications** `application`, `application_info` **Deployment types** `application_deployment_type`, `application_deployment_type_info` **Application deployments** `application_deployments`, `application_deployments_info` **Task sequences** `task_sequence`, `task_sequence_info`

Use Case: Manage software updates

Description	Manage software update groups, memberships, automatic deployment rules and deployments, install updates on clients, and inspect update and WSUS status.
Collection	`microsoft.mecm` (Certified, Red Hat, v2.1.0, updated 2026-09-02)
Key content	**Software updates** `software_update_info` **Software update groups** `software_update_group`, `software_update_group_info` **Update group membership** `software_update_group_membership` **Automatic deployment rules** `software_update_adr`, `software_update_adr_info` **Update deployments** `software_update_deployment`, `software_update_deployment_info` **Client update installation** `install_updates` **WSUS server configuration** `wsus_server_config`, `wsus_server_config_info` **WSUS sync status** `wsus_sync_status_info`

Use Case: Organize devices and client settings

Description	Manage device collections, maintenance windows, client settings and client actions.
Collection	`microsoft.mecm` (Certified, Red Hat, v2.1.0, updated 2026-09-02)
Key content	**Device collections** `device_collection`, `device_collection_info` **Maintenance windows** `maintenance_windows`, `maintenance_windows_info` **Client settings** `client_settings`, `client_settings_info` **Client actions** `client_action`

Use Case: Configure sites and content distribution

Description	Manage boundaries and distribution point groups, the site PowerShell drive, and check backup, distribution point and site status.
Collection	`microsoft.mecm` (Certified, Red Hat, v2.1.0, updated 2026-09-02)
Key content	**Site boundaries** `boundaries`, `boundaries_info` **Distribution point groups** `distribution_point_group`, `distribution_point_group_info` **Site PowerShell drive** `site_ps_drive` **Distribution point status** `dp_status_info` **Backup status** `backups_status_info` **Site status messages** `site_status_message_info`

Microsoft System Center Operations Manager (SCOM) `microsoft.scom`

Certified Red Hat · version 2.0.0 · updated 2026-10-07 · 22 modules → 2 use cases

Use Case: Manage monitoring content and agents

Description	Import or remove management packs, override monitors, manage groups, approve or reject pending agent requests and schedule maintenance.

Collection	`microsoft.scom` (Certified, Red Hat, v2.0.0, updated 2026-10-07)
Key content	**Management packs** `management_pack`, `management_pack_info` **Monitor overrides** `monitor_override`, `monitor_override_info` **Groups** `group`, `group_info` **Pending agent requests** `pending_agent_request`, `pending_agent_request_info` **Maintenance schedules** `maintenance_schedule`, `maintenance_schedule_info` **Run As accounts** `run_as_account`, `run_as_account_info` **Run As credential distribution** `run_as_distribution`, `run_as_distribution_info`

Use Case: Handle alerts and notifications

Description	Manage alert state, notification channels, subscribers and subscriptions, and trigger automation from SCOM alerts.
Collection	`microsoft.scom` (Certified, Red Hat, v2.0.0, updated 2026-10-07)
Key content	**Alerts** `alert`, `alert_info` **Notification channels** `notification_channel`, `notification_channel_info` **Notification subscribers** `notification_subscriber`, `notification_subscriber_info` **Notification subscriptions** `notification_subscription`, `notification_subscription_info` **SCOM alert events** eda event source `scom_plugin`