Ansible Automation - Use Cases

A reference of the use cases by which Ansible Automation Platform is commonly implemented, by domain. Each use case is described in the same format (Description, Collection, Key content, Notes) and mapped to Red Hat Certified and Validated content.

6 solution use cases · 95 product use cases · generated 2026-10-21 · community reference, not an official Red Hat publication

Contents

1. Virtualization
    - Solution use cases (6)
        - Provision VMware virtual machines
        - Manage VMware snapshots and VM lifecycle
        - Operate vSphere clusters and ESXi hosts
        - Migrate VMs from VMware to OpenShift Virtualization
        - Operate VMs on OpenShift Virtualization
        - Manage Nutanix clusters and VMs
    - Product use cases
        - VMware vSphere (6)
        - OpenShift Virtualization migration (7)
        - Microsoft Hyper-V (5)
        - Microsoft System Center Virtual Machine Manager (8)
        - Nutanix (Prism Central, AHV, NDB, Karbon) (23)
        - VMware to OpenStack migration (5)
        - Red Hat OpenShift Virtualization (1)
        - Red Hat Virtualization (oVirt) (9)
        - Scale Computing HyperCore (6)
        - VMware Avi Load Balancer (NSX Advanced Load Balancer) (12)
        - VMware vSphere (7)
        - VMware vSphere (REST API) (6)

Virtualization

VMware, OpenShift Virtualization, Nutanix and VM lifecycle and migration.

Solution use cases

Use Case: Provision VMware virtual machines

Description	Replace manual vSphere clicks and ticket-driven VM builds with a repeatable job that creates a virtual machine from an approved template, content library item or OVF. Sizing, placement, networking, guest customisation and tags come from a variable file or a service catalog request, so every VM is built the same way.
Collection	`vmware.vmware` (Certified, v2.12.0, updated 2026-10-13), `cloud.vmware_ops` (Validated, v1.9.0, updated 2025-02-20), `vmware.vmware_rest` (Certified, v5.0.0, updated 2026-09-30)
Key content	• `vmware.vmware.vm` — Create, update, or delete a virtual machine. • `vmware.vmware.deploy_content_library_template` — Deploy a virtual machine from a template in a content library. • `vmware.vmware.deploy_content_library_ovf` — Deploy a virtual machine from an OVF in a content library. • `vmware.vmware.vm_apply_customization` — Applies a customization specification to a virtual machine. • `vmware.vmware.tag_associations` — Manage the tags associated with a vSphere object. • `cloud.vmware_ops.provision_vm` — Provision a VM on vCenter or an ESXi host • `cloud.vmware_ops.deploy_custom_windows_template` — Deploy a custom Windows template from a content library and apply customizations
Notes	• `vmware.vmware_rest` is an alternative that talks to the vSphere REST API. Its `vcenter_vm_*` modules are mainly used for information and hardware settings, and several of its older modules are marked deprecated. Prefer `vmware.vmware` for new VM lifecycle work. • Pair with Manage VMware snapshots and VM lifecycle for day-2 operations and with Operate vSphere clusters and ESXi hosts for the platform underneath. • To use vSphere as an inventory source, see the `vmware.vmware.vms` and `vmware.vmware.esxi_hosts` inventory plugins. • Event-Driven Ansible: the `vmware.vmware.vcenter_event_manager` event source can start follow-up automation when a VM is created or changed in vCenter.

Use Case: Manage VMware snapshots and VM lifecycle

Description	Give operations teams one governed path for the routine things done to existing VMs: snapshot before a change, roll back if it fails, remove stale snapshots, resize, power cycle, export and delete. Using Automation Platform adds approvals, logging and consistent naming, and stops forgotten snapshots from consuming datastore space.
Collection	`vmware.vmware` (Certified, v2.12.0, updated 2026-10-13), `cloud.vmware_ops` (Validated, v1.9.0, updated 2025-02-20)

Key content	• `vmware.vmware.vm_snapshot` — Manages virtual machines snapshots in vCenter • `vmware.vmware.vm_snapshot_info` — Gathers information about a VMs snapshots • `vmware.vmware.vm_snapshot_revert` — Revert a virtual machine to a snapshot • `vmware.vmware.vm_powerstate` — Manages power states of virtual machines in vCenter • `vmware.vmware.vm_info` — Gather VM information • `cloud.vmware_ops.snapshot_management` — Manage a snapshot in vCenter • `cloud.vmware_ops.export_vm_as_ovf` — Export a powered off VM on vCenter or an ESXi host as an OVF file
Notes	• VMware snapshots are not backups; keep them short-lived and use a backup product for retention. See Manage Nutanix clusters and VMs for the equivalent recovery point approach on AHV. • Use `vmware.vmware.vm_snapshot_info` in a check step so a job fails safely when a VM already carries more snapshots than policy allows. • The `cloud.vmware_ops.snapshot_management` collection playbooks provide ready-made create, remove, remove-all and revert entry points. • Pair with Provision VMware virtual machines for the build side of the lifecycle.

Use Case: Operate vSphere clusters and ESXi hosts

Description	Keep the vSphere platform consistent: clusters have the same HA and DRS settings, hosts are added and removed the same way, maintenance is entered and exited safely, and the vCenter appliance is backed up. Defining this in Ansible lets a team rebuild or compare environments instead of relying on tribal knowledge.
Collection	`vmware.vmware` (Certified, v2.12.0, updated 2026-10-13), `cloud.vmware_ops` (Validated, v1.9.0, updated 2025-02-20)
Key content	• `vmware.vmware.cluster` — Manage VMware vSphere clusters • `vmware.vmware.cluster_ha` — Manage High Availability services (HA) on VMware vSphere clusters • `vmware.vmware.cluster_drs` — Manage Distributed Resource Scheduler (DRS) on VMware vSphere clusters • `vmware.vmware.esxi_maintenance_mode` — Manage an ESXi hosts maintenance mode setting in vCenter • `vmware.vmware.esxi_info` — Gathers information about one or more ESXi hosts • `vmware.vmware.vcsa_backup_schedule` — Configure the vCenter Server Appliance backup schedule • `cloud.vmware_ops.cluster_settings` — Configure vCenter cluster settings • `cloud.vmware_ops.esxi_maintenance_mode` — Manage an ESXi host's maintenance mode status
Notes	• For rolling firmware or driver updates, combine host maintenance mode with the vendor firmware jobs in Update server firmware and BIOS. • `cloud.vmware_ops` also provides playbooks to deploy a vCenter appliance on an ESXi host (`provision_vcenter`) and a nested ESXi host (`provision_virtual_esxi`), which are useful for lab and rebuild scenarios. • `vmware.vmware.key_provider_native` and `vmware.vmware.key_provider_standard` manage vCenter key providers when encryption is part of the standard. • Pair with Provision VMware virtual machines.

Use Case: Migrate VMs from VMware to OpenShift Virtualization

Description	Move virtual machine workloads from VMware vSphere to Red Hat OpenShift Virtualization in controlled waves. Automation Platform drives the Migration Toolkit for Virtualization (MTV): it prepares the target cluster, registers the source provider, maps networks and storage, migrates VMs at scale and validates the result, so migration becomes a repeatable factory process rather than a series of manual console steps.
Collection	`infra.openshift_virtualization_migration` (Validated, v1.25.0, updated 2026-05-06), `vmware.vmware` (Certified, v2.12.0, updated 2026-10-13), `os_migrate.vmware_migration_kit` (Certified, v2.2.7, updated 2026-06-30)
Key content	• `infra.openshift_virtualization_migration.bootstrap` — Initialization of the Ansible for OpenShift Virtualization Migration environment. • `infra.openshift_virtualization_migration.mtv_management` — Management of the Migration Toolkit for Virtualization (MTV). • `infra.openshift_virtualization_migration.vm_collect` — Collection of Migration Toolkit for Virtualization inventory information. • `infra.openshift_virtualization_migration.mtv_migrate` — MTV Migrate - Migrate VMs at scale • `infra.openshift_virtualization_migration.validate_migration` — Verification of an Ansible for OpenShift Virtualization Migration environment. • `infra.openshift_virtualization_migration.ocp_cleanup` — Remove OpenShift migration artifacts created during virtualization migration testing • `vmware.vmware.vm_info` — Gather VM information
Notes	• The same collection also supports RHV (oVirt) as a source through its oVirt provider configuration; check the collection documentation for the supported source and target versions. • `os_migrate.vmware_migration_kit` is a separate certified kit that migrates VMware VMs to OpenStack (and OpenShift) using a conversion host. Use it when the target is OpenStack, or when MTV is not an option. • Before moving a VM, snapshot or back it up on the source side. See Manage VMware snapshots and VM lifecycle. • After cut-over, continue with Operate VMs on OpenShift Virtualization. • Event-Driven Ansible is not required, but job template completion events can be sent to a ticketing system to track waves.

Use Case: Operate VMs on OpenShift Virtualization

Description	Run day-2 operations for VMs hosted on OpenShift Virtualization: define VMs as code, discover them as inventory, patch the guests, take backups and restore them. Teams that came from VMware or RHV keep the same workflows, and use the OpenShift API underneath.
Collection	`redhat.openshift_virtualization` (Certified, v2.3.0, updated 2026-06-10), `infra.openshift_virtualization_migration` (Validated, v1.25.0, updated 2026-05-06), `infra.openshift_virtualization_ops` (Validated, v1.0.1, updated 2025-06-27), `kubernetes.core` (Certified, v6.6.0, updated 2026-09-17)

Key content	• `redhat.openshift_virtualization.kubevirt_vm` — Manage KubeVirt VirtualMachines • `redhat.openshift_virtualization.kubevirt_vm_info` — Describe KubeVirt VirtualMachines • `redhat.openshift_virtualization.kubevirt` — Inventory source for KubeVirt VirtualMachines and VirtualMachineInstances • `infra.openshift_virtualization_migration.vm_lifecycle` — Management of the lifecycle activities of Virtual Machines. • `infra.openshift_virtualization_migration.vm_patching` — Patching related activities for Virtual Machines. • `infra.openshift_virtualization_migration.vm_backup_restore` — Virtual Machine backup and restore capabilities. • `infra.openshift_virtualization_migration.vm_networking` — Management of Virtual Machine networking.
Notes	• `kubernetes.core.k8s` and `kubernetes.core.k8s_info` can manage any related object such as namespaces, network attachments and storage claims. • `infra.openshift_virtualization_ops` is the validated collection dedicated to VM maintenance on OpenShift Virtualization; check its current content before relying on it. • For migrations into the platform, see Migrate VMs from VMware to OpenShift Virtualization. • For application backup of the OpenShift cluster itself, see Back up Kubernetes applications. • Event-Driven Ansible can react to Kubernetes events from the cluster to start remediation jobs when a VM stops unexpectedly.

Use Case: Manage Nutanix clusters and VMs

Description	Automate the Nutanix AHV estate from Prism Central: create VMs from images, attach networks and disks, apply categories and protection policies, take recovery points and run power operations. The same job templates can serve self-service requests and scheduled maintenance.
Collection	`nutanix.ncp` (Certified, v2.6.0, updated 2026-10-15)
Key content	• `nutanix.ncp.ntnx_vms_v2` — Create, Update and delete VMs in Nutanix AHV based PC • `nutanix.ncp.ntnx_vms_power_actions_v2` — Perform power actions on Nutanix VMs • `nutanix.ncp.ntnx_images_v2` — Manage Nutanix Prism Central images. • `nutanix.ncp.ntnx_subnets_v2` — subnets module which supports Create, Update, Delete subnets • `nutanix.ncp.ntnx_categories_v2` — Manage categories in Nutanix Prism Central • `nutanix.ncp.ntnx_protection_policies_v2` — Create, Update, Delete protection policy in Nutanix Prism Central • `nutanix.ncp.ntnx_recovery_points_v2` — Create, Update, Delete recovery points • `nutanix.ncp.ntnx_vms_info_v2` — Fetch information about Nutanix AHV based PC VMs

Notes	• The collection contains older v1 modules (without the `_v2` suffix) and newer v4 API modules (`_v2`). Choose one family per project and check which Prism Central versions it supports. • It also covers Nutanix Database Service (`ntnx_ndb_*` modules), Foundation imaging (`ntnx_foundation*`) and Karbon Kubernetes clusters (`ntnx_karbon_*`). • Compare with Provision VMware virtual machines when running both platforms side by side. • Hyper-V and SCVMM hosts are covered by the `microsoft.hyperv` and `microsoft.scvmm` collections; see the Windows use cases for those platforms. Other certified options include `scale_computing.hypercore` for Scale Computing HyperCore and `redhat.rhv` for existing Red Hat Virtualization (oVirt) environments.

Product use cases

Grouped from the modules of each certified or validated collection. Key content lists the components each use case supports, with the modules that manage them (create, update, delete) and query them (_info).

VMware vSphere `cloud.vmware_ops`

Validated Red Hat · version 1.9.0 · updated 2025-02-20 · 0 modules → 6 use cases

Use Case: Provision virtual machines and templates

Description	Provision VMs on vCenter or ESXi, deploy OVF files and custom Windows templates, and export VMs as OVF.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)
Key content	**VM provisioning** role `provision_vm` **OVF deployment** role `deploy_ovf` **Custom Windows templates** role `deploy_custom_windows_template` **OVF export** role `export_vm_as_ovf` **Provision a VM** playbook `provision_vm.manage_vm` **Provision a VM from OVF** playbook `provision_vm.deploy_ovf` **Deploy Windows template** playbook `deploy_custom_windows_template` **Export VM as OVF** playbook `export_vm_as_ovf`

Use Case: Manage VM snapshots

Description	Create, remove and revert VM snapshots.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)
Key content	**Snapshot management** role `snapshot_management` **Create a snapshot** playbook `snapshot_management.create_snapshot` **Remove a snapshot** playbook `snapshot_management.remove_snapshot` **Remove all snapshots** playbook `snapshot_management.remove_all_snapshots` **Revert to a snapshot** playbook `snapshot_management.revert_to_a_snapshot`

Use Case: Manage ESXi hosts and clusters

Description	Add, remove and reconnect ESXi hosts, control maintenance mode, and configure cluster settings and high availability.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)
Key content	**ESXi maintenance mode** role `esxi_maintenance_mode` **ESXi host connection to vCenter** role `vcenter_host_connection` **Cluster settings** role `cluster_settings` **Add ESXi host** playbook `esxi_management.add_esxi_host_to_vcenter` **Remove ESXi host** playbook `esxi_management.remove_esxi_host_from_vcenter` **Reconnect ESXi host** playbook `esxi_management.reconnect_esxi_host_in_vcenter` **Enter maintenance mode** playbook `esxi_management.enable_maintenance_mode` **Exit maintenance mode** playbook `esxi_management.disable_maintenance_mode` **Manage cluster settings** playbook `cluster_settings.manage_all_settings` **Enable high availability** playbook `cluster_settings.enable_high_availability` **Disable high availability** playbook `cluster_settings.disable_high_availability`

Use Case: Deploy vCenter and virtual ESXi infrastructure

Description	Deploy a vCenter appliance from the VCSA ISO and provision virtual ESXi host VMs.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)
Key content	**vCenter appliance** role `provision_vcenter` **Virtual ESXi hosts** role `provision_virtual_esxi` **vCenter appliance on ESXi** playbook `provision_vcenter.provision_vcsa_on_esxi`

Use Case: Manage content, folders, ISOs and system settings

Description	Manage content libraries and vCenter folders, upload ISO files to datastores and configure vCenter or ESXi system settings.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)
Key content	**Content libraries** role `content_library` **Folders** role `manage_folder` **ISO uploads** role `upload_iso_to_datastore` **System settings** role `system_settings` **Manage content library** playbook `manage_content_library` **Manage folder** playbook `manage_folder` **Upload ISO to datastore** playbook `upload_iso_to_datastore` **Manage vCenter security** playbook `system_settings`

Use Case: Gather VMware information

Description	Collect information about vCenter guests, storage, licenses, clusters and appliances.
Collection	`cloud.vmware_ops` (Validated, Red Hat, v1.9.0, updated 2025-02-20)

Key content	**VMware information** role `info` **Gather VMware information** playbook `info`

OpenShift Virtualization migration `infra.openshift_virtualization_migration`

Validated Red Hat · version 1.25.0 · updated 2026-05-06 · 0 modules → 7 use cases

Use Case: Bootstrap the migration environment

Description	Prepare a bootstrap VM and initialise the environment for OpenShift Virtualization migration.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**Bootstrap role** role `bootstrap` **Bootstrap VM preparation** playbook `bootstrap_aap` **Bootstrap install** playbook `bootstrap_aap_install` **Bootstrap prerequisites** playbook `bootstrap_aap_prep` **Bootstrap preseed** playbook `bootstrap_aap_preseed`

Use Case: Deploy and seed Ansible Automation Platform for the Migration Factory

Description	Install and configure AAP on the hub, seed it with Migration Factory content, create tokens and machine credentials, and clean up seeded content.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**AAP deployment role** role `aap_deploy` **AAP seed role** role `aap_seed` **Machine credentials role** role `aap_machine_credentials` **Migration Factory token role** role `create_mf_aap_token` **AAP cleanup role** role `aap_cleanup` **AAP installation** playbook `migration_factory_aap` **Migration Factory seed** playbook `migration_factory_seed` **AAP pre-seed** playbook `preseed` **Machine credentials** playbook `aap_machine_credentials` **Migration Factory API token** playbook `create_mf_aap_token` **AAP content cleanup** playbook `cleanup_migration_aap`

Use Case: Prepare the OpenShift cluster and Migration Toolkit for Virtualization

Description	Manage operators and cluster networking, run cluster health checks, and configure MTV providers, VDDK and mappings.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)

Key content	**Operator management role** role `operator_management` **Network management role** role `network_mgmt` **Cluster health check role** role `cluster_healthcheck` **MTV management role** role `mtv_management` **Operator management** playbook `operator_management` **Network configuration** playbook `network_mgmt` **Cluster health checks** playbook `cluster_healthcheck` **MTV management** playbook `mtv_management` **MTV VMware provider** playbook `mtv_provider_vmware` **MTV oVirt provider** playbook `mtv_provider_ovirt` **MTV VDDK** playbook `mtv_vddk` **MTV mappings** playbook `mtv_mapping`

Use Case: Migrate virtual machines at scale

Description	Collect source VM inventory, run migrations with MTV and validate the results.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**VM collection role** role `vm_collect` **MTV migration role** role `mtv_migrate` **Migration validation role** role `validate_migration` **MTV migration** playbook `mtv_migrate` **Migration validation** playbook `validate_migration`

Use Case: Operate migrated virtual machines

Description	Manage VM lifecycle, networking, MAC addresses, SSH keys, hot plug, patching, backup and restore after migration.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**VM lifecycle role** role `vm_lifecycle` **VM networking role** role `vm_networking` **VM MAC address role** role `vm_mac_address` **VM SSH key role** role `vm_ssh` **VM hot plug role** role `vm_hot_plug` **VM patching role** role `vm_patching` **VM backup and restore role** role `vm_backup_restore` **VM operations** playbook `vm_operations` **VM MAC addresses** playbook `vm_mac_address` **VM SSH keys** playbook `vm_ssh` **VM hot plug** playbook `vm_hot_plug` **VM patching** playbook `patch` **VM backups** playbook `vm_backup` **VM restores** playbook `vm_restore`

Use Case: Clean up migration artifacts

Description	Remove OpenShift migration artifacts created during migration testing.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**OpenShift cleanup role** role `ocp_cleanup` **Cleanup all** playbook `cleanup_all` **OpenShift artifact cleanup** playbook `cleanup_ocp_migration_artifacts`

Use Case: Format names for Kubernetes resources

Description	Convert strings to RFC 1123 compatible names for OpenShift resources.
Collection	`infra.openshift_virtualization_migration` (Validated, Red Hat, v1.25.0, updated 2026-05-06)
Key content	**RFC 1123 name filter** filter `rfc1123`

Microsoft Hyper-V `microsoft.hyperv`

Certified Red Hat · version 1.1.0 · updated 2026-05-19 · 37 modules → 5 use cases

Use Case: Manage virtual machines

Description	Create and configure Hyper-V VMs, including power state, boot, processors, memory, nested virtualization, groups, tags and checkpoints.
Collection	`microsoft.hyperv` (Certified, Red Hat, v1.1.0, updated 2026-05-19)
Key content	**Virtual machines** `hv_vm`, `hv_vm_info` **Power states** `hv_vm_state` **Boot and firmware** `hv_vm_boot` **Processors** `hv_processor` **Memory** `hv_memory` **Nested virtualization** `hv_nested_virt` **Integration services** `hv_integration_service` **COM ports** `hv_com_port` **VM groups** `hv_vm_group` **Metadata tags** `hv_vm_tag` **Checkpoints** `hv_checkpoint` **Shielded VMs and key protectors** `hv_shielded_vm` **Resource pools** `hv_resource_pool`

Use Case: Manage VM storage

Description	Manage virtual hard disks, SCSI controllers, DVD drives and ISO mounts, Fibre Channel adapters, hardware passthrough and storage pools.

Collection	`microsoft.hyperv` (Certified, Red Hat, v1.1.0, updated 2026-05-19)
Key content	**VHD and VHDX files** `hv_vhd` **Hard disk drives** `hv_hard_disk` **SCSI controllers** `hv_scsi_controller` **DVD drives and ISOs** `hv_dvd_drive` **Virtual Fibre Channel HBAs** `hv_san_adapter` **Hardware passthrough** `hv_hardware_passthrough` **Storage pools** `hv_storage_pool`

Use Case: Manage virtual networking

Description	Configure virtual switches, VM network adapters, ACLs and SDN network isolation.
Collection	`microsoft.hyperv` (Certified, Red Hat, v1.1.0, updated 2026-05-19)
Key content	**Virtual switches** `hv_vswitch` **Network adapters** `hv_network_adapter` **Network ACLs** `hv_network_acl` **Network isolation** `hv_isolation`

Use Case: Move, replicate and cluster VMs

Description	Live and storage migration, VM export and import, Hyper-V Replica, migration networks and cluster maintenance and anti-affinity.
Collection	`microsoft.hyperv` (Certified, Red Hat, v1.1.0, updated 2026-05-19)
Key content	**Live and storage migration** `hv_vm_move` **VM export and import** `hv_vm_transfer` **VM replication** `hv_replication` **Replica server settings** `hv_replication_server` **Migration networks** `hv_migration_network` **Cluster node maintenance** `hv_cluster_node_maintenance` **Cluster group sets** `hv_cluster_group_set`

Use Case: Configure hosts and work inside guests

Description	Configure Hyper-V hosts, wait for guest agents and IP addresses, and run scripts and copy files inside guests.
Collection	`microsoft.hyperv` (Certified, Red Hat, v1.1.0, updated 2026-05-19)
Key content	**Hyper-V hosts** `hv_host`, `hv_host_info` **Guest readiness** `hv_vm_guest_wait` **Guest PowerShell commands** `hv_guest_command` **Guest file transfer** `hv_guest_copy`

Microsoft System Center Virtual Machine Manager `microsoft.scvmm`

Certified Red Hat · version 1.2.1 · updated 2026-08-27 · 105 modules → 8 use cases

Use Case: Manage virtual machines

Description	Create, clone, start, stop, live-migrate and checkpoint virtual machines, and manage their disks, DVD drives, SCSI adapters and network adapters.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**Virtual machines** `scvmm_vm`, `scvmm_vm_info` **VM clones** `scvmm_vm_clone` **VM power state** `scvmm_vm_state` **VM live migration** `scvmm_vm_migrate` **VM checkpoints** `scvmm_vm_checkpoint`, `scvmm_vm_checkpoint_info` **VM disks** `scvmm_vm_disk`, `scvmm_vm_disk_info` **VM DVD drives** `scvmm_vm_dvd_drive`, `scvmm_vm_dvd_drive_info` **VM SCSI adapters** `scvmm_vm_scsi_adapter`, `scvmm_vm_scsi_adapter_info` **VM NIC settings** `scvmm_vm_nic` **VM network adapters** `scvmm_network_adapter`, `scvmm_network_adapter_info` **Virtual hard disks** `scvmm_virtual_hard_disk`, `scvmm_virtual_hard_disk_info`

Use Case: Manage templates, profiles and the library

Description	Manage VM and service templates, services, hardware, guest OS, application, SQL, capability and physical computer profiles, and library shares, ISO images and scripts.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**VM templates** `scvmm_template`, `scvmm_template_info` **Service templates** `scvmm_service_template`, `scvmm_service_template_info` **Services** `scvmm_service`, `scvmm_service_info` **Hardware profiles** `scvmm_hardware_profile`, `scvmm_hardware_profile_info` **Guest OS profiles** `scvmm_guest_os_profile`, `scvmm_guest_os_profile_info` **Application profiles** `scvmm_application_profile`, `scvmm_application_profile_info` **SQL profiles** `scvmm_sql_profile`, `scvmm_sql_profile_info` **Capability profiles** `scvmm_capability_profile`, `scvmm_capability_profile_info` **Physical computer profiles** `scvmm_physical_computer_profile`, `scvmm_physical_computer_profile_info`

Use Case: Manage Hyper-V hosts and clusters

Description	Manage Hyper-V hosts, failover clusters, host groups and host network adapters, and query host placement ratings.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)

Key content	**Hosts** `scvmm_host`, `scvmm_host_info` **Host clusters** `scvmm_host_cluster`, `scvmm_host_cluster_info` **Host groups** `scvmm_host_group`, `scvmm_host_group_info` **Host network adapters** `scvmm_host_network_adapter`, `scvmm_host_network_adapter_info` **Host placement ratings** `scvmm_host_rating_info` **PXE servers** `scvmm_pxe_server`, `scvmm_pxe_server_info`

Use Case: Configure virtual networking

Description	Configure logical networks and definitions, VM networks and subnets, logical switches, uplink port profiles, port classifications, IP and MAC pools, and load balancers.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**Logical networks** `scvmm_logical_network`, `scvmm_logical_network_info` **Network sites** `scvmm_logical_network_definition`, `scvmm_logical_network_definition_info` **VM networks** `scvmm_vm_network`, `scvmm_vm_network_info` **VM subnets** `scvmm_vm_subnet`, `scvmm_vm_subnet_info` **Logical switches** `scvmm_logical_switch`, `scvmm_logical_switch_info` **Uplink port profiles** `scvmm_uplink_port_profile`, `scvmm_uplink_port_profile_info` **Port classifications** `scvmm_port_classification`, `scvmm_port_classification_info` **IP address pools** `scvmm_ip_pool`, `scvmm_ip_pool_info` **MAC address pools** `scvmm_mac_address_pool`, `scvmm_mac_address_pool_info` **Load balancers** `scvmm_load_balancer`, `scvmm_load_balancer_info`

Use Case: Manage storage

Description	Manage storage providers, pools and classifications, and query file shares.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**Storage providers** `scvmm_storage_provider`, `scvmm_storage_provider_info` **Storage pools** `scvmm_storage_pool`, `scvmm_storage_pool_info` **Storage classifications** `scvmm_storage_classification`, `scvmm_storage_classification_info` **Storage file shares** `scvmm_storage_file_share_info` **Library shares** `scvmm_library_share`, `scvmm_library_share_info` **ISO images** `scvmm_iso`, `scvmm_iso_info` **Library scripts** `scvmm_script`, `scvmm_script_info` **Custom resources** `scvmm_custom_resource`, `scvmm_custom_resource_info`

Use Case: Provide private clouds and tenant access

Description	Manage private clouds and capacity limits, user roles and quotas, Run As accounts and custom properties.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)

Key content	**Private clouds** `scvmm_cloud`, `scvmm_cloud_info` **Cloud capacity** `scvmm_cloud_capacity`, `scvmm_cloud_capacity_info` **User roles** `scvmm_user_role`, `scvmm_user_role_info` **User role quotas** `scvmm_user_role_quota`, `scvmm_user_role_quota_info` **Run As accounts** `scvmm_run_as_account`, `scvmm_run_as_account_info` **Custom properties** `scvmm_custom_property`, `scvmm_custom_property_info`

Use Case: Patch and keep hosts compliant

Description	Manage WSUS update servers, baselines and servicing windows, and run and query compliance scans.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**Update servers** `scvmm_update_server`, `scvmm_update_server_info` **Update baselines** `scvmm_baseline`, `scvmm_baseline_info` **Servicing windows** `scvmm_servicing_window`, `scvmm_servicing_window_info` **Compliance status** `scvmm_compliance_info` **Compliance scans** `scvmm_compliance_scan`

Use Case: Query inventory and track jobs

Description	Retrieve managed infrastructure inventory, build dynamic inventory and manage job state.
Collection	`microsoft.scvmm` (Certified, Red Hat, v1.2.1, updated 2026-08-27)
Key content	**Infrastructure inventory** `scvmm_inventory_info` **Dynamic inventory** inventory `scvmm_inventory` **Jobs** `scvmm_job`, `scvmm_job_info`

Nutanix (Prism Central, AHV, NDB, Karbon) `nutanix.ncp`

Certified Nutanix · version 2.6.0 · updated 2026-10-15 · 285 modules → 23 use cases

Use Case: Manage virtual machines

Description	Create, update, clone, power on and off and delete AHV VMs, attach categories and serial ports, export OVAs and revert VMs to recovery points.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**VM revert (v4)** `ntnx_vm_revert_v2` **VMs** `ntnx_vms`, `ntnx_vms_info` **VMs categories (v4)** `ntnx_vms_categories_v2` **VM clones** `ntnx_vms_clone` **VMs clone (v4)** `ntnx_vms_clone_v2` **VMs info (v4)** `ntnx_vms_info_v2` **OVA from VM** `ntnx_vms_ova` **VMs power actions (v4)** `ntnx_vms_power_actions_v2` **VMs serial port info (v4)** `ntnx_vms_serial_port_info_v2` **VMs serial port (v4)** `ntnx_vms_serial_port_v2` **VMs (v4)** `ntnx_vms_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage VM disks, NICs, CD-ROMs and GPUs

Description	Add, change, migrate and remove VM disks, network interfaces, IP assignments, CD-ROM and ISO media and GPUs.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**GPUs info (v4)** `ntnx_gpus_info_v2` **GPUs (v4)** `ntnx_gpus_v2` **VMs CD ROM info (v4)** `ntnx_vms_cd_rom_info_v2` **VMs CD ROM ISO (v4)** `ntnx_vms_cd_rom_iso_v2` **VMs CD ROM (v4)** `ntnx_vms_cd_rom_v2` **VMs disks info (v4)** `ntnx_vms_disks_info_v2` **VMs disks migrate (v4)** `ntnx_vms_disks_migrate_v2` **VMs disks (v4)** `ntnx_vms_disks_v2` **VMs NICs info (v4)** `ntnx_vms_nics_info_v2` **VMs NICs IP (v4)** `ntnx_vms_nics_ip_v2` **VMs NICs migrate (v4)** `ntnx_vms_nics_migrate_v2` **VMs NICs (v4)** `ntnx_vms_nics_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Install Nutanix Guest Tools and customise guests

Description	Install, upgrade and configure Nutanix Guest Tools and create guest customization profiles and staged customizations.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**VM guest customization profile (v4)** `ntnx_vm_guest_customization_profile_v2` **VM guest customization profiles info (v4)** `ntnx_vm_guest_customization_profiles_info_v2` **VMs NGT info (v4)** `ntnx_vms_ngt_info_v2` **VMs NGT insert ISO (v4)** `ntnx_vms_ngt_insert_iso_v2` **VMs NGT update (v4)** `ntnx_vms_ngt_update_v2` **VMs NGT upgrade (v4)** `ntnx_vms_ngt_upgrade_v2` **VMs NGT (v4)** `ntnx_vms_ngt_v2` **VMs stage guest customization (v4)** `ntnx_vms_stage_guest_customization_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage images, OVAs and VM templates

Description	Upload and manage images, OVAs and AHV templates, deploy VMs from templates and OVAs, and track template versions and guest OS updates.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Images** `ntnx_images`, `ntnx_images_info` **Images info (v4)** `ntnx_images_info_v2` **Images (v4)** `ntnx_images_v2` **OVA deploy VM (v4)** `ntnx_ova_deploy_vm_v2` **OVA download (v4)** `ntnx_ova_download_v2` **OVA info (v4)** `ntnx_ova_info_v2` **OVA (v4)** `ntnx_ova_v2` **Templates deploy (v4)** `ntnx_templates_deploy_v2` **Templates guest OS (v4)** `ntnx_templates_guest_os_v2` **Templates info (v4)** `ntnx_templates_info_v2` **Templates (v4)** `ntnx_templates_v2` **Templates version (v4)** `ntnx_templates_version_v2` **Templates versions info (v4)** `ntnx_templates_versions_info_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Control VM, image and template placement

Description	Define affinity and anti-affinity policies, startup policies, image and template placement policies and image rate limits.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Image placement policies** `ntnx_image_placement_policies_info` **Image placement policies info (v4)** `ntnx_image_placement_policies_info_v2` **Image placement policies (v4)** `ntnx_image_placement_policies_v2` **Image placement policy** `ntnx_image_placement_policy` **Image rate limit policies info (v4)** `ntnx_image_rate_limit_policies_info_v2` **Image rate limit policy (v4)** `ntnx_image_rate_limit_policy_v2` **Template placement policies info (v4)** `ntnx_template_placement_policies_info_v2` **Template placement policy (v4)** `ntnx_template_placement_policy_v2` **VM anti affinity policies info (v4)** `ntnx_vm_anti_affinity_policies_info_v2` **VM anti affinity policy compliance info (v4)** `ntnx_vm_anti_affinity_policy_compliance_info_v2` **VM anti affinity policy (v4)** `ntnx_vm_anti_affinity_policy_v2` **VM host affinity policies info (v4)** `ntnx_vm_host_affinity_policies_info_v2` **VM host affinity policy re enforce (v4)** `ntnx_vm_host_affinity_policy_re_enforce_v2` **VM host affinity policy (v4)** `ntnx_vm_host_affinity_policy_v2` **VM startup policies info (v4)** `ntnx_vm_startup_policies_info_v2` **VM startup policy (v4)** `ntnx_vm_startup_policy_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage subnets, VPCs and virtual switches

Description	Create subnets, VPCs and virtual switches and map VPC traffic to virtual switches.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Subnets** `ntnx_subnets`, `ntnx_subnets_info` **Subnets info (v4)** `ntnx_subnets_info_v2` **Subnets (v4)** `ntnx_subnets_v2` **Virtual switch (v4)** `ntnx_virtual_switch_v2` **Virtual switches info (v4)** `ntnx_virtual_switches_info_v2` **VPC virtual switch mapping (v4)** `ntnx_vpc_virtual_switch_mapping_v2` **VPC virtual switch mappings info (v4)** `ntnx_vpc_virtual_switch_mappings_info_v2` **VPCs** `ntnx_vpcs`, `ntnx_vpcs_info` **VPCs info (v4)** `ntnx_vpcs_info_v2` **VPCs (v4)** `ntnx_vpcs_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Configure routing, floating IPs and network functions

Description	Manage routes and route tables, policy-based routing, floating IPs, network functions and load balancer sessions.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Floating IPS** `ntnx_floating_ips`, `ntnx_floating_ips_info` **Floating IPS info (v4)** `ntnx_floating_ips_info_v2` **Floating IPS (v4)** `ntnx_floating_ips_v2` **Load balancer session (v4)** `ntnx_load_balancer_session_v2` **Load balancer sessions info (v4)** `ntnx_load_balancer_sessions_info_v2` **Network function (v4)** `ntnx_network_function_v2` **Network functions info (v4)** `ntnx_network_functions_info_v2` **Policy-based routing** `ntnx_pbrs`, `ntnx_pbrs_info` **Policy-based routing info (v4)** `ntnx_pbrs_info_v2` **Policy-based routing (v4)** `ntnx_pbrs_v2` **Route tables info (v4)** `ntnx_route_tables_info_v2` **Routes info (v4)** `ntnx_routes_info_v2` **Routes (v4)** `ntnx_routes_v2` **VPC static routes** `ntnx_static_routes`, `ntnx_static_routes_info`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage network security policies and groups

Description	Create security policies, import and export them, and maintain address groups and service groups used in rules.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Address groups** `ntnx_address_groups`, `ntnx_address_groups_info` **Address groups info (v4)** `ntnx_address_groups_info_v2` **Address groups (v4)** `ntnx_address_groups_v2` **Security policy rules info (v4)** `ntnx_security_policy_rules_info_v2` **Security policies** `ntnx_security_rules`, `ntnx_security_rules_info` **Security rules export (v4)** `ntnx_security_rules_export_v2` **Security rules import (v4)** `ntnx_security_rules_import_v2` **Security rules info (v4)** `ntnx_security_rules_info_v2` **Security rules (v4)** `ntnx_security_rules_v2` **Service groups** `ntnx_service_groups`, `ntnx_service_groups_info` **Service groups info (v4)** `ntnx_service_groups_info_v2` **Service groups (v4)** `ntnx_service_groups_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage storage containers, volume groups and object stores

Description	Configure storage containers and policies, volume groups with their disks, iSCSI clients and VM attachments, and object stores with their certificates.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Object stores certificate download (v4)** `ntnx_object_stores_certificate_download_v2` **Object stores certificate info (v4)** `ntnx_object_stores_certificate_info_v2` **Object stores certificate (v4)** `ntnx_object_stores_certificate_v2` **Object stores info (v4)** `ntnx_object_stores_info_v2` **Object stores stats info (v4)** `ntnx_object_stores_stats_info_v2` **Object stores (v4)** `ntnx_object_stores_v2` **Storage containers info (v4)** `ntnx_storage_containers_info_v2` **Storage containers stats (v4)** `ntnx_storage_containers_stats_v2` **Storage containers (v4)** `ntnx_storage_containers_v2` **Storage policies info (v4)** `ntnx_storage_policies_info_v2` **Storage policies (v4)** `ntnx_storage_policies_v2` **Volume groups categories (v4)** `ntnx_volume_groups_categories_v2` **Volume groups disks info (v4)** `ntnx_volume_groups_disks_info_v2` **Volume groups disks (v4)** `ntnx_volume_groups_disks_v2` **Volume groups info (v4)** `ntnx_volume_groups_info_v2` **Volume groups iscsi clients info (v4)** `ntnx_volume_groups_iscsi_clients_info_v2` **Volume groups iscsi clients (v4)** `ntnx_volume_groups_iscsi_clients_v2` **Volume groups (v4)** `ntnx_volume_groups_v2` **Volume groups VMs (v4)** `ntnx_volume_groups_vms_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage clusters, nodes and hosts

Description	Register clusters, add and remove nodes, discover unconfigured nodes, apply cluster profiles and categories, and query hosts.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Clusters** `ntnx_clusters_info` **Clusters categories (v4)** `ntnx_clusters_categories_v2` **Clusters info (v4)** `ntnx_clusters_info_v2` **Clusters nodes (v4)** `ntnx_clusters_nodes_v2` **Clusters profile association (v4)** `ntnx_clusters_profile_association_v2` **Clusters profiles info (v4)** `ntnx_clusters_profiles_info_v2` **Clusters profiles (v4)** `ntnx_clusters_profiles_v2` **Clusters (v4)** `ntnx_clusters_v2` **Discover unconfigured nodes (v4)** `ntnx_discover_unconfigured_nodes_v2` **Hosts** `ntnx_hosts_info` **Hosts info (v4)** `ntnx_hosts_info_v2` **Nodes network info (v4)** `ntnx_nodes_network_info_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Secure clusters: certificates, SNMP, passwords and key management

Description	Update SSL certificates, configure SNMP, rotate system passwords, manage key management servers, check STIG rules and accept the EULA.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**EULA accept (v4)** `ntnx_eula_accept_v2` **EULA info (v4)** `ntnx_eula_info_v2` **Key management server info (v4)** `ntnx_key_management_server_info_v2` **Key management server (v4)** `ntnx_key_management_server_v2` **Password managers info (v4)** `ntnx_password_managers_info_v2` **Password managers (v4)** `ntnx_password_managers_v2` **SNMP config info (v4)** `ntnx_snmp_config_info_v2` **SNMP status (v4)** `ntnx_snmp_status_v2` **SNMP transport (v4)** `ntnx_snmp_transport_v2` **SNMP trap info (v4)** `ntnx_snmp_trap_info_v2` **SNMP trap (v4)** `ntnx_snmp_trap_v2` **SNMP user info (v4)** `ntnx_snmp_user_info_v2` **SNMP user (v4)** `ntnx_snmp_user_v2` **SSL certificates info (v4)** `ntnx_ssl_certificates_info_v2` **SSL certificates (v4)** `ntnx_ssl_certificates_v2` **STIGs info (v4)** `ntnx_stigs_info_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Upgrade software with Lifecycle Manager

Description	Configure LCM, run inventory and prechecks and perform software and firmware upgrades.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**LCM config info (v4)** `ntnx_lcm_config_info_v2` **LCM config (v4)** `ntnx_lcm_config_v2` **LCM entities info (v4)** `ntnx_lcm_entities_info_v2` **LCM inventory (v4)** `ntnx_lcm_inventory_v2` **LCM prechecks (v4)** `ntnx_lcm_prechecks_v2` **LCM status info (v4)** `ntnx_lcm_status_info_v2` **LCM upgrades (v4)** `ntnx_lcm_upgrades_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Image nodes with Foundation

Description	Discover nodes, upload hypervisor and AOS images, set IPMI addresses and image nodes and create clusters with Foundation or Foundation Central.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Node imaging and cluster creation** `ntnx_foundation` **Foundation AOS packages** `ntnx_foundation_aos_packages_info` **Foundation BMC IPMI config** `ntnx_foundation_bmc_ipmi_config` **Foundation Central imaging** `ntnx_foundation_central` **Foundation Central API keys** `ntnx_foundation_central_api_keys`, `ntnx_foundation_central_api_keys_info` **Foundation central imaged clusters** `ntnx_foundation_central_imaged_clusters_info` **Foundation central imaged nodes** `ntnx_foundation_central_imaged_nodes_info` **Foundation discover nodes** `ntnx_foundation_discover_nodes_info` **Foundation hypervisor images** `ntnx_foundation_hypervisor_images_info` **Foundation image upload** `ntnx_foundation_image_upload` **Foundation node network** `ntnx_foundation_node_network_info`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Deploy and operate Prism Central

Description	Deploy and register Prism Central, configure backup targets, restore from backups and track or abort tasks.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Prism Central backup target info (v4)** `ntnx_pc_backup_target_info_v2` **Prism Central backup target (v4)** `ntnx_pc_backup_target_v2` **Prism Central config info (v4)** `ntnx_pc_config_info_v2` **Prism Central deploy (v4)** `ntnx_pc_deploy_v2` **Prism Central registration (v4)** `ntnx_pc_registration_v2` **Prism Central restorable domain managers info (v4)** `ntnx_pc_restorable_domain_managers_info_v2` **Prism Central restore points info (v4)** `ntnx_pc_restore_points_info_v2` **Prism Central restore source info (v4)** `ntnx_pc_restore_source_info_v2` **Prism Central restore source (v4)** `ntnx_pc_restore_source_v2` **Prism Central restore (v4)** `ntnx_pc_restore_v2` **Prism Central task abort (v4)** `ntnx_pc_task_abort_v2` **Prism Central tasks info (v4)** `ntnx_pc_tasks_info_v2` **Prism Central unregistration (v4)** `ntnx_pc_unregistration_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Protect data and run disaster recovery

Description	Define protection policies and rules, recovery plans and recovery plan jobs, and create, replicate and restore recovery points and protected resources.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Promote protected resources (v4)** `ntnx_promote_protected_resources_v2` **Protected resources info (v4)** `ntnx_protected_resources_info_v2` **Protection policies info (v4)** `ntnx_protection_policies_info_v2` **Protection policies (v4)** `ntnx_protection_policies_v2` **Protection rules** `ntnx_protection_rules`, `ntnx_protection_rules_info` **Recovery plan jobs** `ntnx_recovery_plan_jobs`, `ntnx_recovery_plan_jobs_info` **Recovery plans** `ntnx_recovery_plans`, `ntnx_recovery_plans_info` **Recovery point replicate (v4)** `ntnx_recovery_point_replicate_v2` **Recovery point restore (v4)** `ntnx_recovery_point_restore_v2` **Recovery points info (v4)** `ntnx_recovery_points_info_v2` **Recovery points (v4)** `ntnx_recovery_points_v2` **Restore protected resources (v4)** `ntnx_restore_protected_resources_v2` **VM recovery point info (v4)** `ntnx_vm_recovery_point_info_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Manage users, roles and authorization

Description	Manage Prism Central users, user groups, roles, role memberships, access control and authorization policies, entity groups and API keys.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Access control policies** `ntnx_acps`, `ntnx_acps_info` **Authorization policies info (v4)** `ntnx_authorization_policies_info_v2` **Authorization policies (v4)** `ntnx_authorization_policies_v2` **Entity group (v4)** `ntnx_entity_group_v2` **Entity groups info (v4)** `ntnx_entity_groups_info_v2` **IAM entities info (v4)** `ntnx_iam_entities_info_v2` **Operations info (v4)** `ntnx_operations_info_v2` **Permissions** `ntnx_permissions_info` **Role membership (v4)** `ntnx_role_membership_v2` **Role memberships info (v4)** `ntnx_role_memberships_info_v2` **Roles** `ntnx_roles`, `ntnx_roles_info` **Roles info (v4)** `ntnx_roles_info_v2` **Roles (v4)** `ntnx_roles_v2` **User groups** `ntnx_user_groups`, `ntnx_user_groups_info` **User groups info (v4)** `ntnx_user_groups_info_v2` **User groups (v4)** `ntnx_user_groups_v2` **Users** `ntnx_users`, `ntnx_users_info` **Users API key info (v4)** `ntnx_users_api_key_info_v2` **Users API key (v4)** `ntnx_users_api_key_v2` **Users info (v4)** `ntnx_users_info_v2` **Users revoke API key (v4)** `ntnx_users_revoke_api_key_v2` **Users (v4)** `ntnx_users_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Integrate directory services and SAML

Description	Connect directory services and SAML identity providers, test connections, search directory users and groups and map directory groups to categories.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**Category mapping (v4)** `ntnx_category_mapping_v2` **Category mappings info (v4)** `ntnx_category_mappings_info_v2` **Directory server config (v4)** `ntnx_directory_server_config_v2` **Directory server configs info (v4)** `ntnx_directory_server_configs_info_v2` **Directory service search (v4)** `ntnx_directory_service_search_v2` **Directory services connection (v4)** `ntnx_directory_services_connection_v2` **Directory services info (v4)** `ntnx_directory_services_info_v2` **Directory services (v4)** `ntnx_directory_services_v2` **SAML identity providers info (v4)** `ntnx_saml_identity_providers_info_v2` **SAML identity providers (v4)** `ntnx_saml_identity_providers_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Organise resources with categories, projects and resource groups

Description	Create categories and projects and group resources for tenancy and policy assignment.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Categories** `ntnx_categories`, `ntnx_categories_info` **Categories info (v4)** `ntnx_categories_info_v2` **Categories (v4)** `ntnx_categories_v2` **Project (v4)** `ntnx_project_v2` **Projects** `ntnx_projects`, `ntnx_projects_info` **Projects info (v4)** `ntnx_projects_info_v2` **Resource group (v4)** `ntnx_resource_group_v2` **Resource groups info (v4)** `ntnx_resource_groups_info_v2`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Provision and clone databases with NDB

Description	Provision, register, scale, clone, refresh and restore databases and database server VMs with Nutanix Database Service.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)

Key content	**NDB authorize DB server VMs** `ntnx_ndb_authorize_db_server_vms` **Database clones info** `ntnx_ndb_clones_info` **NDB database clone refresh** `ntnx_ndb_database_clone_refresh` **NDB database clones** `ntnx_ndb_database_clones` **NDB database restore** `ntnx_ndb_database_restore` **NDB database scale** `ntnx_ndb_database_scale` **NDB databases** `ntnx_ndb_databases`, `ntnx_ndb_databases_info` **NDB DB server VMs** `ntnx_ndb_db_server_vms` **DB server VMs info** `ntnx_ndb_db_servers_info` **NDB linked databases** `ntnx_ndb_linked_databases` **NDB register database** `ntnx_ndb_register_database` **NDB register DB server VM** `ntnx_ndb_register_db_server_vm`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Protect databases with NDB snapshots and time machines

Description	Take, replicate and delete database snapshots, catch up logs, manage time machines and define SLAs.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**NDB database log catchup** `ntnx_ndb_database_log_catchup` **NDB database snapshots** `ntnx_ndb_database_snapshots` **NDB replicate database snapshots** `ntnx_ndb_replicate_database_snapshots` **NDB SLAs** `ntnx_ndb_slas`, `ntnx_ndb_slas_info` **Snapshots info** `ntnx_ndb_snapshots_info` **NDB time machine clusters** `ntnx_ndb_time_machine_clusters` **Time machines info** `ntnx_ndb_time_machines_info`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Configure NDB infrastructure and policies

Description	Manage NDB clusters, profiles, VLANs, stretched VLANs, tags and maintenance windows and tasks.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**NDB clusters** `ntnx_ndb_clusters`, `ntnx_ndb_clusters_info` **NDB maintenance tasks** `ntnx_ndb_maintenance_tasks` **NDB maintenance window** `ntnx_ndb_maintenance_window` **NDB maintenance windows** `ntnx_ndb_maintenance_windows_info` **NDB profiles** `ntnx_ndb_profiles`, `ntnx_ndb_profiles_info` **NDB stretched VLANs** `ntnx_ndb_stretched_vlans` **NDB tags** `ntnx_ndb_tags`, `ntnx_ndb_tags_info` **NDB VLANs** `ntnx_ndb_vlans`, `ntnx_ndb_vlans_info`

Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Run Kubernetes clusters with Karbon

Description	Create and delete Karbon Kubernetes clusters and node pools and manage private registries.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Karbon clusters** `ntnx_karbon_clusters`, `ntnx_karbon_clusters_info` **Karbon clusters node pools** `ntnx_karbon_clusters_node_pools` **Karbon registries** `ntnx_karbon_registries`, `ntnx_karbon_registries_info`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

Use Case: Build inventories and resolve entity IDs

Description	Use dynamic inventory plugins for Prism hosts and VMs and look up entity external IDs.
Collection	`nutanix.ncp` (Certified, Nutanix, v2.6.0, updated 2026-10-15)
Key content	**Prism hosts inventory (v4)** inventory `ntnx_prism_host_inventory_v2` **Prism VMs inventory** inventory `ntnx_prism_vm_inventory` **Prism VMs inventory (v4)** inventory `ntnx_prism_vm_inventory_v2` **External ID lookup plugin** lookup `ntnx_ext_id`
Notes	• Many resources have two module generations: the original modules and the newer `_v2` modules based on the v4 API (labelled "(v4)").

VMware to OpenStack migration `os_migrate.vmware_migration_kit`

Certified Red Hat · version 2.2.7 · updated 2026-06-30 · 19 modules → 5 use cases

Use Case: Prepare and validate the migration

Description	Run pre-checks, set up requirements and conversion hosts, and export and convert VMware guest metadata for OpenStack.
Collection	`os_migrate.vmware_migration_kit` (Certified, Red Hat, v2.2.7, updated 2026-06-30)

Key content	**Preflight validation** role `prelude` **Conversion hosts** role `conversion_host` **VMware metadata export** role `export_metadata` **Metadata conversion** role `convert_metadata` **Pre-migration checks** playbook `pre_checks` **Setup requirements** playbook `setup_requirements` **Conversion host content** playbook `conversion_host_content` **Guest metadata export** playbook `gather_guest_metadata` **Metadata export** playbook `convert_metadata` **Migrator preparation** playbook `import_volumes` **Pre-checks run** playbook `migration` **Requirements setup** playbook `migration_v2v` **Warnings** `warn`

Use Case: Migrate VMware workloads to OpenStack

Description	Migrate VMs, import VMware volumes, and create OpenStack servers and network ports from source VM information.
Collection	`os_migrate.vmware_migration_kit` (Certified, Red Hat, v2.2.7, updated 2026-06-30)
Key content	**Workload import** role `import_workloads` **VM migration** `migrate` **VMware volume import** `import_vmware_volume` **OpenStack servers** `create_server` **Network ports** `create_network_port` **Migrate VMs from conversion host** playbook `run_migration_from_conversion_host`

Use Case: Map and manage flavors

Description	Pick the best matching flavor for a guest, export VMware definitions to flavors and import or remove flavors in OpenStack.
Collection	`os_migrate.vmware_migration_kit` (Certified, Red Hat, v2.2.7, updated 2026-06-30)
Key content	**Best-match flavor** `best_match_flavor` **Flavor export** `export_flavor` **Flavor import** `import_flavor` **Flavor deletion** `delete_flavor` **Flavor details** `flavor_info`

Use Case: Wrap migrated workloads in Heat stacks

Description	Generate Heat templates for migrated VMs, create, wrap or abandon stacks and discover existing instances.
Collection	`os_migrate.vmware_migration_kit` (Certified, Red Hat, v2.2.7, updated 2026-06-30)

Key content	**Heat templates** `generate_heat_template` **Heat stacks** `create_heat_stack` **Migrated instance discovery** `discover_heat_wrap` **Abandon Heat stack** `abandon_heat_stack` **Wrap Heat stack** playbook `wrap_heat_stack` **Abandon Heat stack playbook** playbook `abandon_heat_stack`

Use Case: Inspect and clean up OpenStack resources

Description	Query volume details and metadata, and delete servers, ports and volumes.
Collection	`os_migrate.vmware_migration_kit` (Certified, Red Hat, v2.2.7, updated 2026-06-30)
Key content	**Volume details** `volume_info` **Volume metadata** `volume_metadata_info` **Server deletion** `delete_server` **Port deletion** `delete_port` **Volume deletion** `delete_volume`

Red Hat OpenShift Virtualization `redhat.openshift_virtualization`

Certified Red Hat · version 2.3.0 · updated 2026-06-10 · 3 modules → 1 use cases

Use Case: Manage virtual machines and inventory

Description	Manage KubeVirt virtual machines, describe running instances and build inventory from them.
Collection	`redhat.openshift_virtualization` (Certified, Red Hat, v2.3.0, updated 2026-06-10)
Key content	**Virtual machines** `kubevirt_vm`, `kubevirt_vm_info` **Virtual machine instances** `kubevirt_vmi_info` **KubeVirt inventory** inventory `kubevirt`

Red Hat Virtualization (oVirt) `redhat.rhv`

Certified Red Hat · version 2.4.2 · updated 2023-02-14 · 58 modules → 9 use cases

Use Case: Manage virtual machines, templates and pools

Description	Create, start, stop and clone virtual machines, templates, instance types and VM pools, and manage their disks, NICs and snapshots.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)

Key content	**Virtual machines** `ovirt_vm`, `ovirt_vm_info` **Supported operating systems** `ovirt_vm_os_info` **Templates** `ovirt_template`, `ovirt_template_info` **Instance types** `ovirt_instance_type` **VM pools** `ovirt_vmpool`, `ovirt_vmpool_info` **Disks** `ovirt_disk`, `ovirt_disk_info` **VM network interfaces** `ovirt_nic`, `ovirt_nic_info` **VM snapshots** `ovirt_snapshot`, `ovirt_snapshot_info` **VM infrastructure role** role `vm_infra` **Image template role** role `image_template`

Use Case: Manage data centers, clusters and hosts

Description	Manage data centers, clusters, hosts, host networking and power management, affinity groups and labels, and scheduling policies.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**Data centers** `ovirt_datacenter`, `ovirt_datacenter_info` **Clusters** `ovirt_cluster`, `ovirt_cluster_info` **Hosts** `ovirt_host`, `ovirt_host_info` **Host networks** `ovirt_host_network` **Host power management** `ovirt_host_pm` **Affinity groups** `ovirt_affinity_group` **Affinity labels** `ovirt_affinity_label`, `ovirt_affinity_label_info` **Scheduling policies** `ovirt_scheduling_policy_info` **Cluster upgrade role** role `cluster_upgrade` **Infrastructure setup role** role `infra`

Use Case: Manage storage

Description	Manage storage domains and connections, disk profiles and host storage, and list the templates and VMs on a storage domain.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**Storage domains** `ovirt_storage_domain`, `ovirt_storage_domain_info` **Storage connections** `ovirt_storage_connection` **Disk profiles** `ovirt_disk_profile` **Host storage** `ovirt_host_storage_info` **Templates on storage domains** `ovirt_storage_template_info` **VMs on storage domains** `ovirt_storage_vm_info` **Remove stale LUN role** role `remove_stale_lun`

Use Case: Manage logical networks

Description	Manage logical networks, vNIC profiles, MAC pools and QoS entries.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)

Key content	**Logical networks** `ovirt_network`, `ovirt_network_info` **vNIC profiles** `ovirt_vnic_profile`, `ovirt_vnic_profile_info` **MAC pools** `ovirt_mac_pool` **QoS entries** `ovirt_qos`

Use Case: Manage users, permissions and quotas

Description	Manage users, groups, roles, permissions and datacenter quotas, and authenticate to the engine.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**Users** `ovirt_user`, `ovirt_user_info` **Groups** `ovirt_group`, `ovirt_group_info` **Roles** `ovirt_role` **Permissions** `ovirt_permission`, `ovirt_permission_info` **Quotas** `ovirt_quota`, `ovirt_quota_info` **Authentication** `ovirt_auth`

Use Case: Deploy and maintain the oVirt engine

Description	Install the oVirt Engine and hosted engine, configure repositories, and shut down the environment.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**Engine setup role** role `engine_setup` **Hosted engine setup role** role `hosted_engine_setup` **Repositories role** role `repositories` **Environment shutdown role** role `shutdown_env`

Use Case: Recover from disasters

Description	Fail over and fail back a virtualization environment between sites.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**Disaster recovery role** role `disaster_recovery`

Use Case: Organize, track and inspect the environment

Description	Manage tags, external providers, jobs and events, and read API and system option information.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)

Key content	**Tags** `ovirt_tag`, `ovirt_tag_info` **External providers** `ovirt_external_provider`, `ovirt_external_provider_info` **Jobs** `ovirt_job` **Events** `ovirt_event`, `ovirt_event_info` **API information** `ovirt_api_info` **System options** `ovirt_system_option_info`

Use Case: Use inventory, filters and output plugins

Description	Build inventory from oVirt, extract VM IP addresses and disk sizes, show planned VM changes, and format playbook output.
Collection	`redhat.rhv` (Certified, Red Hat, v2.4.2, updated 2023-02-14)
Key content	**oVirt inventory** inventory `ovirt` **First VM IP** filter `ovirtvmip` **All VM IPs** filter `ovirtvmips` **All VM IPv4 addresses** filter `ovirtvmipsv4` **All VM IPv6 addresses** filter `ovirtvmipsv6` **First VM IPv4 address** filter `ovirtvmipv4` **First VM IPv6 address** filter `ovirtvmipv6` **Pending VM changes** filter `ovirtdiff` **Convert to bytes** filter `convert_to_bytes` **Find values in a dictionary** filter `filtervalue` **Network XML to dictionary** filter `get_network_xml_to_dict` **OVF disk size** filter `get_ovf_disk_size` **JSON query** filter `json_query` **Remove sensitive VM data** filter `removesensitivevmdata` **Proxy check** test `ovirt_proxied_check` **Log output** callback `stdout`

Scale Computing HyperCore `scale_computing.hypercore`

Certified Scale Computing · version 1.6.1 · updated 2025-03-17 · 54 modules → 6 use cases

Use Case: Create and operate virtual machines

Description	Create, update and delete VMs, adjust parameters, disks, NICs, boot devices and node affinity, and clone, import and export VMs.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)

Key content	**Virtual machines** `vm`, `vm_info` **VM parameters** `vm_params` **VM disks** `vm_disk` **VM network interfaces** `vm_nic`, `vm_nic_info` **Boot devices** `vm_boot_devices` **Node affinity** `vm_node_affinity` **VM clones** `vm_clone` **VM import** `vm_import` **VM export** `vm_export`

Use Case: Deploy VMs from images and templates

Description	Manage ISO images and virtual disks, attach cloned disks to VMs, download images to create templates, and clone templates into VMs.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)
Key content	**ISO images** `iso`, `iso_info` **Virtual disks** `virtual_disk`, `virtual_disk_info` **Virtual disk attachment** `virtual_disk_attach` **Template from URL role** role `url2template` **VM from template role** role `template2vm`

Use Case: Protect VMs with snapshots and replication

Description	Take VM snapshots and attach snapshot disks, schedule snapshots, and replicate VMs to remote clusters.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)
Key content	**VM snapshots** `vm_snapshot`, `vm_snapshot_info` **Snapshot disk attachment** `vm_snapshot_attach_disk` **Snapshot schedules** `snapshot_schedule`, `snapshot_schedule_info` **VM replication** `vm_replication`, `vm_replication_info` **Remote clusters** `remote_cluster_info`

Use Case: Configure the cluster

Description	Set the cluster name, DNS, time server and time zone, SMTP and email alerts, syslog, certificates, OIDC and registration, and configure clusters from one role.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)

Key content	**Cluster name** `cluster_name` **DNS** `dns_config`, `dns_config_info` **Time server** `time_server`, `time_server_info` **Time zone** `time_zone`, `time_zone_info` **SMTP** `smtp`, `smtp_info` **Email alerts** `email_alert`, `email_alert_info` **Syslog servers** `syslog_server`, `syslog_server_info` **Certificates** `certificate` **OIDC configuration** `oidc_config`, `oidc_config_info` **Registration** `registration`, `registration_info` **Local users** `user`, `user_info` **Cluster configuration role** role `cluster_config`

Use Case: Update and support the cluster

Description	Install cluster updates and check their status, update single-node systems, open support tunnels, shut down clusters, and wait for tasks.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)
Key content	**Version updates** `version_update`, `version_update_info` **Update status** `version_update_status_info` **Single-node update role** role `version_update_single_node` **Support tunnel** `support_tunnel`, `support_tunnel_info` **Cluster shutdown** `cluster_shutdown` **Task wait** `task_wait` **Local time check role** role `check_local_time`

Use Case: Inspect clusters and call the API

Description	Gather cluster and node information, build inventory from HyperCore and call the REST API directly.
Collection	`scale_computing.hypercore` (Certified, Scale Computing, v1.6.1, updated 2025-03-17)
Key content	**Cluster information** `cluster_info` **Nodes** `node_info` **HyperCore inventory** inventory `hypercore` **REST API** `api`

VMware Avi Load Balancer (NSX Advanced Load Balancer) `vmware.alb`

Certified VMware · version 32.1.4 · updated 2026-10-14 · 151 modules → 12 use cases

Use Case: Publish applications with virtual services and pools

Description	Create virtual services and their VIPs, server pools and pool groups, health monitors, data scripts and the address and string groups they use.

Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Virtual services** `avi_virtualservice` **Virtual service VIPs** `avi_vsvip` **Virtual service GSLB mappings** `avi_vsgs` **Pools** `avi_pool` **Pool groups** `avi_poolgroup` **Pool group deployment policies** `avi_poolgroupdeploymentpolicy` **Health monitors** `avi_healthmonitor` **Data script sets** `avi_vsdatascriptset` **Microservice groups** `avi_microservicegroup` **IP address groups** `avi_ipaddrgroup` **String groups** `avi_stringgroup` **Label groups** `avi_labelgroup` **Label profiles** `avi_labelprofile` **Priority labels** `avi_prioritylabels` **Server autoscale policies** `avi_serverautoscalepolicy` **Autoscale launch configurations** `avi_autoscalelaunchconfig` **Protocol parsers** `avi_protocolparser` **Avi object lookup** lookup `avi`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Shape traffic with policies and profiles

Description	Define application, network and persistence profiles, HTTP, L4, DNS and NAT policies, rate limits, error pages and traffic cloning.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Application profiles** `avi_applicationprofile` **Persistence profiles** `avi_applicationpersistenceprofile` **Network profiles** `avi_networkprofile` **HTTP policy sets** `avi_httppolicyset` **L4 policy sets** `avi_l4policyset` **DNS policies** `avi_dnspolicy` **NAT policies** `avi_natpolicy` **Network security policies** `avi_networksecuritypolicy` **Rate limit configurations** `avi_ratelimitconfiguration` **Error page profiles** `avi_errorpageprofile` **Error page bodies** `avi_errorpagebody` **Traffic clone profiles** `avi_trafficcloneprofile` **ICAP profiles** `avi_icapprofile` **SSO policies** `avi_ssopolicy`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Protect applications with WAF, bot and API security

Description	Configure web application firewall policies and profiles, bot detection, IP reputation, CSRF protection and API policies and schemas.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)

Key content	**WAF policies** `avi_wafpolicy` **WAF profiles** `avi_wafprofile` **WAF positive security model groups** `avi_wafpolicypsmgroup` **WAF signature providers** `avi_wafapplicationsignatureprovider` **Positive security policies** `avi_positivesecuritypolicy` **Security policies** `avi_securitypolicy` **Security manager data** `avi_securitymanagerdata` **CSRF policies** `avi_csrfpolicy` **Bot detection policies** `avi_botdetectionpolicy` **Bot mappings** `avi_botmapping` **Bot configuration consolidators** `avi_botconfigconsolidator` **Bot IP reputation mappings** `avi_botipreputationtypemapping` **IP reputation databases** `avi_ipreputationdb` **API policies** `avi_apipolicy` **API paths** `avi_apipath` **API rate limit profiles** `avi_apiratelimitprofile` **API schemas** `avi_apischema` **API spec generation** `avi_apispecgenerate`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Manage certificates, TLS and authentication

Description	Manage SSL certificates and profiles, certificate management and PKI profiles, HSM groups, JWT settings and client authentication profiles.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**SSL keys and certificates** `avi_sslkeyandcertificate` **SSL profiles** `avi_sslprofile` **Certificate management profiles** `avi_certificatemanagementprofile` **PKI profiles** `avi_pkiprofile` **JWT certificate store** `avi_certjwtstore` **JWT server profiles** `avi_jwtserverprofile` **HSM groups** `avi_hardwaresecuritymodulegroup` **Authentication profiles** `avi_authprofile` **Authentication mapping profiles** `avi_authmappingprofile` **Service authentication profiles** `avi_serviceauthprofile` **Session key forwarders** `avi_sessionkeyforwarder` **Trusted host profiles** `avi_trustedhostprofile`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Distribute traffic globally with GSLB

Description	Configure GSLB sites, GSLB services and members, geographic database profiles and dynamic DNS records.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)

Key content	**GSLB configuration** `avi_gslb` **GSLB services** `avi_gslbservice` **GSLB service members** `avi_gslbservice_patch_member` **GSLB geo database profiles** `avi_gslbgeodbprofile` **Geo databases** `avi_geodb` **GSLB CRM runtime** `avi_gslbcrmruntime` **GSLB HSM runtime** `avi_gslbhsmruntime` **GSLB SM runtime** `avi_gslbsmruntime` **Dynamic DNS records** `avi_dynamicdnsrecord`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Connect clouds and manage Service Engines

Description	Define cloud connectors and vCenter servers, Service Engine groups and properties, Service Engine instances, availability zones and Kubernetes cluster integrations.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Clouds** `avi_cloud` **Cloud connector users** `avi_cloudconnectoruser` **Cloud properties** `avi_cloudproperties` **Cluster cloud details** `avi_clusterclouddetails` **vCenter servers** `avi_vcenterserver` **Availability zones** `avi_availabilityzone` **NSX-T segment runtime** `avi_nsxtsegmentruntime` **AKO and AMKO clusters** `avi_akoamkocluster` **Service Engine groups** `avi_serviceenginegroup` **Service Engines** `avi_serviceengine` **Service Engine properties** `avi_seproperties` **Service Engine data vNICs** `avi_update_se_data_vnics` **SE datastore test level 1** `avi_testsedatastorelevel1` **SE datastore test level 2** `avi_testsedatastorelevel2` **SE datastore test level 3** `avi_testsedatastorelevel3`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Configure networks, VRFs and IPAM and DNS

Description	Define networks, network services and VRF contexts, and integrate IPAM and DNS providers.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)

Key content	**Networks** `avi_network` **Network services** `avi_networkservice` **VRF contexts** `avi_vrfcontext` **IPAM and DNS provider profiles** `avi_ipamdnsproviderprofile` **Custom IPAM and DNS profiles** `avi_customipamdnsprofile`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Administer the controller, licensing and API access

Description	Configure the controller cluster, sites, system settings and limits, licensing and registration, scheduling and API sessions.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Controller cluster** `avi_cluster` **Controller properties** `avi_controllerproperties` **Controller portal registration** `avi_controllerportalregistration` **Controller sites** `avi_controllersite` **System configuration** `avi_systemconfiguration` **System limits** `avi_systemlimits` **Tenant system configuration** `avi_tenantsystemconfiguration` **License status** `avi_licensestatus` **License ledger** `avi_licenseledgerdetails` **Pulse registration** `avi_pulse_registration` **Site version** `avi_siteversion` **Schedulers** `avi_scheduler` **Memory balancer requests** `avi_memorybalancerrequest` **Local worker FDS version** `avi_localworkerfdsversion` **API sessions** `avi_api_session` **SAML API sessions** `avi_saml_api_session` **API version** `avi_api_version` **Web application unit test objects** `avi_webapput`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Manage tenants, users and roles

Description	Create tenants and bind them to configuration, and manage users, roles and user account profiles.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Tenants** `avi_tenant` **Tenant bindings** `avi_tenantbinding` **Users** `avi_user` **User accounts** `avi_useraccount` **User account profiles** `avi_useraccountprofile` **Roles** `avi_role`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Upgrade, back up and troubleshoot

Description	Upload images and files, drive upgrades and track their status, back up the configuration, compare states and collect tech support data.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Images** `avi_image` **Image API** `avi_api_image` **File service API** `avi_api_fileservice` **File objects** `avi_fileobject` **File object upload** `avi_fileobject_upload` **Upgrade profiles** `avi_upgradeprofile` **Upgrade status information** `avi_upgradestatusinfo` **Upgrade status summaries** `avi_upgradestatussummary` **Backups** `avi_backup` **Backup configuration** `avi_backupconfiguration` **State difference snapshots** `avi_statediffsnapshot` **State difference operations** `avi_statediffoperation` **Tech support bundles** `avi_techsupport` **Tech support messages** `avi_techsupportmessage` **Tech support profiles** `avi_techsupportprofile` **ALB Services configuration** `avi_albservicesconfig` **ALB Services jobs** `avi_albservicesjob` **ALB Services status** `avi_albservicesstatus` **ALB Services file uploads** `avi_albservicesfileupload` **ALB Services file downloads** `avi_albservicesfiledownload` **SSP instances** `avi_sspinstance`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Monitor, alert and report

Description	Configure analytics profiles, alert rules and their email, syslog, script and SNMP trap destinations, webhooks, reports and log retention.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Analytics profiles** `avi_analyticsprofile` **Application insights policies** `avi_applicationinsightspolicy` **Alert configurations** `avi_alertconfig` **Alert action groups** `avi_actiongroupconfig` **Alert email configurations** `avi_alertemailconfig` **Alert syslog configurations** `avi_alertsyslogconfig` **Alert script configurations** `avi_alertscriptconfig` **SNMP trap profiles** `avi_snmptrapprofile` **Webhooks** `avi_webhook` **Inventory fault configuration** `avi_inventoryfaultconfig` **Reports** `avi_report` **Report profiles** `avi_reportprofile` **System reports** `avi_systemreport` **Task journal** `avi_taskjournal` **Retention policies** `avi_retentionpolicy`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

Use Case: Deploy controllers and Service Engines

Description	Deploy the controller VM on vCenter and use roles to install and configure controllers and Service Engines on VMware, KVM and Cisco CSP.
Collection	`vmware.alb` (Certified, VMware, v32.1.4, updated 2026-10-14)
Key content	**Controller VM deployment on vCenter** `avi_deploy_controller` **Avi configuration role** role `aviconfig` **Controller role** role `avicontroller` **Controller on VMware role** role `avicontroller_vmware` **Controller on KVM role** role `avicontroller_kvm` **Controller on Cisco CSP role** role `avicontroller_csp` **Service Engine role** role `avise` **Service Engine on VMware role** role `avise_vmware` **Service Engine on KVM role** role `avise_kvm` **Service Engine on Cisco CSP role** role `avise_csp`
Notes	• Most modules map one-to-one to an Avi Controller REST object and are named after it; module names have the avi_ prefix.

VMware vSphere `vmware.vmware`

Certified VMware · version 2.12.0 · updated 2026-10-13 · 53 modules → 7 use cases

Use Case: Create and operate virtual machines

Description	Create, update and delete virtual machines, change power state, take and revert snapshots, apply customization and advanced settings, and set custom attributes.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)
Key content	**Virtual machines** `vm`, `vm_info` **Power state** `vm_powerstate` **Snapshots** `vm_snapshot`, `vm_snapshot_info` **Snapshot revert** `vm_snapshot_revert` **Customization specifications** `vm_apply_customization` **Advanced settings** `vm_advanced_settings` **Custom attributes** `vm_custom_attributes`

Use Case: Deploy from templates and content libraries

Description	Deploy VMs from folder templates, content library templates and OVFs, and manage local and subscribed content libraries with ISO and OVF imports.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)

Key content	**Deploy from folder template** `deploy_folder_template` **Template from VM** `folder_template_from_vm` **Deploy from library template** `deploy_content_library_template` **Deploy from library OVF** `deploy_content_library_ovf` **Library template from VM** `content_template` **Local content libraries** `local_content_library` **Subscribed content libraries** `subscribed_content_library` **Library items** `content_library_item_info` **ISO import** `import_content_library_iso` **OVF and OVA import** `import_content_library_ovf`

Use Case: Manage clusters, DRS and HA

Description	Manage clusters and their DRS, DPM, HA and vCLS settings, DRS recommendations and per-VM overrides.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)
Key content	**Clusters** `cluster`, `cluster_info` **DRS** `cluster_drs` **DRS recommendations** `cluster_drs_recommendations` **DRS VM overrides** `cluster_drs_vm_overrides`, `cluster_drs_vm_overrides_info` **DPM** `cluster_dpm` **HA** `cluster_ha` **HA VM overrides** `cluster_ha_vm_overrides`, `cluster_ha_vm_overrides_info` **vCLS placement** `cluster_vcls`

Use Case: Manage ESXi hosts

Description	Connect hosts to vCenter, manage maintenance mode, power state and host services, and gather host information.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)
Key content	**Host information** `esxi_info` **Host status** `esxi_host` **Host connection** `esxi_connection` **Maintenance mode** `esxi_maintenance_mode` **Host power state** `esxi_powerstate` **Host services** `esxi_service`, `esxi_service_info`

Use Case: Organize the vSphere inventory

Description	Manage folders, tags, tag categories and tag associations, and look up managed object IDs from inventory paths.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)

Key content	**Folders** `folder`, `folder_info` **Tags** `tags` **Tag categories** `tag_categories` **Tag associations** `tag_associations` **Managed object ID lookup** lookup `moid_from_path`

Use Case: Administer vCenter and encryption

Description	Back up and configure the vCenter Server Appliance, check licences and appliance information, and manage native and standard key providers.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)
Key content	**Appliance information** `appliance_info` **Appliance settings** `vcsa_settings` **Appliance backup schedule** `vcsa_backup_schedule`, `vcsa_backup_schedule_info` **Licence keys** `license_info` **Key provider information** `key_provider_info` **Native key providers** `key_provider_native` **Standard key providers** `key_provider_standard`

Use Case: Report on inventory and react to events

Description	Build dynamic inventories of VMs and ESXi hosts, report VM resources, portgroups and cluster grouping, and trigger Event-Driven Ansible from vCenter events.
Collection	`vmware.vmware` (Certified, VMware, v2.12.0, updated 2026-10-13)
Key content	**VMs by cluster and folder** `vm_list_group_by_clusters_info` **VM portgroups** `vm_portgroup_info` **VM resources** `vm_resource_info` **VM inventory** inventory `vms` **ESXi host inventory** inventory `esxi_hosts` **vCenter event source** eda event source `vcenter_event_manager`

VMware vSphere (REST API) `vmware.vmware_rest`

Certified VMware · version 5.0.0 · updated 2026-09-30 · 62 modules → 6 use cases

Use Case: Monitor vCenter appliance health and accounts

Description	Check database and software update health, appliance monitoring statistics, update status, and local accounts with their password policy.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)

Key content	**Database health** `appliance_health_database_info` **Software package health** `appliance_health_softwarepackages_info` **Update status** `appliance_update_info` **Monitoring statistics** `appliance_monitoring_info` **Statistics queries** `appliance_monitoring_query` **Local accounts** `appliance_localaccounts_info` **Password policy** `appliance_localaccounts_globalpolicy`, `appliance_localaccounts_globalpolicy_info`

Use Case: Operate the vCenter appliance

Description	Manage appliance networking, services, storage partitions, power state and infrastructure profile configurations.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)
Key content	**Network configuration** `appliance_networking` **IPv4 interface settings** `appliance_networking_interfaces_ipv4` **IPv6 interface settings** `appliance_networking_interfaces_ipv6` **Services** `appliance_services`, `appliance_services_info` **Storage partitions** `appliance_system_storage`, `appliance_system_storage_info` **Shutdown and reboot** `appliance_shutdown`, `appliance_shutdown_info` **Infrastructure profile configurations** `appliance_infraprofile_configs`, `appliance_infraprofile_configs_info`

Use Case: Manage content libraries

Description	Inspect content libraries and subscriptions, configure the Content Library Service, and manage OVF packages in libraries.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)
Key content	**Content Library Service configuration** `content_configuration`, `content_configuration_info` **Content libraries** `content_library_info` **Local libraries** `content_locallibrary_info` **Subscribed libraries** `content_subscribedlibrary_info` **Library subscriptions** `content_library_subscriptions_info` **OVF library items** `vcenter_ovf_libraryitem`

Use Case: Manage datacenters, resource pools and storage policies

Description	Manage datacenters and resource pools, look up datastores and networks, and read and assign storage policies, including VM compliance checks.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)

Key content	**Datacenters** `vcenter_datacenter`, `vcenter_datacenter_info` **Resource pools** `vcenter_resourcepool`, `vcenter_resourcepool_info` **Datastores** `vcenter_datastore_info` **Networks** `vcenter_network_info` **Storage policies** `vcenter_storage_policies_info` **VM storage policies** `vcenter_vm_storage_policy`, `vcenter_vm_storage_policy_info` **VM storage policy compliance** `vcenter_vm_storage_policy_compliance`, `vcenter_vm_storage_policy_compliance_info`

Use Case: Configure virtual machine hardware

Description	Manage VM hardware, boot configuration and device order, serial and parallel ports, and inspect disks, adapters, CD-ROMs and Ethernet cards.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)
Key content	**Virtual hardware** `vcenter_vm_hardware`, `vcenter_vm_hardware_info` **Boot configuration** `vcenter_vm_hardware_boot`, `vcenter_vm_hardware_boot_info` **Boot device order** `vcenter_vm_hardware_boot_device`, `vcenter_vm_hardware_boot_device_info` **Serial ports** `vcenter_vm_hardware_serial`, `vcenter_vm_hardware_serial_info` **Parallel ports** `vcenter_vm_hardware_parallel`, `vcenter_vm_hardware_parallel_info` **Disks** `vcenter_vm_hardware_disk_info` **CD-ROM drives** `vcenter_vm_hardware_cdrom_info` **Ethernet adapters** `vcenter_vm_hardware_ethernet_info` **SATA adapters** `vcenter_vm_hardware_adapter_sata_info` **SCSI adapters** `vcenter_vm_hardware_adapter_scsi_info`

Use Case: Inspect the guest OS and VMware Tools

Description	Read guest identity, file system, networking, routing, power and operation status, and manage VMware Tools settings and installer media.
Collection	`vmware.vmware_rest` (Certified, VMware, v5.0.0, updated 2026-09-30)
Key content	**Guest identity** `vcenter_vm_guest_identity_info` **Guest file systems** `vcenter_vm_guest_localfilesystem_info` **Guest networking** `vcenter_vm_guest_networking_info` **Guest routes** `vcenter_vm_guest_networking_routes_info` **Guest operations** `vcenter_vm_guest_operations_info` **Guest power state** `vcenter_vm_guest_power_info` **VMware Tools** `vcenter_vm_tools`, `vcenter_vm_tools_info` **VMware Tools installer** `vcenter_vm_tools_installer`, `vcenter_vm_tools_installer_info`

Other certified and validated collections

Module-level content for these collections could not be read from a public source repository. Browse them on Automation Hub.

`infra.openshift_virtualization_ops`	This collection provides content for the management and maintenance of VM workloads within Red Hat OpenShift Virtualization. (Validated, Red Hat)