

## Data Validation, Rand & Randbetween

Total points 100/100

Use your knowledge of the Data Validation, Rand & Randbetween fx to select the best answer to the questions below.

Email \*

shanice.lewis@g.austincc.edu

✓ A quick way to stop cells from shifting while using the Randbetween fx is to use this method. \*10/10

- ☒ Copy and Special Paste Method
- ☐ F2 then F9 method
- ☐ logical test, values, the sum method
- ☐ two modes of matching, left, and right.
- ☐ Other: \_\_\_\_\_



### Feedback

Correct!



✓ When adding data validation to my data set, I can add a way to stop various responses. \* 10/10

☒ True



☐ False

**Feedback**

*correct*

✓ While utilizing the Randbetween fx, I can press F9 to regenerate new data. \* 10/10

☒ True



☐ False

**Feedback**

*Correct!! F9 will generate a new random number.*



✓ What's the first step to validating data in excel? \*

20/20

- ☐ Calculate the sum of the data set
- ☐ Create a Validation Rule
- ☐ Display an error alert
- ☒ Open the Data Validation dialog box, then selecting the range



**Feedback**

*Correct!!! Good Job.*

✓ I can stabilize my work while using Randbetween. \*

10/10

- ☒ True
- ☐ False



**Feedback**

*That is absolutely correct. You can always anchor cells by using your ampersand while you work on the rest of the data.*



✓ Data Validation is case sensitive. \*

20/20

☒ True



☐ False

**Feedback**

Yayyy!!!

✓ What is the Randbetween function in Excel? \*

20/20

☐ Standard variation of functions that tells data where to move.

☐ It's an Excel function to look up data in a table organized numerically.

☒ A function that generates random responses between random selections specified.



☐ Standard mix up of numbers and texts in a data set to make a table.

**Feedback**

Correct!!



This form was created inside of Austin Community College.