Q6:LOOPS THAT MUST TERMINATE LOAN REPAYMENT SCHEDULE

CODE;

```
#include <stdio.h>

int main()
{
   double balance = 10000.00;
   double rate = 2.0;
   double repayment = 2000.00;
   double interest, payment, totalInterest = 0;
   int month = 0;

   printf("Month\tInterest\tPayment\t\tBalance\n");

   while (balance > 0.005 && month < 360)
   {
      month++;

      interest = balance * rate / 100;
      balance = balance + interest;

      payment = repayment;

      if (payment > balance)
         payment = balance;

      balance = balance - payment;
      totalInterest += interest;
```


```
        if (balance < 0.005)
            balance = 0;

        printf("%d\t%.2f\t\t%.2f\t\t%.2f\n",
               month, interest, payment, balance);

        if (repayment <= interest)
        {
            printf("Loan cannot be repaid with this amount.\n");
            return 0;
        }
    }

    if (balance == 0)
    {
        printf("\nLoan fully repaid!\n");
        printf("Total Months: %d\n", month);
        printf("Total Interest: Rs. %.2f\n", totalInterest);
    }
    else
    {
        printf("Maximum repayment period reached.\n");
    }

    return 0;
}
```


SIMATS Online Lab
Online C Compiler (Editor)
Ask Gemini
programiz.com/c-programming/online-compiler/
Ask Google
Install
ENDS IN 2 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year FREE
Claim this offer
Programiz
C Online Compiler
Install
Programiz PRO
main.c
Clear
Run
Output
month, interest, payment, balance);
if (repayment <= interest)
{
printf("Loan cannot be repaid with this amount.\n");
return 0;
}
}
if (balance == 0)
{
printf("\nLoan fully repaid!\n");
printf("Total Months: %d\n", month);
printf("Total Interest: Rs. %.2f\n", totalInterest);
}
else
{
printf("Maximum repayment period reached.\n");
}
return 0;
}
Month Interest Payment Balance
1 200.00 2000.00 8200.00
2 164.00 2000.00 6364.00
3 127.28 2000.00 4491.28
4 89.83 2000.00 2581.11
5 51.62 2000.00 632.73
6 12.65 645.38 0.00
Loan fully repaid!
Total Months: 6
Total Interest: Rs. 645.38