

Demo : 2

Epic 1 : League Configuration & Lifecycle

Mobile - Users

User Story -1.1 Post Login League Module & League Access

As a logged-in user, I want to land on a Leagues module where I can view my leagues, access public leagues, manage my profile, and navigate through available categories, so that I can efficiently manage my participation in F2MX competitions.

Acceptance Criteria :

- **Secure Landing:**
 - After successful login, the user is redirected to the Mobile Leagues module.
- **Leagues Overview :**
 - The Leagues must display:
 - **Section 1** : Displays Overview of User account
 - Displays the count of Total **"Active Leagues"**
 - Count of leagues currently in "Active" status.
 - Excludes, Completed and Dissolved leagues.
 - Displays the count of Total **"Upcoming Leagues"**
 - Here, the count refers to leagues which are yet-to-started.
 - Display the count of Total **"Completed Leagues"**
 - Here, the count refers to leagues which are already completed.
 - This section should function as a selectable filter widget.
 - Clicking on Active leagues should filter & display the active leagues for that user under the My Leagues section.
 - Active leagues should be the default one.
 - Clicking on Upcoming leagues should filter & display the Upcoming leagues for that user under the My Leagues section.
 - Clicking on Completed leagues should filter & display the Completed leagues for that user under the My Leagues section.
 - These completed leagues should also include the dissolved leagues.
 - A Status filter should be visible under the My League section along with the Type filter.

When a user clicks on the Completed Leagues from the Overview section/card, the system should only fetch and display the completed & Dissolved leagues under the My Leagues sections.
 - Filters :
 - Type : Public/Private

- Status : Completed/Dissolved.
 - Based on the chosen filter the list should be updated.
 - **Section 2:** This section acts as selectable choices based on the available categories for the User.
 - Available categories :
 - My Leagues
 - Public Leagues
 - Private Leagues
 - Invitations
 - Created Leagues
 - Only one category can be active at a time.
 - The selected category must be visually highlighted.
 - Default selection on login: **My Leagues**
 - Switching category updates content dynamically.
 - **Feature: Live Player Value Ticker**
 - The system should display a continuously scrolling ticker at the top of the mobile screen showcasing real-time player value updates.
 - Functionality:
 - The ticker should display:
 - Player Name
 - Current Value Change (in percentage)
 - Positive value changes should be highlighted in green, and negative changes in red.
 - The ticker should scroll horizontally in a continuous loop.
 - Player values should be updated in real-time or at defined intervals based on system configuration.
 - Behavior:
 - The ticker should be visible across all the modules.
 - The scrolling should be smooth and uninterrupted.

User story -1.2 Leagues - “My Leagues” Category (View & Manage)

As a User, I want to view all leagues that I am currently participating in under the “My Leagues” Category on the Leagues so that I can quickly access league details, track league progress, and navigate to the league dashboard.

Acceptance Criteria :

- **Preconditions :**
 - Users must be logged into the application.
 - Users must be a member of at least one league OR the system should display an empty state.
- **Category Selection**
 - When user taps “My Leagues” from the Leagues Module
 - The category must be visually highlighted.

- Dashboard content must update dynamically.
 - Only leagues the user participates in must be displayed.
- **Filters : Type**
 - **Public**
 - Selecting/applying this should filter only Public leagues
 - **Private**
 - Selecting/applying this should filter only Private leagues
- **League Card Display**
 - Each league must appear as a League Card.
 - Each card must contain the following information :

Field	Description
League Name	Name of the league
League Type	Public or Private
Season Progress	Example: Week 8 of 17
Number of Teams	Example: 12 Teams
League Portfolio Value	sum of all owned players' current prices
League Wallet Balance	\$2,000
User Rank	Current ranking of the user
Status	Active / Upcoming / Completed

- **League Status Indicators**
 - Each league must display its current status .
 - Possible statuses :

Status	Meaning
Upcoming	League created but season not started
Active	League currently in season
Completed	Season finished
Dissolved	League terminated

- **League Card Interaction**
 - When a user taps a League Card :
 - The system must navigate to the League Dashboard (Matchup view)
 - The League Dashboard Contains:
 - [Matchup](#)

- [History](#)
 - [Standings](#)
 - [League Wallet](#)
- **Sorting Of Leagues**
 - Leagues under 'My Leagues' must be sorted using the following priority:
 - ~~Active Leagues~~
 - ~~Upcoming Leagues~~
 - ~~Completed Leagues~~
 - Sort by most recently active league.
- **Empty State :**
 - If the User is not part of any leagues, display an empty state message.
 - Example : ~~'You are not part of any leagues yet. Join a Public League or Create a Private League'.~~
 - 'You are not part of any leagues yet. Join a Public League, Join a Private League, or Create a Private League'.
- **Action buttons :**
 - **Join Public League**
 - On click should navigate to the Public leagues category/tab
 - **Join Private League**
 - On click should navigate to the Invitations category/tab
 - **Create Private League**
 - On click should display the Private league creation pop-up/model.
- **Data Refresh**
 - The Dashboard must refresh league data when :
 - User returns from League Dashboard
 - User joins a new league
 - League status changes
 - Pricing & Value changes
 - Price updates in the Market updates

Note : Refresh must occur automatically without requiring manual action.

- **Security Rules**
 - User must only see leagues where:
 - User is a participant
 - User is a Commissioner/Co-commissioner.
 - The user is an invited member who is accepted.
 - Users must not see leagues belonging to other users.
- **Edge Cases**
 - **League Deleted or Dissolved**
 - If a league is dissolved :
 - ~~The League must be removed from My Leagues Tab.~~
 - The league must be visible under the Completed selectable widget within the My Leagues section.
 - **User Removed from League**
 - If a user is removed :

- The league must disappear from My Leagues List.

User story -1.3 Leagues Dashboard - View/Layout

As a User, when I tap on a League Card, I want to access a detailed League Dashboard so that I can manage my participation, view standings, and perform league-related actions.

Acceptance Criteria :

The League Dashboard must contains

- **Top Header**

- The Top header of the League Dashboard must display:
 - **Left arrow (Previous Week)**
 - When users clicks left arrow system must :
 - Decreases week number by 1.
 - Load the week's matchup data
 - Replace:
 - Players stats
 - Opponent
 - Fantasy Points
 - Status (Final/Live/Upcoming/Completed)
 - **Restrictions :**
 - If user is on week 1:
 - The left arrow must be disabled.
 - Arrow visually faded (non-clickable)
 - **Right Arrow (Next Week)**
 - When user clicks system must :
 - Increase week number by 1
 - Load the week's matchup view
 - **Restrictions:**
 - If user is on:
 - Latest scheduled week → enable right arrow.
 - ~~Future week not yet generated → disable arrow.~~
 - Clicking on the right arrow should display the Future week's matchup/opponent for that User.
 - Each week must dynamically load based on its state.
 - **Past week :**
 - Show Final score.
 - No LIVE badge
 - No projected Final
 - Stats locked
 - Winner highlighted
 - Total XP Gain/Loss
 - **Current week (Active) :**
 - LIVE badge visible.

- Projected Final visible.
 - Points updating live.
- **Future Week (Scheduled) :**
 - Show Opponent
 - All player points = 0
 - Display : "Matchup start [day] [time]"
 - No LIVE badge
 - Show projections only.
- Data must refresh per week.
- The arrows must be positioned symmetrically on both sides.
- **Bye Week**
 - If selected week is Bye Week then display :
 - Week [number]- Bye
 - Matchup section shows:
 - No Opponent This Week
 - No score comparison shown.
- **Dissolved League**
 - Week navigation ~~disabled~~ Enabled
 - The entire dashboard becomes read-only.
- **Season Completed**
 - Right arrow disabled at final week
 - All weeks show final
- Default Behavior on Opening League Dashboard:
 - Display/Automatically load Current Active Week
 - If season not started :
 - Default Week 1
 - If season completed:
 - ~~■ Default to Final Week~~
 - The system should default to a **Season Summary View** instead of a specific week.
 - The Season Summary should display aggregated statistics across all weeks (e.g., total points, rankings, win/loss summary, payouts, badges).
 - Users should be able to navigate to individual weeks using **forward/backward controls or a week selector**.
- **Bottom navigation Modules**
 - Must contain 3 contextual options/modules in League Dashboard view :
 - Matchup (default)
 - History
 - Standings
 - League Wallet

"Matchup" Module (Default)

- Display current weekly head-to-head view.
- **Section 1 : A card/Top Banner section**

- which displays :
 - League Name
 - League Type (Public/Private)
 - Current Week (If applicable)
 - Countdown Timer (e.g., Ends Sunday 11:59 PM)
 - League Status
 - Season Length
 - League Size (e.g., 8/12)
- Countdown must update dynamically.
- If matchup finalized → Replace countdown with:
 - "Final"
- If season not started → Display "Season Begins [Date]"
- **Section 2 : Head-to-Head Summary Card**
 - This is the primary visual focus:
 - **A Player Avatars & Identity**
 - Display :
 - User Avatar & Team Name
 - Opponent Avatar & Team Name
 - **Live Indicator**
 - Show "LIVE" badge if matchup is active.
 - Remove the badge when finalized.
 - **Fantasy Points Display**
 - Display :
 - User Total FP
 - Opponent Total FP
 - Values must Update live.
 - Reflect finalized totals once games end
 - **Projected Final**
 - Display :
 - "Projected Final : You vs Opponent
 - Example : You 165 - Sara 130
 - Must dynamically calculate based on:
 - Players in-progress
 - Remaining projected points
 - Hide if the matchup is finalized.
- **Section 3 : Your players**
 - Header : Your Players
 - Scrollable list of roster players for current week.
 - Each Player Row must display :
 - Player initial Badge/icon (e.g., Patrick Mahomes as "PM")
 - Player Name (e.g., Patrick Mahomes)
 - Player Stat-line display below the player name (e.g., 1 TD, 94 YDS)
 - Position (QB,RB,WR,TE,Flex etc..)
 - Game Status:
 - In-progress

- Final
 - Upcoming
 - Points earned (e.g., 25.5 points)
- **Tags**
 - Only ONE primary tag should display per player row.
 - Each Player may show between :
 - **Owned all week**
 - Display this when : Stable roster player. No transaction impact this week.
 - **Traded**
 - Display this when : This player was traded away during this matchup week.
 - Display along with Timestamp
 - **Acquired**
 - Display this when : Recently added player. May have hold-time restrictions.
 - Display along with Timestamp
 - **Hold Lock**
 - The player has been acquired.
 - The hold-time rule is active.
 - Players cannot be traded yet.
 - Display along with Timer.
 - Once the hold lock is completed the player tag should be replaced with Acquired tag along with the timestamp.
 - **Previously Owned**
 - Display this when Player was owned earlier
- **Live Update Behavior**
 - Player points update live.
 - If player locked (hold time) → trading restricted (enforced in Market tab).
 - **If League Not started**
 - All still shows full roster
 - Active filter should be greyed out.
- **Filters Live Behavior:**
 - Filter must apply instantly
 - Points must continue updating live even when a filter is applied.
- **Section 4 : Opponent Players**
 - This section should display below "Your Players"
 - Header : Opponent's Team Name
 - Must display :
 - Opponent player list
 - Same structure as Your players
 - No filters for this section.
 - Live Update Behavior only updates the Player points.

- Read-only view

"History" Module

- History view is strictly read-only
- History must display :
 - Only finalized weeks
 - ~~No projected values~~
 - No LIVE indicators
 - All stats locked
- **Module Entry & Navigation :**
 - The history module is accessible via the bottom tab.
 - When users taps History , the system must :
 - Load Matchup History view
 - Highlight History module/tab
 - Hide matchup layout
- **Top Header Section :**
 - Must display :
 - **Title : "MATCHUP HISTORY"**
 - **Back Arrow/**
 - A back arrow to navigate to the Leagues Module.
 - **Left Arrow**
 - Navigates back to the current week Matchup Module/tab.
 - **Week Navigation Inside History**
 - Below Title/Header, display week selector bar :
 - Behavior :
 - Left arrow → Load previous week
 - Right arrow → Load next week
 - Only valid completed weeks allowed
 - Cannot navigate to future weeks
 - Arrows disabled at boundaries
 - **Navigation Behavior :**
 - If Week 1 : Left arrow disabled
 - If latest completed week : Right arrow disabled.
 - **Bye Week Handling**
 - If selected week was Bye, then display : "WEEK 5 - BYE"
 - Card displays :
 - "No Opponent This week"
 - Points earned
 - Record unchanged
 - No WIN/LOSS badge
 - **Week Status Card**
 - Card must display:
 - **Week Label** (E.g., WEEK 7 - COMPLETED)
 - **Result Badge (Top Right)**
 - If user Won:

- Green Badge → ✓ WIN
 - If Lost :
 - Red badge → × LOSS
 - If Tie :
 - Yellow badge → TIE
- **Head-to-Head Summary Card**
 - Must display :
 - Left side (User)
 - Avatar
 - Team Name
 - "You"Label
 - Final Fantasy points
 - XP Gain/Lost
 - Center Section
 - "VS"
 - Margin Result :
 - Won/loss by [points]

'Margin = User final score - Opponent Final score.'
 - Right Side (Opponent)
 - Opponent Avatar
 - Opponent Team Name
 - Opponent Final Points
- **Footer Insight Section**
 - Below Score card, must display :
 - User's League Record after that week's matchup is finalized.
Which is "Wins – Losses"
 - (e.g., You improved your record to 5-2).
 - This must dynamically reflect :
 - Updated league record after this week.
 - Format:
 - You improved record to X-Y
 - You dropped to X-Y (if loss)
- **History of players Traded :**
 - In the History Module, under Matchup History, the system should provide a provision for users to view the history of NFL players traded for a specific week within the league.
 - This view should capture complete trade lifecycle details, including both buy and sell transactions, with a clear calculation of Profit & Loss (P&L) for each completed trade (sell).
 - **Player Trade Details**
 - For each traded player, the following details should be displayed:
 - Player Name
 - Buy Details:
 - Buy Timestamp
 - Buy Amount

- Sell Details (only if sold):
 - Sell Timestamp
 - Sell Amount
 - Profit / Loss (P&L)
 - P&L should be:
 - Calculated for each individual sell transaction
 - Displayed alongside the sell details.
 - **P&L Calculation Logic**
 - Profit / Loss (P&L) = Sell Amount – Buy Amount
 - If:
 - Sell Amount > Buy Amount → Display as Profit
 - Sell Amount < Buy Amount → Display as Loss
 - Sell Amount = Buy Amount → Display as No Gain / No Loss
- **Edge Case**
 - **League Dissolved**
 - History remains accessible (Read-only)
 - **User Removed Mid-Season**
 - History remains visible for weeks participated.
 - **Tie Scenario**
 - Display :
 - TIE
 - Final Score 120 - 120

“Standings” Module

- The standing module must be accessible from the League Dashboard bottom navigation.
- When the user taps Standings:
 - The system must open the Standings screen.
 - The Standings tab must be highlighted as active.
 - The system must load the latest league ranking data.
- **Header Section**
 - The Top section must display :
 - Title : “STANDINGS”
 - Back Navigation : Left Arrow
 - Behavior :
 - Tapping the arrow navigates back to the Dashboard View.
- **League Selector Tabs**
 - Below the header, the screen must display selectable league tabs.
 - Example : [Championship] [Work League] [Friends League]
 - Behavior :
 - Only **one league can be active at a time.**
 - The selected league tab must be visually highlighted.

- When user switches leagues:
 - The standings list must refresh.
 - Data must correspond to the selected league.
- **League Summary Card**
 - Below the league selector,display a League Info Card
 - Format/Structure:

[League Name]

[Week number out total Weeks number]

[No.of Teams .. No.of Playoff Spots]
- Example :
 - Championship League
 - Week 8 of 17
 - 12 Teams • 7 Playoff Spots

Field	Description
League Name	Name of the league
Current Week	Current active league week
Total Weeks	Total league season length
Number of Teams	Total participants
Playoff Spots	Number of teams qualifying for playoffs

- **League Standing List**
 - Below the summary card,the system must display the ranked leaderboard of teams.
 - Each row must contain:

Element	Description
Rank Number	Position in standings
Team Avatar	User avatar
Team Name	Team identity

User Name (FN +LN)	Owner name
Total Fantasy Points	Total season points
Average Points	Average weekly score
Record	Win-Loss record

- **Ranking Logic** : Teams must be ranked based on :
 - Primary Rule
 - Highest **Win-Loss-Tie Record**
 - **Tie Breaker**
 - If two teams have same record:
 - Total Fantasy Points scored
 - Head-to-Head record

Example :

Lightning ranks higher due to higher points.

Team	Record	Points
Lightning	8-1	892.4
Thunder	8-1	874.8

- **Current User Highlight**
 - If the logged-in user appears in standing:
 - Their row must be visually highlighted.
 - This helps users easily identify their position.
- **Playoff Qualification Indicator**
 - Teams within the playoff qualification range must show an indicator.
 - Example : “Top 4 teams qualify”
 - Indicator : ‘’ [Ranking Medal] or ‘Highlight Zone’.
- **Data Refresh Rules**
 - Standings must automatically update when :
 - Weekly Matchups finalize
 - Fantasy points are recalculated
 - Wins/Losses are recorded

- **Edge cases**
 - If League has not started, display:
 - The season has not started yet.
 - Standings will appear after week 1.
 - **If User Joined Mid-Season**
 - Standings must reflect the current record.
 - **If Tie Occurs**
 - The record must display the tie along with Win-Loss.
 - Example : Record : 6-4-2 (6 Win, 4 Loss & 2 Tie).

User story - 1.4 Leagues - "Public Leagues " Category

As a User, I want to view available **Public Leagues** on the Leagues so that I can explore leagues that are open to everyone and join them without requiring an invitation

Acceptance Criteria :

- **Preconditions :**
 - Users must be logged into the application.
 - Public leagues must exist in the system OR an empty state must be displayed.
- **Category Selection**
 - When the user selects **Public Leagues**:
 - The category must be visually highlighted.
 - The system must dynamically load and display only those public leagues for which the user is eligible, based on the user's current XP tier. Leagues that require a higher and lower XP tier must not be visible to the user.
 - The system must dynamically display the Public leagues which the user didn't join.
- **Public League Card Display**
 - Each public league must appear as a League Card.
 - Each card must display the following information :

Field	Description
League Name	Name of the public league
League Type	Public
Current Week	Example: Week 5
Season Progress	Example: Week 5 of 17
Team Capacity	Example: 8 / 12 Teams Joined
League Status	Open / Active / Full

- **League Availability Status**

- Each public league must display its join availability.
- Possible Statuses :

Status	Meaning
Open	Users can join the league
Full	No new users allowed
Active	Season already started

- **Join League Action**

- If the league status is **Open**, the card must display a **Join League** Button in the League Card.
- When the User clicks Join league :
- System Must :
 - Verify available slots
 - Add the User to the League
 - Update the participant count
 - Display confirmation message
 - "You have successfully joined the league"
 - The league must now appear under : My Leagues

View League Details

- If the user taps the league card (not the join button)
- The system must open a League Details View displaying :

Details	Description
League Name	Name of the League
Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Trading rules	The market restrictions, including minimum hold time requirements and other trading limitations
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks

Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)
Public League Requirements (Before Joining)	1. users can also view the league's start date. 2. The specific XP tier/threshold requirements needed to join.

- Users can then choose to :
 - Join League
 - [Go Back to Dashboard](#)
- **Sorting of Public Leagues**
 - Public leagues must be sorted based on the following criteria/priority :
 - Open Leagues with available slots
 - Leagues nearing full capacity
 - Recently created leagues
 - Full leagues
- **Empty State**
 - If no Public leagues exist, display : "No public leagues Available"
- **Security Rules**
 - Users must only be allowed to join a league if :
 - The league is public
 - The league has available slots
 - The season has not started
- **Edge Cases**
 - **League becomes Full while joining**
 - If a league becomes full during the join process, display : "This league is now full. Please join another league".
 - **User Already Joined League**
 - If the user is already a member, the card must show : "Joined".
 - The join button must be disabled.
 - **Season already started**
 - If a Public league has already started then, display : "Season Already Started".

User story -1.5 Leagues - "Invitations" Category

As a User, I want to view all Private **league invitations I have received** under the **"Invitations"** category on the Leagues so that I can review the league details and choose to **accept or decline the invitation**.

Acceptance Criteria :

- **Preconditions**

- Users must be logged in.
- Users must have received at least one Private league invitation OR the system must display an empty state.

- **Category Selection**

- When the user selects Invitations:
 - The category must be visually highlighted.
 - The dashboard must display all league invitations received by the user.

- **Invitation card display**

- Each invitation must appear as an Invitation Card.
- Each card must display the following details :

Field	Description
League Name	Name of the Private League
Invited By	Name of the user who sent the invitation
League Type	Private
League Size	Maximum Participants
Current Members	Example : 7/12 Teams
Invitation Date	When Invitation was sent
Starting allocation	Credits (e.g., \$ 2000)

- **Invitation Actions**

- Each invitation card must display two action buttons :
 - [Accept] [Decline]

- **Accept Invitation**

- When the user clicks Accept, system must :
 - Verify league availability.
 - The system must raise/send an Approval request to the Commissioner/Co-commissioner of the league.
 - Once the Commissioner/Co-Commissioner approves the joining request then, system must :
 - Add the user to the league.
 - Update the participant count.
 - Move the league to **My Leagues**.
 - If the Commissioner/Co-commissioner declines the joining request then, the system should Remove the request & Notify the user that their request was declined.
- Display confirmation message : "You have successfully joined the league".

- **Decline Invitation**

- When the user clicks Decline,system must :
 - Remove the invitation from the list.
 - Notify the inviter.

- Display confirmation message : "Invitation declined"
- **View Invitation Details**
 - When the user taps the invitation card (excluding buttons) :
 - The system must open Invitation Details View displaying :
 - Details are same as mentioned in the ([Us -2.4](#))
 - User can choose :
 - Accept Invitation
 - Decline Invitation
 - Back
- **Expired Invitations**
 - If the season starts before the user responds:
 - The invitation should be removed from the Invitations category.
 - Users cannot accept it.
- **CTA Button :**

Condition	Button
Request received	Accept
Already Requested	Request Pending (Disabled)
Approved	Move the league to MY leagues section.
Decline	Remove the invitation

- **Empty State**
 - If the user has no invitations, Display a message : "No Invitations Available.You will see league invitations here when other users invite you to join their leagues".
- **Notification indicator**
 - If the user receives a new invitation,the invitations category should display a notification badge.
 - Example : **Invitations (2)**, this indicates two pending invitations.
- **Security Rules**
 - Users must only see invitations where :
 - The invitation was sent specifically to them.
 - The league still exists
 - The league has available slots.
- **Edge Cases**
 - **League Becomes Full**
 - If a league becomes full before the user accepts, display : "League is full.Invitation cannot be accepted".
 - **User Already Joined**
 - If a user already joined through another invite method the invitation must be automatically removed.

User story -1.6 Create Private Leagues

As a User, I want to create a **Private League** from my mobile app so that I can invite specific friends or users to compete in a fantasy league.

Acceptance Criteria

- **Precondition:**
 - Only logged-in users must be allowed to create leagues.
- **Access Create League Option**
 - The Leagues Module must provide a "Create League " option.
 - The option must be accessible from :
 - Leagues Module → My Leagues Tab/Category
 - Leagues Module → Created Leagues Tab/Category
- **League Type Selection**
 - When the user taps Create League, the system must defaultly consider it as a private League.
 - The system navigate to the Private League Creation Screen
- **League Creation Screen**
 - The league creation screen must capture the following information :
 - League Name
 - League Size (Number of Teams)
 - Start Date
 - Season Length/Duration (Number of weeks)
 - Starting Currency
 - Max Buy-in Cap
 - Buy-In Conversion Rate
 - Scoring Model - "Half PPR" (Read-only)
 - Playoffs toggle
- **Fields Information/requirement:**
 - **League Name :**
 - The League Name is a user-defined label displayed to participants for identifying the league.
 - Field Type : Text Input
 - Validation Rules :
 - Minimum characters : 3
 - Maximum characters: 50
 - Must allow :
 - Alphabets (A-Z, a-z)
 - Numbers
 - Spaces
 - All Special characters
 - Restrictions
 - The system must prevent duplicate league names for the same sector(Private/ public).

- **League Size (Number of Teams)**
 - Defines the maximum number of participants/teams that can join the league.
 - Field Type : Text Input
 - Allowed Values :
 - Only Numerics
 - Validation Rules
 - Minimum : 4 Teams
 - ~~Maximum :~~
 - **System Behavior**
 - By default the league creator occupies one team slot.
 - Remaining slots become available for other users.
 - When the league reaches the maximum size :
 - No additional Users can Join.
- **Start Date:** The Start Date determines when the league competition begins.
- **Field Type:** Date Selector (Calendar Picker)
 - Validation Rules
 - The selected date must strictly fall on or after the F2MX platform's global market opening date
 - System Behavior
 - Triggers the generation of the weekly head-to-head matchups and initiates the allocation of starting currency to all joined users
 - If Auto-Reactivate is used for future seasons, the start date does not automatically roll forward and must be manually re-confirmed by the commissioner.
- **Season Length (Number of Weeks)**
 - Defines how long the league competition runs.
 - Field Type : Dropdown selector
 - Allowed values :
 - 1 weeks
 - 2 weeks
 - 3 weeks
 - 4 weeks so on... upto ~~18 weeks~~ 23 weeks
 - ~~Validation Rules~~
 - ~~Must not exceed NFL Regular season duration (18 weeks)~~
 - System Behavior
 - The system must generate weekly matchups.
 - League standings must be updated after every week.
 - A season length of 7 or fewer weeks is classified by the system as a "short league," which prompts the commissioner with an option to reactivate the league for a second time within the same NFL season as soon as the League completes.
- **Starting Currency**
 - Defines the initial virtual game currency balance assigned to each participant for trading players when they join a league.

- Field Type : Input Text
- Only numeric values are allowed.
 - Min : \$2,000 - The range is set by Super Admin - The range is set by Super Admin
- System Behavior :
 - Every participant receives the same starting balance.
 - Currency is used for :
 - Buying players
 - Trading in the market
 - This currency is placed in an isolated "League Wallet" and can only be used for buying/selling players and paying commissions/Spread within that specific league.
 - At the end of the season, this baseline starting allocation is excluded from end-of-League profit settlements transferred to the persistent User Wallet. (defined as ending league currency minus starting allocation).
- **Validation Rule**
 - The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.
- **Buy-In Conversion Rate :**
 - The system should provide two selectable modes :
 - **Mode A – Flat Value**
 - Commissioner enters a fixed value (VC) for Maximum Additional Buy-In Cap
 - Field Type: Numeric input (VC)
 - **Behavior**
 - The entered value is treated as the Maximum Additional Buy-In Cap, provided it complies with the percentage limits defined by the Super Admin based on the selected Starting Allocation.
 - **Validation**
 - The fixed value VC amount defined by the commissioner should not be > than the Starting Allocation.
 - Entered value must be :
 - Numeric
 - Must be > = 0
 - Must not exceed the maximum allowable cap derived from Super Admin percentage limits.
 - The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.
 - **Mode B – Percentage Based**

- Commissioner selects a percentage (%)
- Field Type: Slider / Input (Range controlled by Super Admin)
- **Formula :**
 - $\text{Maximum Additional Buy-In Cap} = (\%) \times \text{Starting Allocation}$
- **Behavior**
 - System automatically calculates the Maximum Additional Buy-In Cap
 - The calculated value should:
 - Be displayed in real-time
 - Update dynamically as the percentage slider changes.
- **Validation Rules**
 - The values configured by the Commissioner must:
 - Remain within the limits defined by the Super Admin
 - Not exceed or override platform-level constraints.
 - System calculated cap should :
 - Always align with this percentage.
 - The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.
- Example :
 - **League Setup**
 - Starting Allocation = \$2,000 VC
 - Mode A
 - Commissioner sets Maximum Additional Buy-In Cap = \$400 VC
 - Mode B
 - Commissioner sets: 20%
 - System calculates:
 - $\text{Maximum Additional Buy-In Cap} = \400 (20% of Starting Allocation)
 - If slider changes to 25%:
 - Cap updates instantly to 500 VC
- **Maximum Additional Buy-In Cap**
 - The Maximum Additional Buy-In Cap defines the maximum additional game currency (VC) a user can add to their league wallet beyond the Starting Allocation.
 - This field is:
 - Directly configurable in Mode A (Flat Value)
 - System-derived in Mode B (Percentage-Based)

- It is dependent on:
 - Starting Allocation
 - Buy-In Conversion Rate (Mode selection)
- **Field Behavior**
 - **Mode A – Flat Value**
 - Field Type: Editable numeric input (VC)
 - Commissioner manually enters the value
 - **Functionality**
 - Accepts direct input for Maximum Additional Buy-In Cap
 - Value entered becomes the final cap, subject to validation against Super Admin defined percentage limits.
 - No automatic calculation involved
 - **Validation Rule**
 - Should not exceed Platform-level cap limits defined by Super Admin.
 - **Mode B – Percentage-Based**
 - Field Type: Read-only / Auto-calculated field
 - Value is derived using configured percentage
 - Functionality
 - System calculates:
 - $\text{Maximum Additional Buy-In Cap} = \% \times \text{Starting Allocation}$
 - Field should:
 - Auto-populate
 - Update in real-time when:
 - Percentage changes
 - Starting Allocation changes
 - **Commissioner cannot edit this field manually**
- **Mode A - Flat Value**
 - The Commissioner directly defines a fixed VC amount.
 - Example: \$400 VC
 - This value represents the maximum additional buy-in limit.
- **Mode B - Percentage Based**
 - Commissioner defines a percentage (%) of Starting Allocation.
 - System calculates the Maximum Additional Buy-In Cap dynamically: $\text{Maximum Additional Buy-In Cap} = \% \times \text{Starting Allocation}$
 - Example:
 - Starting Allocation = 2,000 VC
 - Percentage = 20%
 - Maximum Additional Buy-In Cap = \$400 (derived as 20% of Starting Allocation)
- **Validation Rules**

- The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.
 - Users can purchase additional buy-ins in increments, up to the Maximum Additional Buy-In Cap.
 - The fixed VC amount defined by the commissioner should be aligned between the range/limits set by Super Admin.
 - System shall not allow any transaction that causes:
 - Total Additional Buy-ins > Maximum Additional Buy-In Cap
 - Negative or zero values are not allowed.
 - Percentage range shall be configurable (e.g., 0%–100% for MVP)
 - Out of scope for MVP: Values above 100% are not supported.
- **System Behavior :**
- The system shall enforce the Maximum Additional Buy-In Cap at all times.
 - System shall track:
 - Total additional VC added by the user
 - Remaining available buy-in limit
 - Remaining Cap = Maximum Additional Buy-In Cap – Consumed Buy-ins.
 - Prevents Users from exceeding the configured limit.
 - The Buy-In Conversion % is used only to calculate the Maximum Additional Buy-In Cap and is not applied to individual user transactions.
 - If the Starting Allocation is modified, the Maximum Additional Buy-In Cap must be revalidated to ensure it remains within the Super Admin defined percentage limits.
 - Once the league season starts, the Buy-In Configuration (Mode, percentage, and Maximum Additional Buy-In Cap) cannot be modified by the Commissioner.
- **Example :**
- User Wallet Balance = 1,000
 - League Name : Friends League
 - Starting Allocation - \$2,000
 - Maximum Additional Buy-In Cap = 20% (Mode B) = \$400
 - Buy-In Conversion % = 20% (used to derive Maximum Additional Buy-In Cap)
 - **Scenario 1:**
 - User initiates " Transfer/Add Funds"
 - Enters : \$200
 - **System Checks**
 - \$200 < Maximum Additional Buy-In Cap
 - Transfer accepted and processed.
 - **Output :**

- Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$200.
- **Scenario 2:**
 - User initiates "Transfer/Add Funds"
 - Enters : \$200
- **System Checks**
 - $\$200 \leq$ remaining Maximum Additional **Buy-In Cap**
 - Transfer accepted and processed.
- **Output :**
 - Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$0.
- **Scenario 3:**
 - User initiates "Transfer/Add Funds"
 - Enters : \$100
- **System Checks**
 - $\$100 \leq$ remaining Maximum Additional **Buy-In Cap**
 - Transfer declined & display error message : "You have exceeded the maximum additional buy-in limit for this league".
- **Scoring Model - Half PPR (Read-Only)**
 - Defines how player performance points are calculated.
 - It should be an expandable /clickable field .Clicking on the View Scoring points/ rules should display the Events & Points awarded in Read-Only.
 - Validation Rules
 - For the MVP, this is NOT actually configurable by the commissioner. Because player pricing relies on global aggregate scoring, Half-PPR (0.5 points per reception) is strictly enforced platform-wide
 - System Behavior
 - The scoring model cannot be modified in MVP.
 - All leagues operate under the Half PPR scoring system (Half Point Per Reception).
 - The system automatically applies standard fantasy scoring rules with fractional precision (e.g., 87 rushing yards = 8.7 points, no rounding) and explicitly excludes Defense/Special Teams and performance bonuses.
 -
 - F2MX MVP Half PPR Scoring Table

Event	Points Awarded	Additional Rules & System Behavior
-------	----------------	------------------------------------

Passing Yards	0.04 points per yard	Fractional scoring applies (e.g., 249 yards = 9.96 points).
Passing Touchdown	+4 points	Standard MVP default for QBs.
Interception Thrown	-2 points	Penalty applied to the passer.
Rushing Yards	0.10 points per yard	Fractional scoring applies (e.g., 87 yards = 8.7 points).
Rushing Touchdown	+6 points	Standard scoring applies.
Receiving Yards	0.10 points per yard	Fractional scoring applies.
Receiving Touchdown	+6 points	Standard scoring applies.
Reception (Half-PPR)	+0.5 points	Awarded for every caught pass, on top of yardage and touchdown points.
Fumble Lost	-2 points	Only penalized if the fumble results in a turnover (recovered by the opposing team).
Fumble (Not Lost)	0 points	If a player fumbles but their own team recovers it, there is no penalty.
2-Point Conversion (Scored)	+2 points	Awarded to the player who scores the conversion via rush or reception.
2-Point Conversion (Passer)	+2 points	F2MX management explicitly confirmed the QB/passers also receives +2 points for a successful passing conversion

- **Playoffs Toggle**

- Allows the league creator to enable or disable playoffs at the end of the season.
- Field Type : Toggle Switch (ON/OFF)
 - Default : OFF
- If Playoffs = enabled
 - The system must display 2 options & 1 additional configuration field.
 - **Option : “Traditional Head-to-Head Bracket Playoffs” (10+ Weeks)**
 - When the Playoffs toggle is enabled then, only the bracket-based settings should apply.

- The system generates an NFL-style seeded bracket (e.g., 1 vs 4, 2 vs 3) based on the final regular-season standings.
- These playoff matchups replace standard regular-season matchups for the designated playoff weeks.
- **Matchup clause** :Teams are seeded based on final regular-season standings.
 - Matchups are structured such that:
 - Highest seed plays lowest seed (e.g., 1 vs 4)
 - Next highest plays next lowest (e.g., 2 vs 3)
- **Bracket Generation**
 - At the end of the regular season:
 - System locks standings
 - Identifies Top-N teams
 - Generates a seeded playoff bracket.
- **Playoff Gameplay Behavior**
 - During playoff weeks:
 - Same trading rules as regular season
 - Same scoring rules
 - Same ownership-based attribution
 - Same pricing model
 - Same match logic
- **Validation Rule:** The league's "Season Length" must be at least 10 weeks long to select this format.
- **Playoff Elimination Clause**
 - Teams that lose in any playoff round:
 - Are immediately eliminated
 - Do not progress to further weeks
 - Do not enter the consolation bracket
 - Their competitive participation ends in that week.
- **Example - Traditional Playoffs**
 - League Size: 10
 - Top 4 Qualified for Playoffs: A, B, C, D
 - Playoff Weeks: 2
 - Week 1 – Semi-finals:
 - A vs D → A wins
 - B vs C → C wins
 - Week 2 – Final:
 - A vs C
 - Outcome:
 - Teams B and D are eliminated in Week 1
 - They do not proceed to Week 2
 - They do not enter the consolation bracket

- Their league participation (matches and competition-related actions) ends after Week 1.
 - A vs C determines champion
- **Additional Field : “ Playoff Weeks”**
 - Defines the number of weeks allocated for playoffs at the end of league.
 - Field Type : Dropdown
 - Options : 2, 3, 4 weeks
 - Mandatory field if playoffs enabled.
 - Validation :
 - Min = 2 weeks
 - Max = 4 Weeks
 - Playoff Weeks must be less than Season Length
 - A minimum number of regular season weeks must remain after allocating playoff weeks.
- **Additional Field: “Top-N Advance” (Auto-Fill)**
 - Defines how many teams qualify for playoffs.
 - Field Type : Auto-calculated (Auto-fill)
 - Visibility : Displayed only if playoffs enabled.
 - Mandatory : Yes (When playoffs enabled)
 - The No.of Playoff Teams fields depend on the League Size and the playoff weeks.
 - The system should automatically suggest the no.of teams advancing to playoffs based on the configured playoff weeks.
 - **Auto- Suggestion Mapping**

Playoff Weeks	Suggested Top -N Advance	Playoff structure
2 weeks	4 Teams	Semi- final + Final
3 weeks	8 Teams	Quarter-final + Semi-final + Final
4 weeks	14 Teams	Round of 6 + QF+SF+Final

- **Logic :**
 - The total Season Length includes both Regular Season and playoff Weeks.
 - Regular Season Weeks = Season Length - Playoff Weeks.
 - The configured Season Length represents the **total duration of the league**, including both regular season

and playoff weeks. Playoff weeks are not additional but are part of the selected season length.

- **Playoff & Consolation Flow:**
 - - Qualified teams (Top-N) enter the playoff bracket.
 - - Non-qualified teams enter the consolation bracket.
 - - Once a team enters the playoff bracket, they cannot move to the consolation bracket, even if eliminated.
- **Non-qualifiers for playoffs**
 - Teams that do not qualify for the main playoff bracket will participate in a separate losers/consolation bracket.
 - **Eligibility Rule :**
 - Only teams who fail to qualify for the playoff bracket are included.
 - - Teams eliminated from the main playoff bracket (after qualifying) must NOT enter the consolation bracket.
 - Example :
 - League Size: 10
 - Top-N (Playoff Qualified): 4 (Ranks 1–4)
 - Consolation Bracket Teams: 6 (Ranks 5–10)
 - **Behavior :**
 - Consolation bracket runs parallel to playoff weeks.
 - - Provides continued engagement for non-qualified teams.
 - **Achievement:**
 - All users participating in the consolation bracket can continue playing matches to earn XP (Experience Points).
 - - A separate achievement/reward can be defined for the winner of the consolation bracket.
- **Validation Rules**
 - League Size Constraint
 - Top N Advance must be < League Size
 - Bracket Compatibility
 - Only valid bracket size allowed (4,8,14...)
 - Playoff Weeks Dependency
 - Selected Top N must be compatible with the number of playoff rounds.
 - Consolation Bracket Validation :
 - Only non-qualified teams (based on final regular season standings) are eligible.

- - Teams eliminated from playoff rounds must NOT be re-routed to the consolation bracket.
- - Consolation bracket size = League Size – Top-N Advance

■ Examples :

League Size	Playoff Weeks	Suggested Top - N	Final Allowed (Playoff participants)
10 teams	3 weeks	8	8
6 teams	3 weeks	4	4
12 teams	2 weeks	4	4
5 teams	2 weeks	4	4

- **Validation Rules & Dependencies:**

- If the commissioner selects a Traditional Head-to-Head Bracket, the Season Length must be at least 10 weeks.
- If the season length is below the required threshold for a format, the system will warn the commissioner or block the option from being enabled.

- **Additional System Behaviors & Clauses**

- Dependency Warnings: If the configured season length is below the minimum threshold required for either format, the system will warn the commissioner or actively block the playoffs option from being enabled.
- If F2MX fantasy playoffs overlap with real-life NFL playoff games, those games will be treated as standard scoring events.
- Fantasy playoff structure remains independent of NFL playoff structure.

- **Create League Button**

- User clicks "Create League"
- The system must validate all the fields
 - All fields are Mandatory (Except playoffs when disabled) & cannot be empty.

- **System Initialization & Commissioner Wallet Funding**

- **Unique ID:** The system generates a unique League ID used for invitation handling.
- **Wallet Initialization:** A specific League Wallet is instantly initialized for the Commissioner and funded with the exact "Starting Currency" amount defined during the creation step.

- **"Invite Users" Button (Commissioner Action)**

- **Creation:** The system should generate a shareable invitation URL and a corresponding scannable QR code linked to the new League ID.
- **Sharing:** These are non-personalized (one-to-many) links that the Commissioner can distribute via text, email, or social media using the device's native share sheet.

- **Validations**

Field Name	Field Type	Mandatory	Validation Type	Validation Rule	Error Message
League Name	Text Input	Yes	Empty	Cannot be blank	"League Name is required"
			Min Length	Minimum 3 characters	"League Name must be at least 3 characters"
			Max Length	Maximum 50 characters	"League Name cannot exceed 50 characters"
			Duplicate	Must be unique across platform	"League Name already exists"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"League Size is required"
Min Value	≥ 4 teams	"League must have at least 4 teams"
Max Value	Platform-defined limit	"League size exceeds allowed limit"
Integer Only	No decimals allowed	"Enter a valid whole number"

Format	Numeric only	"Invalid input"
--------	--------------	-----------------

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Start Date is required"
Past Date	Must be future date	"Start Date cannot be in the past"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Start Date is required"
Past Date	Must be future date	"Start Date cannot be in the past"
Logical Validation	Must align with season duration	"Invalid start date based on season duration"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Season duration is required"
Min Value	≥ 1 week	"Season must be at least 1 week"
Max Value	Platform-defined limit	"Season duration exceeds allowed limit"
Integer Only	No decimals	"Enter a valid number of weeks"

Format	Numeric only	"Invalid input"
--------	--------------	-----------------

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Starting currency is required"
Min Value	Must be > 0	"Starting currency must be greater than 0"
Max Value	Platform-defined cap	"Exceeds maximum allowed starting currency"
Decimal Limit	Max 2 decimal places	"Invalid currency format"
Format	Numeric only	"Invalid amount entered"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Max Buy-In Cap is required"
Min Value	Must be > 0	"Buy-In Cap must be greater than 0"
Decimal Limit	Max 2 decimal places	"Invalid amount format"
Format	Numeric only	"Invalid input"

Validation Type	Rule	Error Message
-----------------	------	---------------

Empty	Cannot be blank	"Conversion rate is required"
Zero Restriction	Cannot be 0%	"Conversion rate cannot be 0%"
Format	Numeric (percentage)	"Enter a valid percentage"
Decimal Limit	Max 2 decimals	"Invalid percentage format"

Validation Type	Rule	Error Message
Max Value	$\leq 40\%$	"Conversion rate cannot exceed 40%"
Range Enforcement	Must fall within range	"Value must be between 0% and 40%"

User story -1.7 The Three Invitation Methods & User Joining

As an F2MX League Commissioner, I want to invite other users to join my Private League using multiple invitation methods, so that participants can easily join the league before the season begins.

Acceptance Criteria :

- Once a Private League is created, the League Commissioner must be able to invite users to join the league.
 - The system supports three distinct mechanisms for inviting users to a league :
 - **Direct Link (URL):** A shareable web link (e.g., f2mx.app/join/xyz123) that is linked to a specific League ID.
 - **Generation:** The system should automatically generate this unique URL.
 - **Sharing Mechanism:** The app provides a "Copy Link" button and a "Share" button.
 - The "Share" button explicitly triggers the device's native OS share sheet, allowing the OS to handle distribution via text, email, social media.
 - **Deep Linking:** Clicking the link on a mobile device must automatically open the F2MX app.

- System behavior depends on the [Join flow](#).
- **QR Code:** A scannable graphic designed to the specific League ID, designed to be "event-friendly" for in-person sharing..
 - **Generation:** The system automatically generates the QR code alongside the Direct Link URL.
 - The QR Code must encode the same invitation URL.
 - Only the League Commissioner can access and share this QR Code.
 - **Targeting:** The QR code is inherently generic and non-personalized (one-to-many).
 - **QR CODE User Interface Components**
 - The code Code section must display :
 - QR Code Image
 - Download Button
 - The system must allow the commissioner to download the QR Code as an image file.
 - Format : PNG or JPG
 - When User taps/click Download QR Code
 - Generate the QR Code Image & Save the image to the user's device.
 - Share Button/Icon
 - The systems must allow users to share the QR Code directly using the device's native share options(Whatsapp, EMAIL, SMS, Social Media)
 - **QR Code Scan Behavior**
 - The device opens the encoded URL.
 - System behavior depends on the [Join flow](#).
 - **Deep Linking:** Scanning the QR code functions identically to the Direct Link, directing the user into the F2MX app's [join flow](#)
 -
- **In-App Invite:** Direct invitations sent through the F2MX platform directly to existing F2MX users.
 - **Invitation Flow**
 - Commission can :
 - Search users by **username**
 - Select one or multiple users
 - Send Invitation
 - Once the invitation is sent, the invited user receives the invitation inside the application.
 - The invitation must appear in : Leagues → Invitations
- **Users Requesting to Join (User Action)**
 - User must be able to :
 - Accept
 - Decline

Joining Flow :

- **If the user is already logged in :** The system must open the League Invitation Detail Screen.
- **If the user is not logged in :** The system must:
 - Redirect the user to Login.
 - After authentication, redirect the user back to the League Invitation Detail Screen.
- **If the app is not installed :** it must redirect the user to the App Store/Play store.
 - After authentication, redirect the user back to the League Invitation Detail Screen.
- **Validation Rules**
 - The league must not be full.
 - The league must not have started.
 - The user must not already belong to the league.
- **Successful Join Behavior**
 - If validation passes, the system must:
 - Add the user to the league participant list
 - Allocate Starting Currency
 - Assign a team slot
 - Update Teams Joined counter
- **Post Join Behavior**
 - After successfully joining:
 - The system must:
 - Redirect the user to the League Dashboard
 - Display the league under:
 - Leagues → My Leagues
- **Decline Invitation Flow**
 - If the user selects Decline Invitation:
 - The system must:
 - Remove the invitation from the user's invitation list.
- **League Capacity Handling**
 - If the league has reached the configured League Size, the system must:
 - Disable the Join League option
 - Display the message: "This League is full"

User story -1.8 Leagues - "Created Leagues" Category

As an F2MX user acting as a League Commissioner, I want to view all the leagues I have created and manage incoming join requests, so that I can control who participates in my private league.

Acceptance Criteria :

- All leagues created by the user must appear under : Leagues → Created Leagues

- Each created league must appear as a League Card.
- The card must display :
 -

Field	Description
League Name	Name of the league
League Size	Example: 6 / 10 teams joined
League Status	Waiting / Ready / Active
Start Date	League start date
Playoff Status	Enabled/Disabled + no.of playoff weeks

- **Opening the League Dashboard Sections (Commissioner View)**
 - The league Dashboard must contain the following sections :
- **Section 1 : League Overview**
 - Displays :

Details	Description
League Name	Name of the League
Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Trading rules	The market restrictions, including minimum hold-time requirements and other trading limitations
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks
Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly

	locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)
Public League Requirements (Before Joining)	3. users can also view the league's start date. 4. The specific XP tier/threshold requirements needed to join.

- **Settings Icon (⚙️) :**
 - The league Settings screen must display all [configuration details](#) that were defined when creating the league.
 - The leagues Settings should be editable before the League starts.
 - The Settings should only be visible to the Commissioner & Co-Commissioner of the League.
- **Section 2 : Invite Members Section**
 - The commissioner can invite players using :
 - Direct Link
 - QR Code
 - In-App Invite
- **Section 3 : Managing Join Requests/Pending Requests**
 - The requests must appear inside the League Dashboard under :
 - Created Leagues → League Dashboard → Join Requests
 - **Join Request Card**
 - Each Request must display :
 - Requester's Username
 - Avatar
 - XP Level
 - Tier
 - **Commissioner Actions**
 - For each request the commissioner must see :
 - Approve
 - Reject
 - **Approval Behavior :**
 - When Approve is clicked/selected
 - System must :
 - Add the user to the league along with League Wallet
 - Allocate Starting Currency
 - Update Team Count
 - Notify the user that their request was approved.
 - **Reject Behavior :**
 - When Reject is clicked/Selected:
 - System must :
 - Remove the request

- Notify the user that their request was declined.
- **Section 4 : League Roster**
 - On this screen, the commissioner can view the Member List and see the current status of each user (e.g., Active).
 - Member List should include/display :
 - Requester's Username
 - Avatar
 - XP Level
 - Tier
 - Current Status (Active, In-active)
 - Action : "Remove" option
 - The Commissioner cannot remove themselves from the League.
 - **Remove Member Action**
 - The Remove button must appear next to each member except :
 - Commissioner
 - Members when the league is already ~~Already~~ Active & matchup is in-progress.
 - When the Commissioner taps Remove, the system must display a confirmation message.
 - Example :
 - Remove Member - Title
 - Are you sure you want to remove this player from the league?
 - This will free up a team slot.
 - [Cancel] [Remove]
 - **System Behavior After Removal**
 - If the commissioner confirms removal, the system must :
 - Remove the user from the league participant list
 - Free one team slot
 - Update Teams Joined count
 - The league must also be removed from "Leagues → My Leagues" for the User.
 - **Member Notification**
 - The removed user must receive a notification
 - **League Join Availability**
 - After removal :
 - The system must reopen the vacant slot.
 - The commissioner can send new invitations to fill the slot.
- **Commissioner Management Actions**
 - The commissioner must be able to :
 - Invite Members ([Post Private League creation - Section 2](#))
 - View Members ([League Roster - Section 4](#))
 - Remove Member ([before League start- Member Removal](#))
 - View Join Requests ([Pending Requests - Section 3](#))
- **Remove Member should be allowed :**
 - Removal should be dynamic based on matchup cycle, not league start.

- User can leave / be removed :
 - If no active week is in progress
 - OR current week's matchup is already completed (outcome determined)
- **Remove Member Restrictions :**
 - The Remove Member option must be disabled if :
 - ~~The league has already started.~~
 - During an **active matchup week (before results are finalized)**
 - The league status is Active.
 - The member being viewed is the Commissioner.

Scenario	Remove Allowed?
Before league starts	Yes
League started, Week not started yet	Yes
Week in progress (matches ongoing)	No
Week completed (results declared)	Yes

- **Assign Co-Commissioner for League Management**
 - The League Commissioner must be able to promote an existing league member to the role of Co-Commissioner.
 - **Assign Co-commissioner Option**
 - Under the Roster Module / Screen, in the Actions section for each user, there must be an option called "Assign Co-Commissioner."
 - This "Assign Co-Commissioner" option must be visible only to the Commissioner of the League.
 - **Confirmation Dialog**
 - When the Commissioner selects Assign Co-Commissioner, the system must display a confirmation dialog.
 - Title: Assign Co-Commissioner
 - Message: "Are you sure you want to promote this member to

Co-Commissioner? Co-Commissioners can help manage league members and invitations.”

- Options: Cancel & Confirm

- **Co-commissioner Limit**

- The maximum number of Co-Commissioners allowed for any league is two (2).
- Once this limit is reached, the “Assign Co-Commissioner” option must no longer be visible for other users.

- **Co-commissioner Actions**

- A Co-Commissioner act as a secondary administrator who can help manage league operations such as :
 - Approving or denying join requests (for private leagues).
 - Removing users from the league mid-season (with the option to provide an optional reason).
 - Managing league communications (non-rule changes).
 - Editing league settings only prior to the start of the league season.
- Performing a commissioner transfer if needed.

- **Un-Assign Co-commissioner Option**

- For members who have been assigned the Co-Commissioner role, an option called “Unassign Co-Commissioner” must be available.
- This option must be visible only to the League Commissioner.
- When the Commissioner selects an Unassign Co-Commissioner, the system must remove the role from that user.
- After removal :
 - The member’s role must revert to Regular member.

- **Commissioner Role Transfer**

- This feature allows the league to continue functioning smoothly if the current commissioner no longer wishes to manage the league or wants to delegate full administrative control to another participant.
- The League Commissioner must have the ability to transfer the Commissioner role to another existing member of the league.
- The League Commissioner must have the ability to transfer the Commissioner role to another existing member of the league.

- **Commissioner Role Transfer Option**

- The Commissioner Role Transfer option must be available within the Actions column for each League Member, the must display the option : “ Transfer Role”
- This Option must be visible only to the current league commissioner.
- Once the current commissioner chooses the “Role Transfer” then , for the remaining users, the option must no longer be visible for other users.

- **Transfer Role Conditions**

- The commissioner Role Transfer option must be available only if :
 - The selected user is an existing league member.
 - The selected user is not already the commissioner.

- The league is not completed or archived.
- **Role Transfer Process**
 - When the commissioner selects "Transfers Role " the system must display a confirmation dialog.
 - Confirmation dialog :
 - Title : Transfer Role
 - Message : " Are you sure you want to transfer the commissioner role to this member ? This action will assign them full league administrative control".
 - Options : Cancel & Confirm.
- **System Behavior After Confirmation**
 - When the Commissioner confirms the action, the system must :
 - Assign the selected member as the new League Commissioner.
 - Change the current Commissioner's role to Member.
 - Update the role labels in the league member List.
 - Log the role transfer activity in the league activity history.
 - The system must notify both users involved in the role transfer.
 - To Old commissioner :
 - "The Commissioner role has been successfully transferred to [Username].
 - You are now a Co-Commissioner of the league.
 - To New Commissioner :
 - You have been assigned as the Commissioner of the league [League Name].
 - If the Commissioner chooses to transfer the Commissioner role to an existing Co-Commissioner/member, then that Co-Commissioner will become the new Commissioner of the league.
 - After the role transfer is completed, the previous Commissioner will be reassigned as a user, provided the maximum limit for Co-Commissioners has not been exceeded.
 - Since the maximum limit of Co-Commissioners in a league is two (2), transferring the Commissioner role to an existing Co-Commissioner will result in one available slot for a new Co-Commissioner.
 - Once the role transfer is completed, the new Commissioner must have access to the "Assign Co-Commissioner" option for league members, allowing them to assign another member as a Co-Commissioner if required.
- **Restrictions**
 - Only the current commissioner can initiate a role transfer.
 - The commissioner cannot transfer the role to themselves.
 - The league must always have exactly one Commissioner.

User story - 1.9 "Private Leagues" Category

As a user, I want to see available private leagues and request to join them so that I can participate in exclusive leagues with approval from the league commissioner.

Acceptance Criteria :

- **Preconditions :**
 - Users must be logged into the application.
 - Private leagues must exist in the system OR an empty state must be displayed.
- **Category Selection**
 - The private Leagues Category allows users to discover and request access to privately created leagues within the F2MX system.
 - Unlike public leagues, users cannot join directly. Instead :
 - Users send a join request
 - The League Commissioner reviews and approves/rejects
 - This ensures :
 - Controlled league access
 - Commissioner governance
 - Secure participation
 - When the user selects **Private Leagues**:
 - The category must be visually highlighted.
 - The system must dynamically load and display all the private leagues created in the system.
 - **Search :**
 - League Name
 - Behavior :
 - Partial Match
 - Exact Match
 - Case insensitive
 - **Filters :**
 - **Status :**
 - Open/Full
- **Private League Card Display**
 - Each Private league must appear as a League Card.
 - Each card must display the following information :

Field	Description
League Name	Name of the private league
League Type	private
Current Week	Example: Week 5
Season Progress	Example: Week 5 of 17
League Size/Team Capacity	Example: 8 / 12 Teams Joined

League Status	Open / Active / Full
Button	Join

- **League Availability Status**

- Each private league must display its join availability.
- Possible Statuses :

Status	Meaning
Open	Users can join the league
Full	No new users allowed
Active	Season already started

- **League Details View**

- If the user taps the league card (not the join button)
- The system must open a League Details View displaying :

Details	Description
League Name	Name of the League
Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks
Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)

- Users can then choose to :
 - Join League
 - Go Back to Dashboard

- **Sorting of Private Leagues**
 - Private leagues must be sorted based on the following criteria/priority :
 - Open Leagues with available slots
 - Leagues nearing full capacity
 - Recently created leagues
 - Full leagues
- **Empty State**
 - If no private leagues exist, display : "No private leagues Available"
- **Security Rules**
 - Users must only be allowed to join a league if :
 - The league is private
 - The league has available slots
 - The season has not started
- **CTA Button :**

Condition	Button
Eligible	Request to Join /Join
Already Requested	Request Pending (Disabled)
Approved	Move the league to MY leagues section.
Rejected	??

- **Join Request Flow**
 - Users clicks "Request to join" or "Join"
 - Display a message to user : " Request sent to Commissioner"
 - System validates eligibility
 - Sends the request to the commissioner/co-commissioner of the league.
 - Status updated → Request Pending
 - Notification sent to Commissioner.
- [Commissioner Side behavior](#)
- **On Commissioner/co-commissioner approval :**
 - User added to league
 - League size updated
 - User notified
 - Move the league from Private leagues category to MY leagues category
- **On Rejection**
 - Request closed
 - User notified
- **Rules**
 - **Private leagues :**
 - No direct join
 - Only via approval

- **Requests :**
 - On active request per user per league
- **Commissioner/co-commissioner :**
 - Full control over approvals
- **Edge Cases**

Scenario	Behavior
League fills after request	Disabled the Join button/Reject new approvals

Epic 2 : Wallet & Economy

Mobile Users

Overview

Core concept : Dual Wallet System

1. User Wallet (Main Wallet)

- This is the **primary wallet** of the user at the platform level
- Holds the user's **total available funds**
- Used as the **source of funds** for all league participation

Key Characteristics:

- Global (not tied to any specific league)
- Stores total balance available to the user
- Acts as the **funding source** for League Wallets
- Maintains its own transaction history

2. League Wallet (Per League Wallet)

- A **dedicated wallet created for each league** the user joins

Key Characteristics:

- **League-specific** (1 wallet per user per league)
- Used only within that league for:
 - Player trading
 - Buy-ins
 - Rewards & winnings
 - Cannot be used outside the league

Note :

- All balances are maintained in platform-defined virtual game currency, displayed as USD (\$) for user clarity.
- Funds in one League Wallet cannot be transferred or used in another league.
- No Transaction fees are applied for trades in the MVP phase.
- However, a **bid/ask spread** will be applicable.
 - Users will **buy at the ask price** and **sell at the bid price**.
 - The difference between these prices (spread) acts as an **implicit cost** to the user.
 - Example :
 - Buy
 - Assumed Calculated Value of a Particular Player: \$100
 - Assumed Bid/Ask Spread set on the backend: 2.5%
 - The Ask Price (Buy Price) would be:
 - $\$100 + (2.5\% \text{ of } \$100 = \$2.50) = \102.50
 - User buys the player at \$102.50
 - Sell
 - Assumed Calculated Value of a Particular Player: \$100
 - Assumed Bid/Ask Spread set on the backend: 2.5%
 - The Bid Price (Sell Price) would be:
 - $\$100 - (2.5\% \text{ of } \$100 = \$2.50) = \97.50
 - User sells the player at \$97.50
- All currency values across the platform must consistently follow **US number formatting standards (comma-separated thousands, no spaces)**.

User story -2.1 User Wallet (Main Wallet)

As a user, I want to manage my main wallet from the Profile section so that I can add funds, track transactions, and allocate money to leagues.

Acceptance Criteria :

- **Navigation**
 - Profile Screen → Wallet
 - At the top of the Profile section, a Wallet should be displayed showing the total available amount (\$1,500).It should be a clickable one.
 - User taps/click on Wallet
 - Navigate to User Wallet Screen
- **User Wallet Screen**
 - This screen acts as the central financial dashboard where users :
 - View main wallet balance
 - Perform financial actions
 - See league-wise allocation
 - Track recent transactions
 - **Title : Wallet**

- **Section 1 :**
 - At Top of the **User Wallet Screen** there should be a Main wallet card which displays :
 - Label : Main Wallet Balance
 - Available Balance (\$x,xxx) [Read only]
 - Button : Add Funds
 - **Action : Add Funds**
 - On click :
 - Display list of available Packages (Created by Super Admin)
 - Navigate to Add Funds Flow
 - ~~○ External payment integration triggered~~
 - Step 1: Trigger
 - When the user clicks on "Add Funds"
 - Step 2: Display Packages
 - The system shall fetch and display a list of available wallet packages configured by the Super Admin
 - Each package should display:
 - Amount (e.g., \$10, \$50)
 - Game currency / Wallet Credit
 - Step 3: Package Selection
 - The user selects a preferred package
 - On selection, the system proceeds to initiate the payment process
 - Step 4: Map Product ID
 - The system shall:
 - Validate selected package
 - Map the selected package to a platform-specific product ID (configured for in-app purchase)
 - Step 5: Initiate In-App Purchase
 - The system shall initiate platform-native in-app purchase (Apple/Google Billing)
 - The system shall trigger platform-native billing:
 - Apple App Store (for iOS)
 - Google Play Store (for Android)
 - The user will see a native payment pop-up within the app
 - ~~External Payment Integration~~
 - ~~○ The system shall redirect or open an external payment gateway (e.g., Stripe)~~
 - ~~○ The user completes payment using available methods (Card/Net Banking, etc.)~~
 -
 - Step 6: Payment Processing
 - The platform handles:
 - Payment authorization

- Payment method selection
 - User authentication
 - (No redirection outside the app)
 - Step 7: Receipt / Token Validation
 - The system shall:
 - Receive purchase receipt (iOS) / purchase token (Android)
 - Validate it with respective platform servers
 - Ensure transaction authenticity
 - Step 8: Payment Confirmation
 - On Success:
 - Transaction status → SUCCESS
 - Wallet balance → Updated (credited with selected package value)
 - On Failure:
 - Transaction status → FAILED
 - No wallet update
 - Step 9: Post-Payment Handling
 - The user shall be:
 - Redirected to Wallet Screen
 - Shown a success/failure message
 - Updated balance should reflect in:
 - Main/User Wallet
 - Recent Transactions section
 - Key Rules & Validations
 - Wallet balance must be updated only after successful payment confirmation
 - System must handle:
 - Duplicate payment callbacks
 - Payment failures
 - Interrupted payment scenarios
 - Transactions :
 - The system should record transactions under the User wallet transaction screen.
- **Section 2 : League Wallets**
 - Below section 1 there should be another section called : "League Wallets".
 - Displays all league wallets where the user is a participant.
 - Each League Card must display :
 - League Name (e.g., "Championship League)
 - Wallet Balance (e.g.,\$1500)
 - Behavior :
 - Each league wallet is independent, derived from :
 - Starting allocation
 - Buy-ins
 - Trades

- Interaction
 - When the user taps or clicks on a specific League wallet Card, the system should navigate to the respective "[League Wallet Details Screen](#)"
- Sorting
 - Active leagues first
 - Then Upcoming
 - Then Completed
- **Section 3 : Recent Transactions**
 - Data Scope
 - Must include transactions from :
 - Main User Wallet
 - All Leagues Wallets transfer
 - End of settlement
 - Data must be :
 - User-specific
 - Transactions cannot be edited/deleted
 - This section displays recent transactions (Buy-in -Packages and Amount transferred to League wallets from User wallet and end of settlement).
 - Fields :

Field	Description
Transaction Type	Buy/Sell
NFL Player Name	Example : P.Mahomes
League	Example : Championship
Timestamp	Example : Today at 2:45 PM
Amount	+\$550.00 / -\$500.00

Fields for the Buy-in packages transaction.

Fields	Description
Transaction Type	Buy-In / Admin Adjustment/End of settlement
Package/Bundle	Package Name
Real Money spent	Real Money \$x,xxx
Game Currency credited	\$x,xxx
Time stamp	Example : Today at 2:45 PM

- Color Coding
 - Credit : Green (+)
 - Debit : Red (-)
- Behavior
 - Show latest 5 transactions
 - Most recent transactions first
 - "View All" option must be present
- Transaction Types Covered
 - ~~Trade Buy~~
 - ~~Trade Sell~~
 - Buy-In
 - Admin Adjustment
 - End of settlement
- Interaction
 - Clicking on the "view all" , system should display Full Transaction History Screen
- Empty State
 - Display : "No recent transactions available"
- Admin Dependency

Admin Action	Impact
Wallet Adjustment	Appears instantly
Buy-in correction	Reflected immediately

- Edge Cases
 - Multiple Transactions Same Time
 - Sort using : Timestamp + transaction ID
- Notification
 - User must receive :
 - Payment success
 - Payment failure

User story -2.2 View All Transactions (User Wallet)

As a user,I want to view all transactions related to my User Wallet so that I can track fund additions, transfers to league wallets.

Acceptance Criteria :

- **Navigation :**
 - From User Wallet Screen ([Us 2.1](#))
 - Section : Recent Transactions : "View All"
 - Profile → Wallet → User Wallet Screen → Tap "View All" → Full Transaction History (Main Wallet)
- **View All Transactions Screen**
 - This screen must display Only transaction related to the User Wallet
 - Includes :
 - Add Funds
 - Buy-in Transfers (to League Wallets)
 - Admin Adjustments
 - reconciliation
 - Excludes :
 - League-level trades (Buy/Sell Players)
 - **Filters :**
 - Add Funds
 - Buy-in Transfers
 - List view (same as League but Global)
- **Screen Structure**
 - The screen must contain ~~5~~ 4 sections :
 - Header
 - Summary Strip
 - Filters
 - Transaction List
- **Section 1 : Header**
 - Elements

Element	Description
Title	Transactions
Back Arrow	Navigation to Wallet
Wallet Type	Main Wallet

- **Section 2 : Summary Strip**
 - Provide a quick financial Overview
 - Fields
 - Total Added
 - Total Net Balance Change
 - Behavior
 - Updates dynamically based on filters

- Always reflects User Wallet transactions only
- **Section 3 : Filters**
 - **Transaction Type**
 - All
 - Add Funds
 - Transfers
 - Adjustments
 - Date Range
 - Today
 - Last 7 days
 - Last 30 days
 - Custom Range
 - Filters apply instantly
- **Section 4 : Transaction List**
 - Default Behavior
 - Sorted by : Latest first
 - Transactions will be loaded in smaller batches (5–7 records initially), and additional records will be fetched using on-scroll (infinite scroll). This helps in optimizing performance while ensuring a smooth user experience.
 - Transaction Row
 - Application should display an total no.of transactions (e.g., 15 Transactions)
 - Transaction Row/Card should be an expandable (Accordian)

Field	Description
Transaction Title	"Added Funds" / "Withdraw Request"
Subtext	Date + Time
Amount	+\$ / -\$
Balance After	Updated balance
Status	Pending / Success / Failed
Tag	Deposit / Withdrawal / Transfer

- Color Coding
 - Credit (+) : Green
 - Debit (-) : Red
- Interaction
 - On Tap/click the system should expand the transaction (complete Transaction Detail Screen)
 - Fields to display :
 - Transaction ID
 - Transaction Type
 - Amount
 - Before Balance
 - After Balance
 - Date & Time
 - Status
 - Source
- Real -Time Updates
 - Screen must update/refers when :
 - Funds added
 - Buy-in Executed
 - Admin Adjustment
- Validation Rule :
 - Balance must never go below zero
- Empty States
 - No Transactions :
 - Display No transaction available.
 - Filtered Empty :
 - Display No transactions match the selected filets or no result found.
- Security Rules
 - Only logged-in user's transactions visible
 - No editing/deleting allowed
- F2MX Admin Dependency (Impact)

Admin Action	Impact
Wallet Adjustment	Appears instantly
Refund	Reflected as credit
Reversal	Transaction updated

- Governance Rules
 - Wallet Isolation
 - Only User wallet transactions displayed

- Immutable Ledger
 - Transactions cannot be modified or deleted
- Full transparency
 - Every balance change must be recorded
- Audit Trail
 - Each transaction must be stored/logged/
- Notifications :
 - User must receive :
 - Deposits (Add Funds)
 - Buy-in transfer
 - Admin Adjustments

User story -2.3 League Wallet (Under League Dashboard)

As a user (Mobile - User), I want to view and manage my League Wallet within a selected league so that I can track my balance, transactions, and perform buy-in activities.

Acceptance Criteria :

- **Navigation Flow**
 - Users taps in League Card from Leagues Module
 - System Navigate to League Dashboard → Bottom Navigation
 - Leagues → My Leagues → Select League → League Dashboard → Tap "Wallet" → League Wallet Screen
 - League Dashboard Tabs :
 - Matchup
 - History
 - Standing
 - **Wallet**
- **Wallet Tab**
 - The Wallet tab represents the League -specific currency wallet, which is isolated per league and used for :
 - Playing trading
 - Buy-ins
 - Starting allocation
 - League-level transactions
- **League Wallet Details Screen /Tab View :**
 - The screen must contain 4 Sections :
 - Section 1 : League Wallet Summary
 - Section 2 : Wallet Actions
 - Section 3 : Portfolio Insights
 - Section 4 : Transactions Ledger
- **Section 1 : "League Wallet Summary" - [Ready -Only]**
 - Display at the top :
 - League Name
 - Current League wallet Balance

- Shows available league credits (e.g., \$1500 or 1500 Coins)
 - Starting Allocation
 - Buy-in Added
- Example :
 - League Name : Championship League
 - Current league wallet balance : \$1450
 - Starting Allocation : \$2000
 - Buy-in Added : \$350
- **Behavior :**
 - Real-time Updates
 - Reflects :
 - Trades
 - Buy-ins
 - Admin adjustment
- **Section 2 : “Wallet Actions”**
 - + Add Buy-In
 - View Rules
 - **+ Add Buy-In Screen :**
 - As a user, I want to add funds to my league wallet so that I can participate in trades and league activities.
 - When User taps/click on “+Add Buy-In”, system should display an pop-up /model
 - Title : Add Buy-in
 - Subtext display Main User Wallet Balance :\$3,200
 - Main User Wallet Balance must be real-time
 - Verbiage (Help Text) : You can add funds up to your league’s maximum buy-in limit.
 - **Amount input fields :**
 - Input field with Prefix “\$”
 - Placeholder : 0
 - Input Rules :
 - Numeric only
 - Up to 2 decimal places
 - No negative values
 - Validations :
 - Empty Input :
 - Please enter an amount
 - Invalid Number
 - Enter a valid amount
 - Exceeds Main Wallet
 - Insufficient balance in your Main User Wallet
 - Amount > Remaining Limit
 - You have exceeded the maximum buy-in limit for this league.
 - Amount > Main Wallet Balance
 - Insufficient balance in your Main User Wallet.

- When the system displays the validation message: **“Insufficient balance in your Main User Wallet”**, it should provide the user with an option to add funds.
 - An **“Add Funds”** button must be displayed, and upon clicking it, the user should be directed to the [Add Funds flow](#).
- Informational :
 - Display Starting Allocation : \$2,000
 - Display Max Additional Buy-in : \$ 400 Limit
 - Display Already Added : \$150
 - Display Remaining Buy-in limit : \$250
- Buttons :
 - Confirm Buy-in
 - Cancel
- **Validation Check :**
 - System must validate :
 - Amount >0
 - Amount ≤ Remaining Buy-In Limit
 - Amount ≤ User Wallet Balance
 - Users must not exceed the total buy-in limit.
- Success State :
 - **User Confirmation**
 - User clicks “Confirm Buy-In”
 - System initiates Buy-In Transaction Processing
 - Deduct the amount from the User wallet and credit the amount in League Wallet.
 - Update League Wallet balance in real time (Add Buy-In amount)
 - New Balance = Existing Balance + Buy-In Amount
 - Remaining Buy-In limit recalculated.
 - Update Balances
 - User Wallet → After Deduction
 - League Wallet → After Credit
 - Generate Transaction ID
 - The Transaction record should be visible under the “View Transactions”.
 - Every action should be logged under the logs.
 - Buy-in Successful.Funds added to your League Wallet.
- System Behavior :
 - Deduct from Main Wallet ↓
 - Add to League Wallet ↑
 - Recent Transactions Updated in the User wallet
 - Transaction History Updated
- Admin Impact

Admin Action	Impact
Adjust Wallet	Values change instantly
Freeze Trading	Disable Continue button
Buy-in Correction	Update limits

■ Edge Case :

- Buy-in Limit Reached
 - Display : You have reached the maximum buy-in limit [x,xxx] for this league.
- League Completed
 - Buy-in is not allowed as the league has already ended.
- Trading Frozen (Admin Action)
 - Transactions are temporarily disabled for this league.
- Admin Freeze : When a wallet is frozen by Admin :
 - Add Buy-in disabled
 - Trading disabled
- Zero balance in User Wallet
 - The system must restrict all such actions and display inappropriate messages indicating insufficient funds.
 - The system shall not allow the wallet balance to become negative under any circumstances.
 - Any transaction attempt when the balance is zero must be declined at the validation stage itself.
 - Message : Insufficient balance. Please add funds to continue.

■ Concept

- User has :
 - User Wallet (Main Wallet)
 - League Wallet (Per League)
- Buy-In = Transfer of funds from User wallet → League Wallet

■ Error Messages :

- When the Buy-In amount is > User Wallet
 - Display : "Insufficient Main Wallet Balance"
- When the Buy-In limit > Max Buy-In Limit
 - Display : "Exceeds Buy-In Limit"

■ Notification

- User must receive :
 - Buy-in success
 - Trade impact
 - Admin adjustment
- Application should send a notification
 - In-app

- **View Rules :**
 - Displays
 - Max Additional Buy-in \$VC
 - Hold time rules
 - Trading restrictions
- **Section 3 : “Portfolio Insights”**
 - Displays financial position in the league
 - Fields :

Field	Description
Portfolio Value	Total Value of owned players
Cash Balance	Wallet balance
Total Invested	Total Spent
Profit / Loss	Gain/Loss

- **Formula P/L = portfolio Value + Cash Balance - Total Invested**
- Profit - Green
- Loss - Red
- **Section 4 : “Transactions Ledger”**
 - Displays all the League Transactions (Trade & Transfer (User wallet – to – League Wallet)
 - Fields for Trade transactions :

Field	Description
Transaction Type	Buy/Sell/Buy-in
NFL Player Name	
Amount	+ / -
Balance After	Post transaction balance
Timestamp	Date & Time

- Fields for Transfer (User wallet – to – League Wallet transactions :

Field	Description
Transaction Type	Transfer
Amount	\$x,xxx
League Balance After	Post transaction balance
Timestamp	Date & Time

- **Filters**
 - **All**
 - Displays every transaction that has impacted the league wallet,without any filtering
 - Includes :
 - Trade Buy (Player Purchase)
 - Trade Sell (Player Sale)
 - Buy-in additions
 - Admin adjustment (credit/debit)
 - **Trades**
 - Displays only transactions related to player trading activity within the league.
 - Includes :
 - Player Buy (Wallet Debit)
 - Player Sell (Wallet Credit)
 - Excludes :
 - Buy-ins
 - Admin Adjustments
 - **Buy-ins**
 - Display only transactions where funds are added to the League Wallet from the Main User wallet.
 - Includes :
 - Buy-in
 - Excludes :
 - Trades
 - Admin adjustments
 - **Admin Adjustment**
 - Display only the Admin adjustment transactions
 - Includes :
 - Admin credit
 - Admin debit
 - Excludes :
 - Trades
 - Buy-in
- Wallet must refresh when :

- Trade executed
- Buy-in added
- Admin adjustment
- State Handling
 - League Not started
 - Display:
 - Starting Allocation
 - Disable trading -related updates
 - Active League
 - Full Functionality enabled
 - Completed League
 - Display :
 - League completed. Transactions are locked
- Security Rules
 - Users cannot :
 - Edit wallet
 - Modify transactions
- Notifications
 - User must receive :
 - Buy-in success/failure
 - Trade impact
 - Admin adjustment

User story -2.4 View Transactions Action (under League Wallet)

As a user,I want to view all transactions related to my League Wallet so that I can track my trades, buy-ins, and financial activity within that specific league.

Acceptance Criteria :

- **Navigation :**
 - From League Wallet Screen
 - Section: Transactions (Preview)
 - "View All Transactions"
 - Leagues → League Dashboard → Wallet Tab→ Transactions Section→ Tap "View All Transactions"→ Full Transactions Screen (League Context)
 - This screen must display : Only transactions related to the selected league.
- **Transactions Types**

Type	Description
Trade Buy	Player purchase

Trade Sell	Player sale
Buy-in	Funds added to league
Admin Adjustment	Manual correction

- **Screen Structure**

- Screen must contain 5 sections :
 - Header
 - Summary Strip
 - Filters
 - Transactions List

- **Section 1 : HEADER**

Element	Description
Title	Transactions
Back Arrow	Navigate to League Wallet
League Name	Context display

Note : The system must not allow the wallet balance to go below zero under any condition.

- **Section 2 : Summary Strip**

- Quick Snapshot of financial activity

Field	Description
-------	-------------

Total Credits	Total money earned
Total Debits	Total money spent
Net Change	Credits - Debits

- Behavior :
 - Updates based on applied filters
 - Reflects only league-specific data
- **Section 3 : Filters**
 - Type
 - All
 - Trades
 - Buy-ins
 - Date Range
 - Today
 - 7 days
 - 30 days
 - Custom
 - Behavior
 - Filters apply instantly
- **Section 4 : “Transactions List”**
 - Default Behavior :
 - Sorted by : Latest first
 - Application should display an total no.of transactions (e.g., 15 Transactions)
 - Transaction Row/Card should be an expandable (Accordian)

Field	Description
Transaction Title	“Bought J. Jefferson”
Subtext	Date + Time

Amount	+\$ / -\$
Balance After	Amount
Tag	Trade / Buy-in Transfer

- Colors :
 - Credit : Green
 - Debit : Red
- Interaction :
 - On Tap/click the system should expand the transaction (complete Transaction Detail Screen)
 - Fields to display :
 - Transaction ID
 - Type
 - Amount
 - Player Name
 - Before Balance
 - After Balance
 - Date & Time
 - Status
 - Source
- Real-Time Updates Rules
 - Screen must refresh/update when :
 - Trade executed
 - Buy-in added
 - Admin Adjustment
- **Empty States**
 - No Transactions :
 - Display : No transactions found for this league
 - Filters Result Empty
 - Display : No transactions match the selected filters or No result found.
- **Security Rules**
 - Only show transactions for :
 - Logged-in user
 - Selected league
 - No editing/deleting allowed
- F2MX Admin Dependency (Impact)

Admin Action	Impact
--------------	--------

Wallet Adjustment	Appears as new transaction
Buy-in Correction	Adjusts values

- **Governance Clauses**
 - League Isolation
 - Only league-specific transactions visible
 - Immutable ledger
 - No modification allowed
 - Full transparency
 - Every wallet change must be reflected.

User story -2.5 End-of-Season Settlement

As a mobile user, I want to receive my league winnings in my wallet and view settlement details so that I can understand my final outcome after the league ends.

Acceptance Criteria :

- End-of-Season Settlement for mobile users is a ready-only, system-driven experience. Where users receive their final winnings in the User Wallet after league completion.
- Users :
 - Do not trigger settlement
 - Do not control calculations
 - Only view results + receive funds
- **Positive/Win :**
 - The user receives winnings in the User Wallet.
 - Transaction appears in:
 - Recent Transactions
 - Full Transactions History
 - Settlement visible under League Context
 - Notification sent to user
- **Backend Logic for Settlement :**
 - The platform's backend logic for calculating what goes back to the user's main wallet strictly looks at the difference between the Ending League Balance and the original Starting Allocation
 - Because of this, any additional buy-ins naturally get grouped into the payout, provided the user didn't lose that money in the market.

- Here is the clear breakdown of how the F2MX system calculates this, mapped directly to your proposed tracking method:
 - **1. The Core Calculation Rule**
 - At the end of a season, the system runs a settlement for each user's League Wallet using this specific formula: Net Back to Main Wallet = Ending League Balance minus Starting Allocation.
 - If the Ending League Balance is less than or equal to the Starting Allocation, the transfer is \$0
 - The system will never deduct money from the user's main wallet to cover a loss
 - **2. How Additional Buy-Ins are Treated**
 - Because the settlement formula only subtracts the free "Starting Allocation," any real-money buy-ins you contributed automatically inflate your Ending League Balance. Therefore, if your ending balance is high enough, those buy-ins are safely returned to your main wallet during the settlement.
 - **3. The Breakdown Display (Tracking Return of Buy-in vs. Pure Profit)**
 - Your suggestion to display the settlement as a clear breakdown (Return of Buy-in first, then Profit) is an excellent UX approach. The F2MX Ledger already requires tracking these as distinct transaction types (Starting Allocation, Buy-Ins, and Season-End Settlements)
- **EXAMPLE :** Here is how that calculation breakdown looks in three different scenarios:
 - Scenario A: User makes a profit
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,800
 - System Calculation: $\$1,800 \text{ (Ending)} - \$1,000 \text{ (Starting)} = \800
Net Back to Main Wallet**
 - User Display Breakdown:
 - Return of Additional Buy-in: \$500
 - Pure Profit: \$300
 - Scenario B: User loses some money, but covers the Starting Allocation
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,200
 - System Calculation: $\$1,200 \text{ (Ending)} - \$1,000 \text{ (Starting)} = \200
Net Back to Main Wallet**
 - User Display Breakdown:
 - Return of Additional Buy-in: \$200
 - Pure Profit: \$0 (They lost \$300 of their buy-in).
 - Scenario C: User drops below the Starting Allocation (No Profit)
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500

- Ending Balance: \$800
 - System Calculation: \$800 (Ending) is less than 1,000(Starting).**0 Net Back to Main Wallet**
- User Display Breakdown:
 - Return of Additional Buy-in: \$0
 - Pure Profit: \$0 (They lost their entire buy-in, plus some of the free starting allocation, but are not charged extra).
- **Flow :**
 - League status changes → Completed
 - System triggers settlement
 - System calculates user result
 - System credits User Wallet
 - User receives notification
 - User opens :
 - Wallet → sess updated balance
 - League → sees final result
- **Wallet Impact :**
 - Transaction Entry

Field	Value
Type	Settlement Credit
Amount	+\$ [amount]
League Name	XXXXXX
Timestamp	System generated
Status	Completed

- League Displays :
 - Final Rank
 - Final Outcome (Win/Loss)
 - Settlement Status:
 - Completed
 - In-progress
- **Notification :**
 - User must receive the notification via :
 - In-app
 - Email
 - Message Your [League name] league winnings have been credited to your wallet.

- **Validations**

- Users cannot :
 - Edit settlement
 - Reverse transactions
- Settlement must :
 - Reflect only once
 - Be immutable

- **Transaction :**

- The transaction record should be listed under the User wallet transaction with following fields :
- Transaction Type : End of Settlement
- League Name : example : Championship League
- Amount received : \$x,xxx
- Clicking on the Transaction card, the system should display complete details of the transaction fields :
 - User Display Breakdown:
 - Transaction type
 - League Name
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,800
 - Return of Additional Buy-in: \$500
 - Pure Profit: \$300