

	Amzur Infotech, Pvt. Ltd.	Format No.	
		Rev. No.	1.0
	Business Requirement Document	Page No.	1 of 235



Business Requirement Document

Author: Rithvica G

Date : 13 Feb 2026



Revision History:

Ver. No.	Release Date	Change Information	Reviewed/ Approved By	Reviewed / Approved Date	Remarks
1	13 Feb 2026	Initial Draft	Rithvica		

Table of Contents:

1. Overview	6
2. Objectives	7
3. Scope	7
4. Constraints	7
5. Business Needs	7
6. Requirements	8
Functional	8
Epic 0 : Operational Prerequisites	8
Demo : 1	8

Epic 1 : User Authentication & Onboarding	8
Mobile - Users	8
User story -1.1 User Registration & Age Verification	8
User story -1.2 User Login	11
User story -1.3 Forgot Password (Recovery)	16
User story -1.4 Change Password (Logged In)	19
User story -1.5 Profile & Avatar Setup	21
User story -1.6 Delete Account (Soft Delete)	23
User story -1.7 Sign Out	25
User Story -1.8 Security Settings (Includes 2FA Toggle) & Active Sessions	25
Web - F2MX Admins	26
Over View Of Admin Role Management & Role-Based Access Control (RBAC)	26
User story -1.1 User Accounts	31
o Admin Actions on User records :	34
User story -1.2 Unlock Account (Waiting for the confirmation from Business)	35
User story -1.3 Force Password Reset	36
User story -1.4 Suspend User	37
User story -1.5 BAN User	38
User story -1.6 Override Verification (Hold- on for Demo 1)	39
User story -1.7 Merge Duplicate Accounts (Waiting for Clarifications from Business -will be taken up in next Sprint)	40
User story -1.8 User Accounts (Admin Users & Roles)	41
■ Account activation Invitation Email :	44
● Edit Screen :	44
User story -1.9 Delete (User)	47
User story -1.10 Deactivate Admin Accounts & Delete Admin Accounts	48
User story -1.11 Modify Admin Role (RBAC Governance)	50
User story -1.12 Login (Admin (Role-Based Routing))	50
User story -1.13 Forgot Password (Recovery) for Admins	53
Demo : 2	57
Epic 1 : League Configuration & Lifecycle	57
Mobile - Users	57
User Story -1.1 Post Login League Module & League Access	57
User story -1.2 Leagues - "My Leagues" Category (View & Manage)	58
User story -1.3 Leagues Dashboard - View/Layout	61
"Matchup" Module (Default)	62
"History" Module	65
"Standings" Module	67
User story - 1.4 Leagues - "Public Leagues " Category	69
View League Details	71
User story -1.5 Leagues - "Invitations" Category	72
User story -1.6 Create Private Leagues	74

• Fields Information/requirement:	75
User story -1.7 The Three Invitation Methods & User Joining	90
Joining Flow :	92
User story -1.8 Leagues - "Created Leagues" Category	93
• Section 1 : League Overview	93
• Section 2 : Invite Members Section	94
• Section 3 : Managing Join Requests/Pending Requests	94
• Section 4 : League Roster	95
○ Remove Member Action	95
• Assign Co-Commissioner for League Management	96
• Commissioner Role Transfer	97
User story - 1.9 "Private Leagues" Category	98
Web - F2MX Admins	102
User Story -1.1 Public League Creation	102
• Fields Information / Requirements :	103
User Story -1.2 Leagues Module Management (Web)	114
User story -1.3 Members /Teams Tab	116
User story -1.4 Trading Activity Tab (Depend on the Trading functionality which will be implemented in the Demo 3)	120
User story -1.5 League Settings Tab	122
User story -1.6 Categories Under User details screen within the Users Module	125
User story -1.7 Buy-In Transactions Tab - within the League details page	129
Epic 2 : Wallet & Economy	131
Mobile Users	131
Overview	131
User story -2.1 User Wallet (Main Wallet)	132
■ Action : Add Funds	133
User story -2.2 View All Transactions (User Wallet)	136
• Section 1 : Header	137
• Section 2 : Summary Strip	137
• Section 3 : Filters	137
• Section 4 : Transaction List	138
User story -2.3 League Wallet (Under League Dashboard)	140
• League Wallet Details Screen /Tab View :	140
• Section 1 : "League Wallet Summary" - [Ready -Only]	140
• Section 2 : "Wallet Actions"	141
• Section 3 : "Portfolio Insights"	143
• Section 4 : "Transactions Ledger"	144
User story -2.4 View Transactions Action (under League Wallet)	146
• Section 1 : HEADER	147
• Section 2 : Summary Strip	147
• Section 3 : Filters	147

• Section 4 : "Transactions List"	147
User story -2.5 End-of-Season Settlement	149
Web - F2MX Admins	152
User story -2.1 Packages (Configuration & Purchase)	152
User story -2.2 Managing Starting Allocation, Buy-In Conversion %	159
User story -2.3 Edit Buy-In conversion Mode	162
User story -2.4 Issue Promotional Credits/Bonuses (Admin Capabilities) - (Need to confirm with client) - post MVP	164
User story -2.5 Adjust User Balances (Credit/Debit game Currency)	165
User story -2.6 Reconciliation/ Error Handling (Refunds / Duplicate / Failed Transactions)	167
User story -2.7 Set League Additional Buy-In Limits - amount	171
User story -2.8 End-of-Season Settlement	172
User Story -2.9 Admin View of End-of-settlement	174
DEMO 3	176
Overview :	176
Mobile Users	177
Epic 1 : Player Ownership & Market Trading	177
User story -3.1 Market Main Module - Player Listing & IPO Price Display (Before Season-Start)	177
User story -3.2 Player Trading Screen	178
User story -3.3 System-Driven Dynamic Roster slot Allocation with FLEX overflow Rules	182
User story -3.4 Minimum Hold Time Enforcement	184
User story -3.5 Season-Ending Injury Auto-Liquidation	185
Web - F2MX Admins	187
User story - 3.1 IPO Pricing Engine (Season-Start Pricing)	187
User story - 3.2 F2MX Canonical Live Market Pricing Engine (Post-Season Pricing)	188
User story - 3.3 Individual Pricing Engines	189
User story -5.1 IPO Pricing Engine (Season-Start)	192
User story -5.2 Player Trading Screen (Market View)	194
User story -3.3 Trade Execution (Buy Flow)	195
User story -3.4 League Holdings Tracker (Portfolio)	195
User story -3.5 Canonical Pricing Engine & Live Market	196
User story -3.6 Live-Game Minimum Hold-Time (Exploit Mitigation)	197
User story -3.7 Season-Ending Injury Liquidation	197
User story -3.8 Roster Positions & Normal FLEX Constraints	197
Epic 2: Gameplay & Scoring	198
User story -4.1 Manage Active Roster (Strict 7)	198
User story -4.2 Live Matchup Scoring View	199
User story -4.3 Scoring Engine (Half-PPR & MVP Rules)	200
User story -4.4 Ownership-Based Attribution (The "Core Mechanic")	201

User story -4.5 Scoring Event Log (Transparency)	202
User story -4.6 Stat Corrections & Finalization	203
User story -4.7 Weekly Matchup Ties	203
Epic 3: XP, Progression, & Standings	205
User story -6.1 XP Calculation Engine (Gap Bands)	206
User story -6.2 XP Summary & Tier Status	206
User story -6.3 League Standings & Tie-Breakers	207
User story -6.4 Badges & Achievements Catalog	208
User story -6.5 Playoff Format & Bracket Generation	209
User story -6.6 XP Gating (League Eligibility)	210
User story -6.7 Badges & Achievements (MVP Catalog)	211
Epic 4: Market Intelligence, Governance, & Support	211
User story -8.1 Historical Player Price Charts	211
User story -8.2 Time & Sales Log (Market Ticker)	212
User story -8.3 Trade Constraints & Lock Status (Eligibility View)	212
User story -8.4 Commissioner Member Removal	213
User story -8.5 League Reactivation (Season Rollover)	213
User story -8.6 League Settings Summary (Rules Visibility)	215
User story -8.7 Help & Support Resources	216
User story -8.8 MVP Analytics & Telemetry	217
User story -8.9 Ownership & Trade History View	218
User story -8.10 User Portfolio Overview (Cross-League Dashboard)	218
Epic 7: Notifications & Administration	219
User story -7.1 Notification Preferences & Channel Management	219
User story -7.2 Activity Feed & Notification History	220
User story -7.3 Automated Invitation Reminders	221
User story -7.4 Market & Pricing Administration (Configuration & Emergency Controls)	222
User story -7.5 Data & Scoring Overrides (Correction Toolkit)	224
User story -7.6 User Account Administration (Support & Security)	226
User story -7.7 Emergency Broadcasts (Platform-Wide Alerts)	228
User story -7.8 Admin Wallet Adjustments (Financial Remediation & Support)	229
User story -7.9 Internal Admin User Management (RBAC)	231
User story -7.10 Master User List & Detail Search	233
User story -7.11 Admin XP Governance & Remediation	234
User story -7.12 Targeted Messaging (Admin Communications)	234
Non-Functional Requirements:	236
7. Stakeholders	236
8. Methodology	236
9. Approval	236
10. Reference/Additional links	236

1. Overview

F2MX is a real-time fantasy sports trading platform that combines head-to-head NFL matchups with a live global player market. Users trade player shares, compete in leagues, and earn XP based on performance

2. Objectives

- Combine fantasy sports with live trading mechanics.
- Maintain a single global pricing engine.
- Enable Public & Private leagues with XP gating.
- Enforce strict 7-player roster rules.
- Prevent trading exploits.
- Ensure US legal compliance (18+).

3. Scope

- In Scope:
 - NFL only
 - Head-to-head fantasy leagues
 - Market-based player trading
 - Ownership-based scoring
 - Future sports and gameplay modes will be layered on after MVP.
- Out of Scope:
 - Defense and Special Teams: NOT included in MVP
 - Market Growth League (NOT MVP)
 - Multisports

4. Constraints

- 18+ age requirement.
- Minimum 4 teams per league.
- Max 7 players per roster.
- One global player price.
- 45-second price updates.
- No slippage trades.
- Fixed Half-PPR scoring.

5. Business Needs

To differentiate from traditional fantasy platforms by introducing real-time trading mechanics, global pricing, and skill-based XP progression—creating a highly engaging and scalable NFL fantasy market ecosystem.

6. Requirements

Functional

Mobile Device Roles : User,Commissioner,Co-commissioner.

Web : Admins (Super, SUpport,Ops).

Epic 0 : Operational Prerequisites

Epic 0 tasks required to legally and technically launch the app in the US.

- App Store & Google Play Configuration (Organization accounts, D-U-N-S, IAP products).
 - Legal Compliance Framework (Terms of Service, 18+ Certification, UIGEA 50-state compliance).
 - Technical Infrastructure (Firebase Crashlytics, CI/CD pipelines, APNs/FCM Push Notification setup).
-

Demo : 1

Epic 1 : User Authentication & Onboarding

Mobile - Users

User story -1.1 User Registration & Age Verification

As a New User, I want to create an account by providing my details and accepting legal terms, so that I can access the F2MX platform in compliance with legal age and gaming regulations.

Acceptance Criteria:

- **Age Verification:** The system must collect Date of Birth (DOB). If the calculated age is under 18, the registration is blocked immediately with a specific error message : "You must be 18+ to play".
- **Data Privacy:** DOB must be stored securely (encrypted).
- **Legal Consent:** Explicit checkboxes for "I accept the Terms of Service" and "I accept the Privacy Policy" must be checked to proceed. Timestamps and IP addresses of acceptance must be logged.

- Clicking the Legal Consent hyperlink should navigate the user to a separate page (such as an external mobile browser or an in-app WebView). The requirements dictate that the Terms of Service and Privacy Policy must be published at a "publicly accessible URL" hosted on the F2MX support website.
- **Uniqueness:** The system checks that the Email and Username are unique.
 - Username Constraints:
 - The **Username must be unique** for each user in the system. The following validation rules will apply:
 - **Maximum Length:** 20 characters
 - **Allowed Characters:** Alphabets (A–Z, a–z), numbers (0–9), and All Special characters.
 - **Spaces:** Spaces will **not be permitted**
 - **Uniqueness:** The system must ensure that the **username is unique and not already registered**
 - At the time of registration, the system captures the First Name and Last Name of the user. Based on these details, the system can automatically generate a few suggested usernames.
 - The user will have the option to select one of the suggested usernames or edit it manually, ensuring that the final username meets the defined validation rules and uniqueness criteria.
 - **Warning & Prompt to Edit:** If the Email or username is already taken, the system must block the registration submission. The UI must display a clear warning or error message (e.g., 'Username already exists') and prompt the user to edit their entry. The user cannot continue or successfully create the account until a unique username is provided.
- **Password Strength:** Passwords must meet complexity requirements (Min 8 chars, alphanumeric ~~Max 15 chars~~).
- **Default State:** Upon successful creation, the user is assigned a Global Wallet with 0 balance, 0 XP, and "Rookie" Tier status and "Active" status..
- **Upon successful registration:**
 - Every new user will have 2FA enabled by default.
 - Method not selected yet.
 - First login must complete setup.
 - TwoFactorEnabled = TRUE (Default)
- **Registration page details:**
 - **F2MX Logo**

- **Header:** Create Account.
- **Caption :** Where Fantasy meets the Market.
- **Input Field:** First Name (Mandatory)
- **Input Field:** Last Name (Mandatory)
- **Input Field:** Email Address. (Mandatory)
- **Input Field:** Username (Public display name) (Mandatory)
- **Input Field:** Password (Masked with Eye Icon) (Mandatory)
- **Input Field :** Phone Number (along with Country code) (Mandatory)
- **Input Field:** Date of Birth (Date Picker - Critical for US-1.1) (Mandatory)
- **Checkbox:** I agree to the Terms of Service." (Hyperlinked)
- **Checkbox:** I agree to the Privacy Policy." (Hyperlinked).
- **Button:** "Sign Up" (Disabled until all validations pass).
- **Link:** "Already have an account? Log In."
 - Clicking on the Log-in should navigate/re-direct the User to the Login Screen.

Filed Validations

Field Name	Empty Validation	Min Length	Max Length	Format Validation	Invalid Case Message
First Name	Required → "First name is required"	1	50	Alphabets, spaces, special characters allowed	"Enter a valid first name"
Last Name	Required → "Last name is required"	1	50	Alphabets, spaces, special characters allowed	"Enter a valid last name"
Username	Required → "Username is required"	3	20	Alphanumeric (a-z, A-Z, 0-9), underscore allowed, no spaces	"Username must be alphanumeric without spaces"
Email Address	Required → "Email is required"		100	Must follow standard email format (e.g., name@domain.com)	"Enter a valid email address"

Password	Required → "Password is required"	Password must be at least 8 characters		Must include: 1 uppercase, 1 lowercase, 1 number, 1 special character	"Password must meet required criteria"
Phone Number	Required → "Phone number is required"	7 digits	15 digits	Numeric only, with country code support (+XX)	"Enter a valid phone number"
Date of Birth	Required → "Date of birth is required"	NA	NA	Valid calendar date	"Enter a valid date of birth"
Terms of Service Checkbox	Required → "Please accept Terms of Service"	NA	NA	Must be checked	"You must accept Terms of Service"
Privacy Policy Checkbox	Required → "Please accept Privacy Policy"	NA	NA	Must be checked	"You must accept Privacy Policy"

User story -1.2 User Login

As a User, I want to securely log in to the application so that my information can only be accessed by me.

Acceptance Criteria:

- **Registration Check:** Only registered users can log into the application.
- **Login Fields :**
 - **Email or Username :** User must and should enter the registered Email or Username.
 - **Password:** The user must enter the password he provided at the time of registration.

- **Upon successful login, system updates:**
 - Last_Login_Timestamp
 - IP Address
 - Login success entry in audit log
- **Field Validation:** Validation needs to be present for all the fields in the Account Login screen.

Fields	Empty Validation	Wrong (Miss-matched with the Registered Account) Message
Email	Email field is required	Account not found
Password	Password is required	Incorrect Password.Please try again

- **Password Visibility:** The default settings in the password field should be masked (dots), with an Eye icon to toggle visibility.
- **Two-Factor Authentication Screen :**
 - After successful Email and Password validation:
 - If TwoFactorEnabled = TRUE:
 - The system displays a verification screen.
 - Header : Two-Factor Authentication
 - Caption : For security purposes, verify your identity
 - Field : Choose Verification Method
 - Methods :
 - SMS
 - SMS Icon
 - SMS tag
 - Sent to *****1234
 - Email
 - Email Icon
 - Email Tag
 - Sent to j***e@gmail.com
 - The screen must show BOTH options:
 - Send code to registered Email (masked)
 - Send code to registered Mobile Number (masked)
 - The user selects one option.

- The system sends OTP to the selected channel.
- Button : Request OTP
 - Clicking on the Request OTP button, the system must send the OTP to the selected method/channel & display the Verification code screen.
- Link : Back to Log In
 - Clicking in the Back to log in should re-direct the user to the login screen.
- **2FA Verification Code Screen**
 - Header : Enter Verification Code
 - Caption : Display : "Code sent to Email/SMS with masked" (e.g., Code sent to *****1234)
 - Field to enter the 6 digits OTP
 - Once the 6 digits OTP is entered then, the Verify Code button should be enabled.
 - Link : Change Verification Method
 - Clicking on the Change verification Method, the system should re-direct the user to 2FA Screen
 - Button : Verify Code
 - Clicking on the Verify Code button, the system should verify the entered code.
 - Code verification success : Application should land the user on Profile Module.
 - Code verification failure : Application should display error validation code message : "Invalid OTP".
 - Link : Didn't receive it? Resend Code
 - Clicking on the Resend Code, the system should send the code to the previously selected method.
 - Display a success toast as : OTP resend successfully.
 - OTP expires in X minutes (e.g., 5 minutes).
 - Resend OTP allowed after cooldown (30–60 seconds).
- The user enters OTP.
 - If OTP is correct:
 - Login successful.
 - Route to Profile .
 - If OTP incorrect:
 - Maximum 3 failed attempts.
 - After 3 failures:
 - Login attempt blocked for 30 min
 - Display message to the user as : "Your Account has been locked for 30 min due to failed login attempts"

- After 30 mins the system should automatically unlock the user account.
- Security event logged.
- Post log in the user will be landing on the Profile Module.

2FA Verification Validation

Field	Empty data validation
Enter Verification Code	Please enter all 6 digits

Field	Wrong validation
Enter Verification Code	Incorrect Code

- **Status Validation:** The system must check the Account Status; users with "Banned" or "Suspended" and " " status must be blocked with a specific error message.
 - The system must enforce the "Locked" status automatically if the user fails to log in after a defined number of attempts.
 - (Implicitly, they are only allowed to log in if their status is "Active")
- **Force Reset Check:** If the "Force Password Reset" flag is set by an Admin, the user must be redirected to the Change Password screen immediately after authentication.
 - The requirement explicitly dictates that the reset action is enforced "on next login."
 - This means the system does not immediately terminate an active session if someone is currently using the app. The restriction lies dormant until the next time someone attempts to authenticate.
 - When a user (or a hacker) attempts to log into an account that has this flag, the system will verify their old credentials. However, instead of letting them into the application's dashboard, the system traps them in a mandatory flow.
 - The Block: They are immediately redirected to a "Change Password" screen. They are completely blocked from accessing any platform features, trading, or account settings until they successfully generate and confirm a new password.
 - The new password must not be identical to the current password.
- **Account Locking:** The system must enforce account locking after a 3 defined number of failed attempts.

- Once a User Account is locked, the system must lock the account for 30min and after the threshold is cleared. The system must again unlock the account.
- Additional : Manual Admin intervention.The flow must be:
 - The locked user must contact F2MX Support.
 - An authorized Admin must locate the user in the Admin Console.
 - The Admin must execute the "Unlock Account" action, which explicitly resets the Failed_Login_Attempts counter to 0 and changes the user's status back to Active.
- When the system enforces the account lock and displays the required specific error message, that error prompt should include an actionable "Need Help?" or "Contact Support " button that bridges them directly to the support@f2mx.com email flow.
- **Multi-Device session:** The MVP does not include support for multi-device session management (for example, a "log out from all devices" functionality).
 - The system will not restrict or control simultaneous logins across multiple devices.
 - For example:
 - If a user is already logged in on their Apple phone,
 - And they share the same credentials (username & password) with a friend,
 - The friend can also log in using those same credentials on another device.
 - Both sessions can remain active at the same time.
- **Login page details:**
 - **Page/screen 1 : Header:** "Log In".
 - **Caption :** The Market is awaiting.
 - **Input Field:** Email Address.
 - **Input Field:** Password (with Eye icon).
 - **Link :** Forgot Password ?
 - **Button:** "Log In" (Primary Action).
 - **Link:** "New User? Create Account."
 - **screen 2 : Header :** "Two-Factor Authentication"
 - **Caption :** For security purposes, verify your identity
 - **Filed :** Choose Verification Method
 - SMS
 - Email
 - Button : Request OTP
 - Link : Back to Login
 - **Screen 3 : Header : "Enter Verification Code"**
 - **Caption :** Display the method of verification along with data (Email or Phone Number) with Cross-marked info

- **Input Field** : To enter the received 6 digits Code
- **Link/Option** : Change Verification Method
- **Button** : Verify Code
- **Link** : Didn't receive it? Resend Code
- **Display the Expire time of the code**
- **Link**: "Need Help?" or "Contact Support"

User story -1.3 Forgot Password (Recovery)

As a User, I want to request a password reset link via email within the Forgot Password from the login screen. I forget my credentials, so that I can securely regain access to my account without contacting support .

Acceptance Criteria:

- **Navigation** : Login screen → Click on Forgot Password Link → Recover Password screen
- Recover Password screen :
 - Header : Recover Password
 - Caption : Enter your registered email to receive a verification code.
 - Fields :
 - Email Address *
 - Placeholder : Enter your email address
 - Empty data validation : Email is required
 - Email Validation: The system must validate that the email entered is in a valid format.
 - Valid Email : Reset link OTP should be shared & display Link OTP shared to your Email.
 - Invalid Email : "Please enter a valid email address." validation should be displayed
 - Existence Check: The system verifies if the email exists.
 - **Token Generation: A secure, one-time-use token is generated.**
 - Button : Send Verification Code
 - Clicking on the Send verification code button, the system should send the OTP to the registered/ entered email.
 - The system must navigate to the Code verification Screen.
 - OTP verification Screen

- Caption/Verbiage : A verification code has been sent to your registered email address in masked (e.,g.Code sent to r*****y@a***r.com)
 - Field : Enter the verification code to reset your password.
 - Button : Verify Code
 - Upon entering the code & clicking on Verify Code button the system should validate the code & navigate to the Reset Password Screen.
 - Link : Wrong email? Go back
 - Clicking on the Go back link should re-direct the user to "Recover Password screen"
 - Link : Didn't receive it? Resend Code
 - The code should have an expiration time limit of 30 mins.
 - After the time limit is completed the code must Expired & if a user enters the expired code the system should display any error validation message: " Code Expired".Request a New one .
 - **Time Limit:** The ~~reset link~~ OTP expires after X minutes (e.g., ~~15~~ 30 mins).
- Reset Password Screen
 - Header : Reset Password
 - Caption : Create a strong password to keep your account secure.
 - Fields :
 - New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Enter new password
 - Confirm New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Re-enter new password
 - Button : Reset Password
 - Clicking on the reset Password button system should re-direct the user to the Login & system should update the newly created password.
 - Link : Back to login :
 - Clicking on the Back to login, the system should navigate the User to Login screen.
- **Forgot Password page details:**
 - **Screen 2 : Header:** "Recover Password".
 - **Caption :** Enter your registered email to receive a password reset link.
 - **Input Field:** Email Address.
 - **Button:** "Send Reset Link".
 - **Link:** "Back to Log In".
 - Screen 2 : Display an Information to the User along with Email Icon

- **Caption :** A password reset link has been sent. Please check your email address and display the email in masked (e.g., Sent to r*****y@a***r.com)
- Verbiage : Enter the verification code to reset your password.
- Field : to enter the 6 digits code
- Link : Wrong email? Go back
- Button : Verify Code
- Link : Didn't receive it? Resend Code
- Code expires Timer
- **Screen 3 : Header :** Reset Password
- **Caption :** Create a strong password to keep your account secure.
- Fields :
 - New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Enter new password
 - New Password must follow the Password criteria :
 - Must include: at least 1 uppercase, 1 lowercase, 1 number, 1 special character
 - Confirm New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Re-enter new password
- Button : Reset Password
 - Re-direct to the Login & system should update the newly created password.
 - Confirmation Message :
 - Post the Reset Password the application should display a success message : Your password has been successfully Reset.
 - Button : Ok or Auto - disappear message & re-direct to login

Validations for Recover Password

Fields	Empty Data Validation
Email	Email is required

Field	Un-registered Accounts Validation
Email	Please enter registered email address

Validations for the Reset Password screen

Scenario 1 : Empty Data Field Validations

Fields	Empty Data Validation
New Password	New Password is required
Confirm New Password	Please confirm your password

Scenario 2 : New Password field filled & Confirm New password field empty

Fields	Confirm New password Empty Data Validation
New Password	Filled/Provided
Confirm New Password	Please confirm your password

Scenario 3 : Miss-Match Passwords

Fields	Miss-match Password
New Password	Filled/Provided
Confirm New Password	Passwords do not match

User story -1.4 Change Password (Logged In)

As a Logged-In User, I want to change my password within Security Settings under Profile Module so that I can maintain account security.

Acceptance Criteria:

- **Authentication:** User must be currently logged in.
- **Navigation:** Profile → Security Settings → Change Password

- **Validation:** The user must correctly enter the Current Password before setting a new one.
- **Matching:** New Password and Confirm New Password fields must match.
 - The new password must not be identical to the current password.
 - The New password must follow the password criteria : At least 1 Uppercase , 1 lower case, 1 numeric and 1 special characters.
 - System should display error message:
 - "The new password cannot be the same as your current password."
- **Session Management:** Upon success, the system must logout the User.
- **Notification:** User receives an email confirmation of the change.

Validations

Field	Empty Data Validation
Current Password	Current password is required
New Password	New password is required

Field	Miss-Match Validations
Current Password	Password do not match
Confirm New Password	Password do not match

Field	Min length Validation
New Password	Password must be at least 8 characters

Field	Password criteria
New Password	Password must contains at least 1 Uppercase , 1 lower case, 1 numeric and 1 special characters

- **Change Password screen (Settings) :**

A security-themed graphic (lock/shield) with verbiage: "Keep your portfolio safe. Update your credentials regularly."

- **Header:** "Change Password".
- **Input Field:** Current Password (Mandatory & Masked with Eye Icon)
- **Input Field:** New Password.(Mandatory & Masked with Eye Icon)
- **Input Field:** Confirm New Password. (Mandatory & Masked with Eye Icon)
- **Button:** "Update Password".
 - Clicking on the Update Password button, the system should update the password & display a toast message :
 - Success Message : Password updated successfully.

User story -1.5 Profile & Avatar Setup

As a User, I want to set a single universal avatar and profile details so that I have a consistent identity across all leagues I join.

Acceptance Criteria:

- **Universal Policy:** The system enforces a single avatar per user.
- **Profile Section :**
 - Post login users land on the profile module.
 - Profile Module
 - Section 1 : Profile
 - Avatar and feasibility to upload/remove the avatar.
 - User Name
 - XP Points
 - XP Tier
 - User Wallet (Credits)
 - Below the Section 1 , system should display the Accordions (Expandable) for the below module/features :
 - Edit profile
 - Security Settings
 - Active Sessions
 - Delete Account
 - Sing out
- **Edit Profile :**
 - Clicking on the Edit Profile, the system should navigate to the Edit Profile Screen.
 - This Edit profile screens consists of multiple sections :
 - **Section 1 : Avatar Upload :**

- Users can upload an image (JPG/PNG) or select from default F2MX avatars.
 - Max Size : 5MB
- **Validation:** Image size limits apply.
- **Remove :** Users can remove an uploaded image or F2MX avatars.
 - Clicking on the cross-icon should remove the Image/Avatar.
- **Updates:** Changing the avatar updates it in all historical and active leagues immediately.
- **Select Avatar :** Display the available F2MX avatars.
- Below the Select Avatar, system should display the User XP Points & Tier
- **Section 2 : Personal Details :**
 - Editable section
 - The profile displays the following fields :
 - First Name (Editable &Mandatory)
 - Last Name (Editable & Mandatory)
 - Username (Editable,Mandatory & Must be Unique)
 - DOB (Read-only)
 - Bio (Editable)
 - Tier Badge (Read-only) - (Will be implemented & visible once the respective requirements or features were implemented)
- **Section 3 : Account Info**
 - Non-editable section
 - The Account Info displays the following fields :
 - Email (Read-only)
 - Phone (Read-only)
 - Date of Birth (Read-only)
- Button : Update Profile
 - Clicking on the Update Profile button, the system should validate that all the required fields filled :
 - If yes : update the Details and re-direct the user to the profile module.
 - If not : Display respective validations.
- Validations :

Filed	Empty Data Validation
First Name	First name is required

Last Name	Last name is required
Username	username is required

Field	Uniqueness failed
Username	Username must be unique

User story -1.6 Delete Account (Soft Delete)

As a User, I want to delete my account so that I can remove my personal data from the platform.

Acceptance Criteria:

- **Navigation :** Profile → Delete Account
- Clicking on the Delete Account Accordion/option, the system must display a confirmation screen :
- Deletion handling (MVP): When processed, then apply MVP soft delete + anonymization only (no hard delete in MVP).
 - Header : Delete Account
 - Caption : Your personal data will be permanently removed.Your game history will be anonymized.
 - Fields :
 - Dropdown : Reason for leaving (optional)
 - Placeholder : select a reason
 - Options :
 - Not using anymore
 - Found an alternative
 - Privacy Concerns
 - Performance issues
 - Missing features
 - Too Expensive
 - Other
 - Choose Verification Method
 - Verification Methods :
 - SMS
 - Email

- Below the choose verification method display the help text as : Code will be sent to selected method (email /sms) display the data with masked.
 - Any one method should be used/selected.
- Send Verification Code Button
 - Clicking on the Send verification code button, the system should send OTP & navigate to the Verify Identity screen.
- Verify Identity screen :
 - Header : Verify Identity
 - Caption : Enter the 6-digit OTP sent to your phone.
 - Field to enter the 6 -digits OTP
 - Buttons :
 - Permanently Delete Account
 - After entering the code & clicking on the Permanently Delete Account button, the system should logout the Logout User immediately.
 - Cancel
 - Clicking on the cancel button, the system should close the form/ Delete Account screen.
 - Link : Didn't receive it? Resend Code
 - Clicking on the Resend Code, the system should send the code to the previously selected method.
 - Display a success toast as : OTP resend successfully.
 - OTP expires in X minutes (e.g., 5 minutes).
 - Resend OTP allowed after cooldown (30–60 seconds).
 - Code Expiration time
- Cancel Button :
 - Clicking on the cancel button, the system should close the form/ Delete Account screen.
 - **System Behavior :**
 - **Soft Delete:** The system performs a soft delete. The record is marked Deleted
 - The system permanently changes their status to "Deleted" (and scrambles their personal data)
 - **Anonymization:** Personal Identifiable Information (PII) like Email and Name are scrambled/anonymized in the database.
 - **Integrity:** Historical financial ledgers and matchup history are not deleted but are linked to the anonymized ID to preserve league integrity for other players.

User story -1.7 Sign Out

As a User, I want to Sign out of the application so that my session is cleared from the device.

Acceptance Criteria:

- **Navigation :** Profile → Sign Out
- Clicking on the Sign Out option/Accordion, the system should sign out the user and re-direct to the Log In screen.
- **Redirection:** User is redirected to the Login Screen (US-1.2) immediately.

Actor / Role: User (Logged-In Standard User)

User Story -1.8 Security Settings (Includes 2FA Toggle) & Active Sessions

As a Logged-In User, I want to manage my security settings including password updates and two-factor authentication (2FA), so that I can protect my F2MX account from unauthorized access.

Acceptance Criteria :

- **Precondition:**
 - Users must be logged in.
 - Account Status must be Active.
 - Suspended / Banned users cannot access settings.
- **Navigation :** Profile → Security Settings → Two-Factor Authentication
- **Security Settings :**
 - **Section 1 : Two-Factor Authentication (2FA)**
 - Caption : Extra security is enabled. You'll need to verify your identity when signing in.
 - Toggle Switch : ON/OFF
 - Default Behavior :
 - Enabled
 - Method : User selects method dynamically at each login
 - Impact on mobile users :
 - If the 2FA is enabled then, the system needs to display/verify the 2FA while a user login into the app.
 - If the 2FA is disabled then, the system directly land the user in the Profile Module - post login.
 - **Section 1 : Change Password**

- All Validation remains governed by [US-1.4](#)
- **Active Sections :**
 - Navigation : Profile → Active Sessions
 - Actives Sessions Screen :
 - Clicking on the Actives Sessions, the system should display the Actives Sessions screen.
 - Display List of Devices where the user has been logged in.
 - Details :
 - Device Name
 - Location
 - Active/ Last Active time
 - Options :
 - Individual logout for each device
 - Clicking on the logout, the system should remove the account from that device.
 - The device should be removed from the Active Sessions Screen.
 - Logout from all other devices
 - Clicking on the Logout from all other devices, the system should logout the account from all the other devices except the Active one.

Web - F2MX Admins

Over View Of Admin Role Management & Role-Based Access Control (RBAC)

As a Super Admin, I want to define and manage different Admin roles with controlled capabilities, so that platform security, operational control, and audit compliance are maintained.

Acceptance Criteria :

- **Pre-condition :**
 - To enforce strict Role-Based Access Control (RBAC) ensuring that:
 - Each Admin role has predefined permissions.
 - Sensitive operations are restricted to authorized roles.
 - All actions are traceable and auditable.
 - No unauthorized privilege escalation is possible.
- **Defined Roles :**
 - The system shall enforce three distinct Admin roles:

○ **Support Agent**

■ **Can View:**

- User Profiles
- Account Status & Eligibility
- League Participation Details
- Matchups & Scoring History
- Trade History
- Wallet Ledger & Transaction History
- XP Total, Tier & Recent XP Changes
- Admin Action Audit Trail (User-Level)
- Notification & Communication History
- Support Ticket History

■ **Can Perform:**

- Force Password Reset
- Unlock Locked Account
- Soft Delete + Anonymize User (per policy workflow)
- Merge Duplicate User Accounts
- Override Identity Verification (with reason code + logging)
- Grant / Revoke Premium Features
- (All actions require audit logging per MVP rules.)

■ **Cannot:**

- Suspend or Ban Users
- Adjust Wallet Balances
- Issue Promotional Credits
- Reverse Currency Transactions
- Freeze Wallet or Trading
- Override Player Stats
- Apply Bulk Scoring Adjustments
- Override Matchup Winners
- Adjust Final Scores
- Configure Pricing Weights
- Configure Bid/Ask Spread
- Set Market Opening Dates
- Configure Buy-In Caps
- Send Emergency Broadcasts
- Modify RBAC or Admin Roles

○ **Ops Admin**

■ **Can View:**

- All User Profiles
- League Details (Public & Private)
- Matchups & Scoring Data
- Trade Logs
- Wallet Ledger (Full Visibility)
- XP Data
- Data Feed Logs & Errors

- Communication Logs
- Audit Logs (Operational Scope)
- **Can Perform:**
 - **User Governance**
 - Suspend / Ban Users
 - Force Password Reset
 - Unlock Accounts
 - Freeze / Unfreeze Wallet
 - Freeze / Unfreeze League Trading
 - **Wallet & Currency (Non-Regulated MVP)**
 - Issue Promotional Credits
 - Adjust User Balances (Credit/Debit with reason code)
 - Reverse Duplicate / Erroneous Transactions
 - Reconcile Failed Purchases
 - Configure Buy-In Caps
 - **Market & Pricing Administration**
 - Adjust Pricing Weights
 - Configure Bid/Ask Spread
 - Set Platform Market Opening Dates (NFL MVP)
 - Adjust Entry Limits
 - **Data Provider & Scoring Overrides (Break-Glass)**
 - Override Individual Player Stats
 - Correct Stat Provider Errors
 - Apply Bulk Scoring Adjustments
 - Override Matchup Winners/Losers
 - Adjust Final Scores Manually
 - Force Data Refresh / Resync
 - View Data Feed Logs
 - **Communication & Incident Controls**
 - Send Targeted Messages (League-Level or Global per MVP rules)
 - Send Emergency Broadcast Messages (In-App Banner + Push)
 - Enable / Disable Reminder Timing Offsets
 - (All actions require audit logging + reason codes where applicable.)
- **Cannot:**
 - Create / Modify / Remove Admin Roles
 - Modify RBAC Structure
 - Change XP Tier Definitions
 - Change Core Game Architecture
 - Bypass Audit Logging

○ **Super Admin**

- **Can View & Perform:**
 - All Platform Data

- Full System Audit Logs
- All User & Admin Activity Logs
- Financial Ledger (Aggregated + User-Level)
- Market Configuration Parameters
- XP Framework Data
- Communication Performance Metrics
- Security & Verification Logs
- **Can Perform:**
 - **User Governance**
 - Suspend / Ban Users
 - Force Password Reset
 - Unlock Accounts
 - Freeze / Unfreeze Wallet
 - Freeze / Unfreeze League Trading
 - **Wallet & Currency (Non-Regulated MVP)**
 - Issue Promotional Credits
 - Adjust User Balances (Credit/Debit with reason code)
 - Reverse Duplicate / Erroneous Transactions
 - Reconcile Failed Purchases
 - Configure Buy-In Caps
 - **Market & Pricing Administration**
 - Adjust Pricing Weights
 - Configure Bid/Ask Spread
 - Set Platform Market Opening Dates (NFL MVP)
 - Adjust Entry Limits
 - **Data Provider & Scoring Overrides (Break-Glass)**
 - Override Individual Player Stats
 - Correct Stat Provider Errors
 - Apply Bulk Scoring Adjustments
 - Override Matchup Winners/Losers
 - Adjust Final Scores Manually
 - Force Data Refresh / Resync
 - View Data Feed Logs
 - **Communication & Incident Controls**
 - Send Targeted Messages (League-Level or Global per MVP rules)
 - Send Emergency Broadcast Messages (In-App Banner + Push)
 - Enable / Disable Reminder Timing Offsets
 - (All actions require audit logging + reason codes where applicable.)
 - **RBAC & Governance**
 - Create Admin Roles
 - Assign / Modify Admin Permissions
 - Enforce Least-Privilege Access
 - Configure Verification Workflow Rules

- Configure Global Security Policies
- Deactivate / Reactivate Admin (Staff) Account
- **XP Governance (MVP Scope)**
 - Configure XP Award Parameter Ranges
 - Configure XP Rank Levels / Tiers
 - Configure XP Floor Rules
- **Platform Controls**
 - Activate / Deactivate Season
 - Lock Platform (Emergency Governance Control)
 - Pause Entire Market System
 - Configure Global Notification Defaults

Tabular Representation:

Capability Area	Support Admin/Agent	Ops Admin	Super Admin
Password Reset	Yes	Yes	Yes
Unlock Account	Yes	Yes	Yes
Soft Delete + Anonymize User	Yes	Yes	Yes
Merge Duplicate Accounts	Yes	Yes	Yes
Override Identity Verification	Yes	Yes	Yes
Grant / Revoke Premium Features	Yes	Yes	Yes
Suspend / Ban Users	No	Yes	Yes
Freeze Wallet / Trading	No	Yes	Yes
Adjust Wallet Balances	No	Yes	Yes
Issue Promotional Credits	No	Yes	Yes
Reverse Transactions	No	Yes	Yes
Configure Buy-In Caps	No	Yes	Yes
Override Player Stats	No	Yes	Yes
Apply Bulk Scoring Adjustments	No	Yes	Yes
Override Matchup Winners	No	Yes	Yes
Adjust Final Scores	No	Yes	Yes

Force Data Refresh / Resync	No	Yes	Yes
Configure Pricing Weights	No	Yes	Yes
Configure Bid/Ask Spread	No	Yes	Yes
Set Market Opening Dates	No	Yes	Yes
Send Targeted Messages	No	Yes	Yes
Send Emergency Broadcasts	No	Yes	Yes
Configure XP Framework (tiers, ranges, floor)	No	No	Yes
Create / Manage Admin Roles (RBAC)	No	No	Yes
Configure Global Security Policies	No	No	Yes
Lock / Pause Entire Platform	No	No	Yes

User story -1.1 User Accounts

As an F2MX Admin, I want to manage user account statuses, identity verification, and access rights (Ban, Suspend, Unlock, Delete), so that I can resolve support tickets, mitigate fraud, and enforce platform terms of service.

Acceptance Criteria:

- **Navigation : Login → Users Module → User Accounts**
- **User Visibility in Admin Console**
 - All successfully registered users (US-1.1) must automatically be visible in the Admin User Accounts module.
 - The record is created at Registration, not Login.
 - This is the default landing Screen when Admin clicks "User" Module
 - The Users Accounts Module should contain a Collapse & Expand icon.
 - Heading/Title : User Accounts (total no.of Accounts)
 - **Search Bar :** Search By
 - Username
 - Email
 - Phone Number
 - Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive
 - **Filters Panel :** Filters By
 - **Status** (Account):

- Search field
- Available options :
 - Active (display total no.of count of Active Users)
 - Banned (display total no.of count of Banned Users)
 - Suspended (display total no.of count of Suspended Users)
 - Locked (display total no.of count of Locked Users)
 - Deleted (display total no.of count of Deleted Users)
- Options should contain checkboxes providing a feasibility to apply multiple options at same time.
- The Count should update in real-time.
- **Verification :**
 - Search field
 - Options :
 - Verified (display total no.of Verified Users)
 - Pending (display total no.of Pending Users)
 - Options should contain checkboxes providing a feasibility to apply multiple options at same time.
- **Tier**
 - Search field
 - Options :
 - Rookie
 - Amateur
 - Pro
 - Coordinator
 - Head Coach
 - Options should contain checkboxes providing a feasibility to apply multiple options at same time.
 - Each option should display their respective count of Users
- **Joined Date :**
 - The Date Range filter works based on the Joined date of the Mobile User.
 - Options :
 - Today
 - Should only filters the current day Users
 - Yesterday
 - Should filter yesterday users
 - Last 7 days
 - Should filter the last 7 days Users
 - Last 30 days
 - Should filter the last 30 days Users
 - This Month

- Should filter the currency month Users
- Last Month
 - Should filter the last month Users
- Custom Range
 - Should display the calendar & provide feasibility to select the custom range.
 - Future Dates should be disabled.
 - Only past & current dates should be enabled.
 - Left & Right arrow to increase/decrease the months.
 - Left - Decrease the month
 - Right - Increase the month
 - Buttons :
 - Apply
 - Clicking on Apply, the system should apply the selected/customized date and filter the data.
 - Cancel
 - Clicking on Cancel should close the calendar.
- **Gird/List View : Admin must be able to view:**
 - User
 - Avatar : Small circular thumbnail
 - User_ID
 - Username
 - Email
 - Status (Active / Suspended / Banned / Locked / Deleted)
 - Verification (Verified / Unverified)
 - Tier (Rookie / Amateur / Pro / Coordinator / Head Coach)
 - XP Points
 - Wallet Balance
 - Joined Date
 - Actions :
 - View Details
 - Force Password Reset
 - Suspend
 - Ban
 - Override Verification
 - Delete
- **Pagination**
 - pagination controls to appear at the bottom of the screen so Admin can easily navigate between pages.
 - A Dropdown to select the number of records per page (10, 20, 50, or 100).

- "Go to" field where Admin can enter a page number and press "Enter" so that I can quickly jump to a specific page.
- **Admin Actions on User records :**
 - **Support Agent :**
 - [Unlock Account](#)
 - Force Password Reset
 - [Merge Duplicate Accounts](#)
 - Delete
 - **Ops Admin:**
 - Suspend
 - Ban
 - [Unlock Account](#)
 - Force Password Reset
 - Override Verification
 - [Merge Duplicate Accounts](#)
 - Delete
 - **Super Admin:**
 - [Unlock Account](#)
 - Force Password Reset
 - Suspend
 - Ban
 - Force Password Reset
 - Override Verification
 - [Merge Duplicate Accounts](#)
 - Delete
- When Admin clicks on View Details/ User record it opens User detail view.
- **User Detail View :**
 - User Avatar
 - Username
 - Beside if the Username display the Status (Active / Suspended / Banned / Locked / Deleted) and Verification (Verified / Unverified) and 2FA as a Tag.
 - Email (full view)
 - Phone number (masked partially)
 - Joined Date
 - Last Login
 - **Premium Status - Out of Scope**
 - [Failed Login Attempts - Will be implemented at time of Logs](#)
- **Audit Logging (Mandatory)**
 - **Requirement:** Every action above MUST be logged.
 - **Log Content:** Admin_ID, Target_User_ID, Action_Type, Timestamp, Reason_Code, Internal_Note.
- **Detailed view of the Admin User Detail View**
 - **User Profile Context**
 - **User Header:** [Avatar] username | [user@email.com](#)
 - **Status Badge:** [Active] (Green) or [Suspended] (Red).

- **Verification:** [Pending] | [Verified].
- **Stats:**
 - Joined: Oct 12, 2025.
 - Leagues: 3 Active. (Will be displayed when Sprint 2 is developed)
 - Wallet: \$1,250.00. (Will be displayed when Sprint 2 is developed)
- **Admin Actions Panel**
 - At TOP RHS of the View details screen, there should be an Action dropdown with gear icon.
 - Clicking on the Actions dropdown should display the options :
 - Force Password Reset
 - Suspend User
 - Ban
 - Override Verification
 - Delete
 - Back Arrow : Clicking on the Back arrow, the system should re-direct to the Admin to the User Accounts screen.

User story -1.2 Unlock Account (Waiting for the confirmation from Business)

As an F2MX Support Agent, Ops Admin, or Super Admin, I want to unlock a user account that was automatically locked due to failed login attempts, so that legitimate users can regain access after identity verification.

Acceptance Criteria :

- Only Support, Ops, or Super Admin roles can view the "Unlock Account" button.
- The button must only be visible if:
 - Account Status = Locked.
- On clicking "Unlock Account":
 - Failed_Login_Attempts counter resets to 0.
 - Account Status changes from Locked → Active.
- The action must require confirmation before execution.
- The following must be logged:
 - Admin_ID
 - Target_User_ID
 - Action_Type = Unlock
 - Timestamp
 - Reason (if provided)
- User must be able to log in immediately after unlock.
- User should receive a notification.(Email)

- **Who:** Support / Ops / Super Admin
- **Where:** Admin Console → User Management → User Detail View → Unlock Account Button
- **How:**
 - Search user
 - Open detail slide panel
 - Click "Unlock Account"
 - Click Unlock → System resets Failed_Login_Attempts counter
- **Effect:**
 - Failed_Login_Attempts reset to 0
 - Status changed to Active
 - User can log in again
 - Audit log entry recorded

User story -1.3 Force Password Reset

As an F2MX Staff Member (Support Agent, Ops Admin, or Super Admin), I want to enforce a password reset on a user account, so that potentially compromised credentials are immediately secured on the next login attempt.

Acceptance Criteria :

- **Navigation :** Login → Users Module → User Accounts → Action / View details screens → Actions
- Only Support, Ops, and Super Admin roles can execute this action.
- When "Force Password Reset" is clicked:
 - System should display an Pop-up with following fields :
 - Header : Force Password Reset
 - User Details :
 - User Name : John Smith
 - Email : john.smith@email.com
 - Field : Reason (Mandatory)
 - Placeholder/text : e.g., Suspected account compromise, security audit requirement, user request...
 - Character Limit : 0/500
 - Buttons :
 - Cancel
 - Clicking on the cancel button, the system should close the pop-up & Admin should stay on the User Details screen.
 - Force Password Reset
 - Clicking on the Force Password Reset button, the system should enable the Force Rest Button to the user & display a success toast message :
 - Title : Password Reset Enforced
 - Message : John Smith will be required to change their password on next login.

- Toast messages should disappear within 3-5 seconds.
 - On next login attempt:
 - Users must be redirected to the Change Password screen.
 - Access to the dashboard must be blocked until reset is completed.
 - Every Admin Action must be audit logged.
 - **Who:** Support / Ops / Super Admin
 - **Where:** Admin Console → User Detail View
 - **How:** Click Force Password Reset
 - **Effect:**
 - Application should display/re-direct the User to Password Change screen.
 - Users must change their password.

User story -1.4 Suspend User

As an F2MX Ops Admin or Super Admin, I want to suspend a user account for a defined duration, so that violations of platform policies can be enforced without permanently deleting the account.

Acceptance Criteria :

- **Navigation : Login → Users Module → User Accounts → Action / View details screens → Actions → Suspend**
- Only Ops Admin and Super Admin roles can suspend users.
- Clicking on the Suspend action must open a modal/pop-up with following fields:
 - Header : Suspend User Account
 - User Details :
 - User name :John Smith
 - Email : john.smith@email.com
 - Field : Suspension Duration (Mandatory)
 - Options :
 - 24 Hours (Default)
 - Info text : User can log in after 1 day
 - 7 Days
 - Info text : User can log in after 1 week
 - Custom Duration
 - Info text : Specify number of days
 - Only 1 Option can be selectable.
 - Input Field : Reason for Suspension (Mandatory)
 - Placeholder : e.g., Violation of platform policy, inappropriate behavior, spam activity...
 - Character limit : 0/500

- Buttons :
 - Cancel
 - Clicking on Cancel, the system should close the pop-up & Admin stays on the User Details Screen
 - Suspend User
 - Clicking on the Suspend User, the system should immediately suspend the user & logout the User Re-direct to log in screen.
 - If the User tries to login, the application should restrict the user login & display an error message as : "your Account got Suspended".
 - Upon confirmation:
 - The system should mark the Account Status = Suspended.
 - Display a success toast message :
 - Title : User Suspended
 - Message : John Smith has been suspended for 24 hours..
 - Toast messages should disappear within 3-5 seconds.
- Suspension expiry (if temporary):
 - The system must auto-reactivate after Suspend duration ends.
- Audit log must capture:
 - Admin_ID
 - User_ID
 - Duration
 - Reason
 - Timestamp
- **Who:** Ops / Super Admin
- **Where:** User Management → User Detail → Suspend option/Button
- **How:** Click Suspend → Select Duration → Enter Reason
- **Effect:**
 - Status = Suspended
 - User blocked from login immediately

User story -1.5 BAN User

As an F2MX Ops Admin or Super Admin, I want to permanently ban a user account, so that fraudulent or abusive activity is permanently prevented from re-entering the platform.

Acceptance Criteria :

- **Navigation :** Login → Users Module → User Accounts → Action / View details screens → Actions → Ban
- Only Ops Admin and Super Admin roles can execute Ban.
- Clicking on the Ban Action, the system should display a pop-up with following fields :
 - Header : Ban User Account
 - User Details :

- User Name : John Smith
 - Email : john.smith@email.com
- Warning: This is a permanent action. The user will be completely blocked from the platform unless manually unbanned by an administrator.
- Input Field : Reason for Ban (Mandatory)
 - Placeholder : e.g., Severe policy violation, fraudulent activity, repeated misconduct...
 - Character limit : 0/500
- Buttons :
 - Cancel
 - Clicking on Cancel, the system should close the pop-up & Admin stays on the User Details Screen.
 - Ban User Permanently
 - Clicking on Ban User Permanently, the system should Ban the User & immediately the user should be logged out.
 - Be permanently blocked from login.
 - The system must display a specific "Account Banned" error message at login.
 - Upon confirmation, the system should marked the,
 - Account Status = Banned.
 - And users should be notified.
 - Display a success toast message :
 - Title : User Banned
 - Message : John Smith has been permanently banned from the platform.
 - Toast messages should disappear within 3-5 seconds.
- Audit logging is mandatory
- **Who:** Ops / Super Admin
- **Where:** User Detail → Ban
- **How:** Click Ban → Select Reason → Confirm
- **Effect:**
 - Status = Banned
 - Permanent login restriction

User story -1.6 Override Verification (Hold- on for Demo 1)

As an F2MX Support Agent, Ops Admin, or Super Admin, I want to override a user's verification status when required, so that legitimate access issues can be resolved without blocking the user unnecessarily.

Acceptance Criteria :

- **Navigation :** Login → Users Module → User Accounts → Action / View details screens → Actions → Override Verification
- Available to Support, Ops, and Super Admin roles.

- Clicking on the Override Verification Action, the system should display a pop-up with following fields :
 - Header : Override Verification Status
 - User Details :
 - Username : John Smith
 - Email : john.smith@email.com
 - Current: Verified
 - Field : New Verification Status
 - Options :
 - Verified
 - Info Text : User Identity has been confirmed
 - Unverified
 - Info Text : User has not submitted verification
 - Visual display of Status change.
 - Previous Status → New status (E.g., Verified → Unverified)
 - It should be updated in real-time based on the Admin action.
 - Only 1 option can be selected.
 - Input Field : Reason for Override (Mandatory)
 - Placeholder : e.g., Manual verification completed via phone, documents verified offline, support ticket #12345...
 - Character limit : 0/500
 - Buttons :
 - Cancel
 - Clicking on Cancel, the system should close the pop-up & Admin stays on the User Details Screen.
 - Override Verification
 - Clicking on Override Verification, the system should override the Verification of the User.
 - The system must update the Verification_Status.
 - All changes must be logged in the audit trail.
 - Users should be notified/receive a notification .
 - Display a success toast message :
 - Title : User Unverified
 - Message : John Smith's verification status has been changed to status [Display the new verification status].
 - Toast messages should disappear within 3-5 seconds.

User story -1.7 Merge Duplicate Accounts (Waiting for Clarifications from Business -will be taken up in next Sprint)

As an F2MX Support Agent or Ops Admin, I want to merge duplicate user accounts belonging to the same individual, so that platform records remain clean and user data is consolidated under a single authoritative identity.

Acceptance Criteria :

- Only Ops Admin or Super Admin can perform merge.
- Option must be hidden from unauthorized roles.
- Admin must select:
 - Primary Account (to retain)
 - Secondary Account (to merge)
- The system must prevent merging the same account.
- Both accounts must be Active (not Deleted).
- System must display summary of:
 - Wallet balance
 - XP
 - League participation
- Admin must confirm with reason.
- Warning: "This action cannot be undone."
- Wallet balance of Secondary added to Primary.
- XP consolidated as per predefined rule.
- League history reassigned to Primary.
- Secondary account marked as MERGED / Deactivated.
- Secondary login disabled.
- System must log:
 - Admin_ID
 - Primary_User_ID
 - Secondary_User_ID
 - Timestamp
 - Reason

User story -1.8 User Accounts (Admin Users & Roles)

Super Admin, I want to create, invite, and manage internal staff accounts, and assign roles like Support Agent, Ops Admin, or Super Admin. Each role has specific permissions to ensure users only access what is necessary, maintaining security.

Acceptance Criteria & Functional Flow:

- **Access Point :**
 - This feature is accessible ONLY to users with the Super Admin role.
 - Location: Admin Console → Settings → Admin Users Sub-module → User Accounts
- Heading/Title : User Accounts
- Top RHS "Create User" Button
- **Admin Users Sub-module**
- **Search Bar :** Search By
 - Name
 - Email
 - Phone Number

- Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive
- **Filters Panel : Filters By**
 - **Status** (Account):
 - Search field
 - Available options :
 - Active (display total no.of count of Active Users)
 - Pending Activation(display total no.of count of Pending Activation Users)
 - Inactive (display total no.of count of Inactive Users)
 - Options should contain checkboxes providing a feasibility to apply multiple options at same time.
 - The Count should update in real-time.
 - **Role:**
 - Search field
 - Options :
 - Super Admin(display total no.of Super Admin)
 - Ops Admin (display total no.of Ops Admin)
 - Support Agent (display total no.of Support Agent Admin)
 - Options should contain checkboxes providing a feasibility to apply multiple options at same time.
- **Gird/List View : Admin must be able to view:**
 - Name
 - Email
 - Phone Number
 - Role
 - Status (Active / Pending Activation/ Inactive)
 - Active : toggle
 - Verification (Verified / Unverified)
 - Actions :
 - Edit
 - Delete
- **Pagination**
 - pagination controls to appear at the bottom of the screen so Admin can easily navigate between pages.
 - A Dropdown to select the number of records per page (10, 20, 50, or 100).
 - "Go to" field whereAdmin can enter a page number and press "Enter" so that I can quickly jump to a specific page.
- **Create User Flow :**
 - Clicking on the "Create User" button in the User Accounts screen, the system should display a pop-up with the following fields :
 - Title : Create User
 - Input field : Email
 - Placeholder : admin@f2mx.com

- Help Text : Must be a valid corporate domain email.Email Verification required before account becomes fully active.
- Fields :
 - First Name (Mandatory)
 - Placeholder : Enter First Name
 - Max : 40 characters
 - All characters are valid (numeric, alphabets, special characters)
 - Last Name (Mandatory)
 - Placeholder : Enter Last Name
 - Max : 40 characters
 - All characters are valid (numeric, alphabets, special characters)
 - Phone Number (Mandatory)
 - Placeholder : Enter Phone Number
 - Required two fields :
 - Country code :
 - Default : US [+1]
 - Display list of Country codes
 - Phone Number
 - Help text : Phone number must be verified before SMS OTP can be used.
 - Based on the Country code system should validate the format of the phone number
 - Dropdown field : Assign Role (Mandatory)
 - Placeholder : Select a role
 - Options :
 - Super Admin
 - Ops Admin
 - Support Agent
 - Buttons :
 - Cancel
 - Clicking on the Cancel button, the system should close the pop-up & admin should not be created.
 - Create
 - Clicking on the Create button, the system should create a new admin.
 - The system creates the account with:
 - Status = PENDING_ACTIVATION
 - Password = NULL
 - The account cannot log in while in PENDING_ACTIVATION state.
 - The system should send a Secure account activation Invitation Email.

■ **Account activation Invitation Email :**

- An Account Activation Invitation Email should be triggered to the admin's registered email ID.
- The activation link should:
 - Be time-bound (e.g., expire after a 24 hours duration).
 - Be single-use and securely validated.
- Once the user clicks the link :
 - They should be redirected to a Set Password / Activate Account screen.
 - After successfully setting the password, the account status should be updated to ACTIVE, allowing login access.
- If the Validation fails :
 - Display : "Invalida or Expired Link"
- Again Super Admin needs to send the Resend Activation Link to that particular admin by clicking on the "Resend Activation Link" option.

■ **Password Setup Flow (First-Time Activation):**

- Link/Token is valid:
 - Staff is re-directed to : "Set Password / Activate Account screen" Screen
 - Required Actions/Fields :
 - Enter New Password
 - Confirm Password
 - After confirming/saving the password, the system should re-direct to the Login screen.
 - [Login flow](#)

■ All actions must be logged in the Security Log.

● **Edit Screen :**

- Clicking on the Edit option, the system should display a pop-up with following fields :
 - Title : Edit Access : Admin Name [Cris]
 - Toggle Field : Account Status
 - Caption : Switching to Inactive immediately revoke access
 - Toggle : Default enable
 - Disabled : Toggle off, the system should display immediately a warning message on the pop-up : "This admin will be immediately locked out upon saving changes."
 - Display a warning toast message :
 - Title : Access Revoked
 - Message : Admin access will be revoked immediately upon saving.
 - Toast messages should disappear within 3-5 seconds.

- The system should restrict the admin log in & display message as : Your Account is deactivated.
- Dropdown Field : Change Role
 - Pre-fill the previous Role
 - Options :
 - Super Admin
 - Ops Admin
 - Support Agent
 - Only 1 option can be selected.
- Buttons :
 - Cancel
 - Clicking on the cancel button,the system should close the pop-up & the User Role should not be changed.
 - Save Changes
 - Clicking on the Save changes button,the system should save the changes & display a successful toast message :
 - Title : Changes Saved
 - Message :John Doe's permissions have been updated successfully

Validations

Fields	Empty Data Validation
Email	Email is required
First Name	First Name is required
Last Name	Last Name is required
Phone Number	Phone Number is required
Assign Role	Assign role is required

Validations for character length

Fields	Max character length
First Name	Max 40 characters allowed
Last Name	Max 40 characters allowed

- Roles Sub-module (Hide for DEMO 1, awaiting for clarifications from clients)
 - Navigation : Login → Settings → Roles

- This Roles sub-module should be visible only to Super Admin.
- Clicking on the ROle sub-module, the system should display the Roles Section with the following :
 - Header : Roles
 - List view :
 - Fields :
 - Role
 - Support Agent
 - Ops Admin
 - Super Admin
 - Description
 - Support Agent : Customer support with limited operational capabilities
 - Ops Admin : Operational control with break-glass capabilities.
 - Super Admin : Full platform control and RBAC management
 - **Action:**
 - When the user clicks on an **Action** for a particular role, the system should navigate to that role's **Permissions** screen (e.g., Support Agent).
 - **Permission Screen :**
 - **Back arrow :** Clicking on the Back arrow , the system should re-direct to the Roles screen.
 - **Header:** [Role] Permissions
 - **Users Section**
 - This section displays the list of actions that a [Role]Admin can perform within the Users module.
 - Each action should have an option to **check/uncheck** (enable/disable) the permission.
 - **Actions:**
 - [Actions wrt Roles](#)
 - **Save Changes**
 - On clicking **Save Changes**, the system should save and apply the updated permissions for the selected admin role.
 - Any updates made in the Permission screen for a specific role will directly impact all admins assigned to that role. Based on the updated permissions, those admins will no longer be able to view or access the restricted actions under the Users module.
 - Example : Support Agent.
 - Permission screen :
 - Header : Support Agent Permissions

- Users Section :
- This section displays the actions that can be performed by the Support Agent on Users Module.
- Each action should provide a feasibility to check/uncheck the action.
- Actions :
 - Unlock Account
 - Force Password reset
 - Merge Duplicate Accounts
 - Soft Delete + Anonymize User
- Buttons : Save changes
 - Clicking on it should save the changes and update the permissions to that particular Admin Role.

User story -1.9 Delete (User)

As an F2MX Support Agent, Ops Admin, or Super Admin, I want to delete a user account from the User Accounts screen under Users module, ensuring compliance with data privacy and regulatory requirements..

Acceptance Criteria

- Navigation : Login → Users Module → User Accounts → Action / View details screens → Actions → Delete
- Available to Support, Ops, and Super Admin roles.
- Clicking "Delete" the, system should display a pop-up with following fields :
- Deletion handling (MVP): When processed, then apply MVP soft delete + anonymization only (no hard delete in MVP).
 - Title : Delete User Account
 - User Details :
 - User name : John Doe
 - Email : john@example.com
 - Warning: This action cannot be undone. All user data, including profile information, wallet balance, transaction history, and account details will be permanently deleted.
 - Input Field : Reason for Deletion (Mandatory)
 - Placeholder : e.g., User requested account deletion, GDPR compliance, data breach...
 - Character limit : 0/500
 - Buttons :
 - Cancel

- Clicking on the Cancel button, the system should close the pop-up & User account should not be deleted.
- Delete
 - Clicking on the Delete, the system should delete the User account & re-direct the user to the registration page.
 - Notify the User
 - Display a Success toast message to the Admin :
 - Title : User Deleted
 - Message : John Doe has been permanently deleted
 - The confirmation toasts should be closed within 3-5 seconds.
- Every admin action should be logged.

User story -1.10 Deactivate Admin Accounts & Delete Admin Accounts

As a Super Admin, I want to deactivate or revoke an internal staff account, so that access to the Admin Console can be immediately restricted when necessary.

Acceptance Criteria:

Deactivate Admin Accounts

- Navigation : Login → Settings→ Admin Users → Users Accounts → Active → Toggle -off.
- Only Super Admin can deactivate staff accounts.
- Toggle Field : Active/Inactive
 - Toggle :
 - Disabled : Toggle off, the system should display a confirmation pop-up Message: "Are you sure you want to deactivate John Doe? This action will immediately revoke all access to the Admin Console."
 - Buttons :
 - Cancel
 - Clicking on the Cancel button, the system should close the pop-up & Admin account status should not be changed.
 - Deactivate Account
 - Clicking on the Deactivate button, the system should Deactivate the Admin account.
 - Immediately logout the Admin from the session.
 - Display a warning toast message :
 - Title : Admin Account Deactivated
 - Message : [Admin Name] access to the Admin Console has been immediately revoked..
 - Toast messages should disappear within 3-5 seconds.
 - Toggle Active → Inactive must:
 - Immediately block admin login access.
 - Deactivated Admin:

- Cannot access Admin Console.
 - Status updated instantly.
 - Display the message as : Account Deactivated.
- Toggle InActive → active must:
 - Immediately revoke admin login access.
 - Activated Admin:
 - Can access Admin Console.
 - Status updated instantly.

Delete Admin Accounts

- Navigation : Login → Settings→ Admin Users → Users Accounts → Actions→ Delete.
- Clicking on the Delete button, the system should display a pop-up with following fields :
 - Title : Delete User
 - Dropdown : Reason for delete
 - Options : User Request (GDPR/CCPA)
 - Policy Violation
 - Duplicate Account
 - Fraud Suspected
 - Regulatory Compliance
 - Other
 - Text field : Type DELETE to confirm
 - Should only accept the "DELETE" word
 - Until & unless the Exact word is matched the Delete button should not be enabled.
 - Visibility : should display the NAME & Email of the user we are deleting th
 - EX: User to be deleted:
 - John Doe (Email)
 - Buttons :
 - Cancel
 - Clicking on the Cancel button, the system should close the pop-up & Admin should be deleted.
 - Delete
 - Clicking on the Delete button, the system should delete the Admin and log out from the system.
 - Admin must be notified.
 - Display success toast message :
 - Title : User Account Deleted
 - Message : John Doe's account has been anonymized and soft-deleted. Audit log created
 - Toast messages should disappear within 3-5 seconds.

User story -1.11 Modify Admin Role (RBAC Governance)

As a Super Admin, I want to modify the role and permissions of an existing staff member, so that operational access aligns with responsibilities and security governance policies.

Acceptance Criteria:

- Navigation : Login → Settings→ Admin Users → Users Accounts → Actions→ Edit.
- Only Super Admin can modify roles.
- Clicking on the Edit option, the system should display a pop-up with following fields :
 - Title : Edit Access : Admin Name [Cris]
 - Same as in the edit screen -Toggle Field : [[Edit Screen](#)]
 - Dropdown Field : Change Role
 - Pre-fill the previous Role
 - Options :
 - Super Admin
 - Ops Admin
 - Support Agent
 - Only 1 option can be selected.
 - Buttons :
 - Cancel
 - Clicking on the cancel button,the system should close the pop-up & the User Role should not be changed.
 - Save Changes
 - Clicking on the Save changes button,the system should save the changes & display a successful toast message :
 - Title : Changes Saved
 - Message :[Admin Name] permissions have been updated successfully

Actor / Role: System (F2MX Platform) - F2MX System Administrator (Ops,Agent & Super Admin)

User story -1.12 Login (Admin (Role-Based Routing))

As an F2MX Staff Member (Support Agent, Ops Admin, or Super Admin), I want to securely log in to the platform and be automatically routed to the Admin Console, so that I can perform my operational duties without being redirected to the standard user app.

Acceptance Criteria:

- **Registration Check:** Only registered users can log into the application.
- **Login Screen Fields:**
 - Logo

- Titler /Header : Log In
- Input Field : Email
 - Placeholder : staff@company.com
 - Users must and should enter the registered Account Email.
- Link : Forgot Password ?
- Input Field : Password with eye icon
 - The user must enter the password that he set in the [Password Setup](#) .
 - Placeholder : Enter Password
- Button : Login
 - Clicking on the Login Button, the system navigates to the Choose Verification Method Screen.
 - [Need Help? Contact Support - \(Waiting for the Business confirmation\) for Demo-1 it will be a visibility link without any Functionality.](#)
- **Choose Verification Method Screen :**
 - Logo
 - Header : Choose Verification Method
 - Caption :Select how you'd like to receive your verification code
 - Verification Methods :
 - Email
 - Email icon & Text :We'll send a verification code to your email address.
 - Phone
 - Phone icon & Text : We'll send an SMS with a verification code to your phone.
 - Clicking on any one of the methods, the system should send the OTP & navigate to the Two-Factor Authentication screen.
 - OTP expires in 5 minutes.
 - Display a success toast message as :Verification code sent to your email"
 - Toast should disappear within 3-5 seconds.
 - Back to Login
 - Clicking on the Back to Login, the system should re-direct to the Login screen.
- **Two-Factor Authentication Screen :**
 - Logo
 - Header : Two-Factor Authentication
 - Caption : We've sent a 6-digit verification code to your email ri*****@amzur.com (display email with masked)
 - Field : Enter Verification Code
 - To enter the 6 digits code received
 - Button : Verify & Continue

- Clicking on the Verify & Continue button, the system should verify the code & login the Admin.
- If OTP validation succeeds:
 - Authentication is completed.
 - Display a Success toast message : Login successful! Redirecting to dashboard...
 - Toast should disappear within 3-5 seconds.
- If OTP validation fails:
 - OTP_Failed_Attempts counter increments.
- If failures exceed defined threshold:
 - Account Status → Locked
 - 3 OTP attempts limit.
 - Resend OTP allowed after cooldown (30–60 seconds).
 - Display Message & a Cooldown timer to the Admin.
- Link : Resend Code
 - Clicking on the Resend Code, the system should Resend the code to the last chosen Method & display a toast message : "Verification code resent to your [Method]"
- Link : Change Verification Method
 - Clicking on the Change Verification Method button, the system should re-direct the admin to the **Choose Verification Method Screen**.
- Link : Back to Login
 - Clicking on the Back to Login link, the system should re-direct the admin to the **Login Screen**.
- **Role-Based Routing (The Core Check):** Upon successful authentication (Password + 2FA verification), the system must check the user's RBAC assignment.
 - If the role is "Support Agent", "Ops Admin", or "Super Admin", the system must immediately route the user to the F2MX Admin Console.
 - Authentication Validation: The system must validate the Email and Password fields.
- **Status Validation (Deactivated/Banned):** The system must check the admin's account status. If the Super Admin has marked this staff account as "Inactive" or "Deactivated", the login attempt must be blocked immediately with an "Access Denied" message.

Validations for login Page

Fields	Empty Validation	Wrong (Miss-matched with the Registered Account) Message

Email	Email field is required	Account not found
Password	Password is required	Incorrect Password.Please try again

Validations for 2FA Page

Field	Empty data validation
Enter Verification Code	Please enter all 6 digits

Field	Wrong code validation
Enter Verification Code	Incorrect Code

- **Logout** : On the Top of the Header section there should be an icon & it should provide feasibility to log out.
 - Clicking on the icon, the system should display the Logout option.
 - Clicking on the logout button, the system should immediately logout the Admin and direct to the login screen.

Actor / Role : System (F2MX Platform) - Admin

User story -1.13 Forgot Password (Recovery) for Admins

As an Admin (Support/Ops), I want to request a password reset link via email within the Account Security Settings. I forget my credentials, so that I can securely regain access to my account without contacting support .

Acceptance Criteria:

- **Navigation : Login → Forgot**
- Clicking on the Forgot Password, the system should navigate to the Recover Password page/screen .
- Recover Password Page :
 - Logo

- Title : Recover Password
- Caption : Enter your email address and we'll send you a reset link.
- Input Field : Email Address
 - Placeholder : admin@f2mx.com
- Button : Send Reset Link
 - Clicking on the Send Reset Link, the system should send and recover password link to the email. Clicking on the link navigate to the Recover Password Page .
- Link : Back to Log In
 - Clicking on the Back to Login link, the system should re-direct the admin to the Login Screen.
- **Recover Password Page :**
 - Title : Recover Password
 - Information Message : A reset link has been sent to [Email] (Display the admin provided email address)
 - HelpText : The reset link will expire in 15 minutes.
 - Button : Back to Log In
 - Clicking on the Back to Login link, the system should re-direct the admin to the Login Screen.
- **Existence Check:** The system verifies if the email exists.
- **Time Limit:** The reset link expires after X minutes (e.g., 15 mins).
- **Flow:** Clicking the link redirects the user to the "Reset Password" screen.
- **Reset Password Screen**
 - Header : Reset Password
 - Caption : Create a strong password to keep your account secure.
 - Fields :
 - New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Enter new password
 - Confirm New Password * (Mandatory & Masked with Eye Icon)
 - Placeholder : Re-enter new password
 - Button : Reset Password
 - Clicking on the reset Password button system should re-direct the user to the Login & system should update the newly created password.
 - Link : Back to login :
 - Clicking on the Back to login, the system should navigate the User to Login screen.

Validations for Recover Password

Fields	Empty Data Validation
--------	-----------------------

Email	Email is required
--------------	-------------------

Field	Un-registered Accounts Validation
Email	Please enter a valid email address.

Validation for Reset Password Screen

Scenario 1 : Empty Data Field Validations

Fields	Empty Data Validation
New Password	New Password is required
Confirm New Password	Please confirm your password

Scenario 2 : New Password field filled & Confirm New password field empty

Fields	Confirm New password Empty Data Validation
New Password	Filled/Provided
Confirm New Password	Please confirm your password

Scenario 3 : Miss-Match Passwords

Fields	Miss-match Password
New Password	Filled/Provided
Confirm New Password	Passwords do not match

UI screen :

[Mobile](#)

[Web](#)

Demo : 2

Epic 1 : League Configuration & Lifecycle

Mobile - Users

User Story -1.1 Post Login League Module & League Access

As a logged-in user, I want to land on a Leagues module where I can view my leagues, access public leagues, manage my profile, and navigate through available categories, so that I can efficiently manage my participation in F2MX competitions.

Acceptance Criteria :

- **Secure Landing:**
 - After successful login, the user is redirected to the Mobile Leagues module.
- **Leagues Overview :**
 - The Leagues must display:
 - **Section 1 :** Displays Overview of User account
 - Displays the count of Total **"Active Leagues"**
 - Count of leagues currently in "Active" status.
 - Excludes, Completed and Dissolved leagues.
 - Displays the count of Total **"Upcoming Leagues"**
 - Here, the count refers to leagues which are yet-to-started.
 - Display the count of Total **"Completed Leagues"**
 - Here, the count refers to leagues which are already completed.
 - This section should function as a selectable filter widget.
 - Clicking on Active leagues should filter & display the active leagues for that user under the My Leagues section.
 - Active leagues should be the default one.
 - Clicking on Upcoming leagues should filter & display the Upcoming leagues for that user under the My Leagues section.
 - Clicking on Completed leagues should filter & display the Completed leagues for that user under the My Leagues section.
 - These completed leagues should also include the dissolved leagues.
 - A Status filter should be visible under the My League section along with the Type filter.
When a user clicks on the Completed Leagues from the Overview section/card, the system should only fetch and display the completed & Dissolved leagues under the My Leagues sections.
 - Filters :
 - Type : Public/Private

- Status : Completed/Dissolved.
 - Based on the chosen filter the list should be updated.
 - **Section 2:** This section acts as selectable choices based on the available categories for the User.
 - Available categories :
 - My Leagues
 - Public Leagues
 - Private Leagues
 - Invitations
 - Created Leagues
 - Only one category can be active at a time.
 - The selected category must be visually highlighted.
 - Default selection on login: **My Leagues**
 - Switching category updates content dynamically.
 - **Feature: Live Player Value Ticker**
 - The system should display a continuously scrolling ticker at the top of the mobile screen showcasing real-time player value updates.
 - Functionality:
 - The ticker should display:
 - Player Name
 - Current Value Change (in percentage)
 - Positive value changes should be highlighted in green, and negative changes in red.
 - The ticker should scroll horizontally in a continuous loop.
 - Player values should be updated in real-time or at defined intervals based on system configuration.
 - Behavior:
 - The ticker should be visible across all the modules.
 - The scrolling should be smooth and uninterrupted.

User story -1.2 Leagues - “My Leagues” Category (View & Manage)

As a User, I want to view all leagues that I am currently participating in under the “My Leagues” Category on the Leagues so that I can quickly access league details, track league progress, and navigate to the league dashboard.

Acceptance Criteria :

- **Preconditions :**
 - Users must be logged into the application.
 - Users must be a member of at least one league OR the system should display an empty state.
- **Category Selection**
 - When user taps “My Leagues” from the Leagues Module
 - The category must be visually highlighted.

- Dashboard content must update dynamically.
 - Only leagues the user participates in must be displayed.
- **Filters : Type**
 - **Public**
 - Selecting/applying this should filter only Public leagues
 - **Private**
 - Selecting/applying this should filter only Private leagues
- **League Card Display**
 - Each league must appear as a League Card.
 - Each card must contain the following information :

Field	Description
League Name	Name of the league
League Type	Public or Private
Season Progress	Example: Week 8 of 17
Number of Teams	Example: 12 Teams
League Portfolio Value	sum of all owned players' current prices
League Wallet Balance	\$2,000
User Rank	Current ranking of the user
Status	Active / Upcoming / Completed

- **League Status Indicators**
 - Each league must display its current status .
 - Possible statuses :

Status	Meaning
Upcoming	League created but season not started
Active	League currently in season
Completed	Season finished
Dissolved	League terminated

- **League Card Interaction**
 - When a user taps a League Card :
 - The system must navigate to the League Dashboard (Matchup view)
 - The League Dashboard Contains:
 - [Matchup](#)

- [History](#)
 - [Standings](#)
 - [League Wallet](#)
- **Sorting Of Leagues**
 - Leagues under 'My Leagues' must be sorted using the following priority:
 - ~~Active Leagues~~
 - ~~Upcoming Leagues~~
 - ~~Completed Leagues~~
 - Sort by most recently active league.
- **Empty State :**
 - If the User is not part of any leagues, display an empty state message.
 - Example : ~~'You are not part of any leagues yet. Join a Public League or Create a Private League'.~~
 - 'You are not part of any leagues yet. Join a Public League, Join a Private League, or Create a Private League'.
- **Action buttons :**
 - **Join Public League**
 - On click should navigate to the Public leagues category/tab
 - **Join Private League**
 - On click should navigate to the Invitations category/tab
 - **Create Private League**
 - On click should display the Private league creation pop-up/model.
- **Data Refresh**
 - The Dashboard must refresh league data when :
 - User returns from League Dashboard
 - User joins a new league
 - League status changes
 - Pricing & Value changes
 - Price updates in the Market updates

Note : Refresh must occur automatically without requiring manual action.

- **Security Rules**
 - User must only see leagues where:
 - User is a participant
 - User is a Commissioner/Co-commissioner.
 - The user is an invited member who is accepted.
 - Users must not see leagues belonging to other users.
- **Edge Cases**
 - **League Deleted or Dissolved**
 - If a league is dissolved :
 - ~~The League must be removed from My Leagues Tab.~~
 - The league must be visible under the Completed selectable widget within the My Leagues section.
 - **User Removed from League**
 - If a user is removed :

- The league must disappear from My Leagues List.

User story -1.3 Leagues Dashboard - View/Layout

As a User, when I tap on a League Card, I want to access a detailed League Dashboard so that I can manage my participation, view standings, and perform league-related actions.

Acceptance Criteria :

The League Dashboard must contains

- **Top Header**

- The Top header of the League Dashboard must display:
 - **Left arrow (Previous Week)**
 - When users clicks left arrow system must :
 - Decreases week number by 1.
 - Load the week's matchup data
 - Replace:
 - Players stats
 - Opponent
 - Fantasy Points
 - Status (Final/Live/Upcoming/Completed)
 - **Restrictions :**
 - If user is on week 1:
 - The left arrow must be disabled.
 - Arrow visually faded (non-clickable)
 - **Right Arrow (Next Week)**
 - When user clicks system must :
 - Increase week number by 1
 - Load the week's matchup view
 - **Restrictions:**
 - If user is on:
 - Latest scheduled week → enable right arrow.
 - ~~Future week not yet generated → disable arrow.~~
 - Clicking on the right arrow should display the Future week's matchup/opponent for that User.
 - Each week must dynamically load based on its state.
 - **Past week :**
 - Show Final score.
 - No LIVE badge
 - No projected Final
 - Stats locked
 - Winner highlighted
 - Total XP Gain/Loss
 - **Current week (Active) :**
 - LIVE badge visible.

- Projected Final visible.
 - Points updating live.
- **Future Week (Scheduled) :**
 - Show Opponent
 - All player points = 0
 - Display : "Matchup start [day] [time]"
 - No LIVE badge
 - Show projections only.
- Data must refresh per week.
- The arrows must be positioned symmetrically on both sides.
- **Bye Week**
 - If selected week is Bye Week then display :
 - Week [number]- Bye
 - Matchup section shows:
 - No Opponent This Week
 - No score comparison shown.
- **Dissolved League**
 - Week navigation ~~disabled~~ Enabled
 - The entire dashboard becomes read-only.
- **Season Completed**
 - Right arrow disabled at final week
 - All weeks show final
- Default Behavior on Opening League Dashboard:
 - Display/Automatically load Current Active Week
 - If season not started :
 - Default Week 1
 - If season completed:
 - ~~■ Default to Final Week~~
 - The system should default to a **Season Summary View** instead of a specific week.
 - The Season Summary should display aggregated statistics across all weeks (e.g., total points, rankings, win/loss summary, payouts, badges).
 - Users should be able to navigate to individual weeks using **forward/backward controls or a week selector**.
- **Bottom navigation Modules**
 - Must contain 3 contextual options/modules in League Dashboard view :
 - Matchup (default)
 - History
 - Standings
 - League Wallet

"Matchup" Module (Default)

- Display current weekly head-to-head view.
- **Section 1 : A card/Top Banner section**

- which displays :
 - League Name
 - League Type (Public/Private)
 - Current Week (If applicable)
 - Countdown Timer (e.g., Ends Sunday 11:59 PM)
 - League Status
 - Season Length
 - League Size (e.g., 8/12)
- Countdown must update dynamically.
- If matchup finalized → Replace countdown with:
 - "Final"
- If season not started → Display "Season Begins [Date]"
- **Section 2 : Head-to-Head Summary Card**
 - This is the primary visual focus:
 - **A Player Avatars & Identity**
 - Display :
 - User Avatar & Team Name
 - Opponent Avatar & Team Name
 - **Live Indicator**
 - Show "LIVE" badge if matchup is active.
 - Remove the badge when finalized.
 - **Fantasy Points Display**
 - Display :
 - User Total FP
 - Opponent Total FP
 - Values must Update live.
 - Reflect finalized totals once games end
 - **Projected Final**
 - Display :
 - "Projected Final : You vs Opponent
 - Example : You 165 - Sara 130
 - Must dynamically calculate based on:
 - Players in-progress
 - Remaining projected points
 - Hide if the matchup is finalized.
- **Section 3 : Your players**
 - Header : Your Players
 - Scrollable list of roster players for current week.
 - Each Player Row must display :
 - Player initial Badge/icon (e.g., Patrick Mahomes as "PM")
 - Player Name (e.g., Patrick Mahomes)
 - Player Stat-line display below the player name (e.g., 1 TD, 94 YDS)
 - Position (QB,RB,WR,TE,Flex etc..)
 - Game Status:
 - In-progress

- Final
 - Upcoming
 - Points earned (e.g., 25.5 points)
- **Tags**
 - Only ONE primary tag should display per player row.
 - Each Player may show between :
 - **Owned all week**
 - Display this when : Stable roster player. No transaction impact this week.
 - **Traded**
 - Display this when : This player was traded away during this matchup week.
 - Display along with Timestamp
 - **Acquired**
 - Display this when : Recently added player. May have hold-time restrictions.
 - Display along with Timestamp
 - **Hold Lock**
 - The player has been acquired.
 - The hold-time rule is active.
 - Players cannot be traded yet.
 - Display along with Timer.
 - Once the hold lock is completed the player tag should be replaced with Acquired tag along with the timestamp.
 - **Previously Owned**
 - Display this when Player was owned earlier
- **Live Update Behavior**
 - Player points update live.
 - If player locked (hold time) → trading restricted (enforced in Market tab).
 - **If League Not started**
 - All still shows full roster
 - Active filter should be greyed out.
- **Filters Live Behavior:**
 - Filter must apply instantly
 - Points must continue updating live even when a filter is applied.
- **Section 4 : Opponent Players**
 - This section should display below "Your Players"
 - Header : Opponent's Team Name
 - Must display :
 - Opponent player list
 - Same structure as Your players
 - No filters for this section.
 - Live Update Behavior only updates the Player points.

- Read-only view

"History" Module

- History view is strictly read-only
- History must display :
 - Only finalized weeks
 - ~~No projected values~~
 - No LIVE indicators
 - All stats locked
- **Module Entry & Navigation :**
 - The history module is accessible via the bottom tab.
 - When users taps History , the system must :
 - Load Matchup History view
 - Highlight History module/tab
 - Hide matchup layout
- **Top Header Section :**
 - Must display :
 - **Title : "MATCHUP HISTORY"**
 - **Back Arrow/**
 - A back arrow to navigate to the Leagues Module.
 - **Left Arrow**
 - Navigates back to the current week Matchup Module/tab.
 - **Week Navigation Inside History**
 - Below Title/Header, display week selector bar :
 - Behavior :
 - Left arrow → Load previous week
 - Right arrow → Load next week
 - Only valid completed weeks allowed
 - Cannot navigate to future weeks
 - Arrows disabled at boundaries
 - **Navigation Behavior :**
 - If Week 1 : Left arrow disabled
 - If latest completed week : Right arrow disabled.
 - **Bye Week Handling**
 - If selected week was Bye, then display : "WEEK 5 - BYE"
 - Card displays :
 - "No Opponent This week"
 - Points earned
 - Record unchanged
 - No WIN/LOSS badge
 - **Week Status Card**
 - Card must display:
 - **Week Label** (E.g., WEEK 7 - COMPLETED)
 - **Result Badge (Top Right)**
 - If user Won:

- Green Badge → ✓ WIN
 - If Lost :
 - Red badge → × LOSS
 - If Tie :
 - Yellow badge → TIE
- **Head-to-Head Summary Card**
 - Must display :
 - Left side (User)
 - Avatar
 - Team Name
 - "You"Label
 - Final Fantasy points
 - XP Gain/Lost
 - Center Section
 - "VS"
 - Margin Result :
 - Won/loss by [points]
 - 'Margin = User final score - Opponent Final score.'
 - Right Side (Opponent)
 - Opponent Avatar
 - Opponent Team Name
 - Opponent Final Points
- **Footer Insight Section**
 - Below Score card, must display :
 - User's League Record after that week's matchup is finalized.
Which is "Wins – Losses"
 - (e.g., You improved your record to 5-2).
 - This must dynamically reflect :
 - Updated league record after this week.
 - Format:
 - You improved record to X-Y
 - You dropped to X-Y (if loss)
- **History of players Traded :**
 - In the History Module, under Matchup History, the system should provide a provision for users to view the history of NFL players traded for a specific week within the league.
 - This view should capture complete trade lifecycle details, including both buy and sell transactions, with a clear calculation of Profit & Loss (P&L) for each completed trade (sell).
 - **Player Trade Details**
 - For each traded player, the following details should be displayed:
 - Player Name
 - Buy Details:
 - Buy Timestamp
 - Buy Amount

- Sell Details (only if sold):
 - Sell Timestamp
 - Sell Amount
 - Profit / Loss (P&L)
 - P&L should be:
 - Calculated for each individual sell transaction
 - Displayed alongside the sell details.
 - **P&L Calculation Logic**
 - Profit / Loss (P&L) = Sell Amount – Buy Amount
 - If:
 - Sell Amount > Buy Amount → Display as Profit
 - Sell Amount < Buy Amount → Display as Loss
 - Sell Amount = Buy Amount → Display as No Gain / No Loss
- **Edge Case**
 - **League Dissolved**
 - History remains accessible (Read-only)
 - **User Removed Mid-Season**
 - History remains visible for weeks participated.
 - **Tie Scenario**
 - Display :
 - TIE
 - Final Score 120 - 120

“Standings” Module

- The standing module must be accessible from the League Dashboard bottom navigation.
- When the user taps Standings:
 - The system must open the Standings screen.
 - The Standings tab must be highlighted as active.
 - The system must load the latest league ranking data.
- **Header Section**
 - The Top section must display :
 - Title : “STANDINGS”
 - Back Navigation : Left Arrow
 - Behavior :
 - Tapping the arrow navigates back to the Dashboard View.
- **League Selector Tabs**
 - Below the header, the screen must display selectable league tabs.
 - Example : [Championship] [Work League] [Friends League]
 - Behavior :
 - Only **one league can be active at a time.**
 - The selected league tab must be visually highlighted.

- When user switches leagues:
 - The standings list must refresh.
 - Data must correspond to the selected league.
- **League Summary Card**
 - Below the league selector,display a League Info Card
 - Format/Structure:

[League Name]

[Week number out total Weeks number]

[No.of Teams .. No.of Playoff Spots]
 - Example :
 - Championship League
 - Week 8 of 17
 - 12 Teams • 7 Playoff Spots

Field	Description
League Name	Name of the league
Current Week	Current active league week
Total Weeks	Total league season length
Number of Teams	Total participants
Playoff Spots	Number of teams qualifying for playoffs

- **League Standing List**
 - Below the summary card,the system must display the ranked leaderboard of teams.
 - Each row must contain:

Element	Description
Rank Number	Position in standings
Team Avatar	User avatar
Team Name	Team identity
User Name (FN +LN)	Owner name
Total Fantasy Points	Total season points
Average Points	Average weekly score
Record	Win-Loss record

- **Ranking Logic :** Teams must be ranked based on :
 - **Primary Rule**
 - Highest **Win-Loss-Tie Record**
 - **Tie Breaker**
 - If two teams have same record:
 - Total Fantasy Points scored
 - Head-to-Head record

Example :

Lightning ranks higher due to higher points.

Team	Record	Points
Lightning	8-1	892.4
Thunder	8-1	874.8

- **Current User Highlight**
 - If the logged-in user appears in standing:
 - Their row must be visually highlighted.
 - This helps users easily identify their position.
- **Playoff Qualification Indicator**
 - Teams within the playoff qualification range must show an indicator.
 - Example : "Top 4 teams qualify"
 - Indicator : '🏆' [Ranking Medal] or 'Highlight Zone'.
- **Data Refresh Rules**
 - Standings must automatically update when :
 - Weekly Matchups finalize
 - Fantasy points are recalculated
 - Wins/Losses are recorded
- **Edge cases**
 - If League has not started, display:
 - The season has not started yet.
 - Standings will appear after week 1.
 - **If User Joined Mid-Season**
 - Standings must reflect the current record.
 - **If Tie Occurs**
 - The record must display the tie along with Win-Loss.
 - Example : Record : 6-4-2 (6 Win, 4 Loss & 2 Tie).

User story - 1.4 Leagues - "Public Leagues " Category

As a User, I want to view available **Public Leagues** on the Leagues so that I can explore leagues that are open to everyone and join them without requiring an invitation

Acceptance Criteria :

- **Preconditions :**

- Users must be logged into the application.
- Public leagues must exist in the system OR an empty state must be displayed.

- **Category Selection**

- When the user selects **Public Leagues**:
 - The category must be visually highlighted.
 - The system must dynamically load and display only those public leagues for which the user is eligible, based on the user's current XP tier. Leagues that require a higher and lower XP tier must not be visible to the user.
 - The system must dynamically display the Public leagues which the user didn't join.

- **Public League Card Display**

- Each public league must appear as a League Card.
- Each card must display the following information :

Field	Description
League Name	Name of the public league
League Type	Public
Current Week	Example: Week 5
Season Progress	Example: Week 5 of 17
Team Capacity	Example: 8 / 12 Teams Joined
League Status	Open / Active / Full

- **League Availability Status**

- Each public league must display its join availability.
- Possible Statuses :

Status	Meaning
Open	Users can join the league
Full	No new users allowed
Active	Season already started

- **Join League Action**

- If the league status is **Open**, the card must display a **Join League** Button in the League Card.
- When the User clicks Join league :
- System Must :
 - Verify available slots

- Add the User to the League
- Update the participant count
- Display confirmation message
 - "You have successfully joined the league"
- The league must now appear under : My Leagues

View League Details

- If the user taps the league card (not the join button)
- The system must open a League Details View displaying :

Details	Description
League Name	Name of the League
Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Trading rules	The market restrictions, including minimum hold time requirements and other trading limitations
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks
Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)
Public League Requirements (Before Joining)	1. users can also view the league's start date. 2. The specific XP tier/threshold requirements needed to join.

- Users can then choose to :
 - Join League
 - [Go Back to Dashboard](#)
- **Sorting of Public Leagues**

- Public leagues must be sorted based on the following criteria/priority :
 - Open Leagues with available slots
 - Leagues nearing full capacity
 - Recently created leagues
 - Full leagues
- **Empty State**
 - If no Public leagues exist, display : "No public leagues Available"
- **Security Rules**
 - Users must only be allowed to join a league if :
 - The league is public
 - The league has available slots
 - The season has not started
- **Edge Cases**
 - **League becomes Full while joining**
 - If a league becomes full during the join process, display : "This league is now full. Please join another league".
 - **User Already Joined League**
 - If the user is already a member, the card must show : "Joined".
 - The join button must be disabled.
 - **Season already started**
 - If a Public league has already started then, display : "Season Already Started".

User story -1.5 Leagues - "Invitations" Category

As a User, I want to view all Private **league invitations I have received** under the **"Invitations"** category on the Leagues so that I can review the league details and choose to **accept or decline the invitation**.

Acceptance Criteria :

- **Preconditions**
 - Users must be logged in.
 - Users must have received at least one Private league invitation OR the system must display an empty state.
- **Category Selection**
 - When the user selects Invitations:
 - The category must be visually highlighted.
 - The dashboard must display all league invitations received by the user.
- **Invitation card display**
 - Each invitation must appear as an Invitation Card.
 - Each card must display the following details :

Field	Description
-------	-------------

League Name	Name of the Private League
Invited By	Name of the user who sent the invitation
League Type	Private
League Size	Maximum Participants
Current Members	Example : 7/12 Teams
Invitation Date	When Invitation was sent
Starting allocation	Credits (e.g., \$ 2000)

- **Invitation Actions**

- Each invitation card must display two action buttons :
 - [Accept] [Decline]

- **Accept Invitation**

- When the user clicks Accept, system must :
 - Verify league availability.
 - The system must raise/send an Approval request to the Commissioner/Co-commissioner of the league.
 - Once the Commissioner/Co-Commissioner approves the joining request then, system must :
 - Add the user to the league.
 - Update the participant count.
 - Move the league to **My Leagues**.
 - If the Commissioner/Co-commissioner declines the joining request then, the system should Remove the request & Notify the user that their request was declined.
- Display confirmation message : "You have successfully joined the league".

- **Decline Invitation**

- When the user clicks Decline,system must :
 - Remove the invitation from the list.
 - Notify the inviter.
- Display confirmation message : "Invitation declined"

- **View Invitation Details**

- When the user taps the invitation card (excluding buttons) :
- The system must open Invitation Details View displaying :
 - Details are same as mentioned in the ([Us -2.4](#))
 - User can choose :
 - Accept Invitation
 - Decline Invitation
 - Back

- **Expired Invitations**

- If the season starts before the user responds:
 - The invitation should be removed from the Invitations category.

- Users cannot accept it.
- **CTA Button :**

Condition	Button
Request received	Accept
Already Requested	Request Pending (Disabled)
Approved	Move the league to MY leagues section.
Decline	Remove the invitation

- **Empty State**
 - If the user has no invitations, Display a message : "No Invitations Available.You will see league invitations here when other users invite you to join their leagues".
- **Notification indicator**
 - If the user receives a new invitation,the invitations category should display a notification badge.
 - Example : **Invitations (2)**, this indicates two pending invitations.
- **Security Rules**
 - Users must only see invitations where :
 - The invitation was sent specifically to them.
 - The league still exists
 - The league has available slots.
- **Edge Cases**
 - **League Becomes Full**
 - If a league becomes full before the user accepts, display : "League is full.Invitation cannot be accepted".
 - **User Already Joined**
 - If a user already joined through another invite method the invitation must be automatically removed.

User story -1.6 Create Private Leagues

As a User, I want to create a **Private League** from my mobile app so that I can invite specific friends or users to compete in a fantasy league.

Acceptance Criteria

- **Precondition:**
 - Only logged-in users must be allowed to create leagues.
- **Access Create League Option**

- The Leagues Module must provide a "Create League " option.
- The option must be accessible from :
 - Leagues Module → My Leagues Tab/Category
 - Leagues Module → Created Leagues Tab/Category
- **League Type Selection**
 - When the user taps Create League, the system must defaultly consider it as a private League.
 - The system navigate to the Private League Creation Screen
- **League Creation Screen**
 - The league creation screen must capture the following information :
 - League Name
 - League Size (Number of Teams)
 - Start Date
 - Season Length/Duration (Number of weeks)
 - Starting Currency
 - Max Buy-in Cap
 - Buy-In Conversion Rate
 - Scoring Model - "Half PPR" (Read-only)
 - Playoffs toggle
- **Fields Information/requirement:**
 - **League Name :**
 - The League Name is a user-defined label displayed to participants for identifying the league.
 - Field Type : Text Input
 - Validation Rules :
 - Minimum characters : 3
 - Maximum characters: 50
 - Must allow :
 - Alphabets (A-Z, a-z)
 - Numbers
 - Spaces
 - All Special characters
 - Restrictions
 - The system must prevent duplicate league names for the same sector(Public/ private).
 - **League Size (Number of Teams)**
 - Defines the maximum number of participants/teams that can join the league.
 - Field Type : Text Input
 - Allowed Values :
 - Only Numerics
 - Validation Rules
 - Minimum : 4 Teams
 - ~~Maximum :~~
 - **System Behavior**
 - By default the league creator occupies one team slot.

- Remaining slots become available for other users.
 - When the league reaches the maximum size :
 - No additional Users can Join.
- **Start Date:** The Start Date determines when the league competition begins.
- **Field Type:** Date Selector (Calendar Picker)
 - Validation Rules
 - The selected date must strictly fall on or after the F2MX platform's global market opening date
 - System Behavior
 - Triggers the generation of the weekly head-to-head matchups and initiates the allocation of starting currency to all joined users
 - If Auto-Reactivate is used for future seasons, the start date does not automatically roll forward and must be manually re-confirmed by the commissioner.
- **Season Length (Number of Weeks)**
 - Defines how long the league competition runs.
 - Field Type : Dropdown selector
 - Allowed values :
 - 1 weeks
 - 2 weeks
 - 3 weeks
 - 4 weeks so on... upto ~~18 weeks~~ 23 weeks
 - ~~■ Validation Rules~~
 - ~~• Must not exceed NFL Regular season duration (18 weeks)~~
 - System Behavior
 - The system must generate weekly matchups.
 - League standings must be updated after every week.
 - A season length of 7 or fewer weeks is classified by the system as a "short league," which prompts the commissioner with an option to reactivate the league for a second time within the same NFL season as soon as the League completes.
- **Starting Currency**
 - Defines the initial virtual game currency balance assigned to each participant for trading players when they join a league.
 - Field Type : Input Text
 - Only numeric values are allowed.
 - Min : \$2,000 - The range is set by Super Admin - The range is set by Super Admin
 - System Behavior :
 - Every participant receives the same starting balance.
 - Currency is used for :
 - Buying players
 - Trading in the market

- This currency is placed in an isolated "League Wallet" and can only be used for buying/selling players and paying commissions/Spread within that specific league.
- At the end of the season, this baseline starting allocation is excluded from end-of-League profit settlements transferred to the persistent User Wallet. (defined as ending league currency minus starting allocation).

- **Validation Rule**

- The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.

- **Buy-In Conversion Rate :**

- The system should provide two selectable modes :

- **Mode A – Flat Value**

- Commissioner enters a fixed value (VC) for Maximum Additional Buy-In Cap
 - Field Type: Numeric input (VC)
 - **Behavior**
 - The entered value is treated as the Maximum Additional Buy-In Cap, provided it complies with the percentage limits defined by the Super Admin based on the selected Starting Allocation.
 - **Validation**
 - The fixed value VC amount defined by the commissioner should not be > than the Starting Allocation.
 - Entered value must be :
 - Numeric
 - Must be > = 0
 - Must not exceed the maximum allowable cap derived from Super Admin percentage limits.
 - The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.

- **Mode B – Percentage Based**

- Commissioner selects a percentage (%)
 - Field Type: Slider / Input (Range controlled by Super Admin)
 - **Formula :**
 - $\text{Maximum Additional Buy-In Cap} = (\%) \times \text{Starting Allocation}$
 - **Behavior**
 - System automatically calculates the Maximum Additional Buy-In Cap

- The calculated value should:
 - Be displayed in real-time
 - Update dynamically as the percentage slider changes.
 - **Validation Rules**
 - The values configured by the Commissioner must:
 - Remain within the limits defined by the Super Admin
 - Not exceed or override platform-level constraints.
 - System calculated cap should :
 - Always align with this percentage.
 - The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.
 - Example :
 - **League Setup**
 - Starting Allocation = \$2,000 VC
 - Mode A
 - Commissioner sets Maximum Additional Buy-In Cap = \$400 VC
 - Mode B
 - Commissioner sets: 20%
 - System calculates:
 - Maximum Additional Buy-In Cap = \$400 (20% of Starting Allocation)
 - If slider changes to 25%:
 - Cap updates instantly to 500 VC
 - **Maximum Additional Buy-In Cap**
 - The Maximum Additional Buy-In Cap defines the maximum additional game currency (VC) a user can add to their league wallet beyond the Starting Allocation.
 - This field is:
 - Directly configurable in Mode A (Flat Value)
 - System-derived in Mode B (Percentage-Based)
 - It is dependent on:
 - Starting Allocation
 - Buy-In Conversion Rate (Mode selection)
 - **Field Behavior**
 - **Mode A – Flat Value**
 - Field Type: Editable numeric input (VC)
 - Commissioner manually enters the value
 - **Functionality**

- Accepts direct input for Maximum Additional Buy-In Cap
 - Value entered becomes the final cap, subject to validation against Super Admin defined percentage limits.
 - No automatic calculation involved
- **Validation Rule**
 - Should not exceed Platform-level cap limits defined by Super Admin.
- **Mode B – Percentage-Based**
 - Field Type: Read-only / Auto-calculated field
 - Value is derived using configured percentage
 - Functionality
 - System calculates:
 - Maximum Additional Buy-In Cap = % × Starting Allocation
 - Field should:
 - Auto-populate
 - Update in real-time when:
 - Percentage changes
 - Starting Allocation changes
 - **Commissioner cannot edit this field manually**
- **Mode A - Flat Value**
 - The Commissioner directly defines a fixed VC amount.
 - Example: \$400 VC
 - This value represents the maximum additional buy-in limit.
- **Mode B - Percentage Based**
 - Commissioner defines a percentage (%) of Starting Allocation.
 - System calculates the Maximum Additional Buy-In Cap dynamically: Maximum Additional Buy-In Cap = % × Starting Allocation
 - Example:
 - Starting Allocation = 2,000 VC
 - Percentage = 20%
 - Maximum Additional Buy-In Cap = \$400 (derived as 20% of Starting Allocation)
- **Validation Rules**
 - The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.
 - Users can purchase additional buy-ins in increments, up to the Maximum Additional Buy-In Cap.
 - The fixed VC amount defined by the commissioner should be aligned between the range/limits set by Super Admin.
 - System shall not allow any transaction that causes:

- Total Additional Buy-ins > Maximum Additional Buy-In Cap
- Negative or zero values are not allowed.
- Percentage range shall be configurable (e.g., 0%–100% for MVP)
- Out of scope for MVP: Values above 100% are not supported.

■ **System Behavior :**

- The system shall enforce the Maximum Additional Buy-In Cap at all times.
- System shall track:
 - Total additional VC added by the user
 - Remaining available buy-in limit
 - Remaining Cap = Maximum Additional Buy-In Cap – Consumed Buy-ins.
- Prevents Users from exceeding the configured limit.
- The Buy-In Conversion % is used only to calculate the Maximum Additional Buy-In Cap and is not applied to individual user transactions.
- If the Starting Allocation is modified, the Maximum Additional Buy-In Cap must be revalidated to ensure it remains within the Super Admin defined percentage limits.
- Once the league season starts, the Buy-In Configuration (Mode, percentage, and Maximum Additional Buy-In Cap) cannot be modified by the Commissioner.

■ **Example :**

- User Wallet Balance = 1,000
- League Name : Friends League
- Starting Allocation - \$2,000
- Maximum Additional Buy-In Cap = 20% (Mode B) = \$400
- Buy-In Conversion % = 20% (used to derive Maximum Additional Buy-In Cap)
- **Scenario 1:**
 - User initiates " Transfer/Add Funds"
 - Enters : \$200
- **System Checks**
 - \$200 < Maximum Additional Buy-In Cap
 - Transfer accepted and processed.
- **Output :**
 - Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$200.
- **Scenario 2:**
 - User initiates " Transfer/Add Funds"
 - Enters : \$200
- **System Checks**
 - \$200 <= remaining Maximum Additional **Buy-In Cap**
 - Transfer accepted and processed.

- **Output :**
 - Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$0.
- **Scenario 3:**
 - User initiates " Transfer/Add Funds"
 - Enters : \$100
- **System Checks**
 - \$100 <= remaining Maximum Additional **Buy-In Cap**
 - Transfer declined & display error message : "You have exceeded the maximum additional buy-in limit for this league".
- **Scoring Model - Half PPR (Read-Only)**
 - Defines how player performance points are calculated.
 - It should be an expandable /clickable field .Clicking on the View Scoring points/ rules should display the Events & Points awarded in Read-Only.
 - Validation Rules
 - For the MVP, this is NOT actually configurable by the commissioner. Because player pricing relies on global aggregate scoring, Half-PPR (0.5 points per reception) is strictly enforced platform-wide
 - System Behavior
 - The scoring model cannot be modified in MVP.
 - All leagues operate under the Half PPR scoring system (Half Point Per Reception).
 - The system automatically applies standard fantasy scoring rules with fractional precision (e.g., 87 rushing yards = 8.7 points, no rounding) and explicitly excludes Defense/Special Teams and performance bonuses.
 -
 - F2MX MVP Half PPR Scoring Table

Event	Points Awarded	Additional Rules & System Behavior
Passing Yards	0.04 points per yard	Fractional scoring applies (e.g., 249 yards = 9.96 points).
Passing Touchdown	+4 points	Standard MVP default for QBs.
Interception Thrown	-2 points	Penalty applied to the passer.
Rushing Yards	0.10 points per yard	Fractional scoring applies (e.g., 87 yards = 8.7 points).
Rushing Touchdown	+6 points	Standard scoring applies.

Receiving Yards	0.10 points per yard	Fractional scoring applies.
Receiving Touchdown	+6 points	Standard scoring applies.
Reception (Half-PPR)	+0.5 points	Awarded for every caught pass, on top of yardage and touchdown points.
Fumble Lost	-2 points	Only penalized if the fumble results in a turnover (recovered by the opposing team).
Fumble (Not Lost)	0 points	If a player fumbles but their own team recovers it, there is no penalty.
2-Point Conversion (Scored)	+2 points	Awarded to the player who scores the conversion via rush or reception.
2-Point Conversion (Passer)	+2 points	F2MX management explicitly confirmed the QB/passers also receives +2 points for a successful passing conversion

- **Playoffs Toggle**

- Allows the league creator to enable or disable playoffs at the end of the season.
- Field Type : Toggle Switch (ON/OFF)
 - Default : OFF
- If Playoffs = enabled
 - The system must display 2 options & 1 additional configuration field.
 - **Option 1 : "Traditional Head-to-Head Bracket Playoffs" (10+ Weeks)**
 - The system generates an NFL-style seeded bracket (e.g., 1 vs 4, 2 vs 3) based on the final regular-season standings.
 - These playoff matchups replace standard regular-season matchups for the designated playoff weeks.
 - **Matchup clause** : Teams are seeded based on final regular-season standings.
 - Matchups are structured such that:
 - Highest seed plays lowest seed (e.g., 1 vs 4)
 - Next highest plays next lowest (e.g., 2 vs 3)
 - **Bracket Generation**
 - At the end of the regular season:
 - System locks standings
 - Identifies Top-N teams
 - Generates a seeded playoff bracket.

- **Playoff Gameplay Behavior**
 - During playoff weeks:
 - Same trading rules as regular season
 - Same scoring rules
 - Same ownership-based attribution
 - Same pricing model
 - Same match logic
- **Validation Rule:** The league's "Season Length" must be at least 10 weeks long to select this format.
- **Playoff Elimination Clause**
 - Teams that lose in any playoff round:
 - Are immediately eliminated
 - Do not progress to further weeks
 - Do not enter the consolation bracket
 - Their competitive participation ends in that week.
- **Example - Traditional Playoffs**
 - League Size: 10
 - Top 4 Qualified for Playoffs: A, B, C, D
 - Playoff Weeks: 2
 - Week 1 – Semi-finals:
 - A vs D → A wins
 - B vs C → C wins
 - Week 2 – Final:
 - A vs C
 - Outcome:
 - Teams B and D are eliminated in Week 1
 - They do not proceed to Week 2
 - They do not enter the consolation bracket
 - Their league participation (matches and competition-related actions) ends after Week 1.
 - A vs C determines champion
- **Additional Field : “ Playoff Weeks”**
 - Defines the number of weeks allocated for playoffs at the end of league.
 - Field Type : Dropdown
 - Options : 2, 3, 4 weeks
 - Mandatory field if playoffs enabled.
 - Validation :
 - Min = 2 weeks
 - Max = 4 Weeks
 - Playoff Weeks must be less than Season Length
 - A minimum number of regular season weeks must remain after allocating playoff weeks.
- **Additional Field: “Top-N Advance” (Auto-Fill)**

- Defines how many teams qualify for playoffs.
- Field Type : Auto-calculated (Auto-fill)
- Visibility : Displayed only if playoffs enabled.
- Mandatory : Yes (When playoffs enabled)
- The No.of Playoff Teams fields depend on the League Size and the playoff weeks.
- The system should automatically suggest the no.of teams advancing to playoffs based on the configured playoff weeks.
- **Auto- Suggestion Mapping**

Playoff Weeks	Suggested Top -N Advance	Playoff structure
2 weeks	4 Teams	Semi- final + Final
3 weeks	8 Teams	Quarter-final + Semi-final + Final
4 weeks	14 Teams	Round of 6 + QF+SF+Final

- **Logic :**

- The total Season Length includes both Regular Season and playoff Weeks.
 - Regular Season Weeks = Season Length - Playoff Weeks.
- The configured Season Length represents the **total duration of the league**, including both regular season and playoff weeks. Playoff weeks are not additional but are part of the selected season length.
- **Playoff & Consolation Flow:**
 - - Qualified teams (Top-N) enter the playoff bracket.
 - - Non-qualified teams enter the consolation bracket.
 - - Once a team enters the playoff bracket, they cannot move to the consolation bracket, even if eliminated.

- **Non-qualifiers for playoffs**

- Teams that do not qualify for the main playoff bracket will participate in a separate losers/consolation bracket.
- **Eligibility Rule :**
 - Only teams who fail to qualify for the playoff bracket are included.

- - Teams eliminated from the main playoff bracket (after qualifying) must NOT enter the consolation bracket.
- Example :
 - League Size: 10
 - Top-N (Playoff Qualified): 4 (Ranks 1–4)
 - Consolation Bracket Teams: 6 (Ranks 5–10)
- **Behavior :**
 - Consolation bracket runs parallel to playoff weeks.
 - - Provides continued engagement for non-qualified teams.
- **Achievement:**
- All users participating in the consolation bracket can continue playing matches to earn XP (Experience Points).
- - [A separate achievement/reward can be defined for the winner of the consolation bracket.](#)

- **Validation Rules**

- League Size Constraint
 - Top N Advance must be < League Size
- Bracket Compatibility
 - Only valid bracket size allowed (4,8,14...)
- Playoff Weeks Dependency
 - Selected Top N must be compatible with the number of playoff rounds.
- Consolation Bracket Validation :
 - Only non-qualified teams (based on final regular season standings) are eligible.
 - - Teams eliminated from playoff rounds must NOT be re-routed to the consolation bracket.
 - - Consolation bracket size = League Size – Top-N Advance

- Examples :

League Size	Playoff Weeks	Suggested Top - N	Final Allowed (Playoff participants)
10 teams	3 weeks	8	8
6 teams	3 weeks	4	4
12 teams	2 weeks	4	4
5 teams	2 weeks	4	4

- **Validation Rules & Dependencies:**
 - If the commissioner selects a Traditional Head-to-Head Bracket, the Season Length must be at least 10 weeks.
 - If the season length is below the required threshold for a format, the system will warn the commissioner or block the option from being enabled.
- **Additional System Behaviors & Clauses**
 - Dependency Warnings: If the configured season length is below the minimum threshold required for either format, the system will warn the commissioner or actively block the playoffs option from being enabled.
 - If F2MX fantasy playoffs overlap with real-life NFL playoff games, those games will be treated as standard scoring events.
 - Fantasy playoff structure remains independent of NFL playoff structure.
- **Create League Button**
 - User clicks "Create League"
 - The system must validate all the fields
 - All fields are Mandatory (Except playoffs when disabled) & cannot be empty.
- **System Initialization & Commissioner Wallet Funding**
 - **Unique ID:** The system generates a unique League ID used for invitation handling.
 - **Wallet Initialization:** A specific League Wallet is instantly initialized for the Commissioner and funded with the exact "Starting Currency" amount defined during the creation step.
- **"Invite Users" Button (Commissioner Action)**
 - **Creation:** The system should generate a shareable invitation URL and a corresponding scannable QR code linked to the new League ID.
 - **Sharing:** These are non-personalized (one-to-many) links that the Commissioner can distribute via text, email, or social media using the device's native share sheet.
- **Validations**

Field Name	Field Type	Mandatory	Validation Type	Validation Rule	Error Message
League Name	Text Input	Yes	Empty	Cannot be blank	"League Name is required"

			Min Length	Minimum 3 characters	"League Name must be at least 3 characters"
			Max Length	Maximum 50 characters	"League Name cannot exceed 50 characters"
			Duplicate	Must be unique across platform	"League Name already exists"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"League Size is required"
Min Value	≥ 4 teams	"League must have at least 4 teams"
Max Value	Platform-defined limit	"League size exceeds allowed limit"
Integer Only	No decimals allowed	"Enter a valid whole number"
Format	Numeric only	"Invalid input"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Start Date is required"

Past Date	Must be future date	"Start Date cannot be in the past"
-----------	---------------------	------------------------------------

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Start Date is required"
Past Date	Must be future date	"Start Date cannot be in the past"
Logical Validation	Must align with season duration	"Invalid start date based on season duration"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Season duration is required"
Min Value	≥ 1 week	"Season must be at least 1 week"
Max Value	Platform-defined limit	"Season duration exceeds allowed limit"
Integer Only	No decimals	"Enter a valid number of weeks"
Format	Numeric only	"Invalid input"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Starting currency is required"
Min Value	Must be > 0	"Starting currency must be greater than 0"

Max Value	Platform-defined cap	"Exceeds maximum allowed starting currency"
Decimal Limit	Max 2 decimal places	"Invalid currency format"
Format	Numeric only	"Invalid amount entered"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Max Buy-In Cap is required"
Min Value	Must be > 0	"Buy-In Cap must be greater than 0"
Decimal Limit	Max 2 decimal places	"Invalid amount format"
Format	Numeric only	"Invalid input"

Validation Type	Rule	Error Message
Empty	Cannot be blank	"Conversion rate is required"
Zero Restriction	Cannot be 0%	"Conversion rate cannot be 0%"
Format	Numeric (percentage)	"Enter a valid percentage"
Decimal Limit	Max 2 decimals	"Invalid percentage format"

Validation Type	Rule	Error Message
Max Value	$\leq 40\%$	"Conversion rate cannot exceed 40%"
Range Enforcement	Must fall within range	"Value must be between 0% and 40%"

User story -1.7 The Three Invitation Methods & User Joining

As an F2MX League Commissioner, I want to invite other users to join my Private League using multiple invitation methods, so that participants can easily join the league before the season begins.

Acceptance Criteria :

- Once a Private League is created, the League Commissioner must be able to invite users to join the league.
 - The system supports three distinct mechanisms for inviting users to a league :
 - **Direct Link (URL):** A shareable web link (e.g., f2mx.app/join/xyz123) that is linked to a specific League ID.
 - **Generation:** The system should automatically generate this unique URL.
 - **Sharing Mechanism:** The app provides a "Copy Link" button and a "Share" button.
 - The "Share" button explicitly triggers the device's native OS share sheet, allowing the OS to handle distribution via text, email, social media.
 - **Deep Linking:** Clicking the link on a mobile device must automatically open the F2MX app.
 - System behavior depends on the [Join flow](#).
 - **QR Code:** A scannable graphic designed to the specific League ID, designed to be "event-friendly" for in-person sharing..
 - **Generation:** The system automatically generates the QR code alongside the Direct Link URL.
 - The QR Code must encode the same invitation URL.
 - Only the League Commissioner can access and share this QR Code.
 - **Targeting:** The QR code is inherently generic and non-personalized (one-to-many).
 - **QR CODE User Interface Components**
 - The code Code section must display :
 - QR Code Image

- Download Button
 - The system must allow the commissioner to download the QR Code as an image file.
 - Format : PNG or JPG
 - When User taps/click Download QR Code
 - Generate the QR Code Image & Save the image to the user's device.
 - Share Button/Icon
 - The systems must allow users to share the QR Code directly using the device's native share options(Whatsapp, EMAIL, SMS, Social Media)
- **QR Code Scan Behavior**
 - The device opens the encoded URL.
 - System behavior depends on the [Join flow](#).
- **Deep Linking:** Scanning the QR code functions identically to the Direct Link, directing the user into the F2MX app's [join flow](#)
-
- **In-App Invite:** Direct invitations sent through the F2MX platform directly to existing F2MX users.
 - **Invitation Flow**
 - Commission can :
 - Search users by **username**
 - Select one or multiple users
 - Send Invitation
 - Once the invitation is sent, the invited user receives the invitation inside the application.
 - The invitation must appear in : Leagues → Invitations
- **Users Requesting to Join (User Action)**
 - User must be able to :
 - Accept
 - Decline

Joining Flow :

- **If the user is already logged in :** The system must open the League Invitation Detail Screen.
- **If the user is not logged in :** The system must:
 - Redirect the user to Login.
 - After authentication, redirect the user back to the League Invitation Detail Screen.
- **If the app is not installed :** it must redirect the user to the App Store/Play store.
 - After authentication, redirect the user back to the League Invitation Detail Screen.
- **Validation Rules**
 - The league must not be full.
 - The league must not have started.

- The user must not already belong to the league.
- **Successful Join Behavior**
 - If validation passes, the system must:
 - Add the user to the league participant list
 - Allocate Starting Currency
 - Assign a team slot
 - Update Teams Joined counter
- **Post Join Behavior**
 - After successfully joining:
 - The system must:
 - Redirect the user to the League Dashboard
 - Display the league under:
 - Leagues → My Leagues
- **Decline Invitation Flow**
 - If the user selects Decline Invitation:
 - The system must:
 - Remove the invitation from the user's invitation list.
- **League Capacity Handling**
 - If the league has reached the configured League Size, the system must:
 - Disable the Join League option
 - Display the message: "This League is full"

User story -1.8 Leagues - "Created Leagues" Category

As an F2MX user acting as a League Commissioner, I want to view all the leagues I have created and manage incoming join requests, so that I can control who participates in my private league.

Acceptance Criteria :

- All leagues created by the user must appear under : Leagues → Created Leagues
- Each created league must appear as a League Card.
- The card must display :

○

Field	Description
League Name	Name of the league
League Size	Example: 6 / 10 teams joined
League Status	Waiting / Ready / Active
Start Date	League start date
Playoff Status	Enabled/Disabled + no.of

	playoff weeks
--	---------------

- **Opening the League Dashboard Sections (Commissioner View)**

- The league Dashboard must contain the following sections :

- **Section 1 : League Overview**

- Displays :

Details	Description
League Name	Name of the League
Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Trading rules	The market restrictions, including minimum hold-time requirements and other trading limitations
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks
Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)
Public League Requirements (Before Joining)	3. users can also view the league's start date. 4. The specific XP tier/threshold requirements needed to join.

- **Settings Icon (⚙️) :**

- The league Settings screen must display all [configuration details](#) that were defined when creating the league.
- The leagues Settings should be editable before the League starts.
- The Settings should only be visible to the Commissioner & Co-Commissioner of the League.

- **Section 2 : Invite Members Section**
 - The commissioner can invite players using :
 - Direct Link
 - QR Code
 - In-App Invite
- **Section 3 : Managing Join Requests/Pending Requests**
 - The requests must appear inside the League Dashboard under :
 - Created Leagues → League Dashboard → Join Requests
 - **Join Request Card**
 - Each Request must display :
 - Requester's Username
 - Avatar
 - XP Level
 - Tier
 - **Commissioner Actions**
 - For each request the commissioner must see :
 - Approve
 - Reject
 - **Approval Behavior :**
 - When Approve is clicked/selected
 - System must :
 - Add the user to the league along with League Wallet
 - Allocate Starting Currency
 - Update Team Count
 - Notify the user that their request was approved.
 - **Reject Behavior :**
 - When Reject is clicked/Selected:
 - System must :
 - Remove the request
 - Notify the user that their request was declined.
- **Section 4 : League Roster**
 - On this screen, the commissioner can view the Member List and see the current status of each user (e.g., Active).
 - Member List should include/display :
 - Requester's Username
 - Avatar
 - XP Level
 - Tier
 - Current Status (Active, In-active)
 - Action : "Remove" option
 - The Commissioner cannot remove themselves from the League.
 - **Remove Member Action**
 - The Remove button must appear next to each member except :
 - Commissioner
 - Members when the league is already ~~Already~~ Active & matchup is in-progress.

- When the Commissioner taps Remove, the system must display a confirmation message.
 - Example :
 - Remove Member - Title
 - Are you sure you want to remove this player from the league?
 - This will free up a team slot.
 - [Cancel] [Remove]
- **System Behavior After Removal**
 - If the commissioner confirms removal, the system must :
 - Remove the user from the league participant list
 - Free one team slot
 - Update Teams Joined count
 - The league must also be removed from "Leagues → My Leagues" for the User.
- **Member Notification**
 - The removed user must receive a notification
- **League Join Availability**
 - After removal :
 - The system must reopen the vacant slot.
 - The commissioner can send new invitations to fill the slot.
- **Commissioner Management Actions**
 - The commissioner must be able to :
 - Invite Members ([Post Private League creation - Section 2](#))
 - View Members ([League Roster - Section 4](#))
 - Remove Member ([before League start- Member Removal](#))
 - View Join Requests ([Pending Requests - Section 3](#))
- **Remove Member should be allowed :**
 - Removal should be dynamic based on matchup cycle, not league start.
 - User can leave / be removed :
 - If no active week is in progress
 - OR current week's matchup is already completed (outcome determined)
- **Remove Member Restrictions :**
 - The Remove Member option must be disabled if :
 - ~~The league has already started.~~
 - During an **active matchup week (before results are finalized)**
 - The league status is Active.
 - The member being viewed is the Commissioner.

Scenario	Remove Allowed?
Before league starts	Yes

League started, Week not started yet	Yes
Week in progress (matches ongoing)	No
Week completed (results declared)	Yes

- **Assign Co-Commissioner for League Management**

- The League Commissioner must be able to promote an existing league member to the role of Co-Commissioner.
- **Assign Co-commissioner Option**
 - Under the Roster Module / Screen, in the Actions section for each user, there must be an option called "Assign Co-Commissioner."
- This "Assign Co-Commissioner" option must be visible only to the Commissioner of the League.
- **Confirmation Dialog**
 - When the Commissioner selects Assign Co-Commissioner, the system must display a confirmation dialog.
 - Title: Assign Co-Commissioner
 - Message: "Are you sure you want to promote this member to Co-Commissioner? Co-Commissioners can help manage league members and invitations."
 - Options: Cancel & Confirm
- **Co-commissioner Limit**
 - The maximum number of Co-Commissioners allowed for any league is two (2).
 - Once this limit is reached, the "Assign Co-Commissioner" option must no longer be visible for other users.
- **Co-commissioner Actions**
 - A Co-Commissioner act as a secondary administrator who can help manage league operations such as :
 - Approving or denying join requests (for private leagues).
 - Removing users from the league mid-season (with the option to provide an optional reason).
 - Managing league communications (non-rule changes).
 - Editing league settings only prior to the start of the league season.
 - **Performing a commissioner transfer if needed.**
- **Un-Assign Co-commissioner Option**
 - For members who have been assigned the Co-Commissioner role, an option called "Unassign Co-Commissioner" must be available.
 - This option must be visible only to the League Commissioner.
 - When the Commissioner selects an Unassign Co-Commissioner, the

system must remove the role from that user.

- After removal :

- The member's role must revert to Regular member.

- **Commissioner Role Transfer**

- This feature allows the league to continue functioning smoothly if the current commissioner no longer wishes to manage the league or wants to delegate full administrative control to another participant.
- The League Commissioner must have the ability to transfer the Commissioner role to another existing member of the league.
- The League Commissioner must have the ability to transfer the Commissioner role to another existing member of the league.

- **Commissioner Role Transfer Option**

- The Commissioner Role Transfer option must be available within the Actions column for each League Member, the must display the option : " Transfer Role"
- This Option must be visible only to the current league commissioner.
- Once the current commissioner chooses the "Role Transfer" then , for the remaining users, the option must no longer be visible for other users.

- **Transfer Role Conditions**

- The commissioner Role Transfer option must be available only if :
 - The selected user is an existing league member.
 - The selected user is not already the commissioner.
 - The league is not completed or archived.

- **Role Transfer Process**

- When the commissioner selects "Transfers Role " the system must display a confirmation dialog.
- Confirmation dialog :
 - Title : Transfer Role
 - Message : " Are you sure you want to transfer the commissioner role to this member ? This action will assign them full league administrative control".
 - Options : Cancel & Confirm.

- **System Behavior After Confirmation**

- When the Commissioner confirms the action, the system must :
 - Assign the selected member as the new League Commissioner.
 - Change the current Commissioner's role to Member.
 - Update the role labels in the league member List.
 - Log the role transfer activity in the prague activity history.
- The system must notify both users involved in the role transfer.
- To Old commissioner :
 - "The Commissioner role has been successfully transferred to [Username].
 - You are now a Co-Commissioner of the league.
- To New Commissioner :
 - You have been assigned as the Commissioner of the league

[League Name].

- If the Commissioner chooses to transfer the Commissioner role to an existing Co-Commissioner/member, then that Co-Commissioner will become the new Commissioner of the league.
- After the role transfer is completed, the previous Commissioner will be reassigned as a user, provided the maximum limit for Co-Commissioners has not been exceeded.
- Since the maximum limit of Co-Commissioners in a league is two (2), transferring the Commissioner role to an existing Co-Commissioner will result in one available slot for a new Co-Commissioner.
- Once the role transfer is completed, the new Commissioner must have access to the "Assign Co-Commissioner" option for league members, allowing them to assign another member as a Co-Commissioner if required.
- **Restrictions**
 - Only the current commissioner can initiate a role transfer.
 - The commissioner cannot transfer the role to themselves.
 - The league must always have exactly one Commissioner.

User story - 1.9 "Private Leagues" Category

As a user, I want to see available private leagues and request to join them so that I can participate in exclusive leagues with approval from the league commissioner.

Acceptance Criteria :

- **Preconditions :**
 - Users must be logged into the application.
 - Private leagues must exist in the system OR an empty state must be displayed.
- **Category Selection**
 - The private Leagues Category allows users to discover and request access to privately created leagues within the F2MX system.
 - Unlike public leagues, users cannot join directly. Instead :
 - Users send a join request
 - The League Commissioner reviews and approves/rejects
 - This ensures :
 - Controlled league access
 - Commissioner governance
 - Secure participation
 - When the user selects **Private Leagues**:
 - The category must be visually highlighted.
 - The system must dynamically load and display all the private leagues created in the system.

- **Search :**
 - League Name
 - Behavior :
 - Partial Match
 - Exact Match
 - Case insensitive
- **Filters :**
 - **Status :**
 - Open/Full
- **Private League Card Display**
 - Each Private league must appear as a League Card.
 - Each card must display the following information :

Field	Description
League Name	Name of the private league
League Type	private
Current Week	Example: Week 5
Season Progress	Example: Week 5 of 17
League Size/Team Capacity	Example: 8 / 12 Teams Joined
League Status	Open / Active / Full
Button	Join

- **League Availability Status**
 - Each private league must display its join availability.
 - Possible Statuses :

Status	Meaning
Open	Users can join the league
Full	No new users allowed
Active	Season already started

- **League Details View**
 - If the user taps the league card (not the join button)
 - The system must open a League Details View displaying :

Details	Description
League Name	Name of the League

Commissioner	The owner of the league
League Size	The total number of teams participating
Scoring Model	The specific scoring rules, including the PPR (Points Per Reception) type
Buy-In configuration	The financial settings, including the starting currency allocation and the maximum additional buy-in limits
Playoffs Status	Details about the postseason, including the number of teams that qualify and the number of playoff weeks
Season Status	The date when the current season ends, as well as a clear indication that the league settings are strictly locked and cannot be changed during an active season
Starting Allocation	Credits (e.g., \$ 2000)

- Users can then choose to :
 - Join League
 - Go Back to Dashboard
- **Sorting of Private Leagues**
 - Private leagues must be sorted based on the following criteria/priority :
 - Open Leagues with available slots
 - Leagues nearing full capacity
 - Recently created leagues
 - Full leagues
- **Empty State**
 - If no private leagues exist, display : “No private leagues Available”
- **Security Rules**
 - Users must only be allowed to join a league if :
 - The league is private
 - The league has available slots
 - The season has not started
- **CTA Button :**

Condition	Button
Eligible	Request to Join /Join
Already Requested	Request Pending (Disabled)
Approved	Move the league to MY leagues

	section.
Rejected	??

- **Join Request Flow**

- Users clicks "Request to join" or "Join"
- Display a message to user : " Request sent to Commissioner"
- System validates eligibility
- Sends the request to the commissioner/co-commissioner of the league.
- Status updated → Request Pending
- Notification sent to Commissioner.

- [Commissioner Side behavior](#)

- **On Commissioner/co-commissioner approval :**

- User added to league
- League size updated
- User notified
- Move the league from Private leagues category to MY leagues category

- **On Rejection**

- Request closed
- User notified

- **Rules**

- **Private leagues :**
 - No direct join
 - Only via approval
- **Requests :**
 - On active request per user per league
- **Commissioner/co-commissioner :**
 - Full control over approvals

- **Edge Cases**

Scenario	Behavior
League fills after request	Disabled the Join button/Reject new approvals

Web - F2MX Admins

User Story -1.1 Public League Creation

As a Super Admin, I want to create a Public League from the Admin Web Application so that platform users can join and compete in a fantasy league.

Acceptance Criteria :

- **Precondition**
 - Only logged-in Super Admin users must be allowed to create public leagues.
- **Access Create League Option**
 - The Leagues Management Module must provide a "Create League" option.
 - Admin Console → Leagues → Create League
- **Purpose**
 - Public Leagues are platform-controlled leagues where:
 - F2MX Admin acts as the permanent commissioner
 - Rules are standardized
 - Users can join directly (open access / criteria-based)
 - Admin ensures fair play, liquidity, and governance
- **League Type Selection**
 - When the Super Admin clicks Create League, the system must automatically take it as Public League.
 - The system navigates to the Public League Creation Screen.
- **League Creation Screen:** The league creation screen must capture the following information:
 - League Name
 - League Size (Number of Teams)
 - Start Date
 - Type : Public [Read-only]
 - Season Length/Duration (Number of weeks)
 - Starting Currency
 - Max Buy-In Cap
 - Buy-In conversion Rate
 - Scoring Model - "Half PPR" (Read-only)
 - Playoffs toggle
- **Fields Information / Requirements :**
- **League Name**
 - The League Name is the unique identifier displayed to users representing the public league.
 - Field Type
 - Text Input
 - Validation Rules
 - Minimum characters: 3
 - Maximum characters: 50

- Must allow:
 - Alphabets (A-Z, a-z)
 - Numbers
 - Spaces
 - All Special character
- Restrictions
 - The system must prevent duplicate league names for the same ~~sector~~ Type (Public/Private).
 - Offensive or restricted words must be blocked.
- System Behavior
 - The league name must be displayed in:
 - League Dashboard
 - Public League Listings
 - League cards in Dashboard
 - Standing and History modules
 - Logs
- **League Size (Number of Teams)**
 - Defines the maximum number of participants/teams that can join the league.
 - Field Type
 - Text Input
 - Allowed Values
 - Only Numerics
 - Validation Rules
 - Minimum: 4 Teams
 - Maximum: Defined as per platform configuration
 - System Behavior
 - Users from the platform can join the league until the maximum size is reached.
 - When the league reaches the maximum size:
 - No additional Users can Join.
 - The league may be displayed as Full in the public league listing.
- **Start Date**
 - The start date determines when the league competition begins.
 - Field Type
 - Date selector
 - Validation Rules
 - The selected date must strictly fall on or after the F2MX platform's global market opening date.
 - The selected date must fall on or before the relevant NFL season start date.
 - System Behavior
 - Triggers the generation of the weekly head-to-head matchups.
 - Initiates the allocation of starting currency to all joined users.
 - If Auto-Reactivate is used for future seasons, the start date does not automatically roll forward and must be manually re-confirmed by the Super Admin.

- **Season Length (Number of Weeks)**
 - Defines how long the league competition runs before playoffs begin.
 - Field Type
 - Dropdown selector
 - Allowed Values
 - 1 week
 - 2 weeks
 - 3 weeks
 - 4 weeks and so on up to 18 weeks
 - Validation Rules
 - Must not exceed NFL Regular season duration (18 weeks)
 - System Behavior
 - The system must generate weekly matchups automatically.
 - League standings must be updated after every week.
 - A season length of 7 or fewer weeks is classified by the system as a "short league".
 - The system prompts the Super Admin with an option to reactivate the league for a second time within the same NFL season.
- **Starting Currency**
 - Defines the initial virtual game currency balance assigned to each participant for trading players when they join a league.
 - Field Type : Input Text
 - Only numeric values are allowed.
 - Min : \$2,000 - The range is set by Super Admin
 - Max: \$5,000 - The range is set by Super Admin
 - System Behavior :
 - Every participant receives the same starting balance.
 - Currency is used for :
 - Buying players
 - Trading in the market
 - This currency is placed in an isolated "League Wallet" and can only be used for buying/selling players and paying commissions/Spread within that specific league.
 - At the end of the season, this baseline starting allocation is excluded from end-of-League profit settlements transferred to the persistent User Wallet. (defined as ending league currency minus starting allocation).
 - **Validation Rule**
 - The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.
- **Buy-In Conversion Rate :**
 - The system should provide two selectable modes :
 - **Mode A – Flat Value**
 - Commissioner enters a fixed value (VC) for Maximum Additional Buy-In Cap
 - Field Type: Numeric input (VC)

- **Behavior**

- The entered value is treated as the Maximum Additional Buy-In Cap, provided it complies with the percentage limits defined by the Super Admin based on the selected Starting Allocation.

- **Validation**

- The fixed value VC amount defined by the commissioner should not be > than the Staring Allocation.
- Entered value must be :
 - Numeric
 - Must be ≥ 0
 - Must not exceed the maximum allowable cap derived from Super Admin percentage limits.
- The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.

■ Mode B – Percentage Based

- Commissioner selects a percentage (%)
- Field Type: Slider / Input (Range controlled by Super Admin)

- **Formula :**

- Maximum Additional Buy-In Cap=(%)×Starting Allocation

- **Behavior**

- System automatically calculates the Maximum Additional Buy-In Cap
- The calculated value should:
 - Be displayed in real-time
 - Update dynamically as the percentage slider changes.

- **Validation Rules**

- The values configured by the Commissioner must:
 - Remain within the limits defined by the Super Admin
 - Not exceed or override platform-level constraints.
- System calculated cap should :
 - Always align with this percentage.
- The Maximum Additional Buy-In Cap, whether configured directly (Mode A) or derived (Mode B), must always comply with the percentage range defined by the Super Admin.

- Example :

■ League Setup

- Starting Allocation = \$2,000 VC

- Mode A

- Commissioner sets Maximum Additional Buy-In Cap = \$400 VC

- Mode B
 - Commissioner sets: 20%
 - System calculates:
 - Maximum Additional Buy-In Cap = \$400 (20% of Starting Allocation)
 - If slider changes to 25%:
 - Cap updates instantly to 500 VC
- **Maximum Additional Buy-In Cap**
 - The Maximum Additional Buy-In Cap defines the maximum additional game currency (VC) a user can add to their league wallet beyond the Starting Allocation.
 - This field is:
 - Directly configurable in Mode A (Flat Value)
 - System-derived in Mode B (Percentage-Based)
 - It is dependent on:
 - Starting Allocation
 - Buy-In Conversion Rate (Mode selection)
 - **Field Behavior**
 - **Mode A – Flat Value**
 - Field Type: Editable numeric input (VC)
 - Commissioner manually enters the value
 - **Functionality**
 - Accepts direct input for Maximum Additional Buy-In Cap
 - Value entered becomes the final cap, subject to validation against Super Admin defined percentage limits.
 - No automatic calculation involved
 - **Validation Rule**
 - Should not exceed Platform-level cap limits defined by Super Admin.
 - **Mode B – Percentage-Based**
 - Field Type: Read-only / Auto-calculated field
 - Value is derived using configured percentage
 - Functionality
 - System calculates:
 - $\text{Maximum Additional Buy-In Cap} = \% \times \text{Starting Allocation}$
 - Field should:
 - Auto-populate
 - Update in real-time when:
 - Percentage changes
 - Starting Allocation changes
 - **Commissioner cannot edit this field manually**
 - **Mode A - Flat Value**
 - The Commissioner directly defines a fixed VC amount.

- Example: \$400 VC
 - This value represents the maximum additional buy-in limit.
- **Mode B - Percentage Based**
 - Commissioner defines a percentage (%) of Starting Allocation.
 - System calculates the Maximum Additional Buy-In Cap dynamically: $\text{Maximum Additional Buy-In Cap} = \% \times \text{Starting Allocation}$
 - Example:
 - Starting Allocation = 2,000 VC
 - Percentage = 20%
 - Maximum Additional Buy-In Cap = \$400 (derived as 20% of Starting Allocation)
- **Validation Rules**
 - The values configured by the Commissioner must remain within the range defined by the Super Admin and should not override it.
 - Users can purchase additional buy-ins in increments, up to the Maximum Additional Buy-In Cap.
 - The fixed VC amount defined by the commissioner should be aligned between the range/limits set by Super Admin.
 - System shall not allow any transaction that causes:
 - Total Additional Buy-ins > Maximum Additional Buy-In Cap
 - Negative or zero values are not allowed.
 - Percentage range shall be configurable (e.g., 0%–100% for MVP)
 - Out of scope for MVP: Values above 100% are not supported.
- **System Behavior :**
 - The system shall enforce the Maximum Additional Buy-In Cap at all times.
 - System shall track:
 - Total additional VC added by the user
 - Remaining available buy-in limit
 - Remaining Cap = Maximum Additional Buy-In Cap – Consumed Buy-ins.
 - Prevents Users from exceeding the configured limit.
 - The Buy-In Conversion % is used only to calculate the Maximum Additional Buy-In Cap and is not applied to individual user transactions.
 - If the Starting Allocation is modified, the Maximum Additional Buy-In Cap must be revalidated to ensure it remains within the Super Admin defined percentage limits.
 - Once the league season starts, the Buy-In Configuration (Mode, percentage, and Maximum Additional Buy-In Cap) cannot be modified by the Commissioner.
- Example :
 - User Wallet Balance = 1,000
 - League Name : Friends League
 - Starting Allocation - \$2,000

- Maximum Additional Buy-In Cap = 20% (Mode B) = \$400
 - Buy-In Conversion % = 20% (used to derive Maximum Additional Buy-In Cap)
 - **Scenario 1:**
 - User initiates "Transfer/Add Funds"
 - Enters : \$200
 - **System Checks**
 - \$200 < Maximum Additional Buy-In Cap
 - Transfer accepted and processed.
 - **Output :**
 - Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$200.
 - **Scenario 2:**
 - User initiates "Transfer/Add Funds"
 - Enters : \$200
 - **System Checks**
 - \$200 <= remaining Maximum Additional **Buy-In Cap**
 - Transfer accepted and processed.
 - **Output :**
 - Debits \$200 from the User Wallet and Credit in League Wallet.
 - Update the Remaining Cap to \$0.
 - **Scenario 3:**
 - User initiates "Transfer/Add Funds"
 - Enters : \$100
 - **System Checks**
 - \$100 <= remaining Maximum Additional **Buy-In Cap**
 - Transfer declined & display error message : "You have exceeded the maximum additional buy-in limit for this league".
- **Scoring Model - Half PPR (Read-Only)**
 - Defines how player performance points are calculated.
 - Validation Rules
 - For the MVP, this is not configurable by the Super Admin.
 - Half-PPR (0.5 points per reception) is strictly enforced platform-wide.
 - System Behavior
 - The scoring model cannot be modified in MVP.
 - All leagues operate under the Half PPR scoring system.
 - The system automatically applies standard fantasy scoring rules with fractional precision.
 - Example: 87 rushing yards = 8.7 points with no rounding.
 - Defense/Special Teams and performance bonuses are excluded.
- **Playoffs Toggle**
 - Allows the league creator to enable or disable playoffs at the end of the season.
 - Field Type : Toggle Switch (ON/OFF)
 - Default : OFF
 - If Playoffs = enabled

- The system must display 2 options & 1 additional configuration field.
- **Option 1 : “Traditional Head-to-Head Bracket Playoffs” (10+ Weeks)**
 - The system generates an NFL-style seeded bracket (e.g., 1 vs 4, 2 vs 3) based on the final regular-season standings.
 - These playoff matchups replace standard regular-season matchups for the designated playoff weeks.
 - **Matchup clause :** In a Traditional Head-to-Head playoff format, teams shall be seeded based on their final regular-season standings. Matchups will be structured such that the highest-seeded team plays the lowest-seeded team (e.g., 1 vs 4 and 2 vs 3 in a 4-team playoff).
 - **Validation Rule:** The league's "Season Length" must be at least 10 weeks long to select this format.
- **Additional Field : “ Playoff Weeks”**
 - Defines the number of weeks allocated for playoffs at the end of league.
 - Field Type : Dropdown
 - Options : 2, 3, 4 weeks
 - Mandatory field if playoffs enabled.
 - Min = 2 weeks
 - Max = 4 Weeks
 - Validation :
 - Playoff Weeks must be less than Season Length
 - A minimum number of regular season weeks must remain after allocating playoff weeks.
- **Additional Field: “Top-N Advance”**
 - Defines how many teams qualify for playoffs.
 - Field Type : field (Auto-fill)
 - Visibility : Displayed only if playoffs enabled.
 - Mandatory : Yes (When playoffs enabled)
 - The No.of Playoff Teams fields depend on the League Size and the playoff weeks.
 - The system should automatically suggest the no.of teams advancing to playoffs based on the configured playoff weeks.
 - **Auto- Suggestion Mapping**

Playoff Weeks	Suggested Top -N Advance	Playoff structure
1 week	2 Teams	Final
2 weeks	4 Teams	Semi- final + Final
3 weeks	8 Teams	Quarter-final + Semi-final + Final

4 weeks	14 Teams	Round of 6 + QF+SF+Final
----------------	----------	--------------------------

■ **Logic :**

- The total Season Length includes both Regular Season and playoff Weeks.
 - Regular Season Weeks = Season Length - Playoff Weeks.
- The configured Season Length represents the **total duration of the league**, including both regular season and playoff weeks. Playoff weeks are not additional but are part of the selected season length.
- **Playoff & Consolation Flow:**
 - - Qualified teams (Top-N) enter the playoff bracket.
 - - Non-qualified teams enter the consolation bracket.
 - - Once a team enters the playoff bracket, they cannot move to the consolation bracket, even if eliminated.

■ **Non-qualifiers for playoffs**

- Teams that do not qualify for the main playoff bracket will participate in a separate losers/consolation bracket.
- **Eligibility Rule :**
 - Only teams who fail to qualify for the playoff bracket are included.
 - - Teams eliminated from the main playoff bracket (after qualifying) must NOT enter the consolation bracket.
 - Example :
 - League Size: 10
 - Top-N (Playoff Qualified): 4 (Ranks 1-4)
 - Consolation Bracket Teams: 6 (Ranks 5-10)
 - **Behavior :**
 - Consolation bracket runs parallel to playoff weeks.
 - - Provides continued engagement for non-qualified teams.
 - **Achievement:**
 - All users participating in the consolation bracket can continue playing matches to earn XP (Experience Points).
 - - A separate achievement/reward can be defined for the winner of the consolation bracket.

■ **Playoff Elimination Clause**

- Teams that lose in any playoff round shall be immediately eliminated from the playoff competition and will not progress to subsequent playoff weeks. Such teams will not be reassigned to the losers/consolation bracket and their active participation in league gameplay (including match participation and other

competition-related actions) will conclude at the end of the week in which they are eliminated.

- Simply, the Eliminated playoff teams exit the competition immediately and do not continue in any form of bracket or gameplay

- **Example :**

- League Size: 10
- Top 4 Qualified for Playoffs: A, B, C, D
- Playoff Weeks: 2

Week 1 – Semi-finals:

- A vs D → A wins
- B vs C → C wins

Week 2 – Final:

- A vs C

Outcome:

- Teams B and D are eliminated in Week 1
- They do not proceed to Week 2
- They do not enter the consolation bracket
- Their league participation (matches and competition-related actions) ends after Week 1.

- **Validation Rules**

- League Size Constraint
 - Top N Advance must be < League Size
- Bracket Compatibility
 - Only valid bracket size allowed (2,4,8,14...)
- Playoff Weeks Dependency
 - Selected Top N must be compatible with the number of playoff rounds.
- Consolation Bracket Validation :
 - Only non-qualified teams (based on final regular season standings) are eligible.
 - - Teams eliminated from playoff rounds must NOT be re-routed to the consolation bracket.
 - - Consolation bracket size = League Size – Top-N Advance

- Examples :

League Size	Playoff Weeks	Suggested Top - N	Final Allowed (Playoff participants)
10 teams	3 weeks	8	8

6 teams	3 weeks	4	4
12 teams	2 weeks	4	4
5 teams	2 weeks	4	4

■ **Validation Rules & Dependencies:**

- If the commissioner selects a Traditional Head-to-Head Bracket, the Season Length must be at least 10 weeks.
- If the season length is below the required threshold for a format, the system will warn the commissioner or block the option from being enabled.

■ **Additional System Behaviors & Clauses**

- Dependency Warnings: If the configured season length is below the minimum threshold required for either format, the system will warn the commissioner or actively block the playoffs option from being enabled.
- If F2MX fantasy playoffs overlap with real-life NFL playoff games, those games will be treated as standard scoring events.
- Fantasy playoff structure remains independent of NFL playoff structure.

● **Create League Button**

- The Super Admin clicks "Create League".
- The system must validate all configured fields.
- System Initialization
- Unique ID: The system generates a unique League ID used for internal league identification.
- League Activation: Once created, the league becomes available in the Public League listing where users can browse and join.

- **League Wallet Allocation:** When a user joins the league, the system automatically initializes their League Wallet with the configured Starting Currency amount.

● **Governance Clauses:**

- Admin is the permanent commissioner
- Cannot be transferred to Users

● **Configuration Lock**

Status	Behavior
Draft Pending League starting/market opening.	Editable

Active	Locked
Completed	Locked

- **Trading Activation**
 - Trading starts only when :
 - League Status = Active
- **League Completion**
 - Once league is Completed :
 - Trading disabled
 - Wallet locked
 - Ranking finalized
 - Playoff results is archived
- **Audit Logging**
 - Every creation must log under the logs module.

User Story -1.2 Leagues Module | Management (Web)

The League Management module enables the F2MX Admin to monitor, control, and intervene in leagues across the platform to ensure operational integrity, governance continuity, and compliance with platform rules. Leagues represent the core gameplay container where users participate in trading, scoring, and weekly competition.

Accept Criteria :

- **Module Entry Point/Navigation :**
 - Admin Console (login) → Navigate to Leagues Module .Admin lands on League Module
- **Leagues Module View :**
 - Provides an overview of all leagues across the platform and allows admins to quickly access league-level controls.
 - Admin must see a list of all Leagues in the list view.
 - **Search Capabilities:**
 - Admin must be able to search the Leagues by league name & Commissioner name

- The search results table must display: Leaguename, Type, Status, Start Date, size, Commissioner name, Length/Duration, current week & Actions.
- **Filters:**
 - Admin can filter results by :
 - Type
 - Status (Active, Pending, Upcoming, Dissolved, Archived).
 - Start Date
 - Size
 - System Admin :
 - Should only display Super Admin role Users.
- **Leagues List Columns:**
 - The list view should contain the following columns/fields :
 - Leaguename
 - Type
 - Status
 - Start Date
 - Size along with members joined [ex: 10/12]
 - Commissioner Name
 - Length/duration [weeks]
 - Current week
 - Actions :
 - View League
 - [Edit League](#)
- **League Detail View**
 - When an admin clicks on any of the league records or clicks on "View League", the application should open "League Detail Screen".
 - League Details Sections
 - Header : Display that respective League Name
 - The screen must contain 5 Tabs/Categories:
 - League Overview [Read-Only]
 - Members & Teams
 - Trading Activity
 - League Settings
 - Buy-In Transaction
 - Each Tab should have a dynamic pagination option, so that Admin can easily navigate.
 - **League Overview Tab**
 - Displays an Overall information & Settlement Summary with respect to that particular league.
 - All the information displayed under the League Overview Tab/category are Read-only.
 - Information to display :
 - League Name
 - Type
 - Commissioner

- Co-commissioners
 - League Size
 - Current members
 - Start Date
 - League Length / Duration
 - Current Week
 - League Status
 - Starting allocation of credits/game currency
 - Playoffs format
 - Advancing Teams (Top-N):
 - Max Buy-In
 - Scoring
- Settlement Summary
- **Edit League**
 - Clicking on the Edit league Button, the system should a pop-up with the following fields :
 - Header : Edit League Configuration
 - Verbiage : "You are modifying league configuration settings. These changes may impact league participants".
 - Fields : All the fields
 - Input field : Reason
 - Buttons :
 - Cancel
 - Save Changes
- **System Behavior**
 - League Configuration Updated
 - Audit log recorded
- **Mobile Impact**
 - Users receive notification :
 - League settings have been updated by Platform administration.

User story -1.3 Members /Teams Tab

As an F2MX Admin, I want to view and manage all members and their teams within a selected league so that I can monitor league participation, enforce governance rules, and intervene when necessary.

Acceptance Criteria :

- **Navigation/Entry Point** : Admin Login → Leagues Module → Select League → League Detail Page → Members & Teams Tab.
- **Members & Teams Tab view** : Application should display a list of all participants of the respective league.
 - **Search Capabilities:**

- Admin must be able to search the Members by Username.
- **Filters:**
 - Admin can filter results by :
 - Role
 - XP Tier :
 - Rookie
 - Amateur
 - Pro
 - Coordinator
 - Head Coach
 - Start Date
- **Leagues List Columns:**
 - The display order should be Rank -wise starting from Rank#1
 - Information/fields to display :
 - Username
 - Email
 - Role
 - XP Level
 - Team Name
 - Team Roster size
 - Total Fantasy Points
 - Join Date
 - Wallet Balance
 - Win-Loss-Tie record
 - Actions :
 - View Details
 - Transfer Commissioner Role
 - Freeze/Unfreeze Trading (Break Glass)
 - Adjust Wallet Balance
 - Export Member Data
 - All the Admin Actions will be applicable in that particular league.
 - Team Roster should be visible along with the Positions.
 - Dynamic Pagination
- **Member Detail screen/View Details**
 - Clicking a member should navigate to the "Users Details" Screen of that particular user under the Users Details Screen.
- **Transfer Commissioner Role**
 - Reassign league leadership
 - When the admin clicks on the Transfer Commissioner Role then, the application should display a confirmation dialog field :

Field	Field Type
-------	------------

League Name	Text field with League Name & Non-editable
Current Commissioner	Text field with current commissioner Name & Non-editable
New Commissioner	Dropdown with list of League participants along with search

- **System Behavior :**
 - Assign commissioner role to selected member
 - Downgrade old commissioner to normal member
 - Update league governance permissions
 - Send notification to the Old Commissioner & New Commissioner
 - Email & Sms
 - In-app
- **Mobile impact :**
 - The user receives notification.
 - All members see:
 - Updated commissioner in league info
 - New commissioner receives:
 - Commissioner controls in mobile apps.
- **Freeze/Unfreeze Wallet**
 - Admin may freeze wallet for a specific user.
 - Purpose :
 - Suspected fraud
 - Abusive trading behavior
 - Freeze Flow :
 - When the admin clicks on the Freeze wallet system should display a confirmation pop-up.
 - Title : Freeze Wallet
 - Verbiage : "This action will temporarily restrict the user's wallet transactions within this league"
 - Input field : Enter the Reason
 - Button : [Cancel] [Confirm]
 - System Behavior when confirmed:
 - User Wallet transactions blocked
 - Disable Buy-in (+Add Funds) :
 - Buying Packages
 - Transfer amount from User wallet to League Wallet
 - Only for the Particular League
 - Any Buy action is blocked due to wallet restriction
 - Restriction applies only to the selected league
 - Freeze status is stored with:

- Reason
 - Timestamp (for audit)
 - UI updates to display “Unfreeze Wallet” option
- System behavior when cancel :
 - Close the pop-up with no changes.
- Mobile Users Impact :
 - User is restricted from:
 - Wallet transactions
 - Buy-ins
 - User sees message: “Wallet activity for your account is temporarily restricted by platform administration.”
- Unfreeze Wallet Flow :
 - When the admin clicks on the Unfreeze Wallet system should display a confirmation pop-up.
 - Title : Unfreeze Wallet
 - Verbiage : “This action will restore the user's wallet transactions within this league.”
 - Input field : Enter the Reason
 - Button : [Cancel] [Confirm]
 - System Behavior when confirmed:
 - Wallet transactions = Enabled
 - Buy-In/+Add Funds = Enabled
 - System behavior when cancel :
 - Close the pop-up with no changes.
 - Mobile User Impact :
 - Wallet functionality is restored
 - Users can perform all wallet-related actions normally.
- **Adjust Wallet Balance**
 - Admin can :
 - Credit Currency
 - Debit Currency
 - Use cases :
 - Support correction
 - Refund case
 - Erroneous trade
 - Flow :
 - When the admin clicks on the “Adjust Wallet Balance” system should display a confirmation pop-up.
 - Title : Adjust Wallet Balance
 - Fields :
 - Dropdown : Adjust Type (Credit / Debit)
 - Input field with Dollar symbol : Amount
 - Input field : Reason
 - Buttons :
 - Cancel
 - Confirm

- Mobile Impact :
 - Wallet balance updates instantly
 - User receives notification
 - Email , SMS
 - In-app
 - Once the wallet adjustment is done the record should be updated in the wallet Tab under Users details screen under User Module.
 -
 - **Export Member Data**
 - Clicking on the Export option should download the member data in CSV format.
 - **Audit Logging**
 - Every action must generate an audit entry.
- **Admin Permissions**

Role	Permissions
Support Admin	Read-only
Operations Admin	Read-only
Super Admin	All actions

User story -1.4 Trading Activity Tab (Depend on the Trading functionality which will be implemented in the Demo 3)

As an F2MX Admin, I want to monitor all trading activities occurring within a league so that I can ensure fair play, investigate suspicious behavior, and take corrective administrative actions when required.

Acceptance Criteria :

- **Tab/ Category Visibility :**
 - The Trading Activity Tab must appear as the 3rd tab inside the League Details page.
- **Navigation :**
 - Leagues → Select League → League Details Page → Trading Activity Tab
- **Users Trading List :**
 - **Search Capabilities:**
 - Admin must be able to search the User Trading by Username & NFL Player name
 - **Filters :**
 - Positions (QB,RB,WR,TE & Flex)

- **The Trading Activity Tab must allow the admin to:**
 - Monitor all buy and sell transactions executed by league members
 - View trade timestamps and prices
 - Reverse or correct trades (if required)
 - Export trade logs for investigation
- **Trading Activity list view fields/columns :**

Column	Description
Avatar, & User Name	Information
Trade ID	Unique trade identifier
Timestamp	Date & time of execution
Player Name	Player traded
Team	Player's NFL team
Position	Player position
Trade Type	Buy / Sell
Price	Trade price in league currency
Market Price at Execution	Market price when trade executed
Actions	Admin action menu

- **Admin Actions on Trades :**
 - Admin must have the following controls :
 - Reverse Trade
- **Reverse Trade (Break -Glass) :**
 - Admin may reverse trade
 - Flow :
 - When the admin clicks "Reverse Trade",the system should display a confirmation dialog pop-up.
 - Title : Reverse Trade

- Verbiage : "This action will cancel the selected trade and restore player ownership and currency balances to their previous state".
- Fields :
 - Trade Id : Auto-fill Trade Id [Read-only]
 - Player : Auto-fill [Ready-only]
 - Trade Type (Buy/Sell) : Auto-Fill [Ready-only]
 - Input field : Reason
 - Buttons :
 - Confirm
 - Cancel
- System Behavior :
 - Player returned to ~~seller~~ Market Maker - F2MX
 - Currency refunded
 - Trade marked " Reversed"
 - Audit log created
- Mobile Impact :
 - Buyer roster updated
 - Seller roster restored
 - Notification sent
 - In-app
 - Email /SMS

User story -1.5 League Settings Tab

As an F2MX Admin, I want to monitor all trading activities occurring within a league so that I can ensure fair play, investigate suspicious behavior, and take corrective administrative actions when required.

Acceptance Criteria :

- **Navigation :**
 - Leagues → Select League → League Details → League Settings
- **Module :**
 - The League Settings tab must appear as the 4th tab on the League Details page.
 - The League Settings Tab allows the F2MX Admin to manage league-level configuration and governance controls.
 - This includes:
 - League configuration updates
 - Trading controls
 - Commissioner governance
 - League lifecycle status management
 - Administrative interventions

- These controls ensure platform stability, fair gameplay, and operational continuity.

- **League Settings fields :**

Field	Description
League ID	Unique system identifier [Ready-only]
League Name	Name of the league
League Type	Public / Private [Ready-only]
League Size	Total teams allowed
League Start Date	League Start Date
Season Duration	No.of Weeks
League Creation Date	
Current Commissioner	
Starting Allocation	Initial allocation to league wallets
Max Buy-In Cap	Maximum additional currency users can purchase
Buy-In Conversion Rate	

- Admin Action
 - Editing is allowed only if the league has not yet started.

- Actions :
 - Edit Configuration
 - Freeze/Unfreeze League Trading -
- **Edit Configuration**
 - Configuration change flow :
 - When admin clicks "Edit configuration"
 - The system should display a confirmation pop-up and provide edit feasibility for the fields.
 - Verbiage : "You are modifying league configuration settings. These changes may impact league participants".
 - Fields : [All the fields](#)
 - Input field : Reason
 - Buttons :
 - Cancel
 - Save Changes
 - **System Behavior**
 - League Configuration Updated
 - Audit log recorded
 - **Mobile Impact**
 - Users receive notification :
 - League settings have been updated by Platform administration.
- **Freeze/Unfreeze League Trading**
 - Allows admin to control league-wide trading functionality.
 - The Freeze / Unfreeze Trading control must only be available for leagues that are currently active.
 - **Action** : Freeze League Trading
 - Flow :
 - When admin clicks freeze trading system should display a confirmation pop-up with :
 - Title : Freeze League Trading
 - Verbiage : This action will temporarily disable all trading activity within this league.
 - Input Fields : Reason
 - Text Field : Duration
 - Options : 1hr, 24hr,
 - Buttons :
 - Cancel
 - Freeze Trading
 - System Behavior :
 - League trading status set to frozen
 - Buy and Sell orders blocked
 - Mobile Impact
 - Users see message :
 - Trading activity is temporarily suspended by platform administration.

- **Action** : Unfreeze League Trading
- This option should be visible only when the Admin first performs the Freeze action.
- Flow :
 - When admin clicks freeze trading system should display a confirmation pop-up with :
 - Title : Freeze League Trading
 - Verbiage : This action restores trading functionality within this league.
 - Input Fields : Reason
 - Buttons :
 - Cancel
 - Restore Trading
 - System Behavior :
 - Trading restored
 - Mobile Impact:
 - Trading functionality becomes available again.

User story -1.6 Categories Under User details screen within the Users Module

As an F2MX Admin,I want to view and manage all aspects of a user from a categorized detail screen so that I can monitor activity, resolve issues, and take administrative actions efficiently.

Acceptance Criteria :

- **Module Location :**
 - Admin Console → Users Module → User Listing → Click User /View Details→ User Details Screen.
- **Screen Structure (Categories/Tabs) :**
 - The User details screen must be divided into the following categories (tabs) :
 - Overview
 - Leagues
 - Teams
 - Wallet/Transactions
 - XP History
 - Trading Activity
 - Activity Logs (This will be implemented in the final sprint)
- **Overview Category :**
 - Provide a quick snapshot of the user profile
 - Fields :
 - User name
 - First Name
 - Last Name

- Email
 - Phone Number
 - Account Status
 - Registration Date/Join Date
 - Total Leagues Joined
 - Current XP
 - Wallet Balance
 - Last Login
- This section is Ready-Only
- **Leagues Category**
 - Displays all leagues the user is part of
 - Fields :
 - League ID
 - League Name
 - League Type (Public/Private)
 - Status
 - Start Date
 - Joined Date
 - Length/duration [weeks]
 - Actions :
 - View League
 - Clicking on the "View League" option should re-direct to the League Detail View screen of that particular League.
 - Remove League for User /Remove User from the League.
 - Clicking on the "Remove League", application should display any Confirmation message pop-up :
 - Title : Remove User
 - Verbiage : You are about to remove this user from the league.
 - Input Field : Reason
 - Buttons :
 - Cancel
 - Remove
 - Upon removal the User should be removed from the League.
 - The "Remove User" action should be visible before the League start Date only.
 - Once the league is started the "Remove User" option should not be visible.
- **Teams Category**
 - View teams created by User
 - Fields :
 - League
 - Team Name
 - Roster Size
 - Team Value
 - Rank
 - Actions :

- View Team
 - Clicking on the View Team should display a slide-in page with the Team along with the Positions.
- **Wallet /Transaction Category**
 - Track all financial activity
 - Fields :
 - Transaction ID
 - Type (Credit/Debit)
 - Amount
 - Source
 - Balance After
 - Date & Time
 - Filters :
 - Transaction Type
 - Date Range
 - Actions :
 - Adjust Wallet
 - Adjust Wallet Balance
 - Admin can :
 - Credit Currency
 - Debit Currency
 - Flow :
 - When the admin clicks on the "Adjust Wallet Balance" system should display a confirmation pop-up.
 - Title : Adjust Wallet Balance
 - Fields :
 - Dropdown : Adjust Type (Credit / Debit)
 - Input field with Dollar symbol : Amount
 - Input field : Reason
 - Buttons :
 - Cancel
 - Confirm
 - Mobile Impact :
 - Wallet balance updates instantly
 - User receives notification
 - Email , SMS
 - In-app
 - Once the wallet adjustment is done the record should be updated in the wallet Tab under Users details screen under User Module.
- **XP History Category (will be implemented in Demo 3 as this feature was planned for Demo 3)**
 - Tracks all XP changes (earn,deduct,adjust)
 - Provides audit-level transparency
 - Enables controlled correction (Super Admin Only)
 - **Filters :**

- League
 - Should display the list of leagues that particular User is part of.
 - Date Range
- **List view of fields/columns :**
 - League
 - Date & Time
 - XP Type (Earned/Deducted/Adjusted)
 - XP Amount
 - Balance After
- Values must update in real-time after adjustments
- Highlight :
 - Positive - Green
 - Negative - Red
- Actions :
 - Adjust XP (Visible only to Super Admin)
 - Clicking on the Adjust XP , should display a pop-up with :
 - Title : Adjust XP
 - Verbiage : You are about to modify the XP balance for this user. This action will be permanently recorded and cannot be undone.
 - Fields :
 - User [Read-Only]
 - Dropdown : Adjustment Type (Add/Deduct)
 - Text field : XP Amount (Numeric only)
 - Input Field : Reason field
 - Validation :
 - XP must be >0
 - Deduction must not violate min XP rule
 - Buttons :
 - Cancel
 - Submit/update
 - Action should be logged under logs.
 - Notification : The user must receive a notification (Your XP has been adjusted by the administrator.)
- **Trading Activity Category - Demo 3**
 - Trade Monitoring/History
 - **Filters :**
 - League
 - Should display the list of leagues that particular User is part of.
 - Trade Type : Buy/Sell
 - Date Range
 - **List view of fields/columns :**
 - League
 - Date & Time
 - NFL Player Name

- Trade Type (Buy/Sell)
- Quantity (1 share - Read-only)
- Price (Execution price)
- Status (Completed/Reversed)
- Total Trades
- Total Buy Value
- Total Sell Value
- Net position (Profit/Loss)
- Active Leagues (No.of leagues traded in)
- Behavior :
 - Values must update dynamically
 - Profit - Green
 - Loss - Red
- **Actions :**
 - **Freeze/Unfreeze Trading**
 - Admin may freeze trading for a specific user.
 - **Freeze Flow :**
 - When the admin clicks on the Freeze/ trading system should display a confirmation pop-up.
 - Title : Freeze Trading
 - Verbiage : "This action will temporarily restrict the user's ability to execute trades and wallet transactions within this league"
 - Input field : Enter the Reason
 - Button : [Cancel] [Confirm]
 - System Behavior when confirmed:
 - User trading permissions = disabled
 - Wallet transactions blocked
 - System behavior when cancel :
 - Close the pop-up.
 - Mobile Users Impact :
 - Users see a message : "Trading activity for your account is temporarily restricted by platform administration".
 - Once any user trading is freezed then the application should display an "unfreeze Trading" option .
 - Users must receive a notification :
 - In-app
 - Email & SMS
 - **Unfreeze Trading Flow :**
 - When the admin clicks on the Unfreeze trading system should display a confirmation pop-up.
 - Title : Unfreeze Trading
 - Verbiage : "This action will temporarily restore the user's ability to execute trades and wallet

- transactions within this league”
 - Input field : Enter the Reason
 - Button : [Cancel] [Confirm]
- System Behavior when confirmed:
 - User trading permissions = enabled
 - Wallet transactions unblock
- System behavior when cancel :
 - Close the pop-up.
- Mobile User Impact :
 - Trading resume.
 - Users must receive a notification :
 - In-app
 - Email & SMS

User story -1.7 Buy-In Transactions Tab - within the League details page

As an F2MX Admin, I want to view all buy-in transactions within a league so that I can monitor user contributions, identify discrepancies and take corrective actions when required.

Acceptance Criteria :

- **Navigation :**
 - Login → Leagues → Select League → League Details → Buy-In Transactions
- **Buy-In Transactions Tab :**
 - The Buy-In Transactions Tab provides a complete, transparent view of all buy-in related financial transactions performed by users within a specific league.
 - This includes :
 - Additional buy-ins made by users
 - The Tab ensures :
 - Financial transparency
 - Auditability of buy-in activity
 - Admin monitoring
 - It should display all the league Buy-in Transactions, which includes :
 - User Wallet - Buy-in Transactions (Packages).
 - User Wallet → League wallet - Buy-in Transactions
- Role restriction : Only Super Admins & Support Admin.
- **Buy-In Transactions Tab :**
 - **Header : Buy-In Transactions :**
 - **Search Bar :** Search By
 - Username
 - Transaction ID
 - Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive

- **Filters :**
 - **Wallet Type :**
 - User Wallet Buy-in
 - Applying this should filter only the User Wallet Buy-ins (Real Money - Game currency).
 - League Wallet Buy-in
 - Applying this filters should filter only the League Wallet Buy-ins (Transfer from User wallet to League Wallet)
 - Admin Adjustment
 - Applying this filter should only filter the transactions that Admin adjusted.
 - **Date Range :**
 - Date Picker
 - **Source :**
 - User/Admin
- **List view/Columns :**
 - User Name
 - Transaction ID
 - Wallet Type
 - Source
 - Date/Time
 - Description/Reason Code
 - Amount
 - Balance After
 - Status

Epic 2 : Wallet & Economy

Mobile Users

Overview

Core concept : Dual Wallet System

1. User Wallet (Main Wallet)

- This is the **primary wallet** of the user at the platform level
- Holds the user's **total available funds**
- Used as the **source of funds** for all league participation

Key Characteristics:

- Global (not tied to any specific league)
- Stores total balance available to the user

- Acts as the **funding source** for League Wallets
- Maintains its own transaction history

2. League Wallet (Per League Wallet)

- A **dedicated wallet created for each league** the user joins

Key Characteristics:

- **League-specific** (1 wallet per user per league)
- Used only within that league for:
 - Player trading
 - Buy-ins
 - Rewards & winnings
 - Cannot be used outside the league

Note :

- All balances are maintained in platform-defined virtual game currency, displayed as USD (\$) for user clarity.
- Funds in one League Wallet cannot be transferred or used in another league.
- No Transaction fees are applied for trades in the MVP phase.
- However, a **bid/ask spread** will be applicable.
 - Users will **buy at the ask price** and **sell at the bid price**.
 - The difference between these prices (spread) acts as an **implicit cost** to the user.
 - Example :
 - Buy
 - Assumed Calculated Value of a Particular Player: \$100
 - Assumed Bid/Ask Spread set on the backend: 2.5%
 - The Ask Price (Buy Price) would be:
 - $\$100 + (2.5\% \text{ of } \$100 = \$2.50) = \102.50
 - User buys the player at \$102.50
 - Sell
 - Assumed Calculated Value of a Particular Player: \$100
 - Assumed Bid/Ask Spread set on the backend: 2.5%
 - The Bid Price (Sell Price) would be:
 - $\$100 - (2.5\% \text{ of } \$100 = \$2.50) = \97.50
 - User sells the player at \$97.50
- All currency values across the platform must consistently follow **US number formatting standards (comma-separated thousands, no spaces)**.

User story -2.1 User Wallet (Main Wallet)

As a user, I want to manage my main wallet from the Profile section so that I can add funds, track transactions, and allocate money to leagues.

Acceptance Criteria :

- **Navigation**

- Profile Screen → Wallet
- At the top of the Profile section, a Wallet should be displayed showing the total available amount (\$1,500). It should be a clickable one.
- User taps/click on Wallet
- Navigate to User Wallet Screen

- **User Wallet Screen**

- This screen acts as the central financial dashboard where users :
 - View main wallet balance
 - Perform financial actions
 - See league-wise allocation
 - Track recent transactions
- **Title : Wallet**
- **Section 1 :**
 - At Top of the **User Wallet Screen** there should be a Main wallet card which displays :
 - Label : Main Wallet Balance
 - Available Balance (\$x,xxx) [Read only]
 - Button : Add Funds
 - **Action : Add Funds**
 - On click :
 - Display list of available Packages (Created by Super Admin)
 - Navigate to Add Funds Flow
 - ~~External payment integration triggered~~
 - Step 1: Trigger
 - When the user clicks on "Add Funds"
 - Step 2: Display Packages
 - The system shall fetch and display a list of available wallet packages configured by the Super Admin
 - Each package should display:
 - Amount (e.g., \$10, \$50)
 - Game currency / Wallet Credit
 - Step 3: Package Selection
 - The user selects a preferred package
 - On selection, the system proceeds to initiate the payment process
 - Step 4: Map Product ID
 - The system shall:
 - Validate selected package
 - Map the selected package to a platform-specific product ID (configured for in-app purchase)
 - Step 5: Initiate In-App Purchase

- The system shall initiate platform-native in-app purchase (Apple/Google Billing)
 - The system shall trigger platform-native billing:
 - Apple App Store (for iOS)
 - Google Play Store (for Android)
 - The user will see a native payment pop-up within the app
- ~~External Payment Integration~~
 - ~~The system shall redirect or open an external payment gateway (e.g., Stripe)~~
 - ~~The user completes payment using available methods (Card/Net Banking, etc.)~~
 -
- Step 6: Payment Processing
 - The platform handles:
 - Payment authorization
 - Payment method selection
 - User authentication
 - (No redirection outside the app)
- Step 7: Receipt / Token Validation
 - The system shall:
 - Receive purchase receipt (iOS) / purchase token (Android)
 - Validate it with respective platform servers
 - Ensure transaction authenticity
- Step 8: Payment Confirmation
 - On Success:
 - Transaction status → SUCCESS
 - Wallet balance → Updated (credited with selected package value)
- On Failure:
 - Transaction status → FAILED
 - No wallet update
- Step 9: Post-Payment Handling
 - The user shall be:
 - Redirected to Wallet Screen
 - Shown a success/failure message
 - Updated balance should reflect in:
 - Main/User Wallet
 - Recent Transactions section
- Key Rules & Validations
 - Wallet balance must be updated only after successful payment confirmation
- System must handle:
 - Duplicate payment callbacks
 - Payment failures

- Interrupted payment scenarios
- Transactions :
 - The system should record transactions under the User wallet transaction screen.
- **Section 2 : League Wallets**
 - Below section 1 there should be another section called : "League Wallets".
 - Displays all league wallets where the user is a participant.
 - Each League Card must display :
 - League Name (e.g., "Championship League)
 - Wallet Balance (e.g.,\$1500)
 - Behavior :
 - Each league wallet is independent, derived from :
 - Starting allocation
 - Buy-ins
 - Trades
 - Interaction
 - When the user taps or clicks on a specific League wallet Card, the system should navigate to the respective "[League Wallet Details Screen](#)"
 - Sorting
 - Active leagues first
 - Then Upcoming
 - Then Completed
- **Section 3 : Recent Transactions**
 - Data Scope
 - Must include transactions from :
 - Main User Wallet
 - All Leagues Wallets transfer
 - End of settlement
 - Data must be :
 - User-specific
 - Transactions cannot be edited/deleted
 - This section displays recent transactions (Buy-in -Packages and Amount transferred to League wallets from User wallet and end of settlement).
 - Fields :

Field	Description
Transaction Type	Buy/Sell
NFL Player Name	Example : P.Mahomes
League	Example : Championship
Timestamp	Example : Today at 2:45 PM

Amount	+\$550.00 / -\$500.00
--------	-----------------------

Fields for the Buy-in packages transaction.

Fields	Description
Transaction Type	Buy-In / Admin Adjustment/End of settlement
Package/Bundle	Package Name
Real Money spent	Real Money \$x,xxx
Game Currency credited	\$x,xxx
Time stamp	Example : Today at 2:45 PM

- Color Coding
 - Credit : Green (+)
 - Debit : Red (-)
- Behavior
 - Show latest 5 transactions
 - Most recent transactions first
 - "View All" option must be present
- Transaction Types Covered
 - ~~Trade Buy~~
 - ~~Trade Sell~~
 - Buy-In
 - Admin Adjustment
 - End of settlement
- Interaction
 - Clicking on the "view all" , system should display Full Transaction History Screen
- Empty State
 - Display : "No recent transactions available"
- Admin Dependency

Admin Action	Impact
Wallet Adjustment	Appears instantly
Buy-in correction	Reflected immediately

- Edge Cases
 - Multiple Transactions Same Time
 - Sort using : Timestamp + transaction ID
- Notification
 - User must receive :
 - Payment success
 - Payment failure

User story -2.2 View All Transactions (User Wallet)

As a user,I want to view all transactions related to my User Wallet so that I can track fund additions, transfers to league wallets.

Acceptance Criteria :

- **Navigation :**
 - From User Wallet Screen ([Us 2.1](#))
 - Section : Recent Transactions : "View All"
 - Profile → Wallet → User Wallet Screen → Tap "View All" → Full Transaction History (Main Wallet)
- **View All Transactions Screen**
 - This screen must display Only transaction related to the User Wallet
 - Includes :
 - Add Funds
 - Buy-in Transfers (to League Wallets)
 - Admin Adjustments
 - reconciliation
 - Excludes :
 - League-level trades (Buy/Sell Players)
 - **Filters :**
 - Add Funds
 - Buy-in Transfers
 - List view (same as League but Global)
- **Screen Structure**
 - The screen must contain ~~5~~ 4 sections :
 - Header
 - Summary Strip
 - Filters
 - Transaction List
- **Section 1 : Header**
 - Elements

Element	Description
Title	Transactions
Back Arrow	Navigation to Wallet
Wallet Type	Main Wallet

- **Section 2 : Summary Strip**

- Provide a quick financial Overview
- Fields
 - Total Added
 - Total Net Balance Change
- Behavior
 - Updates dynamically based on filters
 - Always reflects User Wallet transactions only

- **Section 3 : Filters**

- **Transaction Type**
 - All
 - Add Funds
 - Transfers
 - Adjustments
- Date Range
 - Today
 - Last 7 days
 - Last 30 days
 - Custom Range
- Filters apply instantly

- **Section 4 : Transaction List**

- Default Behavior
 - Sorted by : Latest first
 - Transactions will be loaded in smaller batches (5–7 records initially), and additional records will be fetched using on-scroll (infinite scroll). This helps in optimizing performance while ensuring a smooth user experience.
- Transaction Row
- Application should display an total no.of transactions (e.g., 15 Transactions)
- Transaction Row/Card should be an expandable (Accordian)

Field	Description
Transaction Title	"Added Funds" / "Withdraw Request"

Subtext	Date + Time
Amount	+\$ / -\$
Balance After	Updated balance
Status	Pending / Success / Failed
Tag	Deposit / Withdrawal / Transfer

Coding ○ Color

- Credit (+) : Green
- Debit (-) : Red
- Interaction
 - On Tap/click the system should expand the transaction (complete Transaction Detail Screen)
 - Fields to display :
 - Transaction ID
 - Transaction Type
 - Amount
 - Before Balance
 - After Balance
 - Date & Time
 - Status
 - Source
- Real -Time Updates
 - Screen must update/refers when :
 - Funds added
 - Buy-in Executed
 - Admin Adjustment
- Validation Rule :
 - Balance must never go below zero
- Empty States
 - No Transactions :
 - Display No transaction available.
 - Filtered Empty :
 - Display No transactions match the selected filets or no result found.
- Security Rules
 - Only logged-in user's transactions visible
 - No editing/deleting allowed
- F2MX Admin Dependency (Impact)

Admin Action	Impact
Wallet Adjustment	Appears instantly
Refund	Reflected as credit
Reversal	Transaction updated

- Governance Rules
 - Wallet Isolation
 - Only User wallet transactions displayed
 - Immutable Ledger
 - Transactions cannot be modified or deleted
 - Full transparency
 - Every balance change must be recorded
 - Audit Trail
 - Each transaction must be stored/logged/
- Notifications :
 - User must receive :
 - Deposits (Add Funds)
 - Buy-in transfer
 - Admin Adjustments

User story -2.3 League Wallet (Under League Dashboard)

As a user (Mobile - User), I want to view and manage my League Wallet within a selected league so that I can track my balance, transactions, and perform buy-in activities.

Acceptance Criteria :

- **Navigation Flow**
 - Users taps in League Card from Leagues Module
 - System Navigate to League Dashboard → Bottom Navigation
 - Leagues → My Leagues → Select League → League Dashboard → Tap "Wallet" → League Wallet Screen
 - League Dashboard Tabs :
 - Matchup
 - History
 - Standing
 - **Wallet**
- **Wallet Tab**
 - The Wallet tab represents the League -specific currency wallet, which is isolated per league and used for :
 - Playing trading
 - Buy-ins
 - Starting allocation

- League-level transactions
- **League Wallet Details Screen /Tab View :**
 - The screen must contains 4 Sections :
 - Section 1 : League Wallet Summary
 - Section 2 : Wallet Actions
 - Section 3 : Portfolio Insights
 - Section 4 : Transactions Ledger
- **Section 1 : “League Wallet Summary” - [Ready -Only]**
 - Display at the top :
 - League Name
 - Current League wallet Balance
 - Shows available league credits (e.g., \$1500 or 1500 Coins)
 - Starting Allocation
 - Buy-in Added
 - Example :
 - League Name : Championship League
 - Current league wallet balance : \$1450
 - Starting Allocation : \$2000
 - Buy-in Added : \$350
- **Behavior :**
 - Real-time Updates
 - Reflects :
 - Trades
 - Buy-ins
 - Admin adjustment
- **Section 2 : “Wallet Actions”**
 - + Add Buy-In
 - View Rules
 - **+ Add Buy-In Screen :**
 - As a user, I want to add funds to my league wallet so that I can participate in trades and league activities.
 - When User taps/click on “+Add Buy-In”, system should display an pop-up /model
 - Title : Add Buy-in
 - Subtext display Main User Wallet Balance :\$3,200
 - Main User Wallet Balance must be real-time
 - Verbiage (Help Text) : You can add funds up to your league’s maximum buy-in limit.
 - **Amount input fields :**
 - Input field with Prefix “\$”
 - Placeholder : 0
 - Input Rules :
 - Numeric only
 - Up to 2 decimal places
 - No negative values
 - Validations :

- Empty Input :
 - Please enter an amount
- Invalid Number
 - Enter a valid amount
- Exceeds Main Wallet
 - Insufficient balance in your Main User Wallet
- Amount > Remaining Limit
 - You have exceeded the maximum buy-in limit for this league.
- Amount > Main Wallet Balance
 - Insufficient balance in your Main User Wallet.
 - When the system displays the validation message: **"Insufficient balance in your Main User Wallet"**, it should provide the user with an option to add funds.
 - An **"Add Funds"** button must be displayed, and upon clicking it, the user should be directed to the [Add Funds flow](#).
- Informational :
 - Display Starting Allocation : \$2,000
 - Display Max Additional Buy-in : \$ 400 Limit
 - Display Already Added : \$150
 - Display Remaining Buy-in limit : \$250
- Buttons :
 - Confirm Buy-in
 - Cancel
- **Validation Check :**
 - System must validate :
 - Amount > 0
 - Amount ≤ Remaining Buy-In Limit
 - Amount ≤ User Wallet Balance
 - Users must not exceed the total buy-in limit.
- Success State :
 - **User Confirmation**
 - User clicks "Confirm Buy-In"
 - System initiates Buy-In Transaction Processing
 - Deduct the amount from the User wallet and credit the amount in League Wallet.
 - Update League Wallet balance in real time (Add Buy-In amount)
 - New Balance = Existing Balance + Buy-In Amount
 - Remaining Buy-In limit recalculated.
 - Update Balances
 - User Wallet → After Deduction
 - League Wallet → After Credit

- Generate Transaction ID
- The Transaction record should be visible under the “View Transactions”.
- Every action should be logged under the logs.
- Buy-in Successful.Funds added to your League Wallet.
- **System Behavior :**
 - Deduct from Main Wallet ↓
 - Add to League Wallet ↑
 - Recent Transactions Updated in the User wallet
 - Transaction History Updated
- **Admin Impact**

Admin Action	Impact
Adjust Wallet	Values change instantly
Freeze Trading	Disable Continue button
Buy-in Correction	Update limits

- **Edge Case :**
 - Buy-in Limit Reached
 - Display : You have reached the maximum buy-in limit [x,xxx] for this league.
 - League Completed
 - Buy-in is not allowed as the league has already ended.
 - Trading Frozen (Admin Action)
 - Transactions are temporarily disabled for this league.
 - Admin Freeze : When a wallet is frozen by Admin :
 - Add Buy-in disabled
 - Trading disabled
 - Zero balance in User Wallet
 - The system must restrict all such actions and display inappropriate messages indicating insufficient funds.
 - The system shall not allow the wallet balance to become negative under any circumstances.
 - Any transaction attempt when the balance is zero must be declined at the validation stage itself.
 - Message : Insufficient balance. Please add funds to continue.
- **Concept**
 - User has :
 - User Wallet (Main Wallet)
 - League Wallet (Per League)
 - Buy-In = Transfer of funds from User wallet → League Wallet
- **Error Messages :**

- When the Buy-In amount is > User Wallet
 - Display : “Insufficient Main Wallet Balance”
 - When the Buy-In limit > Max Buy-In Limit
 - Display : “Exceeds Buy-In Limit”
- **Notification**
 - User must receive :
 - Buy-in success
 - Trade impact
 - Admin adjustment
 - Application should send a notification
 - In-app
- **View Rules :**
 - Displays
 - Max Additional Buy-in \$VC
 - Hold time rules
 - Trading restrictions
- **Section 3 : “Portfolio Insights”**
 - Displays financial position in the league
 - Fields :

Field	Description
Portfolio Value	Total Value of owned players
Cash Balance	Wallet balance
Total Invested	Total Spent
Profit / Loss	Gain/Loss

- **Formula P/L = portfolio Value + Cash Balance - Total Invested**
 - Profit - Green
 - Loss - Red
- **Section 4 : “Transactions Ledger”**
 - Displays all the League Transactions (Trade & Transfer (User wallet – to – League Wallet)
 - Fields for Trade transactions :

Field	Description
Transaction Type	Buy/Sell/Buy-in
NFL Player Name	
Amount	+ / -
Balance After	Post transaction balance

Timestamp	Date & Time
-----------	-------------

- Fields for Transfer (User wallet – to – League Wallet transactions :

Field	Description
Transaction Type	Transfer
Amount	\$x,xxx
League Balance After	Post transaction balance
Timestamp	Date & Time

- **Filters**

- **All**

- Displays every transaction that has impacted the league wallet,without any filtering
 - Includes :
 - Trade Buy (Player Purchase)
 - Trade Sell (Player Sale)
 - Buy-in additions
 - Admin adjustment (credit/debit)

- **Trades**

- Displays only transactions related to player trading activity within the league.
 - Includes :
 - Player Buy (Wallet Debit)
 - Player Sell (Wallet Credit)
 - Excludes :
 - Buy-ins
 - Admin Adjustments

- **Buy-ins**

- Display only transactions where funds are added to the League Wallet from the Main User wallet.
 - Includes :
 - Buy-in
 - Excludes :
 - Trades
 - Admin adjustments

- **Admin Adjustment**

- Display only the Admin adjustment transactions
 - Includes :
 - Admin credit
 - Admin debit
 - Excludes :

- Trades
 - Buy-in
- Wallet must refresh when :
 - Trade executed
 - Buy-in added
 - Admin adjustment
- State Handling
 - League Not started
 - Display:
 - Starting Allocation
 - Disable trading -related updates
 - Active League
 - Full Functionality enabled
 - Completed League
 - Display :
 - League completed. Transactions are locked
- Security Rules
 - Users cannot :
 - Edit wallet
 - Modify transactions
- Notifications
 - User must receive :
 - Buy-in success/failure
 - Trade impact
 - Admin adjustment

User story -2.4 View Transactions Action (under League Wallet)

As a user,I want to view all transactions related to my League Wallet so that I can track my trades, buy-ins, and financial activity within that specific league.

Acceptance Criteria :

- **Navigation :**
 - From League Wallet Screen
 - Section: Transactions (Preview)
 - "View All Transactions"
 - Leagues → League Dashboard → Wallet Tab→ Transactions Section→ Tap "View All Transactions"→ Full Transactions Screen (League Context)
 - This screen must display : Only transactions related to the selected league.
- **Transactions Types**

Type	Description
Trade Buy	Player purchase
Trade Sell	Player sale
Buy-in	Funds added to league
Admin Adjustment	Manual correction

- **Screen Structure**

- Screen must contain 5 sections :
 - Header
 - Summary Strip
 - Filters
 - Transactions List

- **Section 1 : HEADER**

Element	Description
Title	Transactions
Back Arrow	Navigate to League Wallet
League Name	Context display

Note : The system must not allow the wallet balance to go below zero under any condition.

- **Section 2 : Summary Strip**

- Quick Snapshot of financial activity

Field	Description
Total Credits	Total money earned
Total Debits	Total money spent
Net Change	Credits - Debits

- Behavior :
 - Updates based on applied filters
 - Reflects only league-specific data
- **Section 3 : Filters**
 - Type
 - All
 - Trades
 - Buy-ins
 - Date Range
 - Today
 - 7 days
 - 30 days
 - Custom
 - Behavior
 - Filters apply instantly
- **Section 4 : “Transactions List”**
 - Default Behavior :
 - Sorted by : Latest first
 - Application should display an total no.of transactions (e.g., 15 Transactions)
 - Transaction Row/Card should be an expandable (Accordian)

Field	Description
Transaction Title	“Bought J. Jefferson”
Subtext	Date + Time
Amount	+\$ / -\$
Balance After	Amount
Tag	Trade / Buy-in Transfer

- Colors :
 - Credit : Green

- Debit : Red
 - Interaction :
 - On Tap/click the system should expand the transaction (complete Transaction Detail Screen)
 - Fields to display :
 - Transaction ID
 - Type
 - Amount
 - Player Name
 - Before Balance
 - After Balance
 - Date & Time
 - Status
 - Source
 - Real-Time Updates Rules
 - Screen must refresh/update when :
 - Trade executed
 - Buy-in added
 - Admin Adjustment
- **Empty States**
 - No Transactions :
 - Display : No transactions found for this league
 - Filters Result Empty
 - Display : No transactions match the selected filters or No result found.
- **Security Rules**
 - Only show transactions for :
 - Logged-in user
 - Selected league
 - No editing/deleting allowed
- F2MX Admin Dependency (Impact)

Admin Action	Impact
Wallet Adjustment	Appears as new transaction
Buy-in Correction	Adjusts values

- **Governance Clauses**
 - League Isolation
 - Only league-specific transactions visible
 - Immutable ledger
 - No modification allowed
 - Full transparency
 - Every wallet change must be reflected.

User story -2.5 End-of-Season Settlement

As a mobile user, I want to receive my league winnings in my wallet and view settlement details so that I can understand my final outcome after the league ends.

Acceptance Criteria :

- End-of-Season Settlement for mobile users is a ready-only, system-driven experience. Where users receive their final winnings in the User Wallet after league completion.
- Users :
 - Do not trigger settlement
 - Do not control calculations
 - Only view results + receive funds
- **Positive/Win :**
 - The user receives winnings in the User Wallet.
 - Transaction appears in:
 - Recent Transactions
 - Full Transactions History
 - Settlement visible under League Context
 - Notification sent to user
- **Backend Logic for Settlement :**
 - The platform's backend logic for calculating what goes back to the user's main wallet strictly looks at the difference between the Ending League Balance and the original Starting Allocation
 - Because of this, any additional buy-ins naturally get grouped into the payout, provided the user didn't lose that money in the market.
 - Here is the clear breakdown of how the F2MX system calculates this, mapped directly to your proposed tracking method:
 - **1. The Core Calculation Rule**
 - At the end of a season, the system runs a settlement for each user's League Wallet using this specific formula: Net Back to Main Wallet = Ending League Balance minus Starting Allocation.
 - If the Ending League Balance is less than or equal to the Starting Allocation, the transfer is \$0
 - The system will never deduct money from the user's main wallet to cover a loss
 - **2. How Additional Buy-Ins are Treated**
 - Because the settlement formula only subtracts the free "Starting Allocation," any real-money buy-ins you contributed automatically inflate your Ending League Balance. Therefore, if your ending balance is high enough, those buy-ins are safely returned to your main wallet during the settlement.

- **3. The Breakdown Display (Tracking Return of Buy-in vs. Pure Profit)**

- Your suggestion to display the settlement as a clear breakdown (Return of Buy-in first, then Profit) is an excellent UX approach. The F2MX Ledger already requires tracking these as distinct transaction types (Starting Allocation, Buy-Ins, and Season-End Settlements)

- **EXAMPLE :** Here is how that calculation breakdown looks in three different scenarios:

- Scenario A: User makes a profit
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,800
 - System Calculation: $\$1,800 \text{ (Ending)} - 1,000 \text{ (Starting)} = \800
Net Back to Main Wallet**
 - User Display Breakdown:
 - Return of Additional Buy-in: \$500
 - Pure Profit: \$300
- Scenario B: User loses some money, but covers the Starting Allocation
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,200
 - System Calculation: $\$1,200 \text{ (Ending)} - 1,000 \text{ (Starting)} = \200
Net Back to Main Wallet**
 - User Display Breakdown:
 - Return of Additional Buy-in: \$200
 - Pure Profit: \$0 (They lost \$300 of their buy-in).
- Scenario C: User drops below the Starting Allocation (No Profit)
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$800
 - System Calculation: $\$800 \text{ (Ending)}$ is less than $1,000 \text{ (Starting)}$. $\$0$ Net Back to Main Wallet**
 - User Display Breakdown:
 - Return of Additional Buy-in: \$0
 - Pure Profit: \$0 (They lost their entire buy-in, plus some of the free starting allocation, but are not charged extra).

- **Flow :**

- League status changes → Completed
- System triggers settlement
- System calculates user result
- System credits User Wallet
- User receives notification
- User opens :
 - Wallet → sees updated balance
 - League → sees final result

- **Wallet Impact :**

- Transaction Entry

Field	Value
Type	Settlement Credit
Amount	+\$ [amount]
League Name	XXXXX
Timestamp	System generated
Status	Completed

- **League**

- Final
- Final

Displays :
Rank
Outcome
(Win/Loss)

- Settlement Status:
 - Completed
 - In-progress

- **Notification :**

- User must receive the notification via :
 - In-app
 - Email
- Message Your [League name] league winnings have been credited to your wallet.

- **Validations**

- Users cannot :
 - Edit settlement
 - Reverse transactions
- Settlement must :
 - Reflect only once
 - Be immutable

- **Transaction :**

- The transaction record should be listed under the User wallet transaction with following fields :
- Transaction Type : End of Settlement
- League Name : example : Championship League
- Amount received : \$x,xxx
- Clicking on the Transaction card, the system should display complete details of the transaction fields :
 - User Display Breakdown:
 - Transaction type
 - League Name
 - Starting Allocation: \$1,000
 - Additional Buy-In: \$500
 - Ending Balance: \$1,800
 - Return of Additional Buy-in: \$500
 - Pure Profit: \$300

Web - F2MX Admins

User story -2.1 Packages (Configuration & Purchase)

As an F2MX Admin, I want to configure & manage predefined funding Packages so that users can quickly add funds to their User Wallet. using predefined packages

Acceptance criteria :

- **Navigation :**
 - Admin Dashboard → Wallet & Economy Module → Packages
- **Packages :**
 - Admin can create,edit,delete and activate/deactivate packages
 - Only Active bundles must be visible for the user when they click on "Add Funds" from the Profile Module.
 - The Top Section :
 - **Search field**
 - Placeholder : Search with Magnifying glass icon
 - Search By Package Name
 - Behavior
 - Partial Match
 - Case-insensitive
 - No result :
 - "No Packages Found"
 - **Filters**
 - Status
 - Type : Dropdown
 - Options :
 - Active
 - Applying the "Active" filter the system should only display the Active Packages.
 - Inactive
 - Applying the "In-Active" filter the system should only display the In-Active Packages.
 - Behavior :
 - Single select
 - Instant apply
 - Clear/Reset Option should be available
 - **Packages List View :**
 - Display all configured Packages in List view
 - Packages List/Columns :

Field	Description
Bundle Name	Name of the bundle
Amount	Base funding amount
Credits/Game Currency	\$amount
Status	Active/inactive
Created Date	Date & Timestamp

- Sorting
 - Package sorted by :
 - Active first
 - Recently Created
- There should be an "Create Package" Button on the Top of the List View.
- When Admin clicks "Create Package", system should opens form/pop-up with following fields :

Field	Type	Mandatory
Package Name	Text	Yes
Amount \$	Numeric input field with "\$" as prefix	Yes
Credits/Game Currency \$	Numeric input field with "\$" as prefix	Yes
Status	Toggle	Yes

■ **Validations**

Field	Empty Data Validation
Package Name	Package Name is required
Amount	Amount is required
Credits / Game Currency	Credits/Game currency is required

Field	Character Limit Validation
Package Name	Min 3 characters are required
	Max allowed characters are 40

Field	Duplicate Name Validation
Package Name	Package name already exists

Field	Amount $\leq$ 0 Validation
Amount	Enter valid amount
Credits / Game Currency	Enter Valid amount

- Admin enters details and clicks **Save**
- System Behavior :
 - Package Saved & visible in the list view
 - Status = Active
- Actions :
 - Edit
 - Delete
- **Role** : Only Super Admin can Edit & Delete
- **Edit Package**
 - When Admin clicks the Edit option , the system should open the Edit Form with Pre-filled data :
 - Header : Edit Package
 - Caption :
 - Package Name
 - Amount
 - Credits/Game currency
 - Status
 - All fields are editable
 - Admin updates fields
 - Buttons :
 - Update
 - Clicking on Update, the system should Update the Package details.
 - Cancel
 - Click Save Changes
- Validations
 - Cannot leave fields empty

- System Behavior
 - Update bundle details
 - Reflect changes instantly
- Mobile Impact

Change	Impact
Amount updated	New value shown
Name updated	Updated label
Status changed	Visibility changes

- **Disable/Enable Bundle**
 - Whenever Admin toggles Status → Inactive , system should display an Confirmation Pop-up :
 - Title : Disable Package
 - Verbiage : This Package will no longer be available for Users when adding funds.
 - Yes & No
 - **System Behavior**
 - Package Marked as Inactive once confirmed by Admin.
 - Hidden from Add funds
 - **Enable Flow**
 - Toggle back to Active
 - Bundle becomes visible again
 - **Delete Package**
 - Packages are part of Financial flow, so deletion must be controlled.
 - Only Super Admin should be able to delete the package.
 - Delete Flow
 - Whenever admin clicks on Detele , system should display confirmation pop-up :
 - Title : Delete Bundle
 - Verbiage : Are you sure you want to delete this bundle ? This action cannot be undone.
 - System Behavior
 - Package permanently deleted.
 - **Edge Cases**
 - Duplicate Packages Name
 - Not allowed
 - Zero/Negative Amount
 - Blocked
 - **Governance Rules**

- **Financial Integrity**
 - Packages cannot modify :
 - Wallet balances
 - Buy-in logic
- **Audit Logging**
 - Every action must log

User story ~~2.2 Managing Buy In Conversion Modes & Limits~~

~~As an F2MX Super Admin , I want the platform to enforce Buy In limits between Mode A & Mode B so that all leagues operate within a standardized and fair economic boundary.~~

Acceptance Criteria :

- **~~Navigation :~~**
 - ~~Login → Wallet & Economy Module → Buy In Configurations Tab~~
- **~~Mode Configuration :~~**
 - ~~The system must support two modes :~~
 - ~~Mode A : Fixed Conversion Rate~~
 - ~~Mode B : Configurable Range Based Conversion~~
 - ~~Only one mode can be active at a time~~
 - ~~Default Mode B must be active~~
- **~~Mode A (Fixed Conversion)~~**
 - ~~Admin defines a single fixed conversion rate~~
 - ~~Applies to :~~
 - ~~All leagues~~
 - ~~All Users~~
 - ~~No league level customization allowed.~~
- **~~Mode B (Range Based Conversion)~~**
 - ~~Admin defines :~~
 - ~~Minimum 10% 0%~~
 - ~~Maximum 40%~~
 - ~~Commissioners can select any value within the range.~~
- **~~Rules~~**
 - ~~Conversion rate must never be 0%~~
 - ~~All Buy ins (Transfers) must follow conversion rules~~
 - ~~Rules must apply to :~~
 - ~~Public Leagues~~
 - ~~Private Leagues~~
 - ~~The platform does not force a single mode across every league globally~~
 - ~~The rules explicitly state that the active mode can vary depending on the league type (e.g., Public vs. Private) or for specific promotions.~~
- **~~Impact on Users~~**
 - ~~When user performs Buy in (Transfer from User wallet to League Wallet):~~
 - ~~System converts amount based on active mode~~

- Conversion logic must reflect instantly in:
 - League Wallet
 - Transaction History
- **System Behavior**
 - Changes by Admin must:
 - Apply globally
 - Reflect immediately for new transactions
 - Not retroactively affect past transactions
- **Buy-In Conversion screen**
 - **Sections :**
 - Header
 - Summary View
 - Mode Selection
 - Configuration Panel
 - Action Buttons
 - **Header section:**
 - Title : Buy-In Conversion Settings
 - Caption : Manage platform-wide buy-in conversion rules. The system must support the ability for the active mode to vary by league type or promotion (e.g., the platform can enforce Mode A for Public Leagues while allowing Mode B for Private Leagues).
 - **Summary View Section (Read-Only):**
 - Displays :
 - Active Mode
 - Configured Values
 - Last Updated Timestamp
 - **Mode Selection Section (Radio Buttons):**
 - Each mode should be represented as in the form of cards (side-by-side):
 - **Card 1 (LHS): Mode A – Fixed Conversion**

Element	Type	Details
Label	Static	A
Title	Text	Fixed Conversion
Description	Text	A single fixed percentage applied uniformly to all Buy-ins across all leagues
Tag	Badge	FIXED RATE
Selection Control	Radio	Circular Selector (Top-right)

State	Default : Unselected (If Mode B active)	
--------------	--	--

■ ~~Card 2(RHS) : Mode B – Range-Based Conversion~~

Element	Type	Details
Label	Static	B
Title	Text	Range-Based Conversion
Description	Text	Commissioners choose a % within a platform-defined min-max range per league
Tag	Badge	Default
Selection Control	Radio	Circular Selector (Top-right)
State	Default : selected	

○ ~~Configuration Panel Section :~~

■ ~~If Mode A Selected :~~

Filed	Type	Validation
Fixed Conversion %	Input	Required, ≥ 0

■ ~~If Mode B Selected :~~

Filed	Type	Validation
Maximum %	Input	Required $\leq 40\%$
A virtual Range Indicator Display	Ready-Only (a Horizontal bar)	Example : 10 % – 40%

User story -2.2 Managing Starting Allocation, Buy-In Conversion %

As a Super Admin (Org & System), I want to configure and manage the Starting Allocation Range and Buy-In Conversion % so that I can control league-level financial rules consistently across the platform.

Acceptance Criteria :

- The Buy-In Configuration allows the Super Admin to define:
 - The Starting Allocation Range applicable across the platform.
 - The Buy-In Conversion %, applicable across the platform.
 - These configurations are **system-wide** and apply to all leagues.
 - Editable only by Super Admin
- **Section 1 : Starting Allocation**
 - Defines the minimum and maximum starting allocation (VC) that can be configured while creating a league.
 - **Fields Details**

Field Name	Type	Description
Minimum	Numeric Input	Minimum allowed starting allocation
Maximum	Numeric Input	Maximum allowed starting allocation

- **Functionality**
 - Super Admin defines:
 - Minimum allocation value
 - Maximum allocation value
 - This range:
 - Is applied globally across the platform
 - Restricts league creation inputs for commissioners
 - Commissioners must configure Starting Allocation within this range.
- **Validation Rules**

Validation Scenario	Condition	System Behavior	Error Message
Min greater than Max	Min > Max	Prevent saving	"Minimum value cannot be greater than maximum value."
Negative values	Min or Max < 0	Prevent input/save	"Values must be greater than or equal to 0."
Non-numeric input	Invalid format	Prevent input	"Only numeric values are allowed."

Empty fields	Min or Max not provided	Prevent saving	"Minimum field is required." / "Maximum field is required."
--------------	-------------------------	----------------	---

- **System Behavior**
 - Values are saved as global constraints
 - Applied during:
 - League creation
 - League editing
 - Any value outside this range:
 - Should not be accepted
- **Section 2 : Buy-In Conversion %**
 - Defines the allowed percentage range for converting additional buy-ins.
 - **Field Details :**

Field Name	Type	Description
Conversion Range	Slider (Min–Max %)	Defines allowed % range
 - **Caption :** Set the percentage range for Buy-in conversion.Commissioner can select a value within this range.
 - **Functionality**
 - Super Admin configures % range via slider
 - Example: 0% – 40%
 - Commissioners can select any % within this range
 - **Derived Logic**
 - $\text{Maximum Additional Buy-In Cap} = \% \times \text{Starting Allocation}$
 - **System Behavior**
 - Stored as platform-level configuration
 - Applied during league creation
 - Changes apply only to future leagues
 - **Key Relationships**
 - Starting Allocation Range → Defines allowed allocation values
 - Buy-In Conversion % Range → Defines allowed % selection
 - Maximum Additional Buy-In Cap → Derived as:
 - $\text{Cap} = \% \times \text{Starting Allocation}$
- **Super Admin Edit & Save Functionality**
 - **Edit Functionality**
 - Super Admin can edit:
 - Starting Allocation Min & Max values
 - Buy-In Conversion % (slider)
 - All fields remain editable at any time

- **Save Functionality**

- A "Save Configuration" button must be available on the screen
- Button states:
 - Enabled → When any changes are made
 - Disabled → When no changes are detected
- On click of Save :
 - System performs validations across both sections
 - If all inputs are valid:
 - Configuration is saved successfully
 - Success message displayed:
 - "Configuration updated successfully."
 - If validation fails:
 - Save action is blocked
 - Relevant error messages are shown inline
- **Impact of Edit/Update**
 - All updates made by Super Admin:
 - Apply system-wide
 - Applicable to new / future leagues only
 - Do NOT affect existing or already created leagues.
 - Example :
 - Existing Configuration:
 - Starting Allocation: \$100 – \$1000
 - Conversion %: 0% – 50%
 - Updated by Super Admin:
 - Starting Allocation: \$200 – \$800
 - Conversion %: 10% – 40%
 - Existing Leagues:
 - Continue using old configuration (\$100–\$1000, 0%–50%)
 - New Leagues:
 - Will use updated configuration (\$200–\$800, 10%–40%)

Reference image :

The screenshot shows a web form titled "Buy-In Configurations". It contains two main sections, each with a title, a descriptive text, and input fields.

Starting Allocation Range
Define the minimum and maximum starting allocation for leagues. This range is applied system-wide.

Min Max

Buy-In Conversion %
Set the percentage range for buy-in conversion. Commissioners can select a value within this range.

0% 100%

User story 2.3 Edit Buy-In conversion Mode

As an F2MX Super Admin, I want to edit the Buy-In Conversion Mode and its configuration, so that I can update platform-level economic rules for all future buy-ins.

Acceptance criteria :

● Navigation :

- Login → Wallet & Economy Module → Buy-In Conversion → Edit

● Edit Functionality :

- This action can only be performed by Super Admins.
- The edit action allows the Super Admin to :
 - Modify the active conversion mode (Mode A / Mode B)
 - This action is controlled, validated and platform-controlled.
- Buy-In configurations can be edited mid-season.

● Edit Button

- Edit configuration button should be positioned at the Top-right corner of the Buy-In Conversion Screen with a word "Edit Configuration" & an edit icon.

● Visibility Rules

- Visible Only to :
 - F2MX Super Admin
- Read-Only mode :
 - For F2MX Ops Admin & Support Agent

● Default State :

- Until the Edit configuration is clicked by the Super Admin the whole screen will be in the Read-only mode.

● On clicking the Edit Configuration button, the system should enable the edit mode.

● Editable sections :

○ Mode Selection Section

- Admin can switch between Mode A and Mode B
- Behavior :
 - Selection should visually highlight the selected Mode.
 - Header badge should update dynamically :
 - MODE ACTIVE /MODE B ACTIVE

○ Configuration Panel Section

■ If Mode A Selected :

Filed	Type	Validation
Fixed Conversion %	Input	Required, > 0 and not 0%

■ **~~If Mode B Selected :~~**

Filed	Type	Validation
Minimum %	Input	Required, $\geq 0\%$
Maximum %	Input	Required $\leq 40\%$

● **~~Action Buttons :~~**

○ **~~Save configuration~~**

- ~~Clicking on Save configuration, should be updated and apply system wide.~~
- ~~The Summary View section should be updated with the new updates/changes.~~
- ~~Display a success toast message :~~
 - ~~Title : Configuration Saved~~
 - ~~Message : Buy In Conversion settings updated Successfully.~~
- ~~The toast message should disappear within 3-5 seconds.~~

○ **~~Cancel~~**

- ~~Clicking on Cancel should not save any changes and disable the edit mode.~~
- ~~Display Toast message :~~
 - ~~Title : Edit Cancelled~~
 - ~~Message : No changes were saved.~~
- ~~The toast message should disappear within 3-5 seconds.~~

● **~~Validations~~**

Fields	Empty Data Validation
Fixed Conversion	This field is required
Minimum %	This field is required
Maximum %	This field is required

Fields	Acceptable character
Fixed Conversion	Only Numerics
Minimum %	Only Numerics
Maximum %	Only Numerics

Fields	Min & Max limit Validation
---------------	---------------------------------------

Minimum-%	Minimum must be at least 0%
Maximum-%	Maximum cannot exceed 40%

Fields	Min → Max limit Validation
Minimum-%	Maximum cannot exceed Maximum

User story -2.4 Issue Promotional Credits/Bonuses (Admin Capabilities) - (Need to confirm with client) - post MVP

User story -2.5 Adjust User Balances (Credit/Debit game Currency)

As an F2MX Super Admin, I want to manually adjust a user's wallet balance (credit or debit) so that I can correct discrepancies and maintain accurate financial records.

Acceptance Criteria :

- **Navigation :**
 - Login → Wallet & Economy→ User Wallet sub-module→ Actions → Adjust Balance
- Under the Wallet Module there should be a sub-module/Tab called " User Wallet"
- It should display all the Users Wallet Transactions, which includes :
 - User Wallet - Buy-in Transactions.
 - User Wallet → League wallet - Buy-in Transactions
 - Role restriction : Only Super Admins & Support Admin.
- **User Wallet - screen :**
 - **Header : User Wallet Transaction :**
 - **Search Bar :** Search By
 - Username
 - Transaction ID
 - Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive
 - **Filters :**
 - **Wallet Type :**
 - User Wallet Buy-in

- Applying this should filter only the User Wallet Buy-ins (Real Money - Game currency).
- League Wallet Buy-in
 - Applying this filters should filter only the League Wallet Buy-ins (Transfer from User wallet to League Wallet)
- Admin Adjustment
 - Applying this filter should only filter the transactions that Admin adjusted.
- **Transaction Type :**
 - Credit :
 - Debit :
- **List view/Columns :**
 - User Name
 - Transaction ID
 - Reference ID
 - Wallet Type
 - Transaction Type
 - Date/Time
 - Description/Reason Code
 - Amount
 - Balance After
 - Status
 - Actions :
 - Adjust User Balances
 - [Reconciliation/ Error Handling](#)
- **Adjust User Balances :**
 - Clicking on the Adjust User Balance button, the system should display a pop-up with the following fields :
 - Header : Admin Adjustment - User Balance
 - Caption :
 - Fields :
 - : Input field : Transaction ID
 - Alphanumeric
 - Dropdown field : Transaction Type (Mandatory)
 - Credit/Debit
 - Input field : Amount with prefix \$ (Mandatory)
 - Only numeric should be allowed.
 - Input field : Reason (Mandatory)
 - Limit : 0/500
 - Buttons :
 - Confirm
 - Clicking on the confirmation should credit/debit the amount into the User Wallet.
 - Notify the User
 - Display a toast message :

- Header : Adjust User Balances
 - Message : successfully credited/debited to User wallet.
- The toast should disappear within 3-5 seconds.
- The system should create a new transaction record, the old one should not be changed.
- Cancel
 - Clicking on the cancel, the system should close-the pop-up & should not credit/debit the amount to the user wallet.
- **Validations :**
 - Cannot make balance -ve
 - Amount cannot be 0
- **System actions:**
 - Balance updated
 - The system generates/creates a new transaction record, the old one should not be changed.
 - Ledger entry created:
 - Category: Manual Adjustment
 - Initiator: Admin
 - Reason + reference stored
 - Role restriction:
 - Only authorized roles (Super Admin / Support Admin)

Validations

Field	Empty Data Validation
Transaction ID	Transaction ID is required
Transaction Type	Transaction Type is required
Amount	Amount is required
Reason	Reason is required

Field	Amount 0 Validation
Amount	Amount must be greater than 0

Field	Debit Amount >User Wallet Validation
-------	--------------------------------------

Amount	Amount cannot be greater then the User Wallet / Insufficient wallet balance
--------	---

Field	Amount >User Wallet Validation
Amount	Amount cannot be greater then the User Wallet

User story -2.6 Reconciliation/ Error Handling (Refunds / Duplicate / Failed Transactions)

As an F2MX Super Admin/Support, I want to manually adjust a user's transaction errors (Duplicate/failed transactions)so that I can correct discrepancies and maintain accurate financial records.

- **Navigation :**
 - Login → Wallet & Economy→ User Wallet sub-module→ Actions → Reconciliation/ Error Handling
- Under the Wallet Module there should be a sub-module/Tab called " User Wallet"
- It should display all the Users Wallet Transactions, which includes :
 - User Wallet - Buy-in Transactions.
 - User Wallet → League wallet - Buy-in Transactions
- Role restriction : Only Super Admins & Support Admin.
- **Reconciliation/ Error Handlings screen :**
 - **Header :** User Wallet Transaction :
 - **Search Bar :** Search By
 - Username
 - Transaction ID (Apple)
 - Order ID (Google)
 - Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive
 - **Filters :**
 - Wallet Type :
 - User Wallet Buy-in
 - Applying this should filter only the User Wallet Buy-ins (Real Money - Game currency).
 - League Wallet Buy-in
 - Applying this filters should filter only the League Wallet Buy-ins (Transfer from User wallet to League Wallet)

- Admin Adjustment
 - Applying this filter should only filter the transactions that Admin adjusted.
 - **Transaction Type :**
 - Credit :
 - Debit :
- List view/Columns :
 - User Name
 - Transaction ID
 - Reference ID
 - Wallet Type
 - Transaction Type
 - Date/Time
 - Description/Reason Code
 - Amount
 - Balance After
 - Status
 - Actions :
 - [Adjust User Balances](#)
 - Reconciliation/ Error Handlings
- **Reconciliation/ Error Handlings:**
 - Clicking on the Reconciliation/ Error Handling button, the system should display a pop-up with the following fields :
 - Header : Reconciliation/ Error Handlings
 - Caption :
 - Fields :
 - Input field : Transaction ID
 - Alphanumeric
 - Dropdown field : Type (Mandatory)
 - Options :
 - Duplicate payments
 - Failed transactions
 - Missing credits
 - Input field : Amount with prefix \$ (Mandatory)
 - Only numeric should be allowed.
 - This Amount field should only be displayed when the Admin chooses the "Missing Credit" option in the Type field.
 - Input field : Reason (Mandatory)
 - Limit : 0/500
 - Buttons :
 - Confirm
 - If the Action is "Duplicate Payments" then, the system should validate the Transaction ID provided & reverse the duplicate transaction amount to the User wallet .

- If the Action is "Failed Payment" then, the system should credit back the amount to the User Wallet.
- If the Action is "Missing Credit", the system should adjust the Amount.
- If the Action is : Wrong amount", the system should reverse the amount back to the User wallet.
 - Clause : the credited game currency should not be used.
 - If used the reverse action should not happen.
- User should be notified :
 - In-app
 - Email
- Display a toast message :
 - Header : Reconciliation/ Error Handlings
 - Message : [Action] amount successfully credited to User wallet.
- The toast should disappear within 3-5 seconds.
- The system should create a new transaction record, the old one should not be changed.

Issue	Action
Duplicate	Reverse one entry
Failed payment	Credit back
Missing credit	Add adjustment
Wrong amount	Partial reversal

- Cancel
 - Clicking on the cancel, the system should close-the pop-up & should not credit/debit the amount to the user wallet.

- **Validation rules**

- Cannot reverse already reversed txn
- Cannot exceed original amount

- **System Execution**

- Original transaction → remains unchanged
- New ledger entry created:

- Category: Reversal / Correction
 - Links to original transaction
- Balance updated accordingly
- **Audit & Traceability**
 - Link shown:
 - "Reversed by Txn ID: XXXX"
 - Logged in:
 - Wallet Ledger
 - Audit Logs

Validations

Field	Empty Data Validation
Transaction ID	Transaction ID is required
Transaction Type	Transaction Type is required
Amount	Amount is required
Reason	Reason is required

Field	Amount 0 Validation
Amount	Amount must be greater than 0

Field	Debit Amount > User Wallet Validation
Amount	Amount cannot be greater than the User Wallet / Insufficient wallet balance

Field	Amount > User Wallet Validation
Amount	Amount cannot be greater than the User Wallet

User story -2.7 Set League Additional Buy-In Limits - amount

~~As a F2MX Super Admin, I want to define and enforce buy in limits at platform level so that fair gameplay is maintained, abuse is prevented, and the platform economy remains controlled.~~

Acceptance Criteria:

• **Navigation:**

- Login → Wallet & Economy → Buy-in Configurations (Sub-module) → Buy-in Limits

• **Additional Buy-in Limit:**

- This feature allows the Admin to configure a minimum and maximum buy-in range at the platform level (system-wide).
- The Commissioner, while creating or configuring a league, can define a league-specific additional buy-in amount, which must strictly fall within the admin-defined range.
- League creation/update is restricted if values fall outside the allowed range.

• **Super Admin can define:**

- Maximum amount of Additional buy in allowed per leagues

• **System enforces:**

- These limits across all leagues

• **League-level limits:**

- Cannot exceed platform limits

• **Changes are:**

- Logged in audit logs

• **Validation:**

- Values must be positive integers

• **Error message:**

- "Platform limit must be greater than zero

• **Buy-In Limit screen:**

- Admin should be able to define:
 - **Minimum Additional Buy-In Amount : \$0**
 - **Maximum Additional Buy-In Amount : \$5,000**
- These limits should be:
 - Applied system-wide across all leagues
 - Editable by Admin anytime
- System should validate:
 - $\text{Minimum} \leq \text{Maximum}$
- Changes should:
 - Reflect immediately for new leagues
 - No impact on already-created leagues.

• **Commissioner Configuration (League Level)**

- During Create League / Edit League, Commissioner should:
 - Enter an Additional Buy-In Amount

• **System should:**

- Allow only one fixed buy-in amount per league
- Validate against admin-defined range

• **Validation Rules**

- Additional Buy-In Amount must:
 - $\text{Amount} \geq \text{Admin Minimum Limit}$
 - $\text{Amount} \leq \text{Admin Maximum Limit}$

- ~~If invalid:~~
 - ~~Show error message:~~
 - ~~"The Additional buy-in amount must be between \$X and \$Y as defined by the platform."~~
- ~~System should prevent:~~
 - ~~League creation/update until corrected~~
- ~~User Visibility~~
 - ~~End Users should :~~
 - ~~View the buy-in amount on the + Add Buy-In Screen~~

User story -2.8 End-of-Season Settlement

As a System, I want to settle league wallets when a league completes, so that users receive their earned profits in their persistent User Wallet.

Acceptance Criteria:

- **Trigger:** League Lifecycle status changes to Completed.
- The system must initiate settlement Only when All conditions are met :
 - League status = Completed
 - Final Standings = Available & locked
 - No pending :
 - Trades
 - Wallet transactions
 - Stat corrections
- **Settlement Execution**
 - Once triggered, the system must execute the following steps atomically :
 - Fetch Final League Date
 - Validate Settlement Eligibility
 - Calculate User Outcomes
 - Wallet Credit Execution
 - Ledge Entry Creation
- **Calculation:**
 - Profit = Ending League Balance - Starting Allocation.
 - Transfer Amount = remaining League Wallet balance .
- **Logic:**
 - If Ending Balance > Starting Allocation: Credit the difference to User **Wallet**.
 - New Balance = Existing Balance + Settlement Amount
 - If Ending Balance <= Starting Allocation: Transfer \$0.
 - Users do NOT owe debt for losses.
- **Notification:** User receives a "Season Settlement" notification with the amount transferred.

- **Ledger:** Record Settlement Transfer in both League Ledger (Debit to 0) and User Wallet Ledger (Credit).
 - For every settlement transaction, system must create:

Field	Value
Transaction Type	Settlement
Amount	+\$XXX
League ID	Source league
Before Balance	Stored
After Balance	Stored
Timestamp	System generated
Source	System
Status	Completed

- Ledger must be :
 - Immutable
 - Non-editable
 - Non-deletable
- **Audit Log Creation**
 - System must log :
 - League ID
 - Settlement trigger (system)
 - Timestamp
 - Total distributed amount
 - Number of users credited
- **Notifications**
 - For each credited user :
 - Send notification :
 - Your [league name] league winnings have been credited
- **Update League Status**
 - System must update :
 - Settlement Status = Completed
 - Store the Timestamp
- **Duplicate prevention**
 - System must enforce :
 - Settlement can run only once per league.
 - If already executed :
 - Block with message : "Settlement already completed"

User Story -2.9 Admin View of End-of-settlement

As an F2MX Admin, I want to view the settlement summary within the League Overview so that I can monitor the final financial closure of the league, verify that winnings have been correctly distributed to users, and review the associated audit logs for transparency and compliance.

Acceptance criteria :

- **Location :**
 - Login → Leagues Module → Select League → League Dashboard → Overview tab → Settlement Section
- **Settlement Summary Section :**
 - A dedicated section called " Settlement Summary" must be displayed in the Overview Tab, once the league reaches Completed Status.
 - This section provides :
 - Final Financial closure status
 - Distribution summary
 - Audit visibility
 - **Visibility rules :**

Condition	Visibility
League = Active	Not visible
League = Completed	Visible
Settlement Completed	Show full details
Settlement Failed	Show error + retry option

- **Header :**
 - Title : Settlement Summary
 - Caption : Final distribution of league winnings and financial closure
- **Status - Acts an individual tab.**

Status	Display
Not started	Settlement not yet initiated
In-progress	Settlement in-progress...
Completed	Settlement completed successfully
Failed	Settlement failed.Please retry

- **Individual widgets : (real-time updation)**
 - Total Participants (League members)
 - Prize pool (To be distributed)
 - Contest Winners (Eligible for payout)
- **Core Information displayed based on the status**
 - **Status = Not started Yet**
 - Display : No settlement data yet
 - **Status = In progress**
 - Display a horizontal progress bar. Which displays the percentage of completion.
 - Help Text : Processing wallet credits...
 - The price pool widget & contest winner widgets should be updated real-time.
 - **Status = Completed**
 - Display Settlement Details Section :
 - Status
 - Triggered By
 - Date & Time
 - Total participants
 - Total Distributed Amount
 - Total Transactions Created
 - Settlement Execution ID
 - Display Distribution Summary Section :
 - A summarized breakdown of payouts :

Field	Description
Rank	Position (1,2,3...)
User	User Name
Settlement Amount	Amount credited
Status	Success/ Failed

- The price pool widget & contest winner widgets should be updated real-time.
-

DEMO 3

Overview :

These Epics focus on the end-to-end user journey from trading players to earning points based on trading performance. It covers how users interact with the Market module to buy and sell players.

It ensures that :

- All players are available in the Market with a defined price (IPO at season start and live market thereafter)
- Users can buy and sell players using their league wallet balance
- Points are awarded only for the duration a user owns a player
- Players performances contributes directly to user scores
- Match results (Win/Loss/Tie) are calculated based on total points earned.

Overall, this epic represents the complete gameplay loop, where users make strategic trading decisions in the market and see the impact of those decisions through scoring and competition outcomes.

Mobile Users

Epic 1 : Player Ownership & Market Trading

User story -3.1 Market Main Module - Player Listing & IPO Price Display (Before Season-Start)

As a user, I want a dedicated Market main module where I can view the complete list of all available players along with their current prices so that I can understand player values and make decisions before buying or selling.

Acceptance Criteria :

- There must be a **Market** module available as a main module for users to access.
- When a User navigates to the Market module, the system should display all the players with their respective prices. At the start of the season, these prices should be based on the IPO pricing, and once the season begins, the prices should reflect live market values.
- **Business Rule:**
 - The Market module must display a complete list of all available players.
 - IPO pricing is applicable only for leagues that start at the beginning of the NFL season.
 - For leagues that start mid-season, IPO pricing must not be applied

- Mid-season leagues must display the current live market price of players
- Once the NFL season begins, IPO pricing must no longer be used
- After IPO is disabled, all players must display livef2mx market prices
- **Functionality :**
 - User navigates to the Market module
 - Title - Market
 - Information : Market Open/Close
 - **Search Bar :** Search By
 - NFL Player Name
 - NFL Team Name
 - Search Should Support :
 - Partial Match
 - Exact Match
 - Case insensitive
 - **Filters :**
 - All - Default
 - QB
 - RB
 - WR
 - TE
 - FLEX
 - System displays all players in a list format
 - Each player entry must include:
 - Player Full Name
 - Position
 - Their NFL Team Name
 - Published Price
 - Lock Time along with timer (If applicable)
- **Pricing Behavior :**
 - Before NFL season start (for eligible leagues) → Display IPO price
 - After NFL season start → Display live market price
 - For mid-season leagues → Display live market price
- **Calculation**
 - The system provides the final calculated price (IPO or Live) for display.
- **Example**
 - Scenario 1: Season Start League – Before Season
 - User opens Market
 - Player A → IPO Price = \$50
 - Scenario 2: After NFL Season Start
 - User opens Market
 - Player A → Live Market Price = \$250
 - Scenario 3: Mid-Season League
 - User joins a league that begins after season start
 - User opens Market
 - Player A → Live Market Price displayed
- **Edge Cases :**

- If a league begins mid-season → IPO pricing must not be displayed

User story -3.2 Player Trading

As a user, I want to view a player's market details and execute buy/sell orders so that I can manage my roster and portfolio value.

Acceptance Criteria :

- The Player Trading Screen should provide complete player information, pricing details (Bid/Ask), ownership status, and allow the user to perform buy or sell actions based on defined validations.
- Maximum Ownership for each Mobile user is 1 share per player per league.
- Buy action is allowed only if the user does not own the player and has sufficient funds.
- Sell action is allowed only if the user owns the player and is not in hold time.
- Player may be restricted due to:
 - Sell-Locked (Hold Time)
 - Out for Season (Purchase Locked)
- Bid and Ask prices must always be displayed.
- Spread must be visible in value/percentage [set by Super Admin].
- **Functionality:**
 - **Players Details Section**
 - Player identity (name, position, team)
 - Current Market Price
 - Direction (↑ / ↓) and % change from the last price
 - Current published Ask price (buy)
 - Current published Bid price (sell)
 - Visible bid/ask spread
 - Buy & Sell button with the total price.
 - **Price Update Behavior**
 - Current price updates based on system pricing engine
 - Ask and Bid prices reflects latest values
 - Price change (%) reflects variation from previous value
 - **Buy Action Functionality**
 - On clicking the Buy option, a pop-up/modal should be displayed containing the following details:
 - Player Name
 - Position
 - League Dropdown
 - Displays the list of leagues in which the user is a participant and doesn't own the player.
 - Only one league can be selected at a time
 - Wallet Information (visible & updates based on selected league):

- Current League Wallet Balance
 - Player Cost
 - After Balance:
 - (Current League wallet Balance → Player Cost → After Balance)
- Purchase Price
- Spread Fee (e.g., 2.5%)
- Total Cost
- Buy Button
 - Enabled when :
 - The user does not already own the player in the selected league
 - The user has sufficient wallet balance
 - Disabled when :
 - The user already owns the player
 - The user has insufficient balance
- **Cancel Button** to close the modal without performing any action
- **On Buy Action (System Behavior)**
 - Upon clicking Buy, the system performs the following actions:
 - The player is purchased from the F2MX System
 - The total cost is deducted from the user's League Wallet
 - The transaction is recorded under the League Wallet Transactions history.
 - The user receives an in-app notification confirming the successful purchase
 - The roster of the selected league is updated, and the player is assigned to an appropriate slot based on roster rules
- **Sell Action Functionality**
 - On clicking the **Sell** option, a pop-up/modal should be displayed containing the following details:
 - Player Name
 - Position
 - League Dropdown
 - Displays the list of leagues in which the user is a participant and currently owns the player
 - Only one league can be selected at a time
 - Holding Information (visible & updates based on selected league):
 - Current League Wallet Balance
 - Player Selling Cost
 - After Balance (Post-Sell Estimated Balance)
 - (Current League wallet Balance → Player Selling Cost → After Balance)
 - Selling Price

- Spread Fee (e.g., 2.5%)
 - Net Receivable Amount
 - Sell Button :
 - Enabled when :
 - The user owns the player in the selected league
 - **Cancel Button:** Clicking on the cancel button, the system should close the modal without performing any action.
- **On Sell Action (System Behavior)**
 - Upon clicking **Sell**, the system performs the following actions:
 - The player is sold to the F2MX Market
 - The net receivable amount is credited to the user's League Wallet.
 - The transaction is recorded under the League Wallet Transactions history
 - The user receives an in-app notification confirming the successful sale
 - The roster of the selected league is updated, and the corresponding slot becomes vacant/available.
- **Post Buy/Sell Updates:**
 - **Post Buy/Sell Updates:**
 - After every successful **Buy** or **Sell** transaction, all relevant users should receive a notification confirming the action. Additionally, the **roster of the respective league must be updated in real time** to reflect the latest player ownership changes.
 - **Immutable Ledger Entry:** An immutable ledger entry is recorded containing the Transaction ID, Timestamp, User ID, League ID, Category (Trade Buy/Sell), Amount, Balance Before, Balance After, and the Initiator
- **Tab/Categories Section (Read-only)**
 - Users can switch between:
 - Price Chart (Default Selected)
 - Time & Sales
 - Stats
 - On tap - respective section content should load
- **Price Chart Section**
 - The Price Chart tab displays the historical price movement of a player over a selected time period, helping users analyze trends and market behavior.
 - **Chart Display**
 - Line graph showing price movement over time
 - **Time Filters**
 - 1D (1 Day) - Default selected
 - 1W (1 Week)
 - 1M (1 Month)
 - Season
 - **On selecting filter:**

- Charts updates based on selected timeframe.
 - Only 1 filter can be applied at a time.
- **Chart Behavior**
 - X-axis → Time
 - Y-axis → Price values
 - Graphs should update dynamically based on pricing engine data.
- **Time & Sales Tab (Recent Executions of the player)**
 - The Time & Sales tab displays the most recent executed trades for a player, showing real-time market activity.
 - **Details Displayed :**
 - Timestamp (e.g., 1:42 PM)
 - Executed Price
 - Transaction Type
 - BUY (highlighted in green)
 - SELL (highlighted in red)
 - **Behavior :**
 - Displays a chronological list of recent trades (latest at top)
 - Only executed transactions are shown
 - User identities are hidden for privacy
 - Data updates dynamically as new trades occur
- **Stats Tab (Season Performance)**
 - The Stats tab provides key performance and pricing metrics of the player for the season.
 - Details Displayed :
 - **Week Points** – Points scored in the current week
 - **Season Points** – Total accumulated Fantasy points
 - **IPO Price** – Initial listing price
 - **Season High** – Highest recorded price (highlighted in green)
 - **Season Low** – Lowest recorded price (highlighted in red)
 - Behavior :
 - Data is read-only
 - Values are system-calculated and periodically updated
 - Reflects both performance metric and market valuation.

User story -3.3 Player Ownership and Roster Management & Ownership-Based Point Attribution

As a user, I want to own and manage players within defined ownership rules and receive points only during my ownership window, so that my trading decisions directly impact my score in a fair and transparent manner.

Acceptance Criteria :

- A user can own only one share per player per league.

- If the user attempts to purchase the same player again, the transaction is blocked.
- Multiple users can own the same player concurrently.
 - Ownership is independent and not restricted across users.
- **Ownership-Based Points Attribution:**
 - Fantasy points are accrued only during the period the user owns the player.
 - Points stop accumulating once the player is sold.
 - Points start accumulating from the time of purchase.
 - A user can maintain a maximum of 7 active players per league.
 - Each roster supports :
 - 1 QB
 - 2 RBs
 - 2 WRs
 - 1 TE
 - 1 FLEX slot
 - If the roster limit is reached, further purchases are blocked.
 - The user must sell an existing player to buy a new one.
 - **Core Attribution Rule :**
 - Points are credited only if the user owns the player at the exact time of the scoring event
 - If the user does not own the player at that moment:
 - No points are awarded
- **Timestamp-Based Enforcement**
 - Point attribution is based on:
 - Provider event timestamp OR event sequence ID
 - Not based on:
 - Data arrival time in the F2MX system
 - This ensures:
 - No latency-based advantage
 - No feed delay exploitation
- **Mid-Game Purchase Behavior**
 - If a user buys a player during a live game :
 - Only events after the purchase timestamp are counted
 - Events before purchase are ignored
 - **Example rule :**
 - TD at 1:10 PM
 - Purchase at 1:12 PM
 - **Result :**
 - No points for that TD
- **Mid-Game Sale Behavior**
 - If a user sells a player during a live game :
 - Points stop immediately at the sell timestamp
 - Events after sale are not counted
 - **Example rule :**
 - Sale at 1:12 PM
 - TD at 1:18 PM

- **Result :**
 - No points awarded
- **Example :**
 - **Initial State :**
 - User has 6 player in their roster
 - Does not own player X
 - Other users on the platform already own player X
 - **Action 1 : User Buys Player X at 2:00 PM**
 - Purchased is allowed
 - Reason :
 - User does not already own player X
 - Roster size (6 → 7) is within limit
 - Concurrent ownership is allowed
 - **Result :**
 - Player X added to roster
 - Total players = 7
 - Points start accumulating from 2:00 PM
 - **Action 2 : User Tries to Buy Player X Again at 2:02 PM**
 - Purchase is blocked
 - Reason :
 - User already owns Player X (single-share rule)
 - **Action 3 : Player X Earns Points**
 - From 2:00 PM → 2:10 PM, Player X scores 10 points
 - **Result :**
 - User receives 10 points
 - Points counted only during ownership period
 - **Action 4 : User Tries to Buy ANother Player (Player Y) at 2:11 PM**
 - Purchase is blocked
 - Reason :
 - Roster already has 7 players (max limit reached)
 - **Action 5 : User Sells Player X at 2:12 PM**
 - Sell is successful
 - **Result :**
 - Player X removed from roster
 - Total player = 6
 - Points stop accumulating after 2:12 PM
 - **Action 6 : Player X Scores More Points at 2:15 PM**
 - User does not receive points
 - **Result :**
 - User no longer owns the player

User story -3.4 System-Driven Dynamic Roster slot Allocation with FLEX overflow Rules

The system should manage roster slot assignments based on predefined position limits and FLEX rules to ensure roster compliance without manual intervention.

Acceptance Criteria :

- The system is responsible for managing roster slot allocation based on predefined position limits and FLEX overflow rules. It ensures that all player purchases and removals comply with roster constraints such as position caps, FLEX eligibility, and maximum roster size.
- When a player purchase occurs, the system applies the following rules:
 - **Maximum Roster Size Check**
 - A user can hold a maximum of 7 players per league.
 - If the roster already contains 7 players :
 - The purchase is blocked/denied.
 - Message displayed : " You have reached the maximum roster size (7 players)".
 - **Standard Position Limits**
 - Each roster supports :
 - 1 QB
 - 2 RBs
 - 2 WRs
 - 1 TE
 - 1 FLEX slot
 - **Strict QB Rule**
 - Only one QB is allowed per roster.
 - If a second QB is purchase attempted :
 - Purchase is blocked/denied.
 - Message displayed : " Multiple QBs are not allowed "
 - **FLEX Overflow Assignment**
 - If a position's main slots are full :
 - 3rd WR → assigned to FLEX
 - 3rd RB → assigned to FLEX
 - 2nd TE → assigned to FLEX
 - FLEX acts as an overflow slot.
 - **FLEX Block Condition**
 - If FLEX is already occupied :
 - Additional overflow purchase is blocked
 - Message displayed : " You already have the maximum number of [POSITION] and the FLEX position is already filled"
 - **Reallocation After Sell**
 - When a player is sold :

- If a FLEX player exists, it moves into the newly available main slot.
 - This maintains roster validity as per position rules.
- **Example Scenario :**
 - **Initial Roster**
 - QB : 1
 - RB : 2 (Full)
 - WR : 2 (Full)
 - TE : 1 (Full)
 - FLEX : Empty
 - Total players : 6
 - **Action 1 : Purchase 3rd WR**
 - WR main slots are full (2/2)
 - FLEX is empty
 - System assigns :
 - 3rd WR → FLEX
 - **Result :**
 - WR : 2
 - FLEX : WR (e.g., Player C)
 - **Action 2 : Purchase 2nd TE**
 - TE main slot is full (1/1)
 - FLEX is already occupied
 - System evaluates :
 - FLEX available ? NO
 - **Result :**
 - Purchase Blocked
 - Message : " You already have the maximum number of TE and the FLEX position is already filled".
 - **Action 3 : Sell a WR from main slot**
 - WR main slot becomes available
 - FLEX WR moves into the open WR slot
 - **Result after change :**
 - WR : 2
 - FLEX : Empty

User story -3.5 Minimum Hold Time Enforcement

The system should enforce a minimum hold time on purchased players to ensure fair trading and prevent rapid buy-sell exploitation.

Acceptance Criteria :

- The system enforces a minimum holding duration for all purchased players before they can be sold.
- This rule prevents rapid possession-based switching while maintaining the integrity of the live trading market.
- **Rules :**
 - **Standard Hold Time**
 - The system enforces a minimum hold time 5 minutes from the purchase execution time
 - Users are not allowed to sell the player during this period
 - **Live Game Hold Time**
 - When live games are in progress:
 - The minimum hold time is reduced to 1 minute
 - This rule applies only during live gameplay
 - **Applicability :**
 - The hold time restriction applies to all positions:
 - QB, RB, WR, TE, FLEX
 - **System Enforcement**
 - The system blocks any sell transaction attempted before the hold time expires
 - The hold time is calculated using internal platform time.
 - **User Interface Behavior**
 - The system displays a sell-lock indicator on the player
 - The remaining hold time is visible to the user
 - If a sell is attempted during the lock period:
 - Transaction is blocked
 - Message displayed:
 - "You can sell this player in [time remaining] (minimum hold time)"
 - **Exception - Season-Ending Injury**
 - If a player receives a season-ending injury designation during the hold period:
 - The system overrides the hold time
 - The player is immediately auto-sold
 - Applicable amount is credited to the user's league wallet
 - **Mid-Season Replacement Scenario**
 - If a mobile user is replaced mid-season:
 - The new user inherits:
 - Existing roster
 - Active hold-time locks
 - The inherited locks must expire normally before selling is allowed
 - **Strict Adherence (Except for Injuries):**
 - The system maintains this lock securely, and the only condition that overrides the hold-time enforcement is if a player receives a season-ending injury designation, which triggers the system to immediately auto-sell the player
 - **Examples :**
 - **Standard Hold Time :**

- A user purchase a player at 3:00 PM
- No live game is in-progress → standard hold time of 5 minutes applies
- Attempt 1 : Sell at 3:02 PM
 - Time elapsed : 2 minutes
 - Sell is blocked
 - Message displayed : "You can sell this player in 3 minutes (minimum hold time) "
- Attempt 2 : Sell at 3:04:30 PM
 - Time elapsed : 4 minutes 30 seconds
 - Sell is blocked
 - Message displayed: "You can sell this player in 30 seconds (minimum hold time)"
- Attempt 3 : Sell at 3:05 PM
 - Time elapsed : 5 minutes
 - Sell is allowed
- **Live Game :**
 - A user buys a player at 2:00 PM
 - Live game is active → hold time = 1 minute
 - User tries to sell at 2:00:30 PM
 - Blocked
 - Message : " ou can sell this player in 30 seconds (minimum hold time)"
 - User tries to sell at 2:01 PM
 - Sell allowed

User story -3.6 Season-Ending Injury Auto-Liquidation

The system should liquidate players who are ruled out for the NFL season to protect users from holding non-tradable or valueless assets.

Acceptance Criteria :

- The system should enforce an auto liquidation mechanism when a player is officially designated with a Season-Ending Injury.
- This ensures user protection, maintains market integrity, and prevents trading of inactive players. The liquidation process is executed instantly and follows strict pricing, transaction, and audit rules.
- **Auto-Sell Execution**
 - When a NFL player receives a Season-Ending Injury designation (IR-Injured Reserve) :
 - The system sells all holdings of that player across all users
 - The transaction is executed on behalf of the users
- **Price Determination**
 - The liquidation price is :
 - The last published price immediately prior to the injury designation

- The market price at the time we receive the injury confirmation
 - Users are not impacted by post-injury price crashes
- **Roster & Wallet Impact**
 - Upon Liquidation :
 - The player is removed from the user's roster
 - The sale proceeds are credited to the user's League Wallet
- **Hold-Time Override (Exploit Protection)**
 - If the player is under any active hold-time lock :
 - (e.g., 1 minute live game lock / 5 -minute standard lock)
 - The system :
 - Overrides the hold-time restriction
 - Executes liquidation immediately
- **Market Lock & Purchase Restrictions**
 - After injury designation :
 - The player is marked as : "OUT - Season Ending Injury"
 - The player becomes non-purchasable for the remainder of the season.
 - If a user attempts to buy :
 - Transaction is blocked
 - Message displayed : "This player is OUT for the season and cannot be purchased"
- **Transaction Logging & Transparency**
 - All liquidation transactions are recorded in :
 - Trade History
 - League Wallet Transactions
 - Log includes :
 - "Season-Ending Injury Liquidation"
 - If hold-time was bypassed:
 - Log includes :
 - "Hold-time override:Season-Ending Injury"
- **Market Pause Handling**
 - If the market is paused :
 - No new prices are generate
 - In such cases:
 - Liquidation still Hold-on
- **Example :**
 - **Initial State**
 - 2:00 PM → User purchase player X at \$ 50
 - Market is active
 - Player's price updates over time
 - **Price Movement**
 - 2:02 PM → Price = \$ 51
 - 2:04 PM → Price = \$ 52 (last published price before injury)
 - **Injury Event**
 - 2:05 PM → Player receives Season-Ending Injury designation
 - **System Actions at 2:05 PM**
 - Player is sold at \$52 (

- \$52 credited to the user's League Wallet
- Player is removed from the roster immediately
- Transaction is recorded as : " Season-Ending Injury Liquidation".
- **Edge Case with Hold-Time Override**
 - 2:04 PM → User buys Player X at \$52
 - 2:05 PM → Injury occurs (Within hold-time window)
 - **Expected Behavior**
 - **Hold-time (1min/5min)** is ignored
 - System proceeds with :
 - Immediate liquidation at \$52
 - Wallet credited
 - Player removed
 - Transaction log includes : " Hold-time override : Season-Ending Injury"

Web - F2MX Admins

User story - 3.1 IPO Pricing Engine (Season-Start Pricing)

The system should apply Initial Public Offering (IPO) pricing based on prior-year data to ensure players have a fair starting value before live market trading begins

Acceptance Criteria :

- IPO pricing applies only to leagues that begin at the start of an NFL season
- Each player's initial price is set to their individual prior-season fantasy points total.
- Data source must be SportsRadar prior-season data.
- IPO pricing must follow guardrails:
 - Minimum price (Floor) = \$50
 - Maximum price (Ceiling) = \$400
- Guardrails apply only during IPO pricing
- Players with no prior-year NFL stats (rookies) must be assigned a price using a specific F2MX Rookie valuation formula (TBD)
 - Formula : ?
- Rookie prices are also subject to the same 50-400 guardrails
- IPO pricing must not be generated for leagues that start mid-season
- Because prices are global and cumulative, mid-season leagues inherit the current live market price
- Once the NFL regular season begins, IPO pricing is permanently disabled
- **Functionality :**
 - **Pre-Season Data**
 - Fetch prior-year fantasy points from SportsRadar

- Map Fantasy point totals to individual players
 - Identify players with no prior data (rookies)
- **Price Calculation & Assignment**
 - Assign price equal to prior-year points
 - Apply floor and ceiling guardrails
 - [Assign rookie pricing using defined formula](#)
- **Transition Handling**
 - At NFL Season Kickoff, disable IPO pricing
 - Shift to live market pricing
- **Calculation :**
 - IPO Price = Prior-Year Fantasy Points
 - If price < 50 → Set price = \$ 50
 - If price > 400 → Set price = \$ 400
- **Example**
 - Player A → 250 points → price = \$250
 - Player B → 30 points → price = \$50 (Floor applied)
 - Player C → 450 points → price = \$400 (Ceiling applied)
- **Edge Cases**
 - [Players without prior data must still receive a price \(rookie formula\)](#)
 - Prices must not go below 50 or above 400 during IPO
 - Mid-season leagues must not receive IPO pricing

User story - 3.2 F2MX Canonical Live Market Pricing Engine (Post-Season Pricing)

The system should calculate and update player prices using a canonical pricing formula with configurable weights to reflect real-time performance, market trends, injury status, and role changes.

Acceptance Criteria :

- The system-level pricing engine used during live gameplay.
- It describes how player prices are calculated using a fixed formula structure
- Performance, momentum, injury, role contribute to price changes
- The pricing behavior is controlled through configurable weights managed by System admins.
- Player pricing must follow the canonical formula structure:
 - $\text{Price}(t) = \text{BasePrice} + (\text{PerformanceDelta} \times W_{\text{performance}}) + (\text{MomentumDelta} \times W_{\text{momentum}}) + (\text{InjuryImpact} \times W_{\text{injury}}) + (\text{RoleAdjustment} \times W_{\text{role}})$
- Where:
 - BasePrice = prior published price
 - PerformanceDelta = fantasy scoring events
 - MomentumDelta = recent price & trade trend
 - InjuryImpact = injury status change

- RoleAdjustment = depth chart/role change
- The formula structure is fixed
- Weighting coefficients must be configurable by F2MX Super admins
- Changes to weights must affect only future prices and must not modify historical prices
- Published Price Rule: The system computes prices frequently but only publishes the new price every 45 seconds for the MVP.
- **Functionality :**
 - **Price Calculation Engine**
 - Calculate player price using the canonical formula
 - Use latest available inputs for all components
 - **Weight Configuration**
 - Provide backend controls for admins to adjust:
 - Performance weight
 - Momentum weight
 - Injury weight
 - Role weight
 - **Admin Controls :** Super Admin must be able to :
 - Adjust weighting coefficients
 - Pause or resume pricing
 - Override incorrect data
 - Force data resynchronization
 - **Audit logging**
 - All admin actions must be logged and auditable
- **Calculation:**
 - **Formula Components**
 - BasePrice = prior published price
 - PerformanceDelta = scoring events
 - MomentumDelta = trend-based changes
 - InjuryImpact = injury-based changes
 - RoleAdjustment = role-based changes
 - **Initial Weights :**
 - PerformanceDelta = 45%
 - MomentumDelta = 30%
 - InjuryImpact = 15%
 - RoleAdjustment = 10%
- **Example :**

User story - 3.3 Individual Pricing Engines

The system should implement dynamic player valuation engines based on NFL Half-PPR scoring, market momentum, injury status, and role changes to ensure accurate real-time pricing.

Acceptance Criteria :

- **Base Pricing Engine:**

- Base Price = last published valuation of the player.
- At the start of the NFL season (Kickoff) :
 - Base Price = IPO Price (Initial Launch Value of Player Asset)
 - This IPO Price is the initial valuation assigned before any live games or market movement begins.
- **IPO Base Price Formula :**
 - BasePrice IPO = last year total Fantasy points
- **After Season Starts:**
 - **Formula :**
 - BasePrice = Last Published Price
 - Last Published Price from previous cycle
 - Pre-season → IPO BasePrice
 - Kick-off → Last Published Price becomes BasePrice
- Example :
 - Patrick Mahomes 324.9 fantasy points.
 - So, the BasePrice at the time Kickoff will be 324.9

- **Performance Engine**

- Performance score is calculated using the Half PPR Scoring system.
- F2MX MVP Half PPR Scoring Table

Event	Points Awarded	Additional Rules & System Behavior
Passing Yards	0.04 points per yard	Fractional scoring applies (e.g., 249 yards = 9.96 points).
Passing Touchdown	+4 points	Standard MVP default for QBs.
Interception Thrown	-2 points	Penalty applied to the passer.
Rushing Yards	0.10 points per yard	Fractional scoring applies (e.g., 87 yards = 8.7 points).
Rushing Touchdown	+6 points	Standard scoring applies.
Receiving Yards	0.10 points per yard	Fractional scoring applies.
Receiving Touchdown	+6 points	Standard scoring applies.
Reception (Half-PPR)	+0.5 points	Awarded for every caught pass, on top of yardage and touchdown points.
Fumble Lost	-2 points	Only penalized if the fumble results in a turnover (recovered by the opposing team).

Fumble (Not Lost)	0 points	If a player fumbles but their own team recovers it, there is no penalty.
2-Point Conversion (Scored)	+2 points	Awarded to the player who scores the conversion via rush or reception.
2-Point Conversion (Passer)	+2 points	F2MX management explicitly confirmed the QB/passers also receives +2 points for a successful passing conversion

- **Formula :**
 - $\text{PerformanceScore} = (\text{PassingYards} \times 0.04) + (\text{PassingTD} \times 4) + (\text{Interceptions} \times -2) + (\text{RushingYards} \times 0.10) + (\text{RushingTD} \times 6) + (\text{ReceivingYards} \times 0.10) + (\text{ReceivingTD} \times 6) + (\text{Receptions} \times 0.5) + (\text{FumblesLost} \times -2) + (\text{TwoPointConversions} \times 2)$
- **Example :** Let's assume a Player A got :
 - Passing yards = 250
 - Passing TD = 2
 - Interceptions = 1
 - Rushing yards = 20
 - Rushing TD = 0
 - Receiving yards = 0
 - Receiving TD = 0
 - Receptions = 0
 - Fumbles lost = 0
 - Two-point conversions = 0
- **Calculation :**
 - **Passing Yards :** $250 \times 0.04 = 10$
 - **Passing TD :** $2 \times 4 = 8$
 - **Interceptions :** $1 \times (-2) = -2$
 - **Rushing Yards :** $20 \times 0.10 = 2$
 - **Score :**
 - **$10 + 8 - 2 + 2 = 18$**
- **Output**
 - $\text{PerformanceScore} = +18$
- **Momentum Engine (Market Trend Score)**
 - Recent price & trade trend
 - MomentumDelta = measure of whether price and trading activity are increasing or decreasing recently
 - It reflects :
 - Whether price is going UP or DOWN recently
 - Whether buying/selling activity is increasing or decreasing
 - **Main Formula :**
 - $\text{MomentumScore} = \text{PriceTrend} + \text{TradeTrend}$
 - **Price Trend Formula :**

- PriceTrend =
 - Duration considered :
 - trades made in the last 15 minutes. Trades older than 15 mins
- **InjuryImpact Engine**
 - InjuryImpact represents the negative adjustment applied to a player's price based on their injury status.
 - InjuryImpact = Value adjustment based on player injury status change
 - It reflects :
 - Player availability
 - Severity of injury
 - Expected impact on future performance
 - **Data Source**
 - Injury data will be fetched from Sportradar API
 - The system will consume the following data/fields :
 - Player Name
 - Position
 - Date
 - Practice Status
 - Injury
 - Game Status
 - **Core logic**
 - Injury Impact is a rule-based value, not a calculated formula.
 - The system maps external injury status → internal impact value.
 - Values are always :
 - Negative or zero
 - Represent unavailability
 - **InjuryImpact Mapping Rules**

Game Status	Description	InjuryImpact
Active	Fully fit and playing	0
Probable	Very likely to play	0 or -1
Questionable	May or may not play	-4
Doubtful	Unlikely to play	-8
Out	Will not play	-12

- **Example :**
 - **Game Status = Out**
 - **Output :**
 - InjuryImpact = -8
- **RoleAdjustment Engine**

○

User story -3.4 Configurable Pricing Formula Weights

As a Super admin, I want to adjust the weights of the pricing formula components (Performance, Momentum, Injury, and Role), so that I can dynamically control how player prices are calculated without requiring developer intervention.

Acceptance Criteria :

- The system should provide configurable controls for admins to modify the weights of the canonical pricing formula.
- These adjustments influence how future player prices are computed, while ensuring that all historical pieces remain unchanged.
- **Adjustable Pricing Weights**
 - The system must allow admins to configure and adjust the weights of the pricing formula components:
 - Performance
 - Momentum
 - Injury
 - Role
 - **Future Price Impact Only**
 - The system must apply the updated weights only to future price calculations.
 - The system must ensure that historical prices remain unchanged after any weight modification.
 - No impact on :
 - Previously published prices
 - Historical price charts
 - Past transactions
 - **System Integrity**
 - Historical pricing data remains unchanged and auditable.
 - Pricing engine should use the **latest configured weights** for all new calculations.
 - **Example Scenario :**
 - Admin Updates :
 - Performance Weight from 40 % → 50%
 - Momentum Weight from 30% → 20%
 - Before Change :
 - Player price = \$100 (based on old weights)
 - After change :
 - New prices are calculated using updated weights
 - The historical price (\$100) remains unchanged.

User story -3.5 Configurable Bid/Ask Spread Model

As an admin, I want to configure the platform's bid/ask spread model as either a percentage or a flat amount, so that I can control transaction pricing and platform margins dynamically.

Acceptance Criteria :

- The system should allow admins to define/configure how the bid/ask spread is applied across the platform.
- Admins can choose between a percentage-based spread or a fixed flat amount, enabling flexibility in pricing strategy and revenue control.
- **Spread Configuration Options**
 - Admin can select the spread type as :
 - Percentage -based (e.g., 2.5%)
 - Flat amount (e.g., \$2.50)
- **Dynamic Apply**
 - The configured spread is applied to :
 - Buy price (Ask)
 - Sell price (Bid)
- **Real-Time Impact**
 - Any changes to spread configuration are reflected in :
 - Future buy/sell transactions
 - Displayed bid/ask prices
- **System Integrity**
 - Spread changes do not affect :
 - Historical transactions
 - Previously executed trades
- **Admin Control**
 - Admin can update spread configuration at any time.
 - The system applies the latest configuration for all subsequent pricing calculations.
- **Example Scenario : Bid/Ask Spread Configuration**
 - Base Market Price
 - Player X market price = \$100
 - **Case 1 : Percentage-Based Spread (2.5%)**
 - Admin Configuration
 - Spread Type : Percentage
 - Spread Value : 2.5%
 - User A - Buy Transaction
 - **Ask Price (Buy Price)** = $\$100 + 2.5\%$
= $\$100 + \2.50
= **\$102.50**
 - User A buys Player X at **\$102.50**
 - User A - Sell Transaction

- **Bid Price (Sell Price)** = $\$100 - 2.5\%$
= $\$100 - \2.50
= **\$97.50**
 - If User A sells, they receive **\$97.50**
 - **Case 2 Flat Spread Earned**
 - Admin Configuration
 - Spread Type : Flat amount
 - Spread Value : \$2.50
 - User A - Buy Transaction
 - **Ask Price** = $\$100 + \2.50
= **\$102.50**
 - User A buys at **\$102.50**
 - User A - Sell Transaction
 - **Bid Price** = $\$100 - \2.50
= **\$97.50**
 - User A sells at **\$97.50**

User story -3.6 Global Market Opening Date Control

As an admin, I want to set a global market opening date for the season, so that trading and market activities are enabled across the platform in a controlled and consistent manner.

Acceptance Criteria :

- The system should allow admins to define a global market opening date (for MVP : NFL Season), which governs when trading, pricing, and all market-related activities become active across the platform.
 - This date is independent of league-specific start dates, ensuring centralized control over market activation while allowing flexibility in league scheduling.
 - **Global Market Configuration**
 - Admin can set a **Market Opening Date** for the season
 - This applies **globally across all leagues**
 - **Market Activation**
 - On reaching the configured date:
 - Trading is enabled
 - Pricing engine becomes active
 - Buy/Sell transactions are allowed
 - **Separation from League Start Date**
 - League start date is independent of market opening date
-

Epic 2: Gameplay & Scoring

Actor / Role : System (F2MX Platform) - User

User story -4.1 Manage Active Roster (Strict 7)

As a User, I want to manage a roster of exactly 7 active players with specific position slots and no bench, so that I can field a valid legal team for scoring.

Acceptance Criteria:

- **Roster Structure:** The system enforces a strict 7-player roster with the following fixed slots: QB, RB1, RB2, WR1, WR2, TE, FLEX.
- **No Bench:** There are zero bench slots. Users can own exactly 7 shares in a league. Attempting to buy an 8th player must trigger a block.
- **FLEX Logic:** The FLEX position accepts RB, WR, or TE only. QBs are explicitly excluded from the FLEX position ("Normal Flex").
 - If a user sells one of the main slot players (WR, RB, TE), the player currently filling the FLEX position must automatically be re-allocated to the newly opened main position
- **Auto-Slotting:** When a user buys a player, the system automatically assigns them to an open primary slot. If primary slots are full, it assigns to FLEX (if eligible and open).
- **Validation:**
 - If I have 1 QB and try to buy a 2nd QB: Block transaction ("Multiple QBs are not allowed").
 - If I have 1 QB, 2 RBs, 2 WRs, 1 TE, and 1 FLEX filled, and try to buy another player: Block transaction ("Roster Full. Sell a player first").
- **Reverse Auto-Allocation:** If a user sells a player from a primary slot (e.g., RB1, WR2), and there is an eligible player currently sitting in the FLEX slot, the system must automatically promote the FLEX player into the newly vacated primary slot to free up the FLEX position for future trades.
- **Detailed view of the Roster Management Screen :**

A visual representation of a football field or locker room with 7 distinct "Jerseys" or slots. Empty slots look like ghosted outlines waiting to be filled.

- **Header:** "My Roster (Live)".
- **Slot Row (QB):** [Player Image] [Name] [Live Points] OR "Empty Slot + Buy Button".
- **Slot Rows (RB x2, WR x2, TE):** Standard slots.

- **Slot Row (FLEX):** Labeled "FLEX (RB/WR/TE)".
- **Footer:** Total Projected Points / Total Live Points.
- **Error Toast (Edge Case):** "Cannot add Player. Roster Limit Reached."

Actor / Role : System (F2MX Platform) - User/System

User story -4.2 Live Matchup Scoring View

As a User, I want to view my current weekly matchup with real-time scoring updates, so that I can track my performance against my opponent during live games.

Acceptance Criteria:

- **Matchup Pairing:** Users are paired 1v1 for the week. The view displays My Team vs Opponent Team.
- **Live Updates:** Scores must update in near real-time (based on provider feed latency (45 s)) as plays occur.
- **Status Indicators:**
 - Players with games in progress are marked "Live".
 - Players with completed games are marked "Final".
 - Players yet to play are marked "Upcoming".
- **Breakdown:** Users can expand position slots to see specific stats (e.g., "3 Rec, 45 Yds").
- **Comparison:** A prominent "Projected Winner" or "Live Lead" margin is displayed.
- **Detailed view of the Current Matchup View:**
 - **(My Team)**
 - Total Score: Large font (e.g., "84.50").
 - Player List: Vertical list of my 7 players with their individual point totals.
 - Status Dots: Green (Live), Gray (Final), Yellow (Upcoming).
 - **(Opponent Team)**
 - Total Score: Large font (e.g., "82.10").
 - Player List: Vertical list of opponent's 7 players.
 - Head-to-Head Graphic: A bar chart or "tug of war" line showing the current lead.
 - Link: "View Scoring Logs" (Triggers US-4.5). (The platform must provide a scoring event log that allows users to review how fantasy points were awarded during a matchup).

Actor / Role : System (F2MX Platform) - System

User story -4.3 Scoring Engine (Half-PPR & MVP Rules)

As a System, I want to calculate fantasy points using the defined MVP scoring model (Half-PPR), so that player values are consistent and predictable platform-wide.

Acceptance Criteria:

- **PPR Model:** 0.5 points per reception (Half-PPR).
- **Passing:**
 - 1 point per 25 yards (0.04/yd).
 - 4 points per TD.
 - -2 points per Interception.
 - +2 points for 2PT Conversion (Passer).
- **Rushing/Receiving:**
 - 1 point per 10 yards (0.1/yd).
 - 6 points per TD.
 - +2 points for 2PT Conversion.
- **Turnovers:**
 - -2 points for Fumble Lost (Fumbles recovered by own team are 0 pts).
- **Precision:** Fractional scoring is strictly enforced (e.g., 9 yards = 0.9 points). No rounding.
- **Exclusions:** No points for Defense/Special Teams (Not in MVP). No bonuses (e.g., no 300-yard bonus).
- **Detailed view of the Scoring Rules Modal (accessible from League Settings)**
:

A page Iconography explaining the "Half-PPR" concept (e.g., a catch icon = 0.5)

- **Header:** "Scoring Rules (MVP)".
- **Table:**
 - Passing TD: 4 pts
 - Passing Yd: 0.04 pts
 - Int Thrown: -2 pts
 - Rushing/Rec TD: 6 pts

- Reception: 0.5 pts
- Rush/Rec Yd: 0.1 pts
- Fumble Lost: -2 pts
- 2PT Conv: 2 pts

Note: "Defense/Special Teams are excluded from MVP scoring."

Actor / Role : System (F2MX Platform) - System

User story -4.4 Ownership-Based Attribution (The "Core Mechanic")

As a System, I want to attribute fantasy points based strictly on ownership timestamps, so that users do not receive credit for events that occurred before they bought a player or after they sold them.

Acceptance Criteria:

- **Timestamp Check:** The system compares the Scoring_Event_Timestamp (from Data Provider) against the User's Ownership_Start_Time and Ownership_End_Time for that player.
- **Buy Logic:** If Ownership_Start_Time > Scoring_Event_Timestamp, points = 0. (User bought after the play).
- **Sell Logic:** If Ownership_End_Time < Scoring_Event_Timestamp, points = 0. (User sold before the play).
- **Intra-Game Trading:** Users can buy/sell during the game. Points must accrue only for the specific portion of the game the user owned the player.
- **Audit:** The system must tag every credited scoring event with the Transaction_ID that validated the ownership.
- **Event Ordering Fallback:** If the external data provider's timestamps are missing or mathematically unreliable, the system must fall back to using the provider's unique event ID ordering (play-by-play sequence IDs) to securely determine the deterministic sequence of events against the user's trade execution time.
- **Detailed view of the Backend Logic / Audit Log :**
 - (User View of scoring detail) - will be visible for End User in Scoring Event Log screen.
 - **Event:** "Pass to J. Jefferson (15 yds)" - 1:15 PM EST.
 - **Result:** +2.0 Points.
 - **Status:** "Credited" (Green check).
 - (Logic/Audit View)
 - **Event:** "Run by Saquon (4 yds)" - 1:05 PM EST.

- **Result:** 0 Points.
- **Status:** "Not Owned" (Red X).
- **Reason:** "Purchased at 1:08 PM EST".

Actor / Role : System (F2MX Platform) - User

User story -4.5 Scoring Event Log (Transparency)

As a User, I want to view a detailed log of every scoring event for my players, so that I can verify which points I received and understand why some points might be missing (due to ownership timing).

Acceptance Criteria:

- **Chronological Feed:** List all scoring events for players on the roster during the matchup.
- **Attribution Flags:** Clearly mark events as "Credited" or "Not Owned".
- **Detail:** Show Event Time, Player, Play Description, and Points Calculated.
- **Stat Corrections:** If a stat correction occurs (US-4.6), the log must show the original value crossed out and the new value added, with a "Correction" tag.
- **Detailed view of the Scoring Event Log.**

A summary card showing "Total Matchup Points" and "Points Missed (Not Owned)".

- **Header:** "Scoring Log - Week 4".
- **Row 1:** 1:15 PM - J. Chase - 12 Yd Rec (+1.7 pts) - [Credited].
- **Row 2:** 1:18 PM - J. Chase - 5 Yd Run (+0.5 pts) - [Credited].
- **Row 3:** 2:30 PM - P. Mahomes - TD Pass (+4.0 pts) - [Not Owned] (Sold at 2:25 PM).
- **Row 4:** 3:00 PM - Stat Correction - J. Chase Rec removed (-1.7 pts).

Actor / Role : System (F2MX Platform) - System

User story -4.6 Stat Corrections & Finalization

As a System, I want to process stat corrections from the data provider and update matchup scores accordingly, so that results reflect the official NFL stats.

Acceptance Criteria:

- **Trigger:** Data Provider pushes a Stat_Correction event (e.g., lateral changed to pass, yardage adjustment).
- **Recalculation:** The system identifies all affected matchups and recalculates the Half-PPR score for that specific event.

- **Ownership Check:** The system re-verifies ownership at the event timestamp (in case the correction changes the event time, though rare).
- **Finalization:** Scores remain "Provisional" until the Finalization_Window closes (e.g., Tuesday morning or when Provider marks Final). After this, Matchup_Status updates to Final.
- **Notification:** If a correction changes the Win/Loss outcome, affected users receive a notification.
- **Detailed view of the Matchup View (Post-Correction) :**
 - Standard Scoreboard.
 - **Alert Banner:** "Stat Correction Applied (Tue 4:00 AM)".
 - **Detail:** "Patrick Mahomes: -10 Passing Yards (-0.4 pts)".
 - **Outcome:** "Matchup Result Changed: WIN".

Actor / Role : System (F2MX Platform) - System

User story -4.7 Weekly Matchup Ties

As a System, I want to handle ties in weekly head-to-head matchups, so that the league standings accurately reflect equal performance.

Acceptance Criteria:

- **Tie Logic:** If User A Total Points is equal to User B Total Points (down to the decimal), the result is recorded as a Tie.
- **No Tie-Breaker (Matchup Level):** The system does not force a winner for the weekly game itself. (Tie-breakers are for Standings/Rankings only).
- **Tie Hierarchy :**
 - **1st:** Total points scored Year-to-Date.
 - **2nd:** Specific position points (QB > RB > WR...).
 - **3rd:** Player Totals across all positions
 - **4th:** Random Coin-Flip.
- **XP Impact:**
 - **Small XP Gap:** 0 XP change for both.
 - **Medium/Large Gap:** Underdog gains small XP, Favorite loses small XP (per Core Rules 8.6).

○ **XP Rules :**

Gap Category	XP Difference (The Gap)	Match Scenario	Underdog Result (Lower XP User)	Favorite Result (Higher XP User)
SMALL GAP	0 – 149 XP	User A Wins	+20 XP (Winner)	-20 XP (Loser)
		User B Wins	-20 XP (Loser)	+20 XP (Winner)
		Tie	0 XP	0 XP
MEDIUM GAP	150 – 399 XP	Underdog Wins (Upset)	+28 XP (Bonus)	-28 XP (Penalty)
		Favorite Wins (Expected)	-14 XP (Reduced Loss)	+14 XP (Reduced Win)
		Tie	+4 XP	-4 XP
LARGE GAP	400+ XP	Underdog Wins (Major Upset)	+40 XP (Max Bonus)	-40 XP (Max Penalty)
		Favorite Wins (Expected)	-8 XP (Min Loss)	+8 XP (Min Win)
		Tie	+8 XP	-8 XP

- **Record Update:** User records update to (Wins-Losses-Ties), e.g., 3-2-1.
- **Detailed view of the Completed Matchup Screen (Tie).**
- **End User 1 :**
 - User A Avatar.
 - Score: 104.5.
 - Result: TIE.

- XP: +0.
 - **End User 2 (Opponent) :**
 - User B Avatar.
 - Score: 104.5.
 - Result: TIE.
 - XP: +0.
 - **Text:** "Scores are level. Matchup recorded as a Tie."
-
-

Epic 3: XP, Progression, & Standings

Actor / Role : System (F2MX Platform) - System

User story -6.1 XP Calculation Engine (Gap Bands)

As a System, I want to calculate and award Experience Points (XP) after every matchup based on the opponent's skill level (XP Gap), so that users are rewarded fairly for upsets and consistent performance.

Acceptance Criteria:

- **Trigger:** Matchup Status changes to Final.
- **XP Floor:** User XP cannot drop below 100. (Users start at 0 but only risk loss once they cross 100).
- **Gap Calculation:** Gap = ABS(User_XP - Opponent_XP).
- **Band Logic (MVP Standard):**
 - **Small Gap (0-149):** Winner +20 / Loser -20.
 - **Medium Gap (150-399):** Underdog Win +28 / Favorite Loss -28. Favorite Win +14 / Underdog Loss -14.
 - **Large Gap (400+):** Underdog Win +40 / Favorite Loss -40. Favorite Win +8 / Underdog Loss -8.
- **Tie Logic:**
 - **Small Gap:** 0 XP change.
 - **Medium Gap:** Underdog +4 / Favorite -4.
 - **Large Gap:** Underdog +8 / Favorite -8.
- **Persistence:** XP updates the User's global profile immediately and persists across seasons.
- **Detailed view of the Matchup Result / XP Toast.**
 - **Result:** "VICTORY!" (Gold Text).

- **Opponent:** "Beat [UserB] (Pro Tier)".
- **Context:** "Upset Win (Medium Gap)".
- **XP Gained:** "+28 XP".
- **Total XP:** "1,245 XP".
- **Progress:** Visual bar filling slightly toward the next tier.

Actor / Role : System (F2MX Platform) - User

User story -6.2 XP Summary & Tier Status

As a User, I want to view my cumulative XP and current Tier status, so that I understand my skill ranking on the platform and progress toward the next level.

Acceptance Criteria:

- **Tier Definitions:**
 - Rookie: 0 – 499 XP.
 - Amateur: 500 – 999 XP.
 - Pro: 1,000 – 1,499 XP.
 - Coordinator: 1,500 – 1,999 XP.
 - Head Coach: 2,000+ XP.
- **Display:** Show Current Tier Name, Badge/Icon, and numeric XP Total.
- **Progression:** Show "XP to Next Tier" (e.g., "255 XP to Coordinator").
- **History:** Display a chronological list of recent XP changes (Matchup Result, Date, Amount).
- **XP Floor Visibility:** The UI must display the user's minimum protected XP level (the "XP Floor") so they clearly understand that losses will not drop their score below that threshold
- **League-Level Breakdown:** For multi-league participants, the system must display an aggregated breakdown of how much total XP was earned from each specific league (e.g., "Office League: +450 XP").
- **Detailed view of the XP Summary View.**
 - **Badge:** Large "Pro" Tier Icon.
 - **Total:** 1,245 XP.
 - **Metric:** "Protected XP Floor: 100" (Displayed near the XP total to reassure the user)
 - **Next Tier:** "Coordinator (1,500 XP)".
 - **History Header:** "Recent Activity".
 - **Row 1:** W vs UserX (+20 XP) - Today.
 - **Row 2:** L vs UserY (-14 XP) - Last Week.
 - **Row 3:** Tie vs UserZ (+4 XP) - 2 Weeks Ago.
 - **Section: "XP by League"**
 - Row 1: 'Office Pool 2025' - Contributed: 450 XP
 - Row 2: 'Pro Tier Alpha' - Contributed: 120 XP
 -

Actor / Role : System (F2MX Platform) - User

User story -6.3 League Standings & Tie-Breakers

As a User, I want to view the league standings sorted by the official tie-breaker hierarchy, so that I know my exact rank and playoff qualification status.

Acceptance Criteria:

- **Ranking Hierarchy (Sequential):**
 - Win/Loss Record (Best to Worst).
 - Total Fantasy Points Scored (Higher is better).
 - Head-to-Head Record (Best winning % against tied opponent).
 - Highest Single-Week Score.
 - Net Currency Gain (League Wallet Profit).
 - Random Coin Flip (Logged).
- **Indicators:**
 - **Rank:** 1, 2, 3...
 - **Playoff Line:** Visual divider (e.g., "Top 4 Make Playoffs").
- **Tie-Breaker Visibility:** If two teams have the same W-L record, the UI must visually indicate why one is higher (e.g., "Ahead on Points").
- **Historical Standings Navigation:** Users must be able to navigate to previous weeks to view historical standings and track how team rankings changed week-over-week.
- **Team Records & Head-to-Head History:** Selecting a specific team from the standings must reveal that team's complete record (wins, losses, ties), total points scored/against, and their historical head-to-head record against the user's team.
- **Remaining Schedule:** The Team Detail Modal must display the opponent's upcoming / remaining schedule of matchups for the rest of the season.
 - The modal must also display that team's remaining schedule for the season.
- **Detailed view of the Standings Table.**
 - **League Name:** "Office League".
 - **Season:** "Week 12 of 14".
 - **Row 1:** 1. Team A (10-2) - 1450 Pts - [Clinched].
 - **Row 2:** 2. Team B (9-3) - 1380 Pts.
 - **Row 3:** 3. Team C (9-3) - 1320 Pts.
- **Note:** Team B ranked above C due to "Total Points".
 - **Divider:** ----- Playoff Cutoff -----
 - **Row 4:** 4. Team D (6-6) - 1100 Pts. }
- **Week Selector:** [<] Week 12 [>] (Allows toggling to past weeks).
 - Team Detail Modal (Triggered by tapping a row):
 - Header: "Team A Details".
 - Stats: Record: 10-2 | Pts For: 1450 | Pts Against: 1310.
 - Head-to-Head: "You are 1-0 against Team A this season."

Actor / Role : System (F2MX Platform) - User

User story -6.4 Badges & Achievements Catalog

As a User, I want to view earned and unearned badges, so that I am motivated to achieve specific milestones in trading and gameplay.

Acceptance Criteria:

- **MVP Badge List:** The system must track and award:
 - **League Winner:** Won a league (Short & Full season variants).
 - **Hot Streak:** 5+ consecutive wins.
 - **Underdog Champion:** Won league as lowest seed.
 - **Flip Master:** Net profit on buy/sell of the same player.
 - **Bargain Bin:** Acquired player at minimum cost who performed well.
 - **Diamond in the Rough:** Started low-owned player who finished Top 5.
 - **Perfect Week:** All starters beat projections.
- **States:**
 - **Earned:** Full Color + Date Earned.
 - **Unearned:** Grayed out / Locked Icon.
- **Details:** Clicking a badge reveals the specific criteria met (e.g., "Won 5 games in a row in 'Office League'").
- **Impact:** Badges are cosmetic only (no currency/XP value).
- **Detailed view of the Badges Screen.**
 - **Header:** "My Trophy Case".
 - **Count:** "3 / 12 Badges Unlocked".
 - **Grid Item 1 (Earned):** [Flame Icon] Hot Streak.
 - Subtext: Earned Oct 12, 2025.
 - **Grid Item 2 (Locked):** [Diamond Icon] Diamond in the Rough.
 - Subtext: Start a <0% owned player who finishes Top 5.

Actor / Role : System (F2MX Platform) - System

User story -6.5 Playoff Format & Bracket Generation

As a System, I want to automatically generate playoff structures at the end of the regular season based on the commissioner's chosen format and season length, so that the league champion can be decided.

Acceptance Criteria:

- **Pre-Condition:** League Configuration must have "Playoffs Enabled = True".
- **Top-Ranked Configuration (Top-N Advance):** The system must read the "Number of Advancing Teams" defined by the Commissioner/Admin during league creation to determine how many top-ranked users make the playoffs.
 - **Format 1: Traditional Head-to-Head Bracket**

- **Requirement:** League must have a configured season length of at least 10 weeks.
- **Behavior:** Generates an NFL-Style Seeded Bracket (e.g., 1st vs 4th, 2nd vs 3rd) based on regular-season standings. Playoff matchups permanently replace regular-season matchups for the designated playoff weeks.
- **Bracket Expansion & Bye Logic (Even vs. Odd):** The system dynamically adjusts the number of playoff weeks based on how many "Top-Ranked" teams are configured to advance:
 - **Standard Even (e.g., Top 4 or Top 8):** The bracket pairs perfectly without byes. A Top 4 playoff requires 2 weeks (Semi-Finals and Finals). A Top 8 requires 3 weeks.
 - **Odd Numbers or Uneven Bracket Sizes (e.g., Top 5, Top 6):** The system applies standard NFL Wildcard math. It automatically shifts the playoffs to take up an additional week and awards First-Round Byes to the highest-ranked seeds. (Example: In a Top 6 bracket, the 1st and 2nd seeds automatically advance to Round 2 without playing, while the 3rd plays the 6th, and the 4th plays the 5th in Round 1).
- **NFL Playoff Games Overlap Rule:**
 - If the platform playoffs overlap with real-life NFL playoff games, the system treats the real NFL playoff games exactly like normal regular-season scoring events.
 - Example: If a user owns Patrick Mahomes and he plays in the real-world AFC Championship game during the F2MX fantasy playoffs, the passes and touchdowns he throws count toward the user's F2MX matchup score.
- **Playoffs Structure "Highest vs. Lowest Pairing":** Just like the real NFL, the system will pair the 1st Ranked End User against the 4th Ranked End User (the lowest seed in a 4-person playoff), and the 2nd Ranked against the 3rd Ranked.
- **First-Round Byes:** If the Commissioner configures an uneven or odd number of teams to advance to the playoffs (like 6 teams instead of 4 or 8), the system uses that real-world NFL math to award a "Bye" to the 1st and 2nd Ranked End Users, allowing them to skip the first week of the fantasy playoffs while the lower seeds battle it out.

Actor / Role : System (F2MX Platform) - System

User story -6.6 XP Gating (League Eligibility)

As a System, I want to validate a user's XP Tier before allowing them to join specific Public or Private leagues, so that skill levels are balanced.

Acceptance Criteria:

- **Configuration:** Both Public and Private Leagues can be set with "Min XP" or "Min Tier" requirements (e.g., "Pro Tier Only").
- **Check:** When a User clicks "Join" (Public) or requests to join via invite link (Private), the system compares the User_Total_XP vs the League_Requirement.
- **Pass:** User joins the league (Public) or is placed in "Pending_Approval" status for the commissioner (Private).
- **Fail:** Block join request. Display error: "You need [Tier Name] status to join this league. Current XP: [User XP]."
- **Detailed view of the Join Failure Modal.**
 - **League:** "Expert High-Stakes".
 - **Requirement:** [Head Coach Icon] 2,000+ XP.
 - **Your Status:** [Rookie Icon] 150 XP.
 - **Message:** "Level Up! You need more experience to compete in this league."
 - **Button:** "Find Rookie Leagues".

Actor / Role: System (F2MX Platform) - System Backend

User story -6.7 Badges & Achievements (MVP Catalog)

As the F2MX System, I want to award cosmetic badges based on auditable platform data, so that users are recognized for their skill, market behavior, and participation.

Acceptance Criteria:

- **Cosmetic Nature:** Badges are reputational only and do not alter scoring, market pricing, or trading.
- **Award Timing:** Badges are awarded at defined intervals (Weekly, End of Season, End of Playoffs), not intra-game.
- **The MVP Catalog:** The system must support only the following badges for the MVP launch:
 - League Winner (Short-Term) – Won a 1–7 week league.
 - League Winner (Full-Season) – Won an 8+ week league.
 - Hot Streak – 5+ wins in a row.
 - Underdog Champion – Won a league as the lowest-ranked seed entering the final week.
 - Flip Master – Bought low, sold high for net profit on multiple players.
 - Bargain Bin – Acquired a player at minimum cost who later produced.
 - Diamond in the Rough – Started a player owned by <0% of users who finished top 5 at their position.
 - Perfect Week – All players finished above their projected points.

Epic 4: Market Intelligence, Governance, & Support

Actor / Role : System (F2MX Platform) - User

User story -8.1 Historical Player Price Charts

As a User, I want to view a historical price chart for any player, so that I can analyze price trends (performance vs. momentum) over time before making a buy or sell decision.

Acceptance Criteria:

- **Visual Display:** The system must render a line chart showing the player's Published_Price history.
- **Timeframes:** Users must be able to toggle the time scale (e.g., "24H", "1W", "Season", "All").
- **Data Source:** The chart must plot the Published Price points stored in the database (not every internal computed price).
- **Disclaimer:** The view must clearly indicate that past performance does not guarantee future results (Informational Only).
- **Responsiveness:** Charts must update as new prices are published (every ~45 seconds per system config).
- **Detailed view of the Price Chart Tab.**
 - Player Header: "Patrick Mahomes - \$152.40".
 - Trend Indicator: Green Arrow (+2.5%).
 - Graph: Line chart showing price movement.
 - X-Axis: Time (Dates/Hours).
 - Y-Axis: Price (\$).
 - Options/Toggles: [1D] [1W] [1M] [YTD].

Actor / Role : System /Organization (F2MX Platform) - User

User story -8.2 Time & Sales Log (Market Ticker)

As a User, I want to view a real-time list of recent trades for a specific NFL player (the "Time & Sales" view), so that I can see active market volume and verify the price others are paying.

Acceptance Criteria:

- **Anonymity:** The log must display executed trades without revealing User IDs or specific League IDs (Market is global, user identity is private).
- **Content Columns:**
 - Date & Time: Execution Date & Timestamp.
 - Price: Execution Price.
 - Side: Color-coded indicator (e.g., Green for Buy/Ask execution, Red for Sell/Bid execution).
- **Scope:** The log shows the last N transactions globally for that player.
- **Refresh:** The log updates in near real-time as new trades execute across the platform.
- **Detailed view of the Time & Sales Widget.**
 - Header: "Global Market Activity".
 - Row 1: 10:42:05 AM | \$124.50 | BUY (Green).

- Row 2: 10:41:50 AM | \$122.00 | SELL (Red).
- Row 3: 10:41:15 AM | \$122.00 | SELL (Red).

Actor / Role : System (F2MX Platform) - User

User story -8.3 Trade Constraints & Lock Status (Eligibility View)

As a User, I want to clearly see if a player is "Sell-Locked" or ineligible for trading, along with the specific reason and time remaining, so that I understand why a specific trade might be blocked.

Acceptance Criteria:

- **Status Indication:** If a player is locked, the Trading Screen must display a "LOCKED" or "INELIGIBLE" status.
- **Reason Display:** The system must display the specific reason for the lock:
- **Minimum Hold Time:** "Locked for 1 minutes" (MVP Default Rule)
- **Season-Ending Injury:** "Locked (Season-Ending Injury)".
- **Countdowns:** Time-based locks must show a countdown timer (e.g., "Can sell in 04:59") [Source 185].

Actor / Role : System /Organization (F2MX Platform) - Commissioner

User story -8.4 Commissioner Member Removal

As a League Commissioner, I want to remove a user from the league mid-season (due to inactivity or abuse), so that I can maintain the integrity of my private league.

Acceptance Criteria:

- **Action:** Commissioner selects a member from the league list and clicks "Remove from League".
- **Input:** Commissioner may provide an optional "Reason for Removal" (logged in audit trail).
- **Asset Persistence (Critical):**
 - The user is removed from the League Roster.
 - The Team Slot remains.
 - The Roster (players) and League Currency (balance) stay with the Slot, not the departing user.
- **Replacement Status:** The slot becomes "Vacant" and can be filled by inviting a new user.
- **Notification:** The removed user receives a notification.
- **Detailed view of the Member Management Screen.**
 - **Member List:** "Inactive Dave".
 - **Status:** Active.
 - **Action:** [Button] "Remove User".

- **Modal Warning:** "Are you sure? Dave's team and funds will remain in the league for a replacement owner."
- **Input:** "Reason: Inactivity".
- **Confirm:** "Yes, Remove". }

Actor / Role : System (F2MX Platform) - Commissioner

User story -8.5 League Reactivation (Season Rollover)

As a League Commissioner, I want to reactivate a completed league for the new season, so that I can keep the same group of friends together without rebuilding the league from scratch.

Acceptance Criteria:

- **Availability:** The "Reactivate League" option appears only after the previous season is marked Completed and before the new season starts.
- **Trigger A (Short League):** If a league is 7 weeks or fewer, a pop-up appears in the Commissioner's Leagues Dashboard/Locker Room upon completion: "Do you want to reactivate this league for the current season?".
- **Trigger B (Season Rollover):** For standard leagues, the button is available on the Dashboard card (e.g., rolling 2024 league to 2025).
- **Configuration Carry-Over:**
 - **Settings:** League Name, Member List, and Settings (Scoring/Caps/Size) are copied forward automatically.
 - **Edits:** The Commissioner allows the "Keep the same settings?" Option. If "No" is selected, they can edit mutable settings (e.g., Max Buy-In).
- **Mandatory Schedule Updates (The "Date Range"):**
 - **Start Date:** Commissioner MUST select a new League Start Date (on/after Market Open).
 - **End Date:** Commissioner MUST select a new League End Date (on/after Market Open).
 - **Note:** The system prevents selecting dates in the past.
 - **Confirm User Count:** Along with the new Start and End dates, the Commissioner must review and confirm (or update) the total user count for the reactivated season
- **Financial & Asset Resets (The "Fresh Start"):**
 - **League Wallets:** Reset to "Starting Allocation" (fresh funds, e.g., \$1,000). Previous profits are settled to User Wallets.
 - **Rosters:** Reset to empty (fresh start). Users must acquire new players for the new instance.
- **Persistence:**
 - **User XP and Badges:** These persist attached to the User Profile; they do not reset.
 - **History:** The previous league instance is archived as a separate entry in history.

- **Notification:**
 - Upon confirmation, all previous members receive a "League Reactivated" notification (Push/Email) inviting them to the new season.
- Visual Flow & UI Pin-to-Pin:
- Commissioner Dashboard (Off-Season / Post-League)
 - League: "Office Pool 2025"
 - Status: [COMPLETED]
 - Action: [Button] "Reactivate for 2026 Season" (or "Reactivate for New Dates")
 - Reactivation Form (The Setup)
 - Header: "Reactivate League"
 - Option/Toggle: "Keep the same settings?" [Yes | No]
 - If No, settings fields become editable.
 - Date Selection (Mandatory):
 - New Start Date: [Date Picker] (Constraint: Must be > Market Open)
 - New End Date: [Date Picker] (Constraint: Must be > Start Date)
 - Summary Box:
 - "Rosters will be emptied."
 - "Wallets reset to \$1,000."
 - "XP is preserved."
 - Button: [Confirm & Launch] }
 - Button: "Launch 2026 Season". }

Actor / Role : System (F2MX Platform) - User

User story -8.6 League Settings Summary (Rules Visibility)

As a League Participant, I want to view a read-only summary of the league's configuration (Scoring, Rosters, Caps) during the season, so that I can reference the rules without being able to edit them.

Acceptance Criteria:

- **Access:** Accessible from the League Home / Dashboard menu.
- **Read-Only State:** All settings fields are visible but disabled (grayed out) to prevent editing.
- **Content Display:**
 - Scoring Model (e.g., Half-PPR).
 - Roster Configuration (7 Slots: QB, RB, RB, WR, WR, TE, FLEX).
 - Max Buy-In Cap.
 - Playoff Structure (if enabled).
 - Trading Rules (Hold times).
 - Playoff Structure (if enabled): Displays the configured playoff format (e.g., "Traditional Head-to-Head") and the "Top-N" advancing teams configuration. If playoffs are disabled, this field should clearly state "Playoffs Disabled"
- **Lock Indicator:** The view must clearly state "Settings are locked during the active season."
- **Global Accessibility:** Users must be able to access the League Settings Summary View directly from the Player Trading Screen, the Standings View, and the Current

Matchup View. The settings must open as a modal, overlay, or navigable page so the user can easily return to their previous action.

- **Detailed view of the League Info Screen**
 - **Header:** "League Rules".
 - **Status:** [Lock Icon] Settings Locked.
 - **Scoring:** Half-PPR.
 - **Roster:** QB, RB, RB, WR, WR, TE, FLEX.
 - **Max Buy-In:** \$500.00.
 - **Playoffs:** "Traditional Head-to-Head | Top 4 Advance (Weeks 16-17)".
(**Note:** This dynamically reflects whatever the Commissioner configured during league creation)

Actor / Role : System (F2MX Platform) - User

User story -8.7 Help & Support Resources

As a Mobile App User, I want to access help documentation and support ticketing from within the app settings, so that I can resolve issues (like billing or bugs) or learn how to play without searching for a separate website.

Acceptance Criteria:

- **Access Point:**
 - The "Help & Support" menu item must be accessible directly from the User Account & Settings View inside the mobile app.
- **Resource Links (Self-Service):**
 - **How to Play:** Tapping this must open the "Support Website" (WebView or External Browser) displaying the rules and tutorial.
 - **Scoring Rules:** Tapping this must display the "Standard Fantasy Scoring Table" so users can verify point values.
 - **Legal:** Must include links to "Privacy Policy" and "Terms of Service" (Required by App Store/Google Play guidelines).
- **Billing Support Requirement (Transaction IDs):**
 - **Context Message:** The support view MUST display a notice: "For billing issues, please include your Apple/Google Transaction ID found in your receipt email."
 - **Reason:** F2MX cannot look up purchases by credit card number; the Transaction ID is the only link between the user's money and the F2MX ledger.
- **Contact Mechanism (The Mobile-to-Web Bridge):**
 - **Action:** When the user taps "Contact Support," the app must execute one of the following actions (MVP implementation choice):
 - **Option A (Email):** Launch the device's default Mail App with the To: field pre-filled to support@f2mx.com.
 - **Option B (Web Form):** Open an in-app WebView loading the contact form from the Support Website.
 - **User Experience:** The user remains on their mobile device but interacts with standard web/email tools to submit the ticket.
- **Status Tracking (Optional/Integration Dependent):**
 - If the selected helpdesk tool (e.g., Jira, Zendesk) supports it, the user may view a list of their open tickets via the WebView interface.
- **Visual Flow & Interaction Design (Pin-to-Pin):**
 - User Settings (Mobile App View)

- Header: "Account & Settings"
- Section: Support
- Button: [Help & Support >]
- Help & Support Portal (Mobile App View)
 - Section 1: Learn the Game
 - [Read How to Play Guide] → Opens Browser
 - [View Scoring Rules] → Opens Modal
 - [Privacy Policy] → Opens Browser
 - Section 2: Contact Us
 - Text: "Having trouble? Contact our team."
 - Warning: "⚠ Billing Issue? Please paste your Apple/Google Transaction ID in your message."
 - Button: [Email Support] → Opens Mail App

Actor / Role : System (F2MX Platform) - System

User story -8.8 MVP Analytics & Telemetry

As an F2MX Product Leader, I want the system to automatically track specific user actions (events) and send them to our analytics provider (e.g., Firebase/Google Analytics), so that I can monitor the health of the game and calculate key performance indicators (KPIs) via the provider's dashboard without needing a custom internal analytics screen.

Acceptance Criteria:

- **MVP KPIs (The Required Reports):**
- **The tracked data must allow the Admin to view the following specific metrics in the provider dashboard:**
 - Leagues Joined per User.
 - Public vs. Private League Ratio.
 - League Completion Rate.
 - Live Scoring Page Views (Engagement proxy).
 - Push Notification Response Rate.
 - Friend Invites Sent vs. Accepted.
- **Event Instrumentation (The "Signals"):**
 - The system must automatically log the following events to the external analytics provider:
 - League Events: league_created, league_invite_sent, league_joined, league_started, league_completed, league_reactivated.
 - Market Events: order_viewed, order_confirmed, buy_executed, sell_executed, pricing_published_update.
 - Gameplay Events: matchup_created, lineup_changed, scoring_view_opened.
 - Social/Notification: notification_sent, notification_opened, invite_shared (Link vs. QR), taunt_sent.
- **Data Payload (The Context):**
 - Every event sent must include the following metadata fields :
 - event_name
 - timestamp (UTC, server-generated)
 - user_id (Nullable for system events; anonymized internal ID)
 - league_id (If applicable)

- market_side (Buy vs. Sell)
 - device_type (iOS vs. Android)
 - notification_channel (Push vs. Email, if applicable).
 - source (app, backend, system)
 - environment (prod, staging)
 - player_id
 - order_id
 - currency_amount
 - xp_delta
 - invite_type (email, link, QR)
- **Note: "Commissioner Tools Usage" tracking is deferred to Post-MVP.**
- **Visualization & Access (The "Where"):**
 - **No Internal UI:** The F2MX Admin Console does not require a custom "Analytics" tab.
 - **Provider Dashboard:** Admins access these charts (Bar, Line, Pie) by logging directly into the third-party tool (e.g., Firebase Console) [Source 248].
- **Data Governance:**
 - **Retention:** Raw event data must be retained/accessible for 90 days.
 - **Privacy:** The system must track users by Internal ID only. Do not transmit raw PII (names, emails) or message content (taunt text) to the analytics provider.

Actor / Role : System (F2MX Platform) - User

User story -8.9 Ownership & Trade History View

As a User, I want to view my complete ownership and trade history for each player in my league, so that I can verify exactly when I owned a player and reconcile which scoring events should credit to my account.

Acceptance Criteria:

- **Chronological Log:** The system must display a chronological list of all buy and sell transactions for the user within a specific league.
- **Data Display:** Each row must explicitly show the execution timestamp, execution price, and the commission paid (if applicable).
- **System vs. User Actions:** The view must clearly distinguish between user-initiated trades and system-initiated transactions (such as forced season-ending injury liquidations).
- **Eligibility Changes:** The log must document trade eligibility changes related to locks or restrictions.
- **Search & Filter:** The user must be able to filter this history by Date Range, Player Name, and Transaction Type (Buy/Sell/System).
- **Visual Flow & UI Pin-to-Pin:**
 - Header: "My Trade & Ownership History"
 - Filters: [Date Range] | [Search Player] | [Type: All/Buy/Sell]
 - Row 1 (User Action): Oct 12, 1:12 PM | BUY: Patrick Mahomes | Price: \$152.40 | Status: Executed

- Row 2 (System Action): Oct 14, 9:00 AM | SELL: Nick Chubb | Price: \$102.50 | Status: System Auto-Liquidate (Injury).

Actor / Role : System (F2MX Platform) - User

User story -8.10 User Portfolio Overview (Cross-League Dashboard)

As a Multi-League Participant (User) , I want a macro-level dashboard summarizing all my active leagues, so that I can monitor my total exposure and navigate my investments easily.

Acceptance Criteria:

- **Cross-League Display:** The view lists every active league the user is currently participating in.
- **League Summaries:** Each league card must display the user's "Current Portfolio Value" (sum of all owned players' current prices) and "Available League Currency" strictly for that specific league.
- **No Commingling Constraint:** Portfolio values and currencies are strictly distinct per league; they are never mathematically netted or combined across leagues on this screen.
- **Navigation/Drill-Down:** Clicking on a specific league navigates the user directly to the "League Holdings Tracker" (US-3.4) for that specific league.

Epic 7: Notifications & Administration

Actor / Role : System (F2MX Platform) - User

User story -7.1 Notification Preferences & Channel Management

As a User, I want to configure which notifications I receive and through which channels, so that I can stay informed without being overwhelmed by low-priority alerts.

Acceptance Criteria:

- **Toggle Categories:** The system must provide on/off toggles for independent event categories:
 - Trades (Buy/Sell confirmations).
 - League Activity (Joins, Standings updates).
 - Matchup Reminders (Lineup alerts).
 - Injury Reports.
 - Promotions (Must comply with strict Opt-in/Opt-out).
 - League Invites.
 - Analyst Reports
 - Market Opening for League
- **Channel Constraints:**
 - **SMS:** Restricted strictly to League Invites and Market Opening events. Users cannot enable SMS for routine alerts (e.g., trades) per policy.
 - **Email & Push:** Available for all categories.
- **Defaults:** New accounts default to "ON" for Invite Reminders and Market Openings.
- **Immediate Effect:** Preference changes take effect immediately upon saving
- **Detailed view of the Notification Settings Screen :**
 - **Header:** "Notification Preferences".
 - **Global Toggle:** "Pause All Notifications".
 - **Section:** "Urgent Alerts (SMS/Push)".
 - **Row:** League Invites [Toggle ON].
 - **Row:** Market Open [Toggle ON].
 - **Section:** "Gameplay Updates (Push/Email)".
 - **Row:** Trade Executions [Toggle ON].
 - **Row:** Injury Alerts [Toggle OFF].
 - **Row:** Matchup Results [Toggle ON].
 - **Row:** Starting Allocation/Promotional Offers [Toggle OFF].

Actor / Role : System /Organization (F2MX Platform) - User

User story -7.2 Activity Feed & Notification History

As a User, I want to view a chronological feed of my notifications and system events, so that I can review trade confirmations or league updates I might have missed.

Acceptance Criteria:

- **Content:** The feed must aggregate:
 - Trade Confirmations.

- System Actions (e.g., Season-ending injury liquidations).
- League Events (Invitations, Matchup Results).
- Progression (XP gained, Badges earned).
- **Filtering:** Users can filter the feed by "League" or "Event Type" or "Date Range".
- **Date Range Filter:** Users must be able to filter their historical notifications and activity feed by a specific Date Range.
- **Interaction:** Clicking an item navigates to the relevant deep link (e.g., clicking a Trade notification goes to the Trade History view).
- **State:** Visual distinction between Read and Unread items.
- **Cleanup:** Users can "Dismiss" or "Clear All" notifications.
- **Detailed view of the Activity Feed.**
 - **Filters:** "All", "Trades", "System", "Social".
 - **Badge:** "3 Unread".
 - **Item 1 (System):** [Warning Icon] "Auto-Liquidation: Nick Chubb (Season Ending Injury) - Sold for \$102.50".
 - **Item 2 (Trade):** [Check Icon] "Buy Executed: J. Chase - \$110.00".
 - **Item 3 (Social):** [Envelope Icon] "Invited to 'Office League' by Admin".

Actor / Role : System /Organization (F2MX Platform) - System

User story -7.3 Automated Invitation Reminders

As a System, I want to automatically send reminders to users who have been invited to a league but haven't joined, using time-based triggers, so that leagues fill up before the start date.

Acceptance Criteria:

- **Dual-Clock Triggers:** The system must evaluate two independent time variables for every pending invitation :
 - **Clock A (Time Since Invite):** Trigger a reminder exactly 7 days and 14 days after the invitation was generated.
 - **Purpose:** Reminds you based on how long you have ignored the specific invite.
 - **Logic:** It counts forward from the day you received the invite
 - **Clock B (Time Until Start):** Trigger a reminder exactly 14 days, 7 days, and 1 day before the specific League Start Date (or Market Open Date).
 - **Purpose:** Reminds you that the league is about to begin (the deadline is approaching).
 - **Logic:** It counts backward from the League Start Date (Sept 10th), regardless of when you were invited.
 - **Status Pre-Condition:** The system must check the user's status before sending.
 - IF Status is Joined → Do Not Send (Cancel future reminders).
 - IF Status is Invited (Pending) → Proceed to next check.

- **Duplicate Suppression (The "One-Per-Day" Rule):**
 - If triggers from Clock A and Clock B land on the same calendar day for the same user, the system must suppress the duplicate and send only one notification total for that day.
- **Delivery Channels:**
 - Reminders must be sent via Email and Push Notification (if enabled).
 - Constraint: SMS is NOT used for reminders (SMS is reserved strictly for the initial Invite and Market Open events to avoid regulatory/spam risks).
- **User Preference Compliance:**
 - The system must check the user's "League Invites" notification toggle (US-7.1).
 - If the user has opted out of Invite Reminders, the system must skip delivery, even if the trigger fires.
- **Admin Configurability:**
 - F2MX Admins must be able to modify the trigger integers (e.g., change T-7 to T-5) globally via the Admin Console without requiring a code deployment.
- **Detailed view of the Logic Flow (Backend) :**
 - **Scenario:** User invited on Sept 1st. League Starts Sept 12th.
 - **Sept 8th:** Clock A (+7 Days) fires.
 - **System checks:** User not joined? Yes. Preference On? Yes. → SEND Reminder.
 - **Sept 11th:** Clock B (T-1 Day) fires.
 - **System checks:** User not joined? Yes. → SEND Reminder.
 - **Sept 15th:** Clock A (+14 Days) fires.
 - **System checks:** League already started? Yes. → SKIP / Do Not Send.
- Time-Since-Invite: Send at +7 days and +14 days after invite.
- Time-Until-Start: Send at T-14, T-7, and T-1 days before Market Open/League Start.

Actor / Role : System (F2MX Platform) - Admin

User story -7.4 Market & Pricing Administration (Configuration & Emergency Controls)

As an F2MX Admin, I want to manage the global market pricing engine—including pausing trading, overriding specific player prices, forcing data resyncs, and configuring pricing formula weights/spreads—so that I can maintain market integrity, respond to data feed errors, and tune economic parameters without developer intervention.

Acceptance Criteria:

- **Emergency Control: Pause & Resume Market**
 - **Action:** Admin can toggle the Global Market Status to "PAUSED".
 - **Effect** (Paused):

- The pricing engine stops computing and publishing new prices.
 - ALL user buy/sell transactions are blocked platform-wide.
 - The User App displays a prominent "Market Temporarily Paused" banner.
- **Action:** Admin can toggle status back to "ACTIVE".
- **Effect** (Resumed):
 - Trading and pricing updates resume immediately.
- **Audit:** Action must log Admin ID, Timestamp, and Reason (e.g., "Data Feed Outage").
- **Data Correction: Individual Price Override**
 - **Capability:** Admin can search for a specific player and manually input a Corrected Published Price.
 - **Effect:** The system applies this price immediately as the new Published Price.
 - **Baseline:** This override value becomes the new BasePrice for the next pricing formula calculation (future updates evolve from this corrected point).
 - **Audit:** Logs Original Price, New Price, Admin ID, Timestamp, and Reason Code.
- **Data Recovery: Force Pricing Resync**
 - **Capability:** Admin can trigger a "Force Resync" command.
 - **Effect:** The system bypasses the standard update interval and immediately fetches the latest data from the Data Provider to refresh stale inputs.
 - **Recalculation:** Prices are immediately recalculated using the fresh data.
 - **Audit:** Logs the action and timestamp.
- **Market Tuning: Pricing Formula Weights (Configuration)**
 - Capability: Admin can edit the four coefficients in the pricing formula:
 - W_performance (Default: 0.45)
 - W_momentum (Default: 0.30)
 - W_injury (Default: 0.15)
 - W_role (Default: 0.10)
- **Economic Tuning: XP Gap Bands (Configuration):** The system must allow authorized Admins to edit the threshold parameters (e.g., Small, Medium, Large gaps) and the specific XP gain/loss payout amounts for each band without requiring code changes. Changes affect future XP calculations only.
- **Global Market & Entry Configuration:** Admins must be able to set and modify the Platform Market Opening Date by sport/season (e.g., "NFL 2025 Market Open"). Admins must also be able to adjust global or league-type specific entry limits (e.g., capping the total number of users allowed on the platform or in public leagues).

Assumed MVP Weighting (For Alignment)

Component	Weight	Rationale
PerformanceDelta	45%	Anchors price to real results
MomentumDelta	30%	Reflects sustained interest
InjuryImpact	15%	Material but not dominant
RoleAdjustment	10%	Avoids overreaction

- **Constraint:** Updates affect future price computations only. Historical prices are not recalculated retroactively.
- **Audit:** Logs Old Weights vs. New Weights.
- **Economic Tuning: Bid/Ask Spread (Configuration)**
 - **Capability:** Admin can configure the global spread using two methods:
 - Percentage: (e.g., 2.5%)
 - Fixed Dollar Amount: (e.g., \$2.50)
 - **Effect:** Future Buy/Sell prices are calculated using the new spread setting.
 - **Audit:** Logs Old Spread vs. New Spread.
- **Detailed view of the Admin Market Console.**
 - **Global Controls :**
 - **Market Status Widget:**
 - Indicator: Large Green Dot (Active) or Red Dot (Paused).
 - Button: "PAUSE MARKET" (Red, requires confirmation modal).
 - Button: "RESUME MARKET" (Green, disabled if already active).
 - **System Health:**
 - Data Feed Latency: "240ms" (Green).
 - **Action:** "Force Resync" (Button).
 - **Correction & Tuning Tools:**
 - **Price Override:**
 - **Search Field:** "Find Player (Name/ID)".
 - **Result Card:** "Patrick Mahomes (KC - QB)".
 - **Current Price:** \$152.40.
 - **Input:** "New Price: \$_____".
 - **Input Field/Dropdown:** "Reason: [Bad Data / Exploit Correction / Other]".
 - **Button:** "Apply Override".
 - **Configuration (Advanced):**
 - **Section:** "Bid/Ask Spread".
 - Input: "2.5" | Dropdown: "% / \$".
 - **Section: "Formula Weights".**
 - Input: "Performance: 0.45".
 - Input: "Momentum: 0.30".
 - Input: "Injury: 0.15".
 - Input: "Role: 0.10".
 - **Button:** "Update Configuration" (Requires "Are you sure?" confirmation).

Actor / Role : System (F2MX Platform) - Admin

User story -7.5 Data & Scoring Overrides (Correction Toolkit)

As an F2MX Admin, I want to manually override player stats, force-correct matchup results, and trigger data resyncs, so that I can ensure fantasy scoring and league standings remain

accurate even if the third-party data provider fails, sends incorrect data, or experiences latency.

Acceptance Criteria:

- **Capability: Individual Stat Override (The "Scalpel")**
 - **Action:** Admin selects a specific Game → Player → Stat Category (e.g., "Patrick Mahomes - Passing Yards").
 - **Input:** Admin enters the Corrected Value (e.g., change 240 to 245).
 - **Effect:**
 - System immediately updates the stat record.
 - System triggers a Global Recalculation of fantasy points for that player for that specific week.
 - System updates ALL active matchups involving that player (Live or Final).
 - **Downstream Impact:** If the score change flips a Matchup Result (Win ↔ Loss), the system must flag the matchup for XP Recalculation (see AC #5).
- **Capability: Force Matchup Result (The "Sledgehammer" / Break-Glass)**
 - **Action:** Admin selects a specific League Matchup ID.
 - **Input:** Admin manually toggles the winner (e.g., "Force Winner: User A").
 - **Constraint:** This is a "Break-Glass" feature used only when scoring logic fails catastrophically.
 - **Effect:** Overrides the point-based logic and hard-sets the Win/Loss record in the database.
- **Capability: Force Data Resync**
 - **Action:** Admin clicks "Force Resync" for a specific Game ID or globally.
 - **Effect:** System bypasses standard polling intervals and immediately requests a fresh payload from the Data Provider to resolve "stuck" live scores.
- **Capability: Apply Bulk Scoring Adjustments:**
 - Admins must be able to apply bulk scoring adjustments for affected games if widespread scoring issues occur.
- **Capability: Adjust Final Scores Manually:**
 - A break-glass feature allowing admins to manually type in a corrected final score if the automated calculations fail.
- **Capability: View Data Feed Logs & Errors:**
 - Admins must have visibility into the raw data feed logs and errors to troubleshoot provider latency or drops
- **Audit & Logging (Mandatory)**
 - **Requirement:** Every override action MUST require a Reason Code (e.g., "Provider Error", "Stat Correction", "System Glitch") and an Incident ID (optional ticket #).
 - **Log Content:** The system logs: Admin_ID, Timestamp, Original_Value, New_Value, Player_ID, Game_ID.
- **XP Remediation (Chain Reaction)**
 - **Logic:** If a scoring correction changes a matchup outcome (e.g., User A was winning, but now User B wins), the system must:
 - Revert the original XP award.

- Calculate new XP based on the new winner and the XP Gap rules.
 - Update the users' Total XP and Tier Status immediately.
- **User Visibility (Transparency)**
 - **Effect:** When a stat is overridden, the Scoring Event Log (US-4.5) for that player must display a distinct tag: "Stat Correction" or "Admin Adjustment" so users know why their score changed.
- **Detailed view of the Admin Scoring Correction Console**
 - **Context Selection**
 - Filter: "Active Season - Week 4".
 - Search: "Game: KC vs BAL".
 - List:
 - Patrick Mahomes (KC)
 - Lamar Jackson (BAL)
 - Travis Kelce (KC)
 - Data Status: "Provider Feed: Connected (Latency: 120ms)".
 - Button: [FORCE RESYNC FEED]
 - **The Override Tool**
 - **Header:** "Edit Stats: Patrick Mahomes".
 - **Table:**
 - Row 1: Passing Yards | Provider: 280 | Override: [285]
 - Row 2: Passing TDs | Provider: 2 | Override: [2]
 - Row 3: Interceptions | Provider: 1 | Override: [0]
 - **Calculation Preview:**
 - "Old Score: 23.2 pts" → "New Score: 25.4 pts".
 - **"Impact:** Affects 1,204 Rosters".
 - **Audit Section:**
 - Reason Code: [Input field / Dropdown: Official Stat Correction]
 - Incident Ticket: [Text: TICKET-992]
 - **Actions:**
 - Button: [SAVE & RECALCULATE] (Primary - Blue).
 - Button: [FORCE MATCHUP WIN/LOSS] (Danger - Red - Hidden in "Advanced" toggle).

Note : Actions performed during - Live (during the game to fix stuck feeds), **Post-Match** (stat corrections), and **Post-Finalization** (retroactive break-glass fixes)

Actor / Role : System (F2MX Platform) - Admin

User story -7.6 User Account Administration (Support & Security)

As an F2MX Admin, I want to manage user account statuses, identity verification, and access rights (Ban, Suspend, Unlock, Anonymize), so that I can resolve support tickets, mitigate fraud, and enforce platform terms of service.

Acceptance Criteria:

- **Capability: Ban & Suspend Users**
 - **Action:** Admin can change user status to Suspended (Temporary) or Banned (Permanent).
 - **Input:** Admin must select a Reason Code (e.g., "Abusive Behavior", "Payment Fraud", "Collusion") and enter an optional internal note.
 - **Effect:**
 - Immediate termination of active sessions (logout).
 - User is blocked from logging in.
 - (Optional MVP) User trading is frozen.
 - **Duration:** Suspensions can be set with an expiration date/time; Bans are indefinite.
- **Capability: Account Unlock**
 - **Context:** Used when a user locks themselves out via too many failed login attempts or a security hold.
 - **Action:** Admin clicks "Unlock Account".
 - **Effect:** Resets the Failed_Login_Attempts counter to 0 and sets status to Active.
- **Capability: Force Password Reset**
 - **Context:** Used when an account is compromised.
 - **Action:** Admin clicks "Force Password Reset".
 - **Effect:**
 - Existing password is invalidated (or user is flagged).
 - On the next login attempt, the user is required to create a new password before proceeding.
 - (Alternative) Triggers the standard "Forgot Password" email flow to the user immediately.
- **Capability: Identity Verification Override (MVP)**
 - **Context:** Since full KYC is not in MVP, this handles edge cases (false positives, manual review).
 - **Options:**
 - **Mark Verified:** Manually flag user as "Verified" (bypassing automated checks).
 - **Revoke Verification:** Remove verified status if abuse is detected.
 - **Constraint:** Requires Reason Code and valid Admin Role (RBAC).
- **Capability: Soft Delete & Anonymization (GDPR/CCPA)**
 - **Context:** User requests account deletion.
 - **Constraint:** NO Hard Deletes in MVP (to preserve ledger integrity).
 - **Action:** Admin executes "Anonymize User".
 - **Effect:**
 - PII (Name, Email) is scrambled/hashed in the database.
 - User status set to Deleted.
 - Historical ledger entries and trade history remain (linked to the anonymized ID) to ensure league integrity.
- **Capability: Merge Duplicate Accounts**
 - **Action:** Admin selects "Source User" (Duplicate) and "Target User" (Master).

- **Effect:** Consolidates access into the Target account. (Note: In MVP, this may be a simple disable of the duplicate and manual funds transfer, or a database merge depending on complexity).
- **Capability: Grant/Revoke Premium Features**
 - **Action:** Admin toggles premium status.
 - **Effect:** Grants access to premium stats/features (if applicable in MVP configuration)
- **Audit Logging (Mandatory)**
 - **Requirement:** Every action above MUST be logged.
 - **Log Content:** Admin_ID, Target_User_ID, Action_Type, Timestamp, Reason_Code, Internal_Note.
- **Detailed view of the Admin User Detail View**
 - **User Profile Context**
 - **User Header:** [Avatar] username | [user@email.com](#)
 - **Status Badge:** [Active] (Green) or [Suspended] (Red).
 - **Verification:** [Pending] | [Verified].
 - **Stats:**
 - Joined: Oct 12, 2025.
 - Leagues: 3 Active.
 - Wallet: \$1,250.00.
 - **Admin Actions Panel**
 - **Security Actions:**
 - [Button] Unlock Account (Resets login attempts).
 - [Button] Force Password Reset (Next login).
 - **Status Actions:**
 - [Button] Suspend User → Opens Modal: Select Duration (24h, 7d, Custom) & Reason.
 - [Button] Ban User → Opens Modal: Enter Reason (Fraud, Abuse). Requires "Confirm" type-in.
 - **Data Actions:**
 - [Button] Override Verification → Toggle Verified Status.
 - [Button] Anonymize / Soft Delete → Requires "Danger" Confirmation.
 - **Audit History** (Bottom Section):
 - Table showing previous admin interventions on this specific user account.

Actor / Role : System (F2MX Platform) - Admin

User story -7.7 Emergency Broadcasts (Platform-Wide Alerts)

As an F2MX Admin, I want to send high-visibility emergency broadcast messages to all users or all active leagues, so that I can immediately communicate critical incidents (such as data provider outages, market pauses, or scoring corrections) directly to the user base.

Acceptance Criteria:

- **Audience Selection:**
 - The system allows the Admin to target "All Users" or "All Active Leagues".
 - (Note: Granular targeting is covered in US-7.10; this story focuses on platform-wide emergencies).
- **Content Input:**
 - **Message Title:** Text input field (e.g., "Market Update").
 - **Message Body:** Text area field for the detailed notification (e.g., "We are investigating a scoring delay. Trading is temporarily paused.").
- **Delivery Channels (Multi-Channel Support):**
 - The Admin must be able to select In-App Banner AND/OR Push Notification.
 - In-App Banner: Triggers a high-visibility, persistent banner at the top of the user's screen.
 - Push Notification: Sends a standard mobile push alert to all devices with permissions enabled.
 - **Note:** Email support is optional for MVP, but Banner+Push is mandatory.
- **Safeguards (Critical):**
 - Upon clicking "Send", the system MUST display a confirmation modal ("Are you sure you want to alert [Count] users?").
 - The action requires an authorized Admin Role (RBAC).
- **Audit Logging:**
 - The system must log the following immutable details: Admin_ID, Timestamp, Message_Title, Message_Body, Channels_Used, and Reason_Code.
- **Detailed view of the Admin Broadcast Console**
 - **Configuration**
 - **Campaign Type:** "Emergency Broadcast" (Selected).
 - **Target Audience:** Dropdown: ["All Users (Platform-Wide)", "All Active Leagues"].
 - **Channel Selection:**
 - [x] Push Notification (Immediate delivery).
 - [x] In-App Banner (Displays at the top of the user's screen(on next app open/refresh).
 - **Content & Execution**
 - **Header:** "Compose Emergency Alert".
 - **Input Field:** Message Title (Max 50 chars).
 - Placeholder: "Urgent: Market Paused"
 - **Text Area:** Message Body (Max 250 chars).
 - Placeholder: "We are experiencing a data feed issue. Trading is paused until further notice."
 - **Preview Card:** Visual mockup of how the Push/Banner will look on a mobile device.
 - **Action Button:** "SEND BROADCAST" (Red/Danger Style).
 - Triggers Modal: "CONFIRM BROADCAST: This will be sent immediately to 50,000+ users. This action cannot be undone."

{Actor / Role : System (F2MX Platform) - Admin

User story -7.8 Admin Wallet Adjustments (Financial Remediation & Support)

As an F2MX Admin, I want to manually adjust user wallet balances (Global or League-specific), reconcile failed buy-ins, and issue promotional credits, so that I can resolve customer support tickets (e.g., "I paid but didn't get coins") and remediate financial discrepancies with a full audit trail.

Acceptance Criteria:

- **Capability: Multi-Wallet Selection**
 - **Action:** Admin must select the target wallet for the adjustment.
 - **Options:**
 - Global User Wallet: (Persistent platform currency).
 - Specific League Wallet: (Game currency for a specific League ID).
 - **Effect:** The adjustment applies only to the selected context. (e.g., Adding funds to "Office League" does not affect "Global Wallet").
- **Capability: Adjustment Operations (Credit/Debit)**
 - **Credit (Deposit):** Admin inputs amount to ADD to the balance.
 - Use Case: Refunds, Goodwill, Promo issuance, Missing Buy-in.
 - **Debit (Withdraw):** Admin inputs amount to REMOVE from the balance.
 - Use Case: Reversing an accidental double-credit, correcting exploit gains.
 - **Constraint:** Admin cannot debit a wallet below \$0 (Negative balances are not permitted in MVP).
- **Capability: Manage Buy-In Conversion Modes (Platform Economics)**
 - **Action:** Admin accesses the platform-wide Buy-In Configuration settings.
 - **Effect:** Admin can toggle the entire platform's buy-in architecture between Mode A (Fixed Buy-In Conversion) and Mode B (Configurable Buy-In Conversion).
 - **Configuration:** Admin can define the exact allowable percentage limits for these modes (e.g., setting the Mode B allowable range to 0%-40%) without requiring developer intervention.
- **Capability: Buy-In Reconciliation (Fixing "Charged but not Credited")**
 - **Context:** User purchased a Buy-In via App Store, was charged, but the app crashed/failed to credit the league.
 - **Action:** Admin selects "Reconcile Buy-In"
 - **Input:** Admin enters the External Transaction ID (from Apple/Google receipt).
 - **Effect:** System verifies ID uniqueness (to prevent replay), credits the specific League Wallet, and logs the reconciliation.
- **Capability: Wallet Freeze (Abuse Control)**
 - **Action:** Admin toggles "Freeze Trading" for a specific user in a specific league (or globally).
 - **Effect:** The user retains their assets but is blocked from executing new Buy/Sell orders or purchasing Buy-Ins.
 - **Use Case:** Suspected collusion or credit card fraud investigation.

- **Capability: Manage Buy-In Conversion Modes:**
 - Admins must be able to configure platform-wide buy-in economics. This includes the ability to switch the platform between "Mode A" (Fixed Conversion Rate) and "Mode B" (Configurable Conversion Range), and to define the exact allowable percentage ranges without developer intervention.
- **Mandatory Audit Logging (The "Why")**
 - **Constraint:** The "Submit" button is DISABLED until a Reason Code is selected.
 - **Inputs:**
 - Reason Code (Dropdown): "System Error", "Billing Correction", "Goodwill/Customer Service", "Fraud Correction", "Promotional Grant".
 - Internal Note (Text): Reference Ticket # (e.g., "Zendesk #9922 - User charged twice").
 - **Ledger Effect:** The system generates an immutable ledger entry with Initiator = Admin and Category = Manual_Adjustment.
 - **Ledger Entry Details**
 - Every adjustment must record: Transaction_ID, Timestamp, Admin_ID, User_ID, League_ID (if applicable), Amount, Previous_Balance, New_Balance, and Reason_Code.
 - **Detailed view of the Admin Wallet Support Tool.**
 - **User Financial Context**
 - User: user_123 (Verified).
 - Global Wallet Balance: \$50.00.
 - Active Leagues List:
 - 1. "Work League" (ID: 55) - Balance: \$1,200.
 - 2. "Friends League" (ID: 88) - Balance: \$450. [Status: FROZEN].
 - Recent Transactions:
 - [Today 9:00 AM] Buy-In (+\$10) - Failed.
 - **Adjustment Console**
 - Step 1: Select Scope
 - [Radio] Global User Wallet
 - [Radio] League Wallet → [Dropdown: "Work League"]
 - Step 2: Operation
 - [Button Group] CREDIT (+) | DEBIT (-) | FREEZE
 - Step 3: Details
 - Amount: \$10.00.
 - Reason Code: [Dropdown: Billing Correction / Missing Buy-In].
 - Ticket Ref: "Ticket #404 - Payment gateway timeout".
 - Step 4: Execute
 - Button: "PROCESS ADJUSTMENT" (Requires "Are you sure?" confirmation modal).
 - **Summary of the Workflow (Connecting the User to the Admin)**
 - The user realizes they are missing money.
 - The user goes to "Help" in the app and submits a request.

- The system routes this request to the Ops Team's external tool (e.g., Jira, Trello, or Email Inbox).
- Ops Team receives the request and assigns it ID #404.
- Admin logs into F2MX Admin Console (User Story 7.8).
- Admin credits the user \$10 and types "Ticket #404" into the Ticket Ref field to log why they did it.

Actor / Role : System (F2MX Platform) - Super Admin

User story -7.9 Internal Admin User Management (RBAC)

As a Super Admin, I want to create & invite and manage internal F2MX staff accounts and assign them specific roles (Support Agent, Ops Admin, Super Admin), so that I can delegate operational tasks while enforcing "Least Privilege" security access.

Acceptance Criteria & Functional Flow:

- **Access Point :**
 - This feature is accessible ONLY to users with the Super Admin role.
 - Location: Admin Console → Settings / Configuration → Staff Management.
- **Capability: Create & Invite New Admin :**
 - **Action:** Click [Create New Admin /Invite New Staff] button.
 - **Input Fields:**
 - **Email Address:** (Must be a valid corporate domain email).
 - **Role Selection:** Dropdown menu with three fixed MVP options (see criterion #3).
 - **Name:** First and Last Name.
 - **Mobile Number:** Along with the Country code.
 - **Execution:** Upon clicking "Create & Send Invite," the system sends a secure, time-limited registration link to the email address.
 - **Status:** The new user appears in the list as "Pending" until they set their password.
- **Role Definitions & Permissions (The "Effect" / Options):**
 - The system must enforce these three distinct roles :
 - **A. Support Agent:**
 - **Can View:** User Profiles, Matchups, Trade History, Ledger (Read-Only).
 - **Can Perform:** Password Resets (US-7.6), Account Unlocks (US-7.6).
 - **Can't /Blocked:** Cannot adjust Wallets, cannot change Market Pricing, cannot override Scores.
 - **B. Ops Admin:**
 - **Can View:** All Support views + Market Data + Scoring Logs.
 - **Can Perform:** Market Pauses (US-7.4), Scoring Overrides (US-7.5), Wallet Adjustments (US-7.8), Emergency Broadcasts (US-7.7).
 - **Can't/Blocked:** Cannot create/delete other Admins.
 - **C. Super Admin:**

- **Can View/Perform:** All capabilities.
 - **Exclusive Rights:** Manage Staff (US-7.9), Configure Global System Parameters (e.g., Tax/Fee settings).
- **Capability: Revoke or Modify Access:**
 - **Edit Role:** Super Admin can change a user from "Support Agent" to "Ops Admin". Effect is immediate upon save.
 - **Revoke/Deactivate:** Super Admin can click [Deactivate Account].
 - **Effect:** The target admin's active session is killed immediately. They can no longer log in.
 - **Constraint:** Admin accounts are never deleted, only deactivated, to preserve audit trails of their past actions .
- **Audit Logging (Mandatory):**
 - Every creation, role change, or deactivation must be logged in the Security Log.
 - **Log Payload:**
 - **Actor:** Super_Admin_ID,
 - **Target:** Staff_ID,
 - **Action:** Role_Change, Old_Role: Support, New_Role: Ops, Timestamp.
 - **Staff Management List (Super Admin View)**
 - Header: "Internal Staff Access"
 - Top Right Button: [Create Admin / + Invite Staff]
 - Data Grid:
 - Row 1: john.doe@f2mx.com | Role: Super Admin | Status: Active | Last Login: Today 9:00 AM
 - Row 2: jane.smith@f2mx.com | Role: Ops Admin | Status: Active | [Edit] [Deactivate]
 - Row 3: support@f2mx.com | Role: Support Agent | Status: Pending Invite | [Resend Invite]
 - **Create / Invite Modal (Pop-up)**
 - Title: "Grant Admin Access"
 - Field: Email Address [Text Input]
 - Field: Assign Role [Dropdown]
 - Field: Phone Number [Text Input]
 - Option: Support Agent (Restricted: Read-Only & User Help)
 - Option: Ops Admin (Market & Scoring Controls)
 - Option: Super Admin (Full Access)
 - Warning Text: "Ops and Super Admins can affect live financial ledgers. Ensure this user is authorized."
 - Button: [Send Invitation]
 - **Edit/Revoke Modal**
 - Title: "Edit Access: Jane Smith"
 - Toggle: Active / Inactive (Switching to Inactive immediately bans access).
 - Dropdown: Change Role.
 - Button: [Save Changes]

Actor / Role : System (F2MX Platform) - F2MX Admin (Support / Ops)

User story -7.10 Master User List & Detail Search

As an F2MX Admin, I want to search and view a master list of all App Users and drill down into their complete details, so that I can locate specific accounts to investigate fraud, resolve support tickets, or apply administrative actions.

Acceptance Criteria:

- **Search Capabilities:**
 - Admin must be able to search the user base by Username, Email Address..
 - **Filters:** Admin can filter results by Account Status (Active, Suspended, Banned) or XP Tier (e.g., "Show me all Head Coach tier users").
- **Master List Columns:**
 - The search results table must display: User ID, Username, Email (masked for lower roles), Phone Number, Current XP, Wallet Balance (Global), Account Status, and Date Joined.
- **User Detail View (The "360 View"):**
 - Clicking a row navigates to the User Detail View which aggregates:
 - **Profile:** Identity info, Avatar, Bio.
 - **Financials:** Global Wallet Balance + List of League Wallet Balances.
 - **History:** Link to Trade History and Ledger .
 - **Actions:** Access to the "Admin Action Buttons" defined in US-7.6 (Ban/Suspend/Reset) and US-7.8 (Wallet Adjust).
- **Privacy Masking:**
 - Personally Identifiable Information (PII) like Email should be partially masked for "Support Agent" roles if configured, but fully visible to "Super Admins".

Actor / Role : System (F2MX Platform) - F2MX Admin

User story -7.11 Admin XP Governance & Remediation

As an F2MX Admin, I want to view a user's XP history and apply manual XP adjustments using reason codes, so that XP issues can be remediated with full auditability.

Acceptance Criteria:

- **View XP Audit Log:** Admins must be able to view a chronological log of all XP changes for a specific user, including matchup results, automated adjustments, and manual adjustments.
- **Apply Manual Adjustment:** Admins can manually add or deduct XP from a user's profile.

- **Mandatory Safeguards:** Any manual XP adjustment MUST require a selected Reason Code (e.g., "Stat Correction Remediation", "System Error") and an internal note.
- **Auditability:** The action is restricted by RBAC (Role-Based Access Control) and generates an immutable security log capturing the Admin ID, User ID, Original XP, New XP, and Timestamp.

Actor / Role : System (F2MX Platform) - F2MX Admin

User story -7.12 Targeted Messaging (Admin Communications)

As an F2MX Admin, I want to send targeted messages to specific users or leagues, so that I can communicate important information to the right audience without broadcasting to the entire platform.

Acceptance Criteria:

- **Audience Segmentation (MVP Limits):** The system must allow Admins to select recipients by Specific User IDs/Emails or Specific League IDs. (Note: Advanced segmentation by XP Tiers or activity is excluded from MVP).
 - **Channel Selection:** Messages can be delivered via Email and Push Notification (SMS is strictly prohibited for targeted messages).
 - **Audit Logging:** The system must generate an immutable log of the send event, including: Message Content, Recipient Definition/Count, Sender Role, and Timestamp.
 - **Visibility:** Sent messages must appear in the targeted users' Activity Feed.
-
-

Non-Functional Requirements:

7.Stakeholders

8.Methodology

9. Approval

Name	Role	Date
Bradley Prader	Stakeholder	
Michael huegel	Stakeholder	
Renner Weismann	Stakeholder	

10. Reference/Additional links

i.