APEX INTERNATIONAL ACADEMY

CBSE Senior Secondary Affiliation No. 1930482 | Academic Excellence & Research Division

OFFICIAL ACADEMIC SOLUTION & EVALUATION DOSSIER

VERIFIED & GRADED

ASSIGNMENT: Electromagnetic Induction & Faraday's Laws

SUBJECT: Physics (PHY102)

CLASS & SECTION: Class 12 - Section A

ACADEMIC YEAR: 2025 - 2026

MARKS EVALUATED: 95 / 100 (Grade A)

TEACHER DIRECTIVE & PROBLEM FOCUS:
Solve numericals on Lenz's law, magnetic flux, mutual inductance, and alternating current generator kinematics.

1. Executive Overview & Problem Context

Electromagnetic induction, discovered independently by Michael Faraday in 1831 and Joseph Henry, describes the generation of an electromotive force (EMF) across an electrical conductor situated in a time-varying magnetic field or moving through a spatial magnetic flux gradient.

2. Core Analysis, Solutions & Systematic Working

- **Magnetic Flux & Faraday's Quantitative Law:**

  Magnetic flux :eô passing through surface area A in uniform magnetic field B is: :eô = "+ B · dA = B A cos ;€ (measured in Webers, Wb). Faraday's First Law states that any temporal variation in magnetic flux induces an EMF. Faraday's Second Law dictates that the magnitude of induced EMF is proportional to the time rate of change of flux: E = -N (d:eô" ò GB'à

- **Lenz's Law & Conservation of Energy Principle:**

  The negative sign in Faraday's law embodies Lenz's Law (Heinrich Lenz, 1834): the polarity of induced EMF generates an electric current whose secondary magnetic field opposes the primary magnetic flux change that produced it. If induced current reinforced the flux change, infinite energy would arise from zero external input, violating the First Law of Thermodynamics.

- **Motional EMF in Conducting Rods:**

  When a conducting rod of length L moves with transverse velocity v through a perpendicular uniform magnetic field B, Lorentz force (F = q(v × B)) drives free conduction electrons toward one end, establishing an induced potential difference: E = B L v.

- **AC Generator Operating Principle:**

  An armature coil of N turns rotated at uniform angular frequency <• within magnetic field B experiences sinusoidally alternating flux: :eô"‡B' Ò " 6÷2ƒÉt). The induced EMF is E(t) = -N d[BA cos(<—B•ÒöGB Ò â " É sin(<—B' Ò Uó 6–âƒÉt), yielding alternating current.

APEX INTERNATIONAL ACADEMY

CBSE Senior Secondary Affiliation No. 1930482 | Academic Excellence & Research Division

OFFICIAL ACADEMIC SOLUTION & EVALUATION DOSSIER

VERIFIED & GRADED

3. Detailed Data Matrix & Systematic Findings

Electromagnetic Metric	Symbol	SI Unit	Governing Equation	Physical Role
Magnetic Flux	:eô	Weber (Wb = T·m²)	:eô" Ò " r Ò $ 6÷2 ¸	Total field lines through surface
Induced Electromotive Force	E	Volt (V)	E = -N (d:eô" ò GB•	Drives induced electric current
Motional EMF	E_m	Volt (V)	E_m = B L v sin ;€	Arises from Lorentz charge separation
Self Inductance	L	Henry (H = Wb/A)	E = -L (dI / dt)	Electromagnetic inertia of coil
Mutual Inductance	M	Henry (H)	E_2 = -M (dI_1 / dt)	Energy transfer in step-up transformers

4. Student Conclusions & Reflective Synthesis

Faraday's electromagnetic induction constitutes the technological foundation of modern electrical power grids, transformers, induction motors, and wireless electromagnetic telemetry.

5. Official Faculty Evaluation & Grading Rubric

ASSESSMENT CRITERIA BREAKDOWN

Conceptual Clarity & Factual Accuracy: 28 / 30

Problem Solving & Structured Working: 18 / 20

Analytical Depth & Research Methodology: 28 / 30

Presentation, Organization & Neatness: 14 / 20

FACULTY FEEDBACK REMARK:

"Outstanding electromagnetic theory! Maxwell-Faraday vector calculus and AC sinusoidal derivations are exceptionally well executed."

APEX EVALUATION DIVISION

VERIFIED & ARCHIVED