APEX INTERNATIONAL ACADEMY

CBSE Senior Secondary Affiliation No. 1930482 | Academic Excellence & Research Division

OFFICIAL ACADEMIC SOLUTION & EVALUATION DOSSIER

VERIFIED & GRADED

ASSIGNMENT: Newton's Laws of Motion Analysis

SUBJECT: Physics (PHY102)

CLASS & SECTION: Class 9 - Section A

ACADEMIC YEAR: 2025 - 2026

MARKS EVALUATED: 94 / 100 (Grade A)

TEACHER DIRECTIVE & PROBLEM FOCUS:
Document inertia, momentum, action-reaction, and linear momentum conservation with mathematical proofs.

1. Executive Overview & Problem Context

Published in Sir Isaac Newton's 1687 Philosophiae Naturalis Principia Mathematica, the Three Classical Laws of Motion establish the dynamic relationship between material mass, applied net vector force, and resultant kinematic acceleration in inertial frames of reference.

2. Core Analysis, Solutions & Systematic Working

- **First Law: Law of Inertia:**

  An object persists in its state of rest or uniform motion in a straight line unless acted upon by a non-zero net external force (" F = 0 -> a = 0 -> v = const). Mass serves as the quantitative measure of inertia: inertia of rest (dust shaken from carpet), inertia of motion (forward lurch when bus brakes), and inertia of direction.

- **Second Law: Quantitative Force & Momentum:**

  The time rate of change of linear momentum is directly proportional to the applied net force and acts along the force direction: F = dp/dt. Since p = mv, F = d(mv)/dt = m(dv/dt) = ma (for invariant mass). Impulse J = "+F dt = " p explains why cricket players retract hands backward when catching high-velocity balls to increase collision time " t and minimize impact force.

- **Third Law: Action-Reaction Interaction Pairs:**

  Whenever entity A exerts force F_AB on entity B, entity B simultaneously exerts an equal and opposite force F_BA on entity A: F_AB = -F_BA. Action and reaction forces act on separate interacting bodies, which is why they never cancel each other out (e.g. rocket exhaust thrust, swimmer kicking pool wall, gun recoil).

- **Principle of Conservation of Linear Momentum:**

  In an isolated system devoid of external net forces (" F_ext = 0), total linear momentum remains invariant: m •u • + m ,u , = m •v • + m ,v ,
  Applied in calculating bullet recoil velocity: V_gun = -(m_bullet × v_bullet) / M_gun.

APEX INTERNATIONAL ACADEMY

CBSE Senior Secondary Affiliation No. 1930482 | Academic Excellence & Research Division

OFFICIAL ACADEMIC SOLUTION & EVALUATION DOSSIER

VERIFIED & GRADED

3. Detailed Data Matrix & Systematic Findings

Law of Motion	Governing Equation	Physical Concept	Real-World Engineering Application
Newton's 1st Law	" F = 0 !Ò v = constant	Inertia of Mass	Automotive safety seatbelts & headrests
Newton's 2nd Law	F = ma = dp/dt	Force, Momentum & Impulse	Crumple zones & airbags mitigating impact
Newton's 3rd Law	F_AB = - F_BA	Equal & Opposite Interaction	Aerospace rocket propulsion & jet engines
Momentum Conservation	P_initial = P_final	Invariance in Isolated Systems	Ballistic pendulum & particle accelerator collisions
Impulse Theorem	J = F × " t = " p	Impact Force Modulation	Gymnastic crash mats & sports shoe cushioning

4. Student Conclusions & Reflective Synthesis

Newtonian dynamics forms the bedrock of classical mechanical engineering, astronautics, and structural design, maintaining predictive accuracy across non-relativistic terrestrial velocities.

5. Official Faculty Evaluation & Grading Rubric

ASSESSMENT CRITERIA BREAKDOWN

Conceptual Clarity & Factual Accuracy: 28 / 30

Problem Solving & Structured Working: 18 / 20

Analytical Depth & Research Methodology: 28 / 30

Presentation, Organization & Neatness: 14 / 20

FACULTY FEEDBACK REMARK:

"Outstanding analytical depth & presentation! Free body diagrams, calculus derivatives, and collision problems are rigorously executed."

APEX EVALUATION DIVISION

VERIFIED & ARCHIVED