CURA_HISTORY

Execution Environment

Host name Lenovo - LAPTOP-D4U0J34F.mshome.net

Local OS Windows 11 64bit

Katalon version 9.1.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/CURA_HISTORY

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 08-02-2024 14:30:55 End 08-02-2024 14:32:21

Elapsed 1m - 26.247s

| # | ID | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/CURA_HISTORY/TC_CURA_HISTORY_001 | | PASSED |
| 2 | Test Cases/CURA_HISTORY/TC_CURA_HISTORY_002 | | PASSED |

Information

ID Test Cases/CURA_HISTORY/TC_CURA_HISTORY_001

Description

Tag

Start 08-02-2024 14:31:13 End 08-02-2024 14:31:47

Elapsed 34.442s Status PASSED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|---|---------|--------|
| | • | |
| Start listener action : sampleBeforeTestCase | 32.235s | ERROR |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/Page_CURA Healthcare Service/input_username' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at CURA_TL_Appointment_Booking_Confirmation.sampleBeforeTestCase (CURA_TL_Appointment_Booking_Confirmation.groovy:35) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:268) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) at TempTestSuite1707382847983.run(TempTestSuite1707382847983.groovy:36) | | |
| at TempTestSuite1707382847983.run(TempTestSuite1707382847983.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_CURA Healthcare Service/input_username' | | |
| located by '//input[@id='txt-username']' not found | | |
| at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement | | |

(WebUiCommonHelper.java:1379)

Description Elapsed Status

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

(WebUIKeywordMain.groovy:20)

... 23 more




| 2 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/amenu-toggle")) | 0.325s | PASSED |
|---|--|--------|--------|
| | Object: 'Object Repository/Page_CURA Healthcare Service/amenu-toggle' is clicked on | | |
| 3 | click(findTestObject("Page_CURA Healthcare Service/a_History")) | 1.077s | PASSED |
| | Object: 'Object Repository/Page_CURA Healthcare Service/a_History' is clicked on | | |
| 4 | click(findTestObject("Object Repository/Page_CURA Healthcare Service/h2_History")) | 0.470s | PASSED |
| | Object: 'Object Repository/Page CURA Healthcare Service/h2 History' is clicked on | | |

| De | escription | Elapsed | Status |
|------------|---|---------|--------|
| St | art listener action : sampleAfterTestCase | 0.171s | ERROR |
| CC | m.kms.katalon.core.exception.StepFailedException: Unable to click on object | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (V | /ebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (V | /ebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| gr | oovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| (C | lickKeyword.groovy:40) | | |
| (C | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| ex | ecuteKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| (V | /ebUiBuiltInKeywords.groovy:659) | | |
| • | at CURA_TL_Appointment_Booking_Confirmation.sampleAfterTestCase | | |
| (C | URA_TL_Appointment_Booking_Confirmation.groovy:50) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| M | ethod) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (N | ativeMethodAccessorImpl.java:77) | | |
| / D | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (L | elegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| ia | /a:111) | | |
| ja | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| 95 | | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (T | estHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (T | estListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| ha | ndleListenerEvent(TestListenerCollector.java:85) | | |
| /- | at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent | | |
| (E | xecutionEventManager.java:36) | | |
| io | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| jď | /a:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| ((| ommonExecutor.java:65) | | |
| , - | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (T | estSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 10 | (6) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 18 | 0) | | |
| | at TempTestSuite1707382847983.run(TempTestSuite1707382847983.groovy:36) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| M | ethod) | | |
| /N | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (1) | ativeMethodAccessorImpl.java:77) | | |
| (C | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke elegatingMethodAccessorImpl.java:43) | | |
| | elegatingMethodAccessorimpt.java:43) aused by: java.lang.lllegalArgumentException: Object is null | | |
| | at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter | | |
| (K | eywordHelper.java:33) | | |
| 7. , | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. | | |
| ماد | Call(ClickKeyword groow/62) | | |

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$

doCall(ClickKeyword.groovy:62)



Go to Homepage

Information

ID Test Cases/CURA_HISTORY/TC_CURA_HISTORY_002

Description

Tag

Start 08-02-2024 14:31:47 End 08-02-2024 14:32:20

Elapsed 32.548s Status PASSED


Details

Description Elapsed Status

| De | scription | Elapsed | Status |
|-----------|--|---------|--------|
| | art listener action : sampleBeforeTestCase | 31.251s | ERROR |
| CO | m.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | ject 'Object Repository/Page_CURA Healthcare Service/input_username' | | |
| OL | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (\^ | /ebUIKeywordMain.groovy:64) | | |
| (v) | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| /\ | /ebUIKeywordMain.groovy:26) | | |
| (V) | | | |
| (0 | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (5 | etTextKeyword.groovy:66) | | |
| , C | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| 0 | etTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
|)X | ecuteKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| V | /ebUiBuiltInKeywords.groovy:1019) | | |
| | at CURA_TL_Appointment_Booking_Confirmation.sampleBeforeTestCase | | |
| 2 | URA_TL_Appointment_Booking_Confirmation.groovy:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| ı | ethod) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| V | ativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| ı | elegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| ١ | <i>r</i> a:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| |) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| г | estHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| , | estListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | | | |
| 0 | ndleListenerEvent(TestListenerCollector.java:85) | | |
| _ | at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent | | |
| | xecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| ١ | /a:268) | | |
| _ | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| 3 | ommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| Γ | estSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 6) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 0) | | |
| | at TempTestSuite1707382847983.run(TempTestSuite1707382847983.groovy:36) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | ethod) | | |
| • | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| N | at java.base/juk.internal.terlect.tvativewetriouAccessorimpi.invoke ativeMethodAccessorImpl.java:77) | | |
| ıΝ | | | |
| _ | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | elegatingMethodAccessorImpl.java:43) | | |
| | aused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web | | |
| | ement with id: 'Object Repository/Page_CURA Healthcare Service/input_username' | | |
| 00 | cated by '//input[@id='txt-username']' not found | | |
| | at com kms katalon core webui common Webl liCommonHelper findWebElement | | |

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

(WebUiCommonHelper.java:1379)



| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 5 | Start listener action : sampleAfterTestCase | 0.164s | ERROR |
| | com.kms.katalon.core.exception.StepFailedException: Unable to click on object | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| | at CURA_TL_Appointment_Booking_Confirmation.sampleAfterTestCase | | |
| | (CURA_TL_Appointment_Booking_Confirmation.groovy:50) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| | java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| | 95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent | | |
| | (ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:315) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 180) | | |
| | at TempTestSuite1707382847983.run(TempTestSuite1707382847983.groovy:36) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | Caused by: java.lang.lllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter | | |
| | (KeywordHelper.java:33) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. | | |
| | doCall/ClickKonword groom/s62) | | |

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$

doCall(ClickKeyword.groovy:62)

Go to Homepage

