



agent intro

Date	@November 4, 2025
Category	
Summary	Generalized use cases are stored in Mongo and Pinecone databases, with data keys requiring mapping for LLM processing. Data is sourced from U-data, and there are concerns about the applicability of use cases if clients lack required fields. Disagreements arose regarding Agent X's implementation and necessary data entities. A UX platform demonstration was given, highlighting Agent X's role in the search bar. Action items include scheduling a follow-up meeting and refining thoughts before the next discussion.

Summary

System Overview

- Generalized use cases are stored in both Mongo and Pinecone databases, not company-specific use cases ▶ ▶
- Each use case contains data keys that require mapping ▶
- Data is structured this way to enable retrieval search and embedding for LLM processing ▶
- An example of "Sales Prediction Manufacturer" use case was presented ▶

Discussion on Data Sources and Requirements

- Data is primarily sourced from U-data's data layer ▶ ▶
- Discussion about whether use cases remain applicable if clients don't have all required fields ▶

- Required fields for use cases are determined through an LLM agent ▶

Areas of Disagreement

- Disagreement about the implementation approach for Agent X's role ▶
- One participant expressed misalignment with the current thought process ▶
- Concern about required data entities in client databases for particular use cases ▶

User Interface

- Brief demonstration of the UX platform ▶ ▶
- Agent X's role was mentioned as being in the search bar ▶

Action Items

- ☐ Schedule a follow-up meeting from 1-3 PM with Mudit, Ankur, and possibly Mayank ▶
- ☐ @Shambhavi Tripathi to refine thoughts before the next meeting ▶
- ☐ Add Madhav and @Ankur Yadav to a call ▶
- ☐ Add Mayank to the meeting if available ▶

Notes

Agenda

What are the topics to be discussed?

Notes

Add any notes to provide additional context and details

Transcript

This is a voice memo. It has been edited to include proper punctuation. So, the generalised use cases that we have stored from there, they are not company specific use cases. So, it will recommend from there.

As you can see, every use case has some data keys. How do we map them?

I will show you the data as well. I will show you the data as well. It will be easier to understand.

So, this is the use case name of Sales Prediction Manufacturer. Now, it's use case description will be there. Now, I have already taken this out. And this is not related to any particular company. These are generalised use cases. The same data that we have stored in Mongo, is stored in Pinecone.

And why is it like this? It is like this so that the retrieval search, the data to pass the LLM, can be used for embedding.

Can you show it to me? How is it? Show it on UX platform.

This is it, right, sir? Yes. Where is Agent X's role? Sir, Agent X's role is in the search bar. And this particular... Right now, it's not in this one. The link I'm opening is in the other link. I can showcase it to you here. Because what Ankur had...

This is a voice memo. It has been edited to include proper punctuation.

Okay. You said this is Agent X's roleplay. Yes, this is Agent X's roleplay. No, no. Let's do one thing. I'm not in agreement with this. I'm going to come back to that. Yes, sir.

I'm not in agreement with the way it's been done. I'm sure there is a gap. I have a different understanding. These entities are the tables that we need in our client database for a particular use case. So if the client does not have this data, suppose we extracted all these fields from the client's data, so if these fields are not there, then does this...

Will it still be applicable for the client? Yes, that is what I am showcasing to you. For example, we have a data readiness poll review. You asked the question whether it will be applicable to the client or not. The data is coming from Udata. Udata's data layer. Now there, like there is packaging. Now in packaging, the packaging ID is not coming from Udata.

This data is coming from U-Data, sir. This ship and ID is this? Yes, this is all from U-Data. Ok, and how do you know that ship and ID will be required for this use case? Sir, this has been taken out through an agent, through LLM.

Sashank, are you on mute? Sorry, sir. I'll have Madhav in the call. I've told Madhav. We'll add Ankur in the call. Sambhav, take this time to refine your thoughts. I'm not

aligning with this thought process. It's an understanding. My understanding is different.

It's according to me. I would like to hear more from you, Mudit and Ankur, what exactly is going on. Block the 1 to 3 o'clock calendar. We will be there. Thank you. If you are engaged, it is a different matter. I will add Mayank in the meeting.