

REPORT

LAB | ECG | DIGITAL X-RAY | CT SCAN
COLOR DOPPLER | ULTRASOUND SCAN

NAME : Mr. SHANKAR RAJAN UNNITHAN

Ref By :

COLLECTED ON : 29-Apr-2022 8:30 am

AGE/SEX : 32 Years / Male

Dr.C-IT

RECEIVED ON : 29-Apr-2022 8:30 am

LAB NO. : MLP-29929

REPORTED ON : 29-Apr-2022 2:51 pm

REPORT STATUS : Final

PASSPORT NO : Z5301569

Test Description

Results & Unit

Reference Value

MOLECULAR BIOLOGY

COVID 19 RT - PCR TEST

SRF ID : 943/PTA/20220412471

N Gene : NOT DETECTED

ORF Gene : NOT DETECTED

FINAL RESULT : NEGATIVE

Test : Qualitative RNA detection of SARS-CoV-2 (COVID19)

Specimen Type : Nasopharyngeal/Oropharyngeal Swab

Test principle : Real time reverse transcription PCR (ICMR approved kit- Q-Line Molecular ER nCoV-19 RTPCR Kit)

ICMR Reg.No: MISPHSKPK

NABL No: MC-4093

Interpretation guidelines

A. For result as "DETECTED":

- 1) Detected result indicates presence of SARS-CoV-2
- 2) False positive is rare globally.
- 3) A repeat test of freshly collected specimen may give different result due to the following-
 - a. Viral load reduces day by day and one may clear virus as early as 4.3 days.
 - b. The new sample may have low viral load due to varied shedding of the virus.
 - c. Inherent variability due to improper sample collection and inadequate storage while due care is taken at Microlab Speciality Healthcare Services.
- 4) 80% of patients with "Detected" result may be asymptomatic.
- 5) A detected result does not distinguish between a viable/replicating organism and a non-viable organism

B. For result as "NOT DETECTED":

- 1) "Not Detected" result indicates absence of SARS-CoV-2 in the given specimen. However, it does not rule out the infection completely and should not be used as the sole basis for making decisions related to treatment and other patient management decisions.
- 2) If a subsequent test is tested positive (detected), it may indicate an infection acquired subsequently or increase in viral load to detectable level after the first test.

Suggested clinical correlation

Abbreviations :- ICMR - Indian Council of Medical Research.

** End Of Report **

Prepared by:

Prajitha.A.Nair .Msc MLT
Senior Technologist

MC-4093



Authorized by:

DR Harshan K.H
Consultant Microbiologist