Headline inclination tests

Quantity	FRB hosts	Control (HSC disks)
Median $\cos i$ (median i)	0.626 (51.3°)	0.575 (54.9°)
Fraction with $i > 60°$	0.30	0.40
Quartile counts, face-on → edge-on (expected 14 each)	14,19,10,13	–
AD / MW two-sided / MW one-sided p_m, 56 hosts	0.54 / 0.46 / 0.23	–
Same, with measurement errors (median, 16–84%)	0.50 (0.29–0.74) / 0.43 (0.26–0.66) / 0.21 (0.13–0.33)	–
Realizations with $p_m < 0.05$ (AD / MW two-sided / one-sided)	0.0% / 0.0% / 0.4%	–
AD / MW one-sided p_m, the 23 hosts of Bhardwaj et al. (2024) remeasured	0.93 / 0.42	–
Power: AD (MW) detects the published deficit at $p < 0.05$, samples of 56	99.95% (99.85%)	–
Power: same, samples of 23	90.85% (88.55%)	–

p_m: fraction of 10,000 random control samples of the same size that differ from the control at least as much as the FRB hosts.
The one-sided MW test is run in the direction of an edge-on deficit. With 10,000 draws the smallest possible p_m is 10^{-4}.
Power: 2,000 samples drawn with replacement from the 23 published inclinations of Bhardwaj et al. (2024).