## Host-by-host evidence for the hosts with unreliable or non-Sb–Irr Gini–$M_{20}$

| FRB | $n_{\rm free}$ | $n_{\rm sm}$ | $R_e$/FWHM | G–$M_{20}$ | Class | Literature |
|---|---|---|---|---|---|---|
| 20180924B | 3.9 | 3.3 | 0.93 | Sb–Irr | Disk (literature) | HST: spiral arms and bar in residuals (mannings2021); $b/a = 0.62$ disk-like profile (bannister2019) |
| 20181112A | 1.0 | 0.8 | 0.59 | Sb–Irr | Disk (literature) | $n = 1.9$ (prochaska2019) |
| 20190608B | 3.1 | 2.4 | 1.59 | E/S0/Sa | Disk (literature) | barred spiral; rotating gas disk, $i_{\rm gas} = 37^\circ$ (chittidi2021) |
| 20211203C | 0.6 | 0.5 | 0.52 | Sb–Irr | Disk (literature) | $n = 0.6$ in deeper $R$-band imaging (gordon2025) |
| 20220207C | 0.5 | 0.3 | 5.31 | Sb–Irr | Disk (literature) | disk-dominated, nearly edge-on (law2024) |
| 20220319D | 6.0 | 16.2 | 6.38 | E/S0/Sa | Disk (literature) | barred spiral (SBa), FRB on a spiral arm (ravi2025) |
| 20220914A | 2.5 | 1.7 | 0.68 | Sb–Irr | Disk (literature) | late-type spiral (connor2023) |
| 20221219A | 0.5 | 0.0 | 0.65 | Sb–Irr | Disk (literature) | Milky Way-like late type (faber2024) |
| 20230526A | 1.9 | 2.5 | 0.31 | Sb–Irr | Disk (literature) | disk, $n = 0.3$ ($R$) and 1.4 ($K$) (gordon2025) |
| 20230902A | 0.9 | 0.8 | 0.38 | Sb–Irr | Disk (literature) | disk, $n = 1.0$ (gordon2025) |
| 20231120A | 1.9 | 1.8 | 5.86 | E/S0/Sa | Disk (literature) | spiral arms (sharma2024); edge-on disk (leung2025); flat-galaxy catalog (mitronova2004) |
| 20240304A | 1.2 | 1.0 | 0.85 | Sb–Irr | Disk (literature) | disk, $n = 1.2$ (gordon2025) |
| 20190102C | 0.5 | 0.3 | 0.65 | Sb–Irr | Disk-like profile | star-forming (Gordon2023) |
| 20190523A | 0.6 | 0.2 | 0.33 | Sb–Irr | Disk-like profile | massive, low SFR (20190523AHost) |
| 20220310F | 1.5 | 1.2 | 0.90 | Sb–Irr | Disk-like profile | star-forming (sharma2024) |
| 20220501C | 1.3 | 1.5 | 0.52 | Sb–Irr | Disk-like profile | star-forming (glowacki2025) |
| 20220825A | 0.7 | 0.4 | 1.35 | Sb–Irr | Disk-like profile | star-forming (sharma2024) |
| 20230124A | 1.9 | 1.7 | 0.62 | Sb–Irr | Disk-like profile | star-forming (sharma2024) |
| 20230613A | 0.6 | 0.6 | 0.91 | Sb–Irr | Disk-like profile | – |
| 20230628A | 1.0 | 0.9 | 0.73 | Sb–Irr | Disk-like profile | star-forming (sharma2024) |
| 20231020B | 0.7 | 0.6 | 0.62 | Sb–Irr | Disk-like profile | – |
| 20231220A | 0.6 | 0.5 | 0.58 | Sb–Irr | Disk-like profile | – |
| 20240119A | 0.5 | 0.0 | 0.73 | Sb–Irr | Disk-like profile | – |
| 20240208A | 1.1 | 1.0 | 0.72 | Sb–Irr | Disk-like profile | star-forming (glowacki2025) |
| 20240215A | 2.0 | 1.5 | 0.49 | Sb–Irr | Disk-like profile | – |
| 20240224A | 2.4 | 1.7 | 0.83 | Sb–Irr | Disk-like profile | – |
| 20210410D | 6.0 | 4.0 | 0.64 | Sb–Irr | Ambiguous | transitioning (Gordon2023) |
| 20221012A | 2.0 | 1.6 | 0.95 | Sb–Irr | Ambiguous | massive, quiescent (law2024; sharma2024) |
| 20230626A | 6.0 | 6.2 | 0.32 | Sb–Irr | Ambiguous | transition (sharma2024) |
| 20240203D | 4.3 | 2.5 | 0.34 | Sb–Irr | Ambiguous | – |
| 20240229A | 6.0 | 5.9 | 0.31 | Sb–Irr | Ambiguous | – |
| 20220509G | 0.5 | 5.2 | 2.81 | Merger | Early-type | early-type, quiescent (sharma2023; connor2023) |

$n_{\rm free}$: PSF-convolved GALFIT with $n$ free; $n_{\rm sm}$: statmorph Sérsic fit. The other 24 hosts are reliable Sb–Irr in Gini–$M_{20}$.