



PYTHON BOOTCAMP

www.jomhack.com

GITHUB



Core Functions

- **Version Control:** Tracks changes to code over time.
- **Code Hosting:** Stores code in the cloud.
- **Collaboration:** Enables multiple developers work on same project.

Key Features


- **Repositories:** Container for project files.
- **Actions:** Built-in CI/CD workflows.
- **Discussions:** Community forums for projects.

GITHUB



How to create repo:

- Create account at: <https://github.com>
- Login to your account.




GITHUB



How to create repo:

- Click create new repository



GITHUB



How to create repo:

- General information
 - Be explicit when naming and describing your repo

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

1 General

Owner * Bro-chill / **Repository name ***

✔ test is available.

Great repository names are short and memorable. How about **verbose-rotary-phone?**

Description

9 / 350 characters

GITHUB



How to create repo:

- Configuration
 - Visibility: Public/Private (Depends on you)
 - Add README.md: On/Off (Recommend off, write on IDE)
 - Add .gitignore: No .gitignore (Create on IDE)
 - Add license: No license (For personal project)

The screenshot shows the 'Configuration' step (indicated by a '2' in a circle) of creating a new repository on GitHub. It contains four sections:

- Choose visibility ***: A dropdown menu set to 'Public'. Below it, a note says 'Choose who can see and commit to this repository'.
- Add README**: A toggle switch set to 'Off'. Below it, a note says 'READMEs can be used as longer descriptions. [About READMEs](#)'.
- Add .gitignore**: A dropdown menu set to 'No .gitignore'. Below it, a note says '.gitignore tells git which files not to track. [About ignoring files](#)'.
- Add license**: A dropdown menu set to 'No license'. Below it, a note says 'Licenses explain how others can use your code. [About licenses](#)'.

GITHUB



How to create repo:

- Jump start with copilot (optional)
- Click “create repository”

3

Jumpstart your project with Copilot (optional) 

Tell Copilot what you want to build in this repository. After creation, Copilot will open a pull request with generated files - such as a basic app, starter code, or other features you describe - then request your review when it's ready. [About Copilot coding agent](#)

Prompt

Describe what you want Copilot to build

0 / 500 characters

Create repository

GITHUB



How to create repo:

- Follow provided instruction

The screenshot shows the GitHub interface for creating a new repository named "test". At the top, there are buttons for "Pin", "Watch" (0), "Fork" (0), and "Star" (0). Below this, there are two main sections: "Start coding with Codespaces" and "Add collaborators to this repository". The "Start coding with Codespaces" section includes a description and a "Create a codespace" button. The "Add collaborators to this repository" section includes a search bar and an "Invite collaborators" button. Below these sections is a "Quick setup" section with options for "Set up in Desktop", "HTTPS", and "SSH", along with a URL input field. Below the "Quick setup" section is a section titled "...or create a new repository on the command line" which is highlighted with a red border. This section contains a code block with the following commands:

```
echo "# test" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Bro-chill/test.git
git push -u origin main
```

 Below this section is another section titled "...or push an existing repository from the command line" which contains a code block with the following commands:

```
git remote add origin https://github.com/Bro-chill/test.git
git branch -M main
git push -u origin main
```

test Public

Pin Watch 0 Fork 0 Star 0

Start coding with Codespaces
Add a README file and start coding in a secure, configurable, and dedicated development environment.
[Create a codespace](#)

Add collaborators to this repository
Search for people using their GitHub username or email address.
[Invite collaborators](#)

Quick setup — if you've done this kind of thing before
[Set up in Desktop](#) or [HTTPS](#) [SSH](#)
Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# test" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Bro-chill/test.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/Bro-chill/test.git
git branch -M main
git push -u origin main
```


GITHUB



How to create repo:

- Run instruction on ide terminal
 - replace “git add README.md” with “git add .”

...or create a new repository on the command line

```
echo "# test" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/Bro-chill/test.git
git push -u origin main
```

```
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git init
Initialized empty Git repository in C:/Users/admin/Desktop/README/jom_hack/github_example/my_project/.git/
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git add .
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git commit -m "first commit"
[master (root-commit) 662a85f] first commit
6 files changed, 970 insertions(+)
create mode 100644 .gitignore
create mode 100644 README.md
create mode 100644 api.py
create mode 100644 database_manager.py
create mode 100644 requirements.txt
create mode 100644 streamlit_app.py
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git branch -M main
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git remote add origin https://github.com/Bro-chill/test.git
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project> git push -u origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 24 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 7.87 KiB | 7.87 MiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Bro-chill/test.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\admin\Desktop\README\jom_hack\github_example\my_project>
```

GITHUB



How to create repo:

- Refresh your github web browser

The screenshot shows a GitHub repository named 'test' by user 'Bro-chill'. The repository is public and has 0 stars, 0 forks, and 0 watchers. It contains a single commit (662a85f) from 1 minute ago. The commit includes files: .gitignore, README.md, api.py, database_manager.py, requirements.txt, and streamlit_app.py. The README file is selected, showing the title 'My Project' and the name 'Zarul'. The right sidebar shows the repository's activity, including a list of files, a 'Releases' section with a link to 'Create a new release', and a 'Languages' section showing 'Python' at 100.0%.

File	Commit	Time
.gitignore	first commit	1 minute ago
README.md	first commit	1 minute ago
api.py	first commit	1 minute ago
database_manager.py	first commit	1 minute ago
requirements.txt	first commit	1 minute ago
streamlit_app.py	first commit	1 minute ago

My Project

Name: Zarul

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Languages

Python 100.0%

GITHUB



Friendly Reminder:

- Always add .env in your .gitignore
- Do not push to public:
 - API keys
 - tokens
 - OAuth secrets
 - JWT secrets

GITHUB



Cheet Sheet:

- <https://education.github.com/git-cheat-sheet-education.pdf>