

1 Identification of Substance

- **Product name:** CA 15-3 Calibrator A
- **ADD List number:** 9C08A
- **Manufacturer / Supplier:**
Abbott Diagnostics
100 Abbott Park Road
Abbott Park, IL 60064
- **Department issuing MSDS:** Abbott Diagnostics Safety, Health and Environmental Assurance

2 Composition / Information on Ingredients

- **Chemical characterization:** Mixture of chemical and/or biological substances for diagnostic use.
- **Hazardous ingredients per OSHA criteria:**
77-86-1 Tris Hydroxymethyl Aminomethane 1.10%

3 Hazards Identification / Emergency Overview

- **Routes of Exposure:** Inhalation
- **Classification system:**
The classification was made according to OSHA 29 CFR 1910.1200 and 1910.1030 and applicable European Community Directives, and is expanded upon from company and/or literature data.
- **National Fire Protection Association (NFPA) ratings (scale 0-4)**
Health = 0
Fire = 0
Reactivity = 0
- **Hazard Overview**
- **Health:** Minimal risk if used as directed
- **Fire:** Noncombustible
- **Reactivity:** Minimal Risk
- **Special Hazards:** None
- **Carcinogenicity information**
- **OSHA (Occupational Safety and Health Administration)**
None of the ingredients is listed.
- **NTP (National Toxicology Program)**
None of the ingredients is listed.
- **IARC (International Agency for Research on Cancer)**
None of the ingredients is listed.

4 First Aid Measures

- **After inhalation:** Remove from source of exposure. If irritation or signs of toxicity occur, seek medical attention.
- **After skin contact:** Wash effected area with soap and water. If irritation or signs of toxicity occur, seek medical attention.
- **After eye contact:** Flush with copious amounts of water. If irritation or signs of toxicity occur, seek medical attention.
- **After swallowing:** If irritation or signs of toxicity occur, seek medical attention.
- **Information for medical personnel:**
- **The following symptoms may occur:** Kidney effects
- **Medical conditions aggravated by exposure:** Pre-existing renal ailments

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
Dry Chemical, CO₂, water spray or regular foam. Fight larger fires with water spray, fog or regular foam.

Product name: CA 15-3 Calibrator A**· Protective equipment:**

For large fires, wear appropriate heat and flame resistant personal protective equipment and a NIOSH/MSHA approved positive pressure, self contained breathing apparatus.

6 Accidental Release Measures**· Safe work practices:**

If material is released or spilled, minimize exposure by using appropriate personal protective equipment as listed in section 8. If possible, stop leak. Keep unprotected persons away.

· Measures for environmental protection:

Prevent liquid and vapor from entering sewage system, storm drains, surface waters, and soil.

· Measures for cleaning / collecting:

Absorb with liquid-binding materials such as sand, diatomite, acid binders, or sawdust.

Wash spill area with appropriate cleaning materials.

Dispose of spilled and contaminated material in accordance with Federal, State and Local regulations.

7 Handling and Storage

· Information for safe handling: Avoid direct contact with material and wash after handling. Practice general safety precautions.

· Information about protection against explosions and fires: No special measures required.

· Requirements to be met by storerooms and receptacles:

Refer to the package insert or product label for additional information on storage conditions.

· Information about storage in one common storage facility: Store in original packaging.

· Further information about storage conditions: Protect from heat and direct sunlight.

*** 8 Exposure Controls and Personal Protection****· Components with Occupational Exposure Limits****26628-22-8 sodium azide (0.10%)**

ACGIH TLV STEL/C: *0.29 mg/m³, **0.11 ppm

*as sodium azide; **as hydrazoic acid vapor

NIOSH REL STEL/C: *0.3 mg/m³, **0.1 ppm

*as sodium azide; **as hydrazoic acid vapor

· General protective and hygienic measures:

Always maintain good housekeeping. Do not eat, drink or store food and beverages in areas where chemicals are used. Wash hands before breaks and at the end of the workshift.

· Breathing equipment:

Not necessary if room is well-ventilated. Use appropriate NIOSH/MSHA air purifying respirator if airborne chemical concentrations exceed the exposure limit (if any) listed above.

· Hand protection: Wear impervious gloves if hand contact with the material is anticipated.

· Eye protection: Wear safety glasses or other protective eyewear. If splash potential exists, wear full face shield or goggles.

· Body protection: Wear laboratory coat or appropriate protective clothing when working with material.

9 Physical and Chemical Properties

· Form: Liquid

· Color: Colorless

· Odor: Odorless

· Boiling point/Boiling range: 100°C (212°F)

· Flash point: Not applicable

· Auto igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Density: Not determined

Product name: CA 15-3 Calibrator A**· Solubility in / Miscibility with**

- Water:** Fully miscible
- pH-value at 20°C (68°F):** 7.4
- Water:** 92.2 %

10 Stability and Reactivity

- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Dangerous reactions:**
Reactions with heavy metals may form explosive substances.
Contact with acids may release toxic gas (i.e. hydrazoic acid HN₃).
- Dangerous products of decomposition:** No dangerous decomposition products known.

11 Toxicological Information

- LD50/LC50 values for hazardous ingredients per OSHA criteria:**

- Ingredients (100% pure substance/s)**

77-86-1 Tris Hydroxymethyl Aminomethane

Oral LD50 590-1780 mg/kg (rat)

LDLo 1000 mg/kg (rabbit)

- Primary toxicological effects of the final product:**
- Skin irritation:** No irritant effect.
- Eye irritation:** No irritant effect.
- Sensitization:** No sensitizing effects known.
- Target organs/systems:** Kidneys

12 Ecological Information

- General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water course, or sewage system.

13 Disposal Considerations

- Recommendation for disposal of unused product:** Dispose in accordance with Federal, State and Local regulations.
- Recommendation for disposal of packaging:** Dispose in accordance with Federal, State and Local regulations.
- Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- Road: DOT class** -
- Remarks:** Not restricted for transportation.
- Sea: IMDG Class** -
- Marine pollutant:** No
- Remarks:** Not restricted for transportation.
- Air: ICAO/IATA Class** -
- Remarks:** Not restricted for transportation.

15 National and International Regulations

- SARA (Superfund Amendments and Reauthorization Act of 1986 - USA):**

- Section 302/304 (40CFR355.30 / 40CFR355.40):**

26628-22-8 sodium azide

- Section 313 (40CFR372.65):**

26628-22-8 sodium azide

Product name: CA 15-3 Calibrator A· **California Proposition 65 (USA):**· **Chemicals known to cause cancer:**

The product does not contain listed substances.

· **Chemicals known to cause female reproductive toxicity:**

None of the ingredients is listed.

· **Chemicals known to cause male reproductive toxicity:**

None of the ingredients is listed.

· **Chemicals known to cause developmental reproductive toxicity:**

None of the ingredients is listed.

· **Markings according to European guidelines:**

The product has been classified and labeled in accordance with applicable European Community (EC) Directives.

· **Hazard designation of product:**

Xn Harmful

· **Hazard determining substance/s of labeling:**

sodium azide

· **Risk phrases:**

22 Harmful if swallowed.

32 Contact with acids liberates very toxic gas.

· **Safety phrases:**

35 This material and its container must be disposed of in a safe way.

36 Wear suitable protective clothing.

46 If swallowed, seek medical advice immediately and show this container or label.

16 Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:**

- general information: Abbott Diagnostics
Safety, Health and Environmental Assurance
Department 03A4
100 Abbott Park Road
Abbott Park, IL 60064
Phone: 847-937-3386

- 24 hour EMERGENCY PHONE: 847-937-7970

· *** Sections marked with an asterisk (*) have been altered since the previous version.**

USA