

IMPORT LIBRARIES

```
In [51]: import numpy as np
import pandas as pd
import datetime
import matplotlib.pyplot as plt
from scipy.stats import ttest_ind
```

TRANSACTION DATASET

```
In [49]: # Transaction
df_transaction = pd.read_excel("QVI_transaction_data.xlsx")
df_transaction.head()
```

```
Out[49]:
```

	DATE	STORE_NBR	LYLTY_CARD_NBR	TXN_ID	PROD_NBR	PROD_NAME	PROD_C
--	------	-----------	----------------	--------	----------	-----------	--------

0	43390	1	1000	1	5	Natural Chip Compny SeaSalt175g	
---	-------	---	------	---	---	---------------------------------------	--

1	43599	1	1307	348	66	CCs Nacho Cheese 175g	
---	-------	---	------	-----	----	--------------------------	--

2	43605	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	
---	-------	---	------	-----	----	---	--

3	43329	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	
---	-------	---	------	-----	----	--	--

4	43330	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	
---	-------	---	------	------	-----	--	--



CUSTOMER DATASET

```
In [52]: # Customer
df_customer = pd.read_csv("QVI_purchase_behaviour.csv")
df_customer.head()
```

```
Out[52]:
```

	LYLTY_CARD_NBR	LIFESTAGE	PREMIUM_CUSTOMER
--	----------------	-----------	------------------

0	1000	YOUNG SINGLES/COUPLES	Premium
---	------	-----------------------	---------

1	1002	YOUNG SINGLES/COUPLES	Mainstream
---	------	-----------------------	------------

2	1003	YOUNG FAMILIES	Budget
---	------	----------------	--------

3	1004	OLDER SINGLES/COUPLES	Mainstream
---	------	-----------------------	------------

4	1005	MIDAGE SINGLES/COUPLES	Mainstream
---	------	------------------------	------------

MERGE DATASETS

```
In [53]: df = pd.merge(df_transaction, df_customer, on="LYLTY_CARD_NBR", how="left")
df.head()
```

```
Out[53]:
```

	DATE	STORE_NBR	LYLTY_CARD_NBR	TXN_ID	PROD_NBR	PROD_NAME	PROD_C
0	43390	1	1000	1	5	Natural Chip Compny SeaSalt175g	
1	43599	1	1307	348	66	CCs Nacho Cheese 175g	
2	43605	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	
3	43329	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	
4	43330	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	

EXPLORATORY DATA ANALYSIS

```
In [54]: # Rename columns to become meaningful
df = df.rename(columns={"LYLTY_CARD_NBR" : "Card No.",
                        "LIFESTAGE" : "Group",
                        "DATE" : "Date",
                        "PREMIUM_CUSTOMER" : "Subscription",
                        "STORE_NBR" : "Store Id",
                        "TXN_ID" : "Transaction Id",
                        "PROD_NBR" : "Product Id",
                        "PROD_NAME" : "Product",
                        "PROD_QTY" : "Quantity",
                        "TOT_SALES" : "Sales",
                        })
df.head()
```

Out[54]:

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	43390	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	43599	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	43605	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	43329	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	43330	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

EXAMINE DATATYPES

In [55]: `df.dtypes`

```
Out[55]: Date                int64
Store Id                int64
Card No.                int64
Transaction Id          int64
Product Id              int64
Product                 object
Quantity                int64
Sales                   float64
Group                   object
Subscription            object
dtype: object
```

CONVERT DATA DATATYPE FROM (int to Date)

```
In [56]: # 15 Dates
date_offsets = df["Date"].to_list()
base_date = pd.Timestamp("1899-12-30") # Start Date
df["Date"] = [base_date + pd.DateOffset(date_offset) for date_offset in date_off
df["Date"][0:15]
```

```
Out[56]: 0    2018-10-17
         1    2019-05-14
         2    2019-05-20
         3    2018-08-17
         4    2018-08-18
         5    2019-05-19
         6    2019-05-16
         7    2019-05-16
         8    2018-08-20
         9    2018-08-18
        10    2019-05-17
        11    2018-08-20
        12    2019-05-18
        13    2018-08-17
        14    2019-05-15
        Name: Date, dtype: datetime64[ns]
```

PRODUCTS SUMMARY

```
In [57]: # Examine Products
         df["Product"].unique()
```

```

Out[57]: array(['Natural Chip          Compny SeaSalt175g',
                'CCs Nacho Cheese      175g',
                'Smiths Crinkle Cut   Chips Chicken 170g',
                'Smiths Chip Thinly   S/Cream&Onion 175g',
                'Kettle Tortilla ChpsHny&Jlpno Chili 150g',
                'Old El Paso Salsa   Dip Tomato Mild 300g',
                'Smiths Crinkle Chips Salt & Vinegar 330g',
                'Grain Waves          Sweet Chilli 210g',
                'Doritos Corn Chip Mexican Jalapeno 150g',
                'Grain Waves Sour    Cream&Chives 210G',
                'Kettle Sensations  Siracha Lime 150g',
                'Twisties Cheese    270g', 'WW Crinkle Cut      Chicken 175g',
                'Thins Chips Light& Tangy 175g', 'CCs Original 175g',
                'Burger Rings 220g', 'NCC Sour Cream &   Garden Chives 175g',
                'Doritos Corn Chip Southern Chicken 150g',
                'Cheezels Cheese Box 125g', 'Smiths Crinkle      Original 330g',
                'Infzns Crn Crnchers Tangy Gcamole 110g',
                'Kettle Sea Salt    And Vinegar 175g',
                'Smiths Chip Thinly Cut Original 175g', 'Kettle Original 175g',
                'Red Rock Deli Thai Chilli&Lime 150g',
                'Pringles Sthrn FriedChicken 134g', 'Pringles Sweet&Spcy BBQ 134g',
                'Red Rock Deli SR    Salsa & Mzzrlla 150g',
                'Thins Chips          Originl saltd 175g',
                'Red Rock Deli Sp    Salt & Truffle 150G',
                'Smiths Thinly      Swt Chli&S/Cream175G', 'Kettle Chilli 175g',
                'Doritos Mexicana    170g',
                'Smiths Crinkle Cut  French OnionDip 150g',
                'Natural ChipCo      Hony Soy Chckn175g',
                'Dorito Corn Chp     Supreme 380g', 'Twisties Chicken270g',
                'Smiths Thinly Cut   Roast Chicken 175g',
                'Smiths Crinkle Cut  Tomato Salsa 150g',
                'Kettle Mozzarella  Basil & Pesto 175g',
                'Infuzions Thai SweetChili PotatoMix 110g',
                'Kettle Sensations  Camembert & Fig 150g',
                'Smith Crinkle Cut   Mac N Cheese 150g',
                'Kettle Honey Soy    Chicken 175g',
                'Thins Chips Seasonedchicken 175g',
                'Smiths Crinkle Cut  Salt & Vinegar 170g',
                'Infuzions BBQ Rib   Prawn Crackers 110g',
                'GrnWves Plus Btroot & Chilli Jam 180g',
                'Tyrrells Crisps     Lightly Salted 165g',
                'Kettle Sweet Chilli And Sour Cream 175g',
                'Doritos Salsa      Medium 300g', 'Kettle 135g Swt Pot Sea Salt',
                'Pringles SourCream Onion 134g',
                'Doritos Corn Chips  Original 170g',
                'Twisties Cheese     Burger 250g',
                'Old El Paso Salsa   Dip Chnky Tom Ht300g',
                'Cobs Popd Swt/Chlli &Sr/Cream Chips 110g',
                'Woolworths Mild     Salsa 300g',
                'Natural Chip Co     Tmato Hrb&Spce 175g',
                'Smiths Crinkle Cut  Chips Original 170g',
                'Cobs Popd Sea Salt   Chips 110g',
                'Smiths Crinkle Cut  Chips Chs&Onion170g',
                'French Fries Potato Chips 175g',
                'Old El Paso Salsa   Dip Tomato Med 300g',
                'Doritos Corn Chips  Cheese Supreme 170g',
                'Pringles Original   Crisps 134g',
                'RRD Chilli&         Coconut 150g',
                'WW Original Corn    Chips 200g',
                'Thins Potato Chips  Hot & Spicy 175g',

```

```
'Cobs Popd Sour Crm &Chives Chips 110g',
'Smiths Crnkle Chip Orgnl Big Bag 380g',
'Doritos Corn Chips Nacho Cheese 170g',
'Kettle Sensations BBQ&Maple 150g',
'WW D/Style Chip Sea Salt 200g',
'Pringles Chicken Salt Crips 134g',
'WW Original Stacked Chips 160g',
'Smiths Chip Thinly CutSalt/Vinegr175g', 'Cheezels Cheese 330g',
'Tostitos Lightly Salted 175g',
'Thins Chips Salt & Vinegar 175g',
'Smiths Crinkle Cut Chips Barbecue 170g', 'Cheetos Puffs 165g',
'RRD Sweet Chilli & Sour Cream 165g',
'WW Crinkle Cut Original 175g',
'Tostitos Splash Of Lime 175g', 'Woolworths Medium Salsa 300g',
'Kettle Tortilla ChpsBtroot&Ricotta 150g',
'CCs Tasty Cheese 175g', 'Woolworths Cheese Rings 190g',
'Tostitos Smoked Chipotle 175g', 'Pringles Barbeque 134g',
'WW Supreme Cheese Corn Chips 200g',
'Pringles Mystery Flavour 134g',
'Tyrrells Crisps Ched & Chives 165g',
'Snbts Whlgrn Crisps Cheddr&Mstrd 90g',
'Cheetos Chs & Bacon Balls 190g', 'Pringles Slt Vingar 134g',
'Infuzions SourCream&Herbs Veg Strws 110g',
'Kettle Tortilla ChpsFeta&Garlic 150g',
'Infuzions Mango Chutny Papadums 70g',
'RRD Steak & Chimuchurri 150g',
'RRD Honey Soy Chicken 165g',
'Sunbites Whlegrn Crisps Frch/Onin 90g',
'RRD Salt & Vinegar 165g', 'Doritos Cheese Supreme 330g',
'Smiths Crinkle Cut Snag&Sauce 150g',
'WW Sour Cream &OnionStacked Chips 160g',
'RRD Lime & Pepper 165g',
'Natural ChipCo Sea Salt & Vinegr 175g',
'Red Rock Deli Chikn&Garlic Aioli 150g',
'RRD SR Slow Rst Pork Belly 150g', 'RRD Pc Sea Salt 165g',
'Smith Crinkle Cut Bolognese 150g', 'Doritos Salsa Mild 300g'],
dtype=object)
```

TEXT ANALYSIS ON PRODUCTS

```
In [69]: # Remove numbers & special characters
split_prods = df["Product"].str.replace(r"([0-9]+[gG])", "").str.replace(r"^[^w]
split_prods
```

```
Out[69]: 0 [Natural, Chip, Compny, SeaSalt175g]
1 [CCs, Nacho, Cheese, 175g]
2 [Smiths, Crinkle, Cut, Chips, Chicken, 170g]
3 [Smiths, Chip, Thinly, S/Cream&Onion, 175g]
4 [Kettle, Tortilla, ChpsHny&Jlpno, Chili, 150g]
...
264831 [Kettle, Sweet, Chilli, And, Sour, Cream, 175g]
264832 [Tostitos, Splash, Of, Lime, 175g]
264833 [Doritos, Mexicana, 170g]
264834 [Doritos, Corn, Chip, Mexican, Jalapeno, 150g]
264835 [Tostitos, Splash, Of, Lime, 175g]
Name: Product, Length: 264836, dtype: object
```

FREQUENCY OF PRODUCTS

```
In [70]: word_counts = {}
def count_words(line) :
    for word in line :
        if word not in word_counts :
            word_counts[word] = 1
        else :
            word_counts[word] += 1
split_prods.apply(lambda line : count_words(line))
print(pd.Series(word_counts).sort_values(ascending=False))
```

```
175g      60561
Chips     49770
150g      41633
Kettle    41288
&         35565
...
Whlegrn   1432
Pc         1431
NCC        1419
Garden     1419
Fries      1418
Length: 220, dtype: int64
```

REMOVE SALSA PRODUCTS

```
In [71]: df = df[~df["Product"].str.contains(r"[Ss]alsa")]
df.head()
```

Out[71]:

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-10-17	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	2019-05-14	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	2019-05-20	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	2018-08-17	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	2018-08-18	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

CHECK NULL & OUTLIERS

```
In [72]: df.describe()
```

Out[72]:

	Date	Store Id	Card No.	Transaction Id	Product Id	
count	246742	246742.000000	2.467420e+05	2.467420e+05	246742.000000	2
mean	2018-12-30 01:19:01.211467520	135.051098	1.355310e+05	1.351311e+05	56.351789	
min	2018-07-01 00:00:00	1.000000	1.000000e+03	1.000000e+00	1.000000	
25%	2018-09-30 00:00:00	70.000000	7.001500e+04	6.756925e+04	26.000000	
50%	2018-12-30 00:00:00	130.000000	1.303670e+05	1.351830e+05	53.000000	
75%	2019-03-31 00:00:00	203.000000	2.030840e+05	2.026538e+05	87.000000	
max	2019-06-30 00:00:00	272.000000	2.373711e+06	2.415841e+06	114.000000	
std	NaN	76.787096	8.071528e+04	7.814772e+04	33.695428	

VIEW OUTLIER CUSTOMER

In [74]: `df.sort_values(by = "Quantity", ascending = False).head()`

Out[74]:

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
69762	2018-08-19	226	226000	226201	4	Dorito Corn Chp Supreme 380g	200	650.0	OLDI
69763	2019-05-20	226	226000	226210	4	Dorito Corn Chp Supreme 380g	200	650.0	OLDI
32226	2018-08-19	62	62057	58117	51	Doritos Mexicana 170g	5	22.0	OLDI
69541	2019-05-16	86	86089	84699	38	Infuzions Mango Chutny Papadums 70g	5	12.0	OLDI
238227	2019-05-19	180	180111	181705	53	RRD Sweet Chilli & Sour Cream 165g	5	15.0	SINGLE

SEE IF Card No. 226000 HAS OTHER TRANSACTIONS

```
In [76]: len(df[df["Card No."] == 226000])
```

```
Out[76]: 2
```

IT LOOKS LIKE THIS CUSTOMER HAS ONLY HAD THE TWO TRANSACTIONS OVER THE YEAR AND IS NOT AN ORDINARY RETAIL CUSTOMER. THE CUSTOMER MIGHT BE BUYING CHIPS FOR COMMERCIAL PURPOSES INSTEAD. WE WILL REMOVE THIS LOYALTY CARD NUMBER FROM FURTHER ANALYSIS.

```
In [77]: df = df[df["Quantity"] < 6]
df.head()
```

```
Out[77]:
```

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-10-17	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	2019-05-14	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	2019-05-20	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	2018-08-17	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	2018-08-18	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

COUNT THE NUMBER OF TRANSACTIONS BY DATE

```
In [78]: trans_by_date = df["Date"].value_counts()
trans_by_date
```

```
Out[78]: Date
2018-12-24    865
2018-12-23    853
2018-12-22    840
2018-12-19    839
2018-12-20    808
...
2019-06-24    612
2018-10-18    611
2018-11-25    610
2018-09-22    609
2019-06-13    607
Name: count, Length: 364, dtype: int64
```

INSTEAD OF 365, THE DATE COLUMN ONLY HAS 364 UNIQUE VALUES. 1 IS MISSING.

```
In [80]: pd.date_range(start=df["Date"].min(), end=df["Date"].max()).difference(df["Date"]
```

```
Out[80]: DatetimeIndex(['2018-12-25'], dtype='datetime64[ns]', freq='D')
```

INSERT MISSING VALUE


```
In [81]: merge_value = pd.merge(pd.Series(pd.date_range(start=df["Date"].min(), end=df["D
merge_value.head()
```

```
Out[81]:
```

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-07-01	47.0	47142.0	42540.0	14.0	Smiths Crnkle Chip Orgnl Big Bag 380g	2.0	11.8	SINGLES/C
1	2018-07-01	55.0	55073.0	48884.0	99.0	Pringles Sthrn FriedChicken 134g	2.0	7.4	SINGLES/C
2	2018-07-01	55.0	55073.0	48884.0	91.0	CCs Tasty Cheese 175g	2.0	4.2	SINGLES/C
3	2018-07-01	58.0	58351.0	54374.0	102.0	Kettle Mozzarella Basil & Pesto 175g	2.0	10.8	SINGLES/C
4	2018-07-01	68.0	68193.0	65598.0	44.0	Thins Chips Light& Tangy 175g	2.0	6.6	SINGLES/C


ALL TIME SALES GRAPH

```
In [85]: trans_by_date = merge_value["Date"].value_counts()
all_time = trans_by_date[(trans_by_date.index >= pd.Timestamp(2018,7,1)) & (tran
all_time.index = all_time.index.strftime('%d')
ax = all_time.plot(figsize=(15,3))
ax.set_xticks(np.arange(len(all_time)))
ax.set_xticklabels(all_time.index)
plt.title("All Time Sales")
plt.savefig("All Time Sales.png", bbox_inches="tight")
plt.show()
```



DECEMBER SALES GRAPH

```
In [86]: trans_by_date = merge_value["Date"].value_counts()
dec = trans_by_date[(trans_by_date.index >= pd.Timestamp(2018,12,1)) & (trans_by_date.index <= pd.Timestamp(2018,12,31))]
dec.index = dec.index.strftime('%d')
ax = dec.plot(figsize=(15,3))
ax.set_xticks(np.arange(len(dec)))
ax.set_xticklabels(dec.index)
plt.title("December Sales")
plt.savefig("December Sales.png", bbox_inches="tight")
plt.show()
```



EXPLORE PRODUCT PACK SIZE

```
In [ ]: # Ensure no spaces between the number and "g"/"G" in the regex
df["Product"] = df["Product"].str.replace(r"(\d+)\s*[gG]", r"\1g", regex=True)
# Extract the numeric part before "g" or "G" and convert to float
pack_size = df["Product"].str.extract(r"(\d+)[gG]")[0].astype(float)
print(pack_size)
```

```
0      175.0
1      175.0
2      170.0
3      175.0
4      150.0
...
264831  175.0
264832  175.0
264833  170.0
264834  150.0
264835  175.0
Name: 0, Length: 246740, dtype: float64
```


SUMMARY OF PACK SIZE

```
In [91]: pack_size.describe()
```

```
Out[91]: count    246740.000000
mean         175.583521
std           59.432118
min           70.000000
25%          150.000000
50%          170.000000
75%          175.000000
max          380.000000
Name: 0, dtype: float64
```

HISTOGRAM SHOWING TRANSACTION FREQUENCY OF PACK SIZE

```
In [94]: pack_size.plot.hist()  
plt.show()
```



FREQUENCY OF PRODUCT BRAND NAMES

```
In [96]: df["Product"].str.split().str[0].value_counts()
```

```
Out[96]: Product
Kettle      41288
Smiths      27390
Pringles    25102
Doritos     22041
Thins       14075
RRD         11894
Infuzions   11057
WW          10320
Cobs        9693
Tostitos    9471
Twisties    9454
Tyrrells    6442
Grain       6272
Natural     6050
Cheezels    4603
CCs         4551
Red         4427
Dorito      3183
Infzns      3144
Smith       2963
Cheetos     2927
Snbts       1576
Burger      1564
Woolworths  1516
GrnWves     1468
Sunbites    1432
NCC         1419
French      1418
Name: count, dtype: int64
```

INCLUDE BRAND NAME COLUMN

```
In [97]: df["Brand"] = df["Product"].str.split().str[0]
df.head()
```

Out[97]:

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-10-17	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	2019-05-14	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	2019-05-20	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	2018-08-17	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	2018-08-18	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

COMBINE SAME BRANDS

```
In [98]: def clear_brand_names(line) :
brand = line["Brand"]
if brand == "Dorito" :
    return "Doritos"
elif brand == "GrnWves" or brand == "Grain" :
    return "Grain Waves"
elif brand == "Infzns" :
    return "Infuzions"
elif brand == "Natural" or brand == "NCC" :
    return "Natural Chip Co"
elif brand == "Red" :
    return "RRD"
elif brand == "Smith" :
    return "Smiths"
elif brand == "Snbts" :
    return "Sunbites"
elif brand == "WW" :
    return "Woolworths"
else :
    return brand
```

CLEANED TRANSACTIONAL DATA


```
In [99]: df["Brand"] = df.apply(lambda line : clear_brand_names(line), axis=1)
df.head()
```

Out[99]:

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-10-17	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	2019-05-14	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	2019-05-20	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	2018-08-17	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	2018-08-18	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

HISTOGRAM OF BRAND FREQUENCY

```
In [100]: df["Brand"].value_counts(ascending=True).plot.barh(figsize = (10, 5))
plt.show()
```



DATA ANALYSIS

---> WHO SPENDS THE MOST ON CHIPS (TOTAL SALES), DESCRIBING CUSTOMERS BY LIFESTAGE AND HOW PREMIUM THEIR GENERAL PURCHASING BEHAVIOUR IS ---> HOW MANY CUSTOMERS ARE IN EACH SEGMENT ---> HOW MANY CHIPS ARE BOUGHT PER CUSTOMER BY SEGMENT ---> WHAT IS THE AVERAGE CHIPS PRICE BY CUSTOMER SEGMENT


```
In [ ]: # 1/ WHO SPENDS THE MOST ON CHIPS (TOTAL SALES), DESCRIBING CUSTOMERS BY LIFESTAGE
most_shopping = df.groupby(["Group", "Subscription"])["Sales"].agg(["sum"]).sort
most_shopping
```

Out[]:

		sum
Group	Subscription	
OLDER FAMILIES	Budget	156863.75
YOUNG SINGLES/COUPLES	Mainstream	147582.20
RETIREEES	Mainstream	145168.95
YOUNG FAMILIES	Budget	129717.95
OLDER SINGLES/COUPLES	Budget	127833.60
	Mainstream	124648.50
	Premium	123537.55
RETIREEES	Budget	105916.30
OLDER FAMILIES	Mainstream	96413.55
RETIREEES	Premium	91296.65
YOUNG FAMILIES	Mainstream	86338.25
MIDAGE SINGLES/COUPLES	Mainstream	84734.25
YOUNG FAMILIES	Premium	78571.70
OLDER FAMILIES	Premium	75242.60
YOUNG SINGLES/COUPLES	Budget	57122.10
MIDAGE SINGLES/COUPLES	Premium	54443.85
YOUNG SINGLES/COUPLES	Premium	39052.30
MIDAGE SINGLES/COUPLES	Budget	33345.70
NEW FAMILIES	Budget	20607.45
	Mainstream	15979.70
	Premium	10760.80

HISTOGRAM OF CUSTOMER SEGMENTS CONTRIBUTE TO CHIPS SALES

```
In [103... most_shopping["sum"].sort_values().plot.barh(figsize = (12, 7))
plt.show()
```

TOP 3 TOTAL SALES CONTRIBUTOR SEGMENTS ARE - 1/ OLDER FAMILIES (BUDGET) 156863.752/YOUNGSINGLES/COUPLES(Mainstream)147582.20 3/ RETIREES (Mainstream) \$145168.95

TOP SHOPPING PER GROUP BY SUBSCRIPTION

```
In [109... stage_agg_prem = df.groupby("Group")["Subscription"].agg(pd.Series.mode).sort_val
print("Top contributor per Group by Subscription")
print(stage_agg_prem)
```

Top contributor per Group by Subscription

```
Group
NEW FAMILIES          Budget
OLDER FAMILIES        Budget
OLDER SINGLES/COUPLES Budget
YOUNG FAMILIES         Budget
MIDAGE SINGLES/COUPLES Mainstream
RETIREES              Mainstream
YOUNG SINGLES/COUPLES Mainstream
Name: Subscription, dtype: object
```


```
In [ ]: # 2/ HOW MANY CUSTOMERS ARE IN EACH SEGMENT
cust_seg = df.groupby(["Group", "Subscription"])["Card No."].nunique().sort_valu
pd.DataFrame(cust_seg)
```

Out[]:

		Card No.
Group	Subscription	
YOUNG SINGLES/COUPLES	Mainstream	7917
RETIREES	Mainstream	6358
OLDER SINGLES/COUPLES	Mainstream	4858
	Budget	4849
	Premium	4682
OLDER FAMILIES	Budget	4611
RETIREES	Budget	4385
YOUNG FAMILIES	Budget	3953
RETIREES	Premium	3812
YOUNG SINGLES/COUPLES	Budget	3647
MIDAGE SINGLES/COUPLES	Mainstream	3298
OLDER FAMILIES	Mainstream	2788
YOUNG FAMILIES	Mainstream	2685
YOUNG SINGLES/COUPLES	Premium	2480
YOUNG FAMILIES	Premium	2398
MIDAGE SINGLES/COUPLES	Premium	2369
OLDER FAMILIES	Premium	2231
MIDAGE SINGLES/COUPLES	Budget	1474
NEW FAMILIES	Budget	1087
	Mainstream	830
	Premium	575

HISTOGRAM OF CUSTOMER SEGMENTS FREQUENCY

```
In [111... cust_seg.sort_values().plot.barh(figsize = (12, 7))
plt.show()
```



YOUNG SINGLES/COUPLES (Mainstream) HAS THE HIGHEST POPULATION, FOLLOWED BY RETIREES (Mainstream). WHICH EXPLAIN THEIR HIGH TOTAL SALES.

```
In [ ]: # 3/ HOW MANY CHIPS ARE BOUGHT PER CUSTOMER BY SEGMENT
# INDIVIDUAL CUSTOMER CHIPS SHOPPING BY DATE
chips_shop_per_segment = df.groupby(["Card No.", "Group", "Subscription"]).count
chips_shop_per_segment.to_frame()
```

Out[]: Date

Card No.	Group	Subscription	
1000	YOUNG SINGLES/COUPLES	Premium	1
1002	YOUNG SINGLES/COUPLES	Mainstream	1
1003	YOUNG FAMILIES	Budget	2
1004	OLDER SINGLES/COUPLES	Mainstream	1
1005	MIDAGE SINGLES/COUPLES	Mainstream	1
...
2370651	MIDAGE SINGLES/COUPLES	Mainstream	1
2370701	YOUNG FAMILIES	Mainstream	1
2370751	YOUNG FAMILIES	Premium	1
2370961	OLDER FAMILIES	Budget	1
2373711	YOUNG SINGLES/COUPLES	Mainstream	1

71287 rows × 1 columns

```
In [113... # CHIPS SHOPPING FROM GROUPS BY INDIVIDUAL (AVG)
segment_shop_chips = chips_shop_per_segment.groupby(["Group", "Subscription"]).agg
segment_shop_chips
```


Out[113...

		mean
Group	Subscription	
OLDER FAMILIES	Mainstream	4.749283
	Budget	4.665799
	Premium	4.662931
YOUNG FAMILIES	Premium	4.497081
	Budget	4.493549
	Mainstream	4.449534
OLDER SINGLES/COUPLES	Budget	3.541349
	Premium	3.536950
	Mainstream	3.511939
MIDAGE SINGLES/COUPLES	Mainstream	3.364160
RETIREES	Budget	3.244014
MIDAGE SINGLES/COUPLES	Premium	3.213170
RETIREES	Premium	3.209864
MIDAGE SINGLES/COUPLES	Budget	3.182497
RETIREES	Mainstream	3.140925
NEW FAMILIES	Mainstream	2.632530
	Budget	2.597976
	Premium	2.587826
YOUNG SINGLES/COUPLES	Mainstream	2.468612
	Premium	2.359677
	Budget	2.350699

HISTOGRAM OF CHIPS SHOPPING BY SEGMENT

In [114...

```
segment_shop_chips["mean"].sort_values().plot.barh(figsize = (12, 7))
plt.show()
```



1/ DESPITE OLDER FAMILIES NOT HAVING THE HIGHEST POPULATION, THEY HAVE THE HIGHEST FREQUENCY OF PURCHASE, WHICH CONTRIBUTES TO THEIR HIGH TOTAL SALES. 2/ OLDER FAMILIES FOLLOWED BY YOUNG FAMILIES HAS THE HIGHEST AVERAGE QUANTITY OF CHIPS BOUGHT PER PURCHASE.

In [116...

4/ WHAT IS THE AVERAGE CHIPS PRICE BY CUSTOMER SEGMENT

```
avg_chips_price_cust_segment = df.groupby(["Group", "Subscription"])["Sales"].agg(
    avg_chips_price_cust_segment
```


Out[116...

		mean
Group	Subscription	
MIDAGE SINGLES/COUPLES	Mainstream	7.637156
YOUNG SINGLES/COUPLES	Mainstream	7.551279
RETIREES	Premium	7.461315
OLDER SINGLES/COUPLES	Premium	7.459997
RETIREES	Budget	7.445786
OLDER SINGLES/COUPLES	Budget	7.444305
NEW FAMILIES	Mainstream	7.313364
OLDER SINGLES/COUPLES	Mainstream	7.306049
YOUNG FAMILIES	Budget	7.302705
NEW FAMILIES	Budget	7.297256
OLDER FAMILIES	Budget	7.291241
YOUNG FAMILIES	Premium	7.285951
OLDER FAMILIES	Mainstream	7.281440
RETIREES	Mainstream	7.269352
OLDER FAMILIES	Premium	7.232779
NEW FAMILIES	Premium	7.231720
YOUNG FAMILIES	Mainstream	7.226772
MIDAGE SINGLES/COUPLES	Premium	7.152371
	Budget	7.108442
	Premium	6.673325
YOUNG SINGLES/COUPLES	Premium	6.673325
	Budget	6.663023

HISTOGRAM OF AVERAGE CHIPS PRICE BY CUSTOMER SEGMENT

```
In [117... avg_chips_price_cust_segment.plot.barh(figsize = (12, 7))

Out[117... <Axes: ylabel='Group,Subscription'>
```



THE Mainstream CATEGORY OF THE "YOUNG & MIDAGE SINGLES/COUPLES" HAVE THE HIGHEST SPENDING OF CHIPS PER PURCHASE. AND THE DIFFERENCE TO THE non-Mainstream "YOUNG & MIDAGE SINGLES/COUPLES" ARE STATISTICALLY SIGNIFICANT.

T-TEST

THE DIFFERENCE BETWEEN Mainstream & non-Mainstream GROUP MIGHT SEEM INSIGNIFICANT (7.6 Vs 6.6), BUT WE WILL FIND OUT BY EXAMINING IF THE DIFFERENCE IS STATISTICALLY SIGNIFICANT.

```
In [118... mainstream = df["Subscription"] == "Mainstream"
budget_premium = (df["Subscription"] == "Budget") | (df["Subscription"] == "Prem
young_midage = (df["Group"] == "YOUNG SINGLES/COUPLES") | (df["Group"] == "MIDAG

a = df[young_midage & mainstream]["Sales"]
b = df[young_midage & budget_premium]["Sales"]

stat, pval = ttest_ind(a.values, b.values, equal_var=False)
print(pval)
pval < 0.0000001
```

1.834645908180742e-237

Out[118... np.True_

P-VALUE IS CLOSE TO 0. THERE IS A STATISTICALLY SIGNIFICANT DIFFERENCE TO THE TOTAL SALES BETWEEN THE "Mainstream YOUNG MIDAGE" SEGMENT TO THE "Budget & Premium YOUNG MIDAGE" SEGMENT.

EXAMINE WHAT BRAND OF CHIPS THE TOP 3 SEGMENTS CONTRIBUTING TO TOTAL SALES ARE BUYING.

```
In [119... df.groupby(["Group", "Subscription"])["Brand"].agg(pd.Series.mode).sort_values()
```

Out[119...

	Group	Subscription	Brand
	MIDAGE SINGLES/COUPLES	Budget	Kettle
	YOUNG SINGLES/COUPLES	Budget	Kettle
	YOUNG FAMILIES	Premium	Kettle
		Mainstream	Kettle
		Budget	Kettle
	RETIREES	Premium	Kettle
		Mainstream	Kettle
		Budget	Kettle
	OLDER SINGLES/COUPLES	Premium	Kettle
	YOUNG SINGLES/COUPLES	Mainstream	Kettle
	OLDER SINGLES/COUPLES	Mainstream	Kettle
	OLDER FAMILIES	Premium	Kettle
		Mainstream	Kettle
		Budget	Kettle
	NEW FAMILIES	Premium	Kettle
		Mainstream	Kettle
		Budget	Kettle
	MIDAGE SINGLES/COUPLES	Premium	Kettle
		Mainstream	Kettle
	OLDER SINGLES/COUPLES	Budget	Kettle
	YOUNG SINGLES/COUPLES	Premium	Kettle

CHIPS BRAND "Kettle" IS DOMINATING EVERY SEGMENT AS THE MOST PURCHASED BRAND .

In [122...

```

for stage in df["Group"].unique() :
    for subs in df["Subscription"].unique() :
        print("=====", stage, "-", subs, "=====")
        summary = df[(df["Group"] == stage) & (df["Subscription"] == subs)][ "Bra
        print(summary)
        plt.figure()
        summary.plot.barh(figsize = (5, 1))
        plt.show()

```


===== YOUNG SINGLES/COUPLES - Premium =====


Brand

Kettle 838

Smiths 787

Pringles 537

Name: count, dtype: int64



===== YOUNG SINGLES/COUPLES - Budget =====


Brand

Kettle 1211

Smiths 1185

Pringles 832

Name: count, dtype: int64



===== YOUNG SINGLES/COUPLES - Mainstream =====


Brand

Kettle 3844

Doritos 2379

Pringles 2315

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Premium =====


Brand

Kettle 1206

Smiths 923

Pringles 781

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Budget =====


Brand

Kettle 713

Smiths 591

Doritos 479

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Mainstream =====


Brand

Kettle 2136

Smiths 1276

Doritos 1210

Name: count, dtype: int64



===== NEW FAMILIES - Premium =====


Brand

Kettle 247

Pringles 165

Smiths 155

Name: count, dtype: int64



===== NEW FAMILIES - Budget =====


Brand

Kettle 510

Smiths 328

Doritos 315

Name: count, dtype: int64



===== NEW FAMILIES - Mainstream =====


Brand

Kettle 414

Doritos 257

Smiths 244

Name: count, dtype: int64



===== OLDER FAMILIES - Premium =====


Brand

Kettle 1512

Smiths 1448

Pringles 1014

Name: count, dtype: int64



===== OLDER FAMILIES - Budget =====


Brand

Kettle 3320

Smiths 2948

Doritos 2032

Name: count, dtype: int64



===== OLDER FAMILIES - Mainstream =====


Brand

Kettle 2019

Smiths 1742

Doritos 1263

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Premium =====


Brand

Kettle 2947

Smiths 1952

Doritos 1784

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Budget =====


Brand

Kettle 3065

Smiths 2010

Pringles 1843

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Mainstream =====


Brand

Kettle 2835

Smiths 2070

Doritos 1791

Name: count, dtype: int64



===== RETIREES - Premium =====


Brand

Kettle 2216

Smiths 1395

Pringles 1331

Name: count, dtype: int64



===== RETIREES - Budget =====


Brand

Kettle 2592

Smiths 1612

Doritos 1592

Name: count, dtype: int64



===== RETIREES - Mainstream =====


Brand

Kettle 3386

Smiths 2367

Pringles 2103

Name: count, dtype: int64



===== YOUNG FAMILIES - Premium =====


Brand

Kettle 1745

Smiths 1384

Pringles 1007

Name: count, dtype: int64



===== YOUNG FAMILIES - Budget =====


Brand

Kettle 2743

Smiths 2334

Doritos 1767

Name: count, dtype: int64



===== YOUNG FAMILIES - Mainstream =====


Brand

Kettle 1789

Smiths 1681

Pringles 1148

Name: count, dtype: int64



EVERY SEGMENT HAD "Kettle" AS THE MOST PURCHASED BRAND. EVERY SEGMENT EXCEPT "YOUNG SINGLES/COUPLES Mainstream" HAD "Smiths" AS THEIR SECOND MOST PURCHASED BRAND. "YOUNG SINGLES/COUPLES Mainstream" HAD "Doritos" AS AS THEIR SECOND MOST PURCHASED BRAND.

EXAMINE IF OUR TARGET SEGMENT TENDS TO BUY LARGER PACKS OF CHIPS

In [123...

```
# MERGE DF WITH PACK SIZE
merged_pack = pd.concat([df, pack_size.rename("Size")], axis=1)
merged_pack.head()
```

Out[123...

	Date	Store Id	Card No.	Transaction Id	Product Id	Product	Quantity	Sales	
0	2018-10-17	1	1000	1	5	Natural Chip Compny SeaSalt175g	2	6.0	SINGLES/
1	2019-05-14	1	1307	348	66	CCs Nacho Cheese 175g	3	6.3	SINGLES/
2	2019-05-20	1	1343	383	61	Smiths Crinkle Cut Chips Chicken 170g	2	2.9	SINGLES/
3	2018-08-17	2	2373	974	69	Smiths Chip Thinly S/Cream&Onion 175g	5	15.0	SINGLES/
4	2018-08-18	2	2426	1038	108	Kettle Tortilla ChpsHny&Jlpno Chili 150g	3	13.8	SINGLES/

In [124...

```
for stage in merged_pack["Group"].unique() :
    for subs in merged_pack["Subscription"].unique() :
        print("=====", stage, "-", subs, "=====")
        summary = merged_pack[(merged_pack["Group"] == stage) & (merged_pack["Su
        print(summary)
        plt.figure()
        summary.plot.barh(figsize = (5, 1))
        plt.show()
```

===== YOUNG SINGLES/COUPLES - Premium =====


Size

134.0 537

150.0 933

175.0 1618

Name: count, dtype: int64



===== YOUNG SINGLES/COUPLES - Budget =====


Size

134.0 832

150.0 1390

175.0 2338

Name: count, dtype: int64



===== YOUNG SINGLES/COUPLES - Mainstream =====


Size

134.0 2315

150.0 3080

175.0 4997

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Premium =====


Size

134.0 781

150.0 1207

175.0 2082

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Budget =====


Size

134.0 449

150.0 771

175.0 1277

Name: count, dtype: int64



===== MIDAGE SINGLES/COUPLES - Mainstream =====


Size

134.0 1159

150.0 1777

175.0 2975

Name: count, dtype: int64



===== NEW FAMILIES - Premium =====


Size

134.0 165

150.0 233

175.0 376

Name: count, dtype: int64



===== NEW FAMILIES - Budget =====


Size

134.0 309

150.0 440

175.0 777

Name: count, dtype: int64



===== NEW FAMILIES - Mainstream =====


Size

134.0 224

150.0 374

175.0 589

Name: count, dtype: int64



===== OLDER FAMILIES - Premium =====


Size

134.0 1014

150.0 1673

175.0 2816

Name: count, dtype: int64



===== OLDER FAMILIES - Budget =====


Size

134.0 1996

150.0 3588

175.0 5808

Name: count, dtype: int64



===== OLDER FAMILIES - Mainstream =====


Size

134.0 1234

150.0 2189

175.0 3588

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Premium =====


Size

134.0 1744

150.0 2768

175.0 4458

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Budget =====


Size

134.0 1843

150.0 2811

175.0 4625

Name: count, dtype: int64



===== OLDER SINGLES/COUPLES - Mainstream =====


Size

134.0 1720

150.0 2773

175.0 4525

Name: count, dtype: int64



===== RETIREES - Premium =====


Size

134.0 1331

150.0 1943

175.0 3306

Name: count, dtype: int64



===== RETIREES - Budget =====


Size

134.0 1517

150.0 2319

175.0 3847

Name: count, dtype: int64



===== RETIREES - Mainstream =====


Size

134.0 2103

150.0 3290

175.0 5295

Name: count, dtype: int64



===== YOUNG FAMILIES - Premium =====


Size

134.0 1007

150.0 1778

175.0 2998

Name: count, dtype: int64



===== YOUNG FAMILIES - Budget =====

Size

134.0 1674

150.0 2862

175.0 4921

Name: count, dtype: int64



===== YOUNG FAMILIES - Mainstream =====


Size

134.0 1148

150.0 2004

175.0 3174

Name: count, dtype: int64



MOST FREQUENT CHIPS SIZE PURCHASED IS 175g FOLLOWED BY THE 150g CHIPS SIZE FOR ALL SEGMENTS.

AVERAGE AMOUNT OF CHIPS BOUGHT PER CUSTOMER SEGMENT

```
In [125... avg_chips = (df.groupby(["Group", "Subscription"])["Quantity"].sum() / df.groupby(
avg_chips
```

Out[125...

0

Group	Subscription	
OLDER FAMILIES	Mainstream	9.255380
	Budget	9.076773
	Premium	9.071717
YOUNG FAMILIES	Budget	8.722995
	Premium	8.716013
	Mainstream	8.638361
OLDER SINGLES/COUPLES	Budget	6.781398
	Premium	6.769543
	Mainstream	6.712021
MIDAGE SINGLES/COUPLES	Mainstream	6.432080
RETIREEES	Budget	6.141847
	Premium	6.103358
MIDAGE SINGLES/COUPLES	Premium	6.078514
	Budget	6.026459
RETIREEES	Mainstream	5.925920
NEW FAMILIES	Mainstream	4.891566
	Budget	4.821527
	Premium	4.815652
YOUNG SINGLES/COUPLES	Mainstream	4.575597
	Premium	4.264113
	Budget	4.250069


HISTOGRAM OF AVERAGE AMOUNT OF CHIPS BOUGHT PER CUSTOMER SEGMENT

In [126...

```

avg_chips.unstack().plot.bar(figsize = (15, 4), rot = 0)
plt.title("Average amount of chips bought per customer segment")
plt.legend(loc = "center left", bbox_to_anchor = (1.0, 0.5))
plt.ylabel("Quantity")
plt.show()

```



AVERAGE CHIPS PRICE PER TRANSACTION BY SEGMENTS

In [] :

```

# Calculate "Unit Price" only where "Quantity" is non-zero and both columns are
df["Unit Price"] = df["Sales"] / df["Quantity"].replace(0, pd.NA)
# Group by "Group" and "Subscription" and calculate the mean of "Unit Price"
chips_segment = df.groupby(["Group", "Subscription"], dropna=False)["Unit Price"]
# Display the resulting DataFrame
chips_segment


```

Out[]:

		Unit Price
Group	Subscription	
YOUNG SINGLES/COUPLES	Mainstream	4.065642
MIDAGE SINGLES/COUPLES	Mainstream	3.994241
RETIREEES	Budget	3.924404
	Premium	3.920942
NEW FAMILIES	Budget	3.917688
	Mainstream	3.916133
OLDER SINGLES/COUPLES	Premium	3.893182
	Budget	3.882096
NEW FAMILIES	Premium	3.872110
RETIREEES	Mainstream	3.844294
OLDER SINGLES/COUPLES	Mainstream	3.814665
MIDAGE SINGLES/COUPLES	Premium	3.770698
YOUNG FAMILIES	Premium	3.762150
	Budget	3.760737
OLDER FAMILIES	Budget	3.745340
MIDAGE SINGLES/COUPLES	Budget	3.743328
OLDER FAMILIES	Mainstream	3.737077
YOUNG FAMILIES	Mainstream	3.724533
OLDER FAMILIES	Premium	3.717000
YOUNG SINGLES/COUPLES	Premium	3.665414
	Budget	3.657366

In [129...

```
chips_segment.unstack().plot.bar(figsize = (15, 4), rot = 0)
plt.legend(loc = "center left", bbox_to_anchor = (1.0, 0.5))
plt.show()
```



RECOMMENDATIONS

1/ OLDER FAMILIES - Focus on the Budget Segment. - Strength: Frequent Purchase. We can give promotions that encourages more frequency of purchase. - Strength: High quantity of chips are purchased per visit. We can give promotions that encourage them to buy more quantity of chips per purchase.

2/ YOUNG SINGLES/COUPLES - Focus on the Mainstream Segment. - This segment is the only segment that had "Doritos" as their 2nd most purchased brand (after "Kettle"). To specifically target this segment it might be a good idea to collaborate with "Doritos" merchant to do some branding promotion catered to "YOUNG SINGLES/COUPLES Mainstream" segment. - Strength: Population quantity. We can spend more effort on making sure our promotions reach them, and it reaches them frequently.

3/ RETIREES - Focus on the Mainstream Segment. - Strength: Population quantity. Again, since their population quantity is the contributor to the high total sales, we should spend more effort on making sure our promotions reaches as many of them as possible and frequent.

4/ GENERAL - All segments has "Kettle" as the most frequently purchased brand, and 175g (regardless of brand) followed by 150g as the preferred chips size. - When promoting chips in general to all segments it is good to take advantage of these two points.