

Pace Design System

Tokens, components, and usage guidelines

Task	Design System & Component Library
Product	Pace — Focus-time visibility tool for remote teams
Deliverables	Tokens, components w/ variants, Figma file, guidelines
Format	Coded reference build (HTML/CSS) imported to Figma

1. Overview

Goal: Create a small design system covering colors, typography, buttons, form elements, and cards — with defined tokens, components with variants, and usage guidelines.

This system extends the visual language already established for **Pace** in Task 1 (the landing page), so tokens here are not arbitrary — they're the same dark-first palette and Fraunces/Inter/JetBrains Mono type pairing, now formalized into a reusable, documented system rather than one-off page styles.

- Color tokens
- Spacing scale
- Type scale
- Buttons (4 variants × 3 sizes × 4 states)
- Form elements
- Cards (2 patterns)
- Badges (5 semantic variants)

Tools used

The system was built as a real, coded reference page (HTML/CSS) — every token is a CSS custom property, and every component variant is rendered live rather than mocked. This was deployed live, then imported into Figma via the `html.to.design` plugin to produce an editable, organized component library file with variants.

2. Links

Figma Design System File

[paste your Figma share link here once imported]

Live Reference Build

[paste your Netlify link here once deployed]

See Section 8 for the exact steps to deploy and import this file, matching the workflow used in Task 1.

3. Color Tokens

A near-black neutral scale with one warm accent reserved exclusively for actions and live states.




Fig 1. Color token swatches — background/surface and text scales

	Token	Hex	Usage
	bg	#0E0E10	Page background
	surface	#1C1C1F	Cards, panels, default raised surface
	surface-raised	#232326	Hover state for surfaces, popovers
	surface-sunken	#151517	Input backgrounds, recessed areas
	ink	#FAFAF7	Primary text
	ink-dim	#9A9AA0	Secondary text, descriptions
	ink-faint	#6B6B70	Captions, placeholders, disabled text
	border	#2C2C30	Default hairline borders
	accent	#FF5A36	Primary actions, active states, focus rings
	success	#3FB97C	Completed, approved, confirmed states
	warning	#E8B339	Needs attention, pending states
	danger	#FF5A5A	Errors, destructive actions, blocked states

✓ DO

Use accent on exactly one primary action per view — it should always mean "this is the one thing to do here."

✗ DON'T

Don't use accent as a large background fill or for decorative purposes — it dilutes its meaning as a signal color.

4. Spacing Tokens

A 4px base unit scale. All padding, margin, and gap values in the system are pulled from this scale — never a hand-rolled pixel value.

Token	Value	Typical use
space-1	4px	Icon-to-label gaps, tight inline spacing
space-2	8px	Form field label-to-input gap
space-3	12px	Compact button/badge padding
space-4	16px	Standard inline gaps between elements
space-5	20px	Card grid gaps
space-6	24px	Card internal padding
space-8	32px	Component demo block padding
space-10	40px	Sub-section spacing
space-12	48px	Page-level padding (vertical)
space-16	64px	Page-level padding (horizontal), section gaps
space-20	80px	Large section breaks
space-24	96px	Major section breaks (between doc-sections)

5. Typography

Three roles, three typefaces. Fraunces is reserved for headings only — using it sparingly is what keeps it feeling special rather than decorative.




Fig 2. Type scale — Fraunces display sizes and Inter body sizes

Token	Size / Weight	Typeface	Use
text-5xl	60px / 600	Fraunces	Hero headlines only
text-4xl	48px / 600	Fraunces	Page titles
text-3xl	38px / 600	Fraunces	Section headings
text-2xl	30px / 600	Fraunces	Sub-section headings, stat values
text-lg	19px / 400	Inter	Lead paragraphs, subheads
text-md	17px / 400	Inter	Card titles, emphasized body
text-base	15px / 400	Inter	Default body text
text-sm	13.5px / 500	Inter	Labels, button text, UI chrome
text-xs	12px / 600	Inter	Captions, uppercase eyebrow labels

✓ **DO**

Use JetBrains Mono specifically for numeric data — timers, stats, prices — so numbers read as data, not prose.

✗ **DON'T**

Don't set body paragraphs in Fraunces — it's a display face, not built for long-form reading at small sizes.

6. Buttons

Four variants, three sizes, four states. Defined as a strict hierarchy: only one primary button is allowed per view.




Fig 3. Button variants (Primary / Secondary / Ghost / Danger), sizes, and interaction states

Variant	Background	Text	Use for
Primary	accent (#FF5A36)	bg (#0E0E10)	The single most important action in a view
Secondary	surface-raised	ink	Supporting action alongside a primary
Ghost	transparent	ink	Low-emphasis actions, toolbars, repeated rows
Danger	danger (#FF5A5A)	bg (#0E0E10)	Destructive, irreversible actions only

Size	Padding	Font size	Radius
Large	14px 26px	15px	10px
Medium	11px 20px	13.5px	10px
Small	7px 14px	12px	6px

✓ **DO**


Pair one primary with at most one secondary or ghost button. Use danger only behind a confirmation step.

✗ **DON'T**

Don't place two primary buttons side by side — it forces the user to guess which action actually matters.

7. Form Elements

Text inputs, selects, checkboxes, radios, and toggle switches — all sharing one focus-ring treatment for visual consistency.



8. Cards

Two patterns sharing the same surface, border, and radius tokens: content cards for features/info, and stat cards for metrics.




Fig 5. Content cards (icon + title + description, optional footer) and stat cards (label + monospace value + delta)

✓ **DO**

Keep card padding fixed at `space-6` (24px) regardless of content length.

✗ **DON'T**

Don't mix content-card and stat-card patterns within the same grid row — their visual weight differs.

Badges

Five semantic variants for status indicators, used inside cards, tables, and lists.

Badges

Small status indicators. Five variants mapped to semantic meaning, not arbitrary color choice.

Draft

•Live

Completed

Pending review

Blocked

VARIANT	TOKEN	USE FOR
Default	badge-default	Neutral states — drafts, archived, inactive
Accent	badge-accent	Live / active / in-progress states only
Success	badge-success	Completed, approved, confirmed
Warning	badge-warning	Needs attention, pending, expiring soon
Danger	badge-danger	Blocked, failed, overdue

Fig 6. Badge variants (Default / Accent / Success / Warning / Danger) and their semantic mapping

9. Workflow — From Code to Figma

Same process used for the Task 1 landing page, applied here to the design system reference build:

1. Built the full token system and component library as a single HTML/CSS file (`design-system.html`)
2. Deployed it as a static site via **Netlify Drop** for a public live URL
3. In Figma, ran the **html.to.design** plugin against the live URL with **Auto Layout** and **Extract images to section** enabled
4. Organized the resulting layers into logical Figma frames/sections matching the page structure: Colors, Spacing, Typography, Buttons, Forms, Cards, Badges
5. Verified headline typography (Fraunces, Semi Bold) carried over correctly or corrected it manually, same as Task 1
6. For true component variants (e.g. button states, badge types), grouped matching layers and converted them into Figma **Components with Variants** using the variant properties panel, so they're swappable in the Figma UI rather than duplicated, disconnected layers
7. Set file sharing to **"Anyone with the link" → Viewer** and added the link to Section 2

Converting imported layers into true Figma Components with Variants (step 6) is the one manual step that meaningfully improves on a raw import — it's what makes this a reusable component library rather than just a styled reference page.

10. Submission Checklist

- ☐ Deploy `design-system.html` to Netlify and verify the live link
- ☐ Import into Figma via html.to.design (Auto Layout + image extraction)
- ☐ Organize layers into sections; convert button/badge states into Figma Variants
- ☐ Set Figma sharing to "Anyone with the link" → Viewer
- ☐ Update Section 2 links in this document with real URLs
- ☐ Upload this PDF to Google Drive, set sharing to "Anyone with the link"
- ☐ Submit Drive + Figma + Netlify links on the Internspark Task Submission page, labeled Task 2