




ec2
Ask AWS assistant
Asia Pacific (Sydney)
shanmukhaonline
Services
Show more
Services
Features
Resources
Documentation
Knowledge articles
Marketplace
Blog posts
Events
Tutorials
EC2
Virtual Servers in the Cloud
EC2 Image Builder
A managed service to automate build, customize and deploy OS images
Recycle Bin
Protect resources from accidental deletion
Features
Show more
EC2 Instances
CloudWatch feature
EC2 Resource Health
CloudWatch feature
Dashboard
EC2 feature
Were these results helpful?
to default layout
Add widgets
AWS Health Info
Open issues
0
Past 7 days
Scheduled changes
0
Upcoming and past 7 days
Other notifications
1
Past 7 days


EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Resources
You are using the following Amazon EC2 resources in the Asia Pacific (Sydney) Region:
Instances (running) 0
Auto Scaling Groups 0
Capacity Reservations 0
Dedicated Hosts 0
Elastic IPs 0
Instances 0
Key pairs 0
Load balancers 0
Placement groups 0
Security groups 1
Snapshots 0
Volumes 0
EC2 cost
Date range: Past 6 months
Region: Global
Costs in your free plan account are covered by credits.
Credits remaining
$100 USD
Days remaining
181 (May 10, 2027)
Unable to load
Analyze your costs in Cost Explorer
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Migrate a server
Note: Your instances will launch in the Asia Pacific (Sydney) Region
Service health
AWS Health Dashboard
Region
Asia Pacific (Sydney)
Status
This service is operating normally.
Account attributes
Default VPC
vpc-0ea88600492f92fd7
Settings
Data protection and security
Allowed AMIs
Zones
EC2 Serial Console
Default credit specification
Instance alarms
View in CloudWatch
0 in alarm
0 OK
0 insufficient d ata
Zones
Zone name
Zone ID
ap-southeast-2a
apse2-az1
ap-southeast-2b
apse2-az3
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Instance type Info | Get advice
Instance type
Select
All generations
Summary
Number of instances Info
1
Software Image (AMI)
-
Virtual server type (instance type)
-
Firewall (security group)
-
Storage (volumes)
-
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Instance type Info | Get advice
Instance type
t3.micro
Free tier eligible
Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Ubuntu Pro base pricing: 0.0167 USD per Hour
On-Demand RHEL base pricing: 0.042 USD per Hour On-Demand Windows base pricing: 0.0224 USD per Hour
On-Demand SUSE base pricing: 0.0132 USD per Hour On-Demand Linux base pricing: 0.0132 USD per Hour
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Select
Create new key pair
Network settings Info
Edit
Network Info
vpc-0ea88600492f92fd7
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0e182bd8728384e40
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instanc
Preview cod
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms

Create key pair

Key pair name

Key pairs allow you to connect to your instance securely.

Key1

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type


- (•) **RSA** — RSA encrypted private and public key pair
- ( ) **ED25519** — ED25519 encrypted private and public key pair


Private key file format


- (•) **.pem** — For use with OpenSSH
- ( ) **.ppk** — For use with PuTTY

⚠ When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** Learn more

Cancel | Create key pair





Search
[Alt+S]
Asia Pacific (Sydney)
shanmukhaonline (830856738825)
shanmukhaonline
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
Instances (1) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
MyLinuxVirtua...
i-0eeb0334dfa4dee11
Running
t3.micro
Initializing
ap-southeast-2a
ec2-3-27-189-161.ap-s...
All instances
Instance alarm states
In alarm
None
Service health
EC2 service status
Operating normally
Health events affecting EC2 instances
Open events
None
Upcoming events



EC2 > Instances > i-0eeb0334dfa4dee11 > Connect to instance
Connect to Linux instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-0eeb0334dfa4dee11 (MyLinuxVirtualMachine)
State: Running
Status: 0/2 checks passed
VPC
vpc-0ea88600492f92fd7
Subnet
subnet-01edd8518cac2ccd3
Security groups
sg-0bd88aa9a15721569 (launch-wizard-1)
In web browser
In SSH client
Choose how to connect
Public subnet access
Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.
Private subnet access
Managed SSH keys
EC2 Instance Connect Endpoint
Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
Settings
Choose public IP address
IPv4 address (3.27.189.161)



Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-2-189 ~]$



Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-2-189 ~]$ ls
[ec2-user@ip-172-31-2-189 ~]$ mkdir OSLAB
[ec2-user@ip-172-31-2-189 ~]$ cd OSLAB
[ec2-user@ip-172-31-2-189 OSLAB]$ nano.c
-bash: nano.c: command not found
[ec2-user@ip-172-31-2-189 OSLAB]$ ls -l
total 0
[ec2-user@ip-172-31-2-189 OSLAB]$



Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
Last login: Tue Nov 10 08:08:33 2026 from 13.239.158.4
[ec2-user@ip-172-31-2-189 ~]$ touch a1 b c d f r
[ec2-user@ip-172-31-2-189 ~]$ ls -l
total 0
drwxr-xr-x. 2 ec2-user ec2-user 6 Nov 10 08:08 OSLAB
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 a1
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 b
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 c
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 d
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 f
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:14 r
[ec2-user@ip-172-31-2-189 ~]$


CDIS PRACTICAL 2








Instance type Info | Get advice
Instance type
t3.micro
Family: t3 2 vCPU 1 GiB Memory Current generation: true
Free tier eligible
All generations
Compare instance types
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Key1
Create new key pair
Network settings Info
Edit
Network Info
Subnet Info
Auto-assign public IP Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
MyLinuxVirtua...
i-00cb8420609ff2572
Running
t3.micro
Initializing
eu-north-1b
ec2-16-170-225-250.eu...
All instances
Instance alarm states
In alarm
None
Service health
EC2 service status
Operating normally
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View in CloudWatch
View Service Health Dashboard
View AWS Health Dashboard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-35-80 ~]$ ls
[ec2-user@ip-172-31-35-80 ~]$ mkdir OSLAB
[ec2-user@ip-172-31-35-80 ~]$ cd OSLAB
[ec2-user@ip-172-31-35-80 OSLAB]$ ls -l
total 0
[ec2-user@ip-172-31-35-80 OSLAB]$ pwd
/home/ec2-user/OSLAB
[ec2-user@ip-172-31-35-80 OSLAB]$ touch a1 b c d e f
[ec2-user@ip-172-31-35-80 OSLAB]$ ls -l
total 0
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 a1
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 b
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 c
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 d
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 e
-rw-r--r--. 1 ec2-user ec2-user 0 Nov 10 08:15 f
[ec2-user@ip-172-31-35-80 OSLAB]$ cal
November 2026
Su Mo Tu We Th Fr Sa
1 2 3 4 5 6 7
8 9 10 11 12 13 14
15 16 17 18 19 20 21
i-00cb8420609ff2572 (MyLinuxVirtualMachine)
PublicIPs: 16.170.225.250 PrivateIPs: 172.31.35.80



Search
[Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
Su Mo Tu We Th Fr Sa
1 2
3 4 5 6 7 8 9
10 11 12 13 14 15 16
17 18 19 20 21 22 23
24 25 26 27 28 29 30
31
April
Su Mo Tu We Th Fr Sa
1 2 3
4 5 6 7 8 9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30
May
Su Mo Tu We Th Fr Sa
1 2 3 4 5 6
7 8 9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28 29 30 31
June
Su Mo Tu We Th Fr Sa
1 2 3 4 5
6 7 8 9 10 11 12
13 14 15 16 17 18 19
20 21 22 23 24 25 26
27 28 29 30
July
Su Mo Tu We Th Fr Sa
1 2 3
4 5 6 7 8 9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30 31
August
Su Mo Tu We Th Fr Sa
1 2 3 4 5 6 7
8 9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31
September
Su Mo Tu We Th Fr Sa
1 2 3 4
5 6 7 8 9 10 11
12 13 14 15 16 17 18
19 20 21 22 23 24 25
26 27 28 29 30
October
Su Mo Tu We Th Fr Sa
1 2
3 4 5 6 7 8 9
10 11 12 13 14 15 16
17 18 19 20 21 22 23
24 25 26 27 28 29 30
31
November
Su Mo Tu We Th Fr Sa
1 2 3 4 5 6
7 8 9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28 29 30
December
Su Mo Tu We Th Fr Sa
1 2 3 4
5 6 7 8 9 10 11
12 13 14 15 16 17 18
19 20 21 22 23 24 25
26 27 28 29 30 31
[ec2-user@ip-172-31-35-80 OSLAB]$
i-00cb8420609ff2572 (MyLinuxVirtualMachine)
PublicIPs: 16.170.225.250 PrivateIPs: 172.31.35.80
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


My windows Virtual Machine:









Search [Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > i-035a82e4d58c5e450 > Connect to instance
Connect to Windows instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an RDP client.
Instance info
Instance
i-035a82e4d58c5e450 (mywindowsvm)
State: Running
Status: 3/3 checks passed
VPC
vpc-0e114b44165086472
Subnet
subnet-0c2bd8cd9da0c28e8
Security groups
sg-042a236ade4eaeb06 (launch-wizard-4)
In web browser
RDP (Remote Desktop Protocol)
Choose how to connect
Maximum security IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Remote desktop SSM agent-based
Fleet Manager
Browser-based remote desktop session powered by Systems Manager. Supports copy-paste between your local machine and remote session.
Direct Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
SSM agent info
Ping status
-
Session Manager connection status
Not connected
IAM role
-
Systems Manager default role not er
Cancel
Connect with Fleet Manager Remote Desktop
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > i-035a82e4d58c5e450 > Get Windows password
Get Windows password Info
Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.
Instance ID
i-035a82e4d58c5e450 (mywindowsvm)
Key pair associated with this instance
windowskey1
Private key
Either upload your private key file or copy and paste its contents into the field below.
Upload private key file
windowskey1.pem
1.68 KB
Private key contents
-----BEGIN RSA PRIVATE KEY-----
MIIEpQIBAAKCAQEAseNT+pLAFWWebj6wf7MhZTTr1DbtxW/3oU+ZoSga2Xfwwcst
uVZIEHqNA2iPzQV0bomhwXqQDTgQK3mrPMIbEQmBMrYPQsalIJ7B9fIzE/2hnU8o
h3STIW1drJsEkMrlFnf4TMal/kX9K45nUtJSkgkk2gYXNEUwllE6M5wfwG+F7+Ur
hWlqnALnWYG1HivKXXOBpyCgh0Zsz5KITYhcwMMq9rE2xGtj5rVqXvL2ECS0a4Fe
vQi0TqHLBjkFoEEQh/cgTHdf1NaCkPO0xc02YuqAvEWTHgInPvtkXoF46gCWxbW0
nVNDURBolljBzn2HmG1BqOKLhD8oU9YOXtOnvQIDAQABAoIBAHQ6F/CsWZyhXLaj
dya4n6VEwqFRkmFiGuXm4HYPght85m14l1N1MHiz2dbURsCqQ7zFaE7GCcDZVJdT
Cancel
Decrypt password
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > i-035a82e4d58c5e450 > Get Windows password
Get Windows password Info
Use your private key to retrieve and decrypt the initial Windows
Instance ID
i-035a82e4d58c5e450 (mywindowsvm)
Key pair associated with this instance
windowskey1
Private key
Upload private key file
Private key contents
Private key contents
Get Windows password
Connect to your Windows instance using Remote Desktop with this information.
Instance ID
i-035a82e4d58c5e450 (mywindowsvm)
Private IP address
172.31.43.159
Username
Administrator
Password
7Wsq&bdovSLxDhVt;42.j&6!LaL5sQGQ
Password change recommended
We recommend that you change your default password. Note: If a default password is changed, it cannot be retrieved using this tool. It is important that you change your password to one that you will remember.
Cancel
OK
Cancel
Decrypt password
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Recycle Bin
Microsoft Edge
EC2 Feedback
EC2 Microso...
Hostname: EC2AMAZ-527IKN1
Instance ID: i-039a68c012a96e707
Private IPv4 address: 172.31.46.254
Public IPv4 address: 13.53.39.16
IPv6 address:
Instance size: t3.micro
Availability Zone: eu-north-1b
Architecture: AMD64
Search
ENG
IN
6:58 AM
11/11/2026


aws
Search
[Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > i-035a82e4d58c5e450 > Connect to instance
Connect to Windows instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an RDP client.
Instance info
Instance
i-035a82e4d58c5e450 (mywindowsvm)
State: Running
Status: 3/3 checks passed
VPC
vpc-0e114b44165086472
Subnet
subnet-0c2bd8cd9da0c28e8
Security groups
sg-042a236ade4eaeb06 (launch-wizard-4)
In web browser
RDP (Remote Desktop Protocol)
How to connect
1. Open or install a remote desktop client
2. Download the RDP shortcut file
3. Open the RDP client and run the shortcut file
4. Retrieve password
5. Enter username and password
6. Connect
RDP shortcut file
Download
Public DNS
ec2-13-60-55-133.eu-north-1.compute.amazonaws.com
Username
Administrator
Password
Get Windows password
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
Linuxvirtualmachine
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
DreamSpinners (623575490575)
DreamSpinners
EC2 > Instances > Launch an instance
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
apt update -y
DEBIAN_FRONTEND=noninteractive apt install -y xfce4 xfce4-goodies xrdp
echo "xfce4-session" > /home/ubuntu/.xsession
chown ubuntu:ubuntu /home/ubuntu/.xsession
adduser xrdp ssl-cert
echo "ubuntu:ChangeThisPassword@123" | chpasswd
systemctl enable xrdp
systemctl restart xrdp
User data has already been base64 encoded
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

EC2 > Instances > Launch an instance

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*

Description - *required* Info

launch-wizard-5 created 2026-11-11T07:09:51.162Z

Inbound Security Group Rules

▼ Security group rule 1 (TCP, 22, 103.125.161.178/32) — Remove


Type Info	Protocol Info	Port range Info
ssh	TCP	22


Source type Info	Name Info	Description - *optional* Info
My IP	Add CIDR, prefix list or security group	e.g. SSH for admin desktop
	103.125.161.178/32	


▼ Security group rule 2 (TCP, 3389, 103.125.161.178/32) — Remove


Type Info	Protocol Info	Port range Info
rdp	TCP	3389

Source type Info	Name Info	Description - *optional* Info
My IP	Add CIDR, prefix list or security group	e.g. SSH for admin desktop







aws
Search
All
Apps
Documents
Web
Settings
Folders
Photos
Europe (Stockholm)
EC2 > Instances > i-094577054d026
State: Running
Status: 3/3 checks passed
In web browser
In SSH client
Choose how to connect
Public subnet access
Managed SSH keys
EC2 Instance Connect
Copied IPv4 address
IPv4 address (16.170.37.0)
IPv6 address
Username
Enter the username defined in the AMI used to lau
ubuntu
Cancel
Best match
Remote Desktop Connection
App
remote desktop
Web search
Microsoft Store
REMATCH
Microsoft Store
Preview
TeamViewer Remote
Microsoft Store
Assassin's Creed® III Remastered
Microsoft Store
Web searches – Opens in Edge
rem
reminder
remove programs
remote
Remote Desktop Connection
App
Open
Options
Recent
mywindowsvm.rdp
Direct
Troubleshoot
EC2 Serial Console
Access your instance's se
boot, network, and OS is
connectivity. Requires ac
e AMI owner has changed the default A


16.170.37.0
Login to ip-172-31-9-37
xrdp
Session
Xorg
username
ubuntu
password
OK
Cancel



CREATING S3 STORAGE:



Create bucket Info

Buckets are containers for data stored in S3.

General configuration

AWS Region

Europe (Stockholm) eu-north-1

Bucket type Info

- (●) General purpose
  Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- ( ) Directory
  Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, provides faster processing of data within a single Availability Zone.

Bucket namespace

Choose the namespace where you want to create your bucket. Learn more

- (●) Global namespace
  By default, S3 creates general purpose buckets in the global namespace.
- ( ) Account Regional namespace (recommended)
  General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name Info

nishanth

