

```

manchodu@srini: /tmp
manchodu@srini:/tmp$ ./task2.c
bash: ./task2.c: Permission denied
manchodu@srini:/tmp$ gcc task2.c -o task2
manchodu@srini:/tmp$ ./task2
Usage: ./task2 <source> <destination>
manchodu@srini:/tmp$ echo "This is a test file for task 2" > source.txt
manchodu@srini:/tmp$ ./task2 source.txt dest.txt
File copied successfully.
manchodu@srini:/tmp$ cat dest.txt
This is a test file for task 2
manchodu@srini:/tmp$ cd /tmp
manchodu@srini:/tmp$ printf '#include <stdio.h>\n#include <unistd.h>\n#include <sys/wait.h>\n\n
int main() {\n    pid_t pid = fork();\n    if (pid < 0) {\n        perror("fork
failed");\n    } else if (pid == 0) {\n        printf("Child: PID=%d, PPID=%d\n", getpid(), getppid
());\n    } else {\n        printf("Parent: PID=%d, PPID=%d, Child PID=%d\n", getpid(), getppid(),
pid);\n        wait(NULL);\n        printf("Parent: child has terminated.\n");\n    }\n    return 0;\n}\n' > task3.c
manchodu@srini:/tmp$ cat task3.c
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main() {
    pid_t pid = fork();

    if (pid < 0) {
        perror("fork failed");
    } else if (pid == 0) {
        printf("Child: PID=%d, PPID=%d\n", getpid(), getppid());
    } else {
        printf("Parent: PID=%d, PPID=%d, Child PID=%d\n", getpid(), getppid(), pid);
        wait(NULL);
        printf("Parent: child has terminated.\n");
    }
    return 0;
}
manchodu@srini:/tmp$ gcc task3.c -o task3
manchodu@srini:/tmp$ ./task3
Parent: PID=1258, PPID=1173, Child PID=1259
Child: PID=1259, PPID=1258
Parent: child has terminated.
manchodu@srini:/tmp$

```

```
manchodu@srini: /tmp
manchodu@srini:/tmp$ cat dest.txt
This is a test file for task 2
manchodu@srini:/tmp$ cd /tmp
manchodu@srini:/tmp$ printf '#include <stdio.h>\n#include <unistd.h>\n#include <sys/wait.h>\n\nint main() {\n    pid_t pid = fork();\n\n    if (pid < 0) {\n        perror("fork failed");\n    } else if (pid == 0) {\n        printf("Child: PID=%d, PPID=%d\n", getpid(), getppid());\n    } else {\n        printf("Parent: PID=%d, PPID=%d, Child PID=%d\n", getpid(), getppid(), pid);\n        wait(NULL);\n        printf("Parent: child has terminated.\n");\n    }\n    return 0;\n}' > task3.c
manchodu@srini:/tmp$ cat task3.c
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>

int main() {
    pid_t pid = fork();

    if (pid < 0) {
        perror("fork failed");
    } else if (pid == 0) {
        printf("Child: PID=%d, PPID=%d\n", getpid(), getppid());
    } else {
        printf("Parent: PID=%d, PPID=%d, Child PID=%d\n", getpid(), getppid(), pid);
        wait(NULL);
        printf("Parent: child has terminated.\n");
    }
    return 0;
}
manchodu@srini:/tmp$ gcc task3.c -o task3
manchodu@srini:/tmp$ ./task3
Parent: PID=1258, PPID=1173, Child PID=1259
Child: PID=1259, PPID=1258
Parent: child has terminated.
manchodu@srini:/tmp$ ./task3
Parent: PID=1262, PPID=1173, Child PID=1263
Child: PID=1263, PPID=1262
Parent: child has terminated.
manchodu@srini:/tmp$
```

```
manchodu @ srini: /tmp
}
manchodu @ srini:/tmp$ gcc task3.c -o task3
manchodu @ srini:/tmp$ ./task3
Parent: PID=1258, PPID=1173, Child PID=1259
Child: PID=1259, PPID=1258
Parent: child has terminated.
manchodu @ srini:/tmp$ ./task3
Parent: PID=1262, PPID=1173, Child PID=1263
Child: PID=1263, PPID=1262
Parent: child has terminated.
manchodu @ srini:/tmp$ sleep 30 &
[1] 1296
manchodu @ srini:/tmp$ ps -o pid,ppid,stat,cmd -p 12345
  PID   PPID  STAT  CMD
manchodu @ srini:/tmp$ top
top - 04:06:20 up 1:03, 2 users, load average: 0.01, 0.05, 0.01
Tasks: 35 total, 1 running, 34 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 7869.6 total, 7310.3 free, 511.7 used, 198.1 buff/cache
MiB Swap: 2048.0 total, 2048.0 free, 0.0 used. 7357.9 avail Mem

  PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
 232 message+ 20   0    9660    5456    4736 S   0.0   0.1   0:00.31 dbus-daemon
 242 root       20   0 2221260 39612   25704 S   0.0   0.5   0:02.98 snapd
 245 root       20   0   18148    8860    7796 S   0.0   0.1   0:00.30 systemd-login
d
 262 syslog    20   0 222516   5980    4576 S   0.0   0.1   0:00.22 rsyslogd
 264 root       20   0    3124    1968    1832 S   0.0   0.0   0:00.02 agetty
 297 root       20   0 107036 23144   13692 S   0.0   0.3   0:00.29 unattended-up
gr
 494 root       20   0    6676    4500    3728 S   0.0   0.1   0:00.02 login
 544 root       20   0   20396   11628   9456 S   0.0   0.1   0:00.33 systemd
 545 root       20   0   21172    3516    1804 S   0.0   0.0   0:00.00 (sd-pam)
 567 root       20   0    6080    5332    3692 S   0.0   0.1   0:00.06 bash
1126 root       20   0    3184    1116     980 S   0.0   0.0   0:00.00 SessionLeader
1127 root       20   0    3200    1256    1108 S   0.0   0.0   0:00.16 Relay(1128)
1128 root       20   0    6080    5348    3652 S   0.0   0.1   0:00.07 bash
1150 root       20   0    6888    4444    3980 S   0.0   0.1   0:00.00 su
1153 sairam     20   0   20404   11640   9464 S   0.0   0.1   0:00.25 systemd
1154 sairam     20   0   21164    3592    1868 S   0.0   0.0   0:00.00 (sd-pam)
manchodu @ srini:/tmp$ |
```