

PROGRAM 1

```
nishanth@LAPTOP-6Q30N07H:~/OSLAB/exec$ cat program2.c
#include <stdio.h>
#include <unistd.h>
int main()
{
    printf("Before execlp()\n");
    execlp("date", "date", NULL);
    printf("This will not print if execlp() succeeds.\n");
    return 0;
}
nishanth@LAPTOP-6Q30N07H:~/OSLAB/exec$ ./program2
Before execlp()
Fri Jul 31 09:29:46 UTC 2026
```

PROGRAM 2

```
manchodu@Srini:~/OSLAB/exec$ cat program2.c
#include <stdio.h>
#include <unistd.h>
int main()
{
    printf("Before execlp()\n");
    execlp("date", "date", NULL);
    printf("This will not print if execlp() succeeds.\n");
    return 0;
}
manchodu@Srini:~/OSLAB/exec$ ./program2
Before execlp()
Fri Jul 31 09:29:46 UTC 2026
```

PROGRAM 3

```
manchodu@Srini:~/OSLAB/exec$ ./program3
Before execv()
total 116
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:16 program1
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:17 program1
-rw-r--r-- 1 manchodu manchodu  187 Jul 31 09:15 program1.c
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:18 program2
-rw-r--r-- 1 manchodu manchodu  182 Jul 31 09:18 program2.c
-rwxr-xr-x 1 manchodu manchodu 16040 Jul 31 09:21 program2
-rw-r--r-- 1 manchodu manchodu  210 Jul 31 09:20 program3.c
-rwxr-xr-x 1 manchodu manchodu 16048 Jul 31 09:22 program4
-rw-r--r-- 1 manchodu manchodu  203 Jul 31 09:22 program4.c
-rwxr-xr-x 1 manchodu manchodu 16120 Jul 31 09:24 program5
-rw-r--r-- 1 manchodu manchodu  243 Jul 31 09:23 program5.c

manchodu@Srini:~/OSLAB/exec$ cat program4.c
#include <stdio.h>
#include <unistd.h>
int main()
{
    char *args[] = {"date", NULL};
    printf("Before execvp()\n");
    execvp("date", args);
    printf("This will not print if execvp() succeeds.\n");
    return 0;
}

manchodu@Srini:~/OSLAB/exec$ ./program4
Before execvp()
Fri Jul 31 09:31:12 UTC 2026
```

PROGRAM 4

```
manchodu@Srini:~/OSLAB/exec$ ./program3
Before execv()
total 116
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:16 program1
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:17 program1
-rw-r--r-- 1 manchodu manchodu  187 Jul 31 09:15 program1.c
-rwxr-xr-x 1 manchodu manchodu 16000 Jul 31 09:18 program2
-rw-r--r-- 1 manchodu manchodu  182 Jul 31 09:18 program2.c
-rwxr-xr-x 1 manchodu manchodu 16048 Jul 31 09:21 program3
-rw-r--r-- 1 manchodu manchodu  210 Jul 31 09:20 program3.c
-rwxr-xr-x 1 manchodu manchodu 16048 Jul 31 09:22 program4
-rw-r--r-- 1 manchodu manchodu  203 Jul 31 09:22 program4.c
-rwxr-xr-x 1 manchodu manchodu 16120 Jul 31 09:24 program5
-rw-r--r-- 1 manchodu manchodu  243 Jul 31 09:23 program5.c
manchodu@Srini:~/OSLAB/exec$ cat program4.c
#include <stdio.h>
#include <unistd.h>
int main()
{
    char *args[] = {"date", NULL};
    printf("Before execvp()\n");
    execvp("date", args);
    printf("This will not print if execvp() succeeds.\n");
    return 0;
}
manchodu@Srini:~/OSLAB/exec$ ./program4
Before execvp()
Fri Jul 31 09:31:12 UTC 2026
```

PROGRAM 5

```
manchodu@Srini:~/OSLAB/exec$ cat program5.c
#include <stdio.h>
#include <unistd.h>
extern char **environ;
int main()
{
    char *args[] = {"ls"
, "-l"
, NULL};
    printf("Before execve()\n");
    execve("/bin/ls", args, environ);
    printf("This will not print if execve() succeeds.\n");
    return 0;
}
manchodu@Srini:~/OSLAB/exec$ ./program5
Before execve()
total 116
-rwxr-xr-x  1 manchodu  manchodu 16000 Jul 31 09:16 program1
-rwxr-xr-x  1 manchodu  manchodu 16000 Jul 31 09:17 program1
-rw-r--r--  1 manchodu  manchodu   187 Jul 31 09:15 program1.c
-rwxr-xr-x  1 manchodu  manchodu 16000 Jul 31 09:18 program2
-rw-r--r--  1 manchodu  manchodu   182 Jul 31 09:18 program2.c
-rwxr-xr-x  1 manchodu  manchodu 16048 Jul 31 09:21 program3
-rw-r--r--  1 manchodu  manchodu   210 Jul 31 09:20 program3.c
-rwxr-xr-x  1 manchodu  manchodu 16048 Jul 31 09:22 program4
-rw-r--r--  1 manchodu  manchodu   203 Jul 31 09:22 program4.c
-rwxr-xr-x  1 manchodu  manchodu 16120 Jul 31 09:24 program5
-rw-r--r--  1 manchodu  manchodu   243 Jul 31 09:23 program5.c
```