Clinical partnership packet

GlucoTwin | Request for an authorized research source and workflow review

Team alpha | vnrvjiet | Shanmukh sai gara

Request

We seek one clinician/clinic and one CGM device family to assess whether authorized research access is technically and ethically feasible. This packet is prepared for the participant to share. No partner, device authorization or clinical approval has been obtained.

Research purpose

Adult Type 2 diabetes; auditable forecasting and clinician review. The primary future-event label is measured glucose above 180 mg/dL. Existing research focuses on 30-minute targets with 60-minute evidence supplementary. Initial collection and prospective forecasts must not influence care.

What the clinic can inspect now

A synthetic continuous processing demonstration and a separately labeled recorded public-data case. Staff can inspect issued forecasts, input cutoff, uncertainty, outcome records, review history and consultation PDFs. Patient companion entries are self-reported; forecasts remain clinician research only.

Current evidence

Internal five-fold retrospective MAE 9.606 mg/dL versus 9.812 population. Arrival adapter remains population-primary; sparse adaptation stress did not show improvement. No real-device performance or Indian clinical effectiveness established.

Discussion	Decision / owner
Clinical contact / role	_____
Intended population / exclusions	_____
Staffed hours / expected review time	_____
Escalation / withdrawal owner	_____

Source feasibility assessment

Complete before choosing or implementing a vendor connector

Required evidence	Response / supporting record
Exact CGM brand, model, app and region	_____
Permitted programmatic access method	_____
Authorization and research/storage terms	_____
Native measurement cadence / units	_____
Timezone and clock behavior	_____
Source event identity / device identity	_____
Measured delivery delay distribution	_____
Outages, backfill and reconnection	_____
Consented patient mapping process	_____
Applicable privacy/ethics approvals	_____

Pass rule

Approve feasibility only when every item has supporting evidence and an owner. Periodic CSV export supports retrospective access; it does not establish continuous live access. The existing model requires verified 15-minute native history; incompatible devices need a separately evaluated model.

Vendor access example: Dexcom scopes and authorization

Shadow evaluation and review

A proposed process to be completed with the clinical partner

Protocol field	Agreement / evidence
Versioned intended use / stop rules	_____
Clinical and data responsibilities	_____
Consent / retention / withdrawal	_____
Approved study size and duration	_____
Performance / workload requirements	_____
Access review / incident / recovery	_____

Five usability cases

Advance warning, stable patient, missing data, uncertain estimate and misleading prediction. Ask the doctor to locate the input evidence, explain the clock and uncertainty, document follow-up and identify the responsible reviewer. Record time, misunderstanding and required change. Repeat failed tasks after corrections.

Decision record

Workflow review date: _____. Reviewer role: _____. Critical misunderstandings resolved: _____. Source feasible: _____. Prospective protocol approved: _____. Each decision is separate; none is prefilled as complete.

Private data gate

Do not send passwords, account identifiers or patient records with initial outreach. Collect any sensitive records only in an approved private environment after source, privacy, ethics and intended-use assessment. The current public research app does not enable private clinical intake.

Clinical evaluation framework | Indian software guidance