

4c. Create a Power BI report with write-back



Tip! If you didn't have time to complete the semantic model, you can make your reports from a different model. We have a completed model available for you in the "lakshmanie" workspace.

Option A: use your own model and UDF.

Option B: use the pre-baked model and UDF from the "lakshmanie" workspace. If you use the pre-baked model, you *must* also use the lakshmanie UDF.

Option A: your semantic model

1 Navigate to your workspace if you're not already there.

The screenshot shows the Microsoft Fabric workspace interface. On the left is a sidebar with icons for various components like Workspaces, Copilot, and specific data assets. The main area displays a table of items within a workspace named 'GSMF 069'. The table has columns for Name, Type, Task, Owner, Refreshed, Next refresh, Endorsement, Sensitivity, and Included in app. The items listed include 'fabcon sessions' (SQL database and analysis), 'FabCon sessions schedule' (Report and Semantic model), 'FabCon sessions schedule.pbix' (Dashboard), 'fabcon_session_info' (Lakehouse and SQL analysis), 'Transform FabCon Session Info' (Dataflow), and 'udf_fabcon_scheduler' (User data).

Name	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4:...	—	—	—	☐ No
FabCon sessions schedule	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	
FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	☐ No
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	

2 Click your semantic model to see the details.

The screenshot shows the Power BI workspace 'GSMF 069'. The left sidebar contains a list of items: Home, Copilot, Workspaces, GSMF 069, FabCon sessions..., FabCon sessions..., udf_fabcon_scheduler, fabcon sessions, Transform FabCon..., fabcon_sessi..., and fabcon_sessi... The main area displays a table of items with columns: Name, Type, Task, Owner, Refreshed, Next refresh, Endorsement, Sensitivity, and Included in app. The item 'FabCon sessions schedule' is highlighted with an orange circle.

Name	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4...	—	—	—	No
FabCon sessions schedule	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	
FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	No
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	

3 Click the "Explore" button and then "Create a blank report".

The screenshot shows the 'FabCon sessions schedule' details page. The 'Explore' button is highlighted with an orange circle, and the 'Create a blank report' option is selected in the dropdown menu. The page displays details for the semantic model, including a description, refresh status, and options to discover business insights or share the data. The 'Tables' panel on the right lists available tables: attendees, attending status, sessions, and speakers.

Details for FabCon sessions schedule
GSMF 069
+ Add description
Refreshed 9/13/25, 4:17:20 PM

Discover business insights
Explore this data to get insights fast or create an interactive report you can share. [Learn more](#)
[Explore this data](#)

Share this data
Give people access to the semantic model and set their permissions to work with it. [Learn more](#)
[Share semantic model](#)

Tables
Select a table and/or columns from this semantic model to view and export the underlying data. [Learn more](#)
To select more than one table, and view summarized data, create a paginated report.
[Create paginated report \(preview\)](#)

- ☐ attendees
- ☐ attending status
- ☐ sessions
- ☐ speakers

Option B: Pre-Baked

4 From your workspace, click "+ New item"

The screenshot shows the Power BI workspace interface for 'my fun day workspace'. The left sidebar contains navigation icons for Home, Copilot, Create, Browse, OneLake catalog, Apps, Scorecards, Monitor, Learn, Real-Time, Workloads, and Workspaces. The main area displays a table of items in the workspace:

Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
clean up my data		Dataflow ...	—	PBIF Test ...	—	—	—	—	
just_peachy		Lakehouse	—	PBIF Test ...	—	—	—	—	
just_peachy		SQL anal...	—	PBIF Test ...	—	—	—	—	

The '+ New item' button is highlighted with an orange circle. Other buttons at the top include 'New folder', 'Import', and 'Migrate'. The top right shows search and filter options.

5 Choose "Report."

The screenshot shows the 'Visualize data' category in the Power BI workspace. The left sidebar is the same as in the previous screenshot. The main area displays a grid of visualization options:


- Report
- Dataflow Gen2
- Lakehouse
- User data functions
- SQL database
- Dashboard

Below these are the 'All categories' and 'Visualize data' sections. The 'Visualize data' section includes:


- Dashboard: Build a single-page data story.
- Event Schema Set (preview): Define the structure and format of events through schemas, enabling data quality and validation with group-level access control.
- Exploration (preview): Use lightweight tools to analyze your data and uncover trends.
- Graph model (preview): Explore data and build algorithms with Graph.
- Graph queryset (preview): Build and execute queries against a graph model.
- Map (preview): Visualize and explore live geospatial data with real-time, interactive map views. [Learn more](#)
- Paginated Report (preview): Display tabular data in a report that's easy to print and share.
- Real-Time Dashboard: Visualize key insights to share with your team.
- Report: Create an interactive presentation of your data.

The 'Report' option is highlighted with an orange circle.

6 Select "Pick a published semantic model."



7 Select the "fabcon sessions" model in the "lakshmanie" location.



8

Click "Create a blank report" from the button arrow. Don't auto-create.

The screenshot shows the Power BI Explorer pane with a list of reports. The 'fabcon sessions' report is selected. A context menu is open, showing the following options:

- Auto-create report
- Create a blank report
- Auto-create report
- Cancel


The 'Create a blank report' option is highlighted with an orange circle.

Name	Owner	Refreshed	Location	Endorsement	Sensitivity
fabcon sessions schedule	PBIF Test User 20	3/16/26, 6:49:48 AM	workshop tester	—	—
fabcon sessions	Stephanie Bruno	3/12/26, 1:05:11 PM	lakshmanie	—	—
fabcon sessions starter	PBIF Test User 20	3/16/26, 6:33:45 AM	workshop tester	—	—
OneLake catalog governance repo...	PBIF Test User 20	3/15/26, 10:03:39 P...	My Workspace	—	—
fabcon sessions tester	PBIF Test User 20	3/15/26, 7:14:10 PM	workshop tester	—	—

Create a new report


9

First things first - some of the visuals we want to use may not be in this list. We'll get them back by clicking these three little dots...




10


Then click "Restore default visuals"



11



12




Building a basic report. Stop here and go to Lab 5.



Tip! Everything after this step will show you how to build a very basic report. But you're in luck - the afternoon is where Lakshmi shows us how to build a beautiful report. You can either build the basics below, or stop here and wait for Lab 5.

13

First let's add a table to the canvas to see a list of FabCon sessions. Click on the "Table" visual in the Visualizations pane to add a table to the canvas.



14

With the table visual selected, open up the "sessions" table and some of the fields to the table, such as the session_id, the title, maybe the day from the date table.

The screenshot displays the Microsoft Power BI desktop application. The main area shows a table visual with the following data:

session_id	Day	Title
1000	Monday	Mastering Data Engineering gIt and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: what's New and roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The right-hand pane shows the 'Data' view with the 'sessions' table selected. The fields listed in the 'sessions' table are:

- Attendee Count
- conf_id
- conference
- Date
- Day
- DayNum
- Description
- End
- enddt
- Length
- Level
- Location
- Selected Session
- Selected Status
- session_id
- Speaker count
- Speakers
- startdt
- Time
- Title
- Topic
- Track
- URL
- User

15

Now add another table to the canvas to see an attendee list. Click away from the first table, somewhere in the whitespace of the canvas. Then click the table visual again to add another table to the canvas. Add the session_id from the sessions table.

The screenshot shows the Power BI Desktop interface. On the left, the 'Fields' pane lists various tables and columns. The main canvas displays a table visual with columns for session_id, session, and speaker. The 'session' column is highlighted. On the right, the 'Visualizations' pane shows the 'Columns' section with 'session_id' selected. The 'Data' pane on the right shows the 'sessions' table with 'session_id' selected.


16

Expand the attendees table and add the Attendee column to the table. As soon as you add it you'll notice the table displays no rows. This is because we have no data in the attendee table yet. We'll add some with your UDF and then it will appear here.

The screenshot shows the Power BI Desktop interface. On the left, the 'Fields' pane lists various tables and columns. The main canvas displays a table visual with columns for session_id, session, and speaker. The 'session' column is highlighted. On the right, the 'Visualizations' pane shows the 'Columns' section with 'session_id' and 'Attendee' selected. The 'Data' pane on the right shows the 'attendees' table with 'Attendee' selected.

17

We're going to add another visual to the canvas to show us the values that will be saved to the database. Click in the white space on the canvas so you don't accidentally modify the existing visuals.



18 Click the "Multi-row card" visual to add it to the canvas.

Note - if you don't see the multi-row card visual, click the 3 dots and select "Restore default visuals."

The screenshot shows the Microsoft Power BI interface. On the left is the navigation pane with 'Home', 'Workspaces', and 'GSMF 069'. The main area displays a table with columns 'session_id', 'Day', and 'Title'. The 'Visualizations' pane on the right is open, showing various visual types. The 'Multi-row card' visual is highlighted with an orange circle. Below the visual types are sections for 'Filters', 'Values', 'Drill through', and 'Keep all filters'. The 'Data' pane on the far right shows a list of fields including 'attendees', 'sessions', and 'conf_id'.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

19 Add three measures to the multi-row card:

- User
- Selected Session
- Selected Status

The screenshot shows the Microsoft Power BI interface. On the left is the navigation pane with various workspace items. The main area displays a table with columns 'session_id', 'Day', and 'Title'. A multi-row card visualization is overlaid on the table, showing a list of items: 'User', '(Blank)', 'Selected Session', '(Blank)', and 'Selected Status'. An orange box highlights this card. On the right, the 'Data' pane is open, showing a list of fields. An orange box highlights the following fields: 'Selected Session', 'Selected Sta...', 'session_id', 'Speaker count', 'Speakers', 'startdt', 'Time', 'Title', 'Topic', 'Track', 'URL', and 'User'. The 'Visualizations' pane is also visible, showing the 'Build visual' options and the 'Fields' list.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

20

When you haven't clicked any rows in the table, "Selected session" shows as (Blank). Click a row in the table to see a value populate in the card. Click the same row again to de-select it and see "Selected Session" go back to (Blank). This will be important for the write-back functionality.

The screenshot shows the Power BI interface with a table of sessions and a card for the selected session. The table has columns for session_id, Day, and Title. The card displays the selected session details.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The card displays the selected session details:

session_id	Attendee	Status
1007	GSMF.user069@fabcon25e...	Selected Session
(blank)		Selected Status

21

Next we'll add a slicer to the canvas to allow the user to select an attending status. Click in the white space of the canvas before adding another visual to make sure the other visuals on the page are not selected.

The screenshot shows the Power BI interface with a table of sessions and a card for the selected session. A slicer has been added to the canvas to allow the user to select an attending status.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The card displays the selected session details:

session_id	Attendee	Status
1007	GSMF.user069@fabcon25e...	Selected Session
(Blank)		Selected Status

The slicer is located in the center of the canvas, with a label "Selected Session" and a dropdown menu showing "(Blank)".

22 Click this Slicer visual to add it to the canvas.

The screenshot shows the Microsoft Power BI interface. On the left, the 'Data' pane lists tables: 'sessions', 'attendees', and 'status'. The 'sessions' table is expanded, showing fields: 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Session', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', and 'startdate'. In the center, the 'Visualizations' pane shows a 'Slicer' visual selected. The 'Filters' pane on the right shows the 'sessions' table selected. The 'Values' pane shows 'Add data fields here'. The 'Drill through' pane shows 'Cross-report' (Off) and 'Keep all filters' (On). The 'Add drill-through fields here' pane is empty.

23 Add the status column from the "attending status" table to the slicer.

The screenshot shows the Microsoft Power BI interface. On the left, the 'Data' pane lists tables: 'sessions', 'attendees', and 'status'. The 'sessions' table is expanded, showing fields: 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Session', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', and 'startdate'. In the center, the 'Visualizations' pane shows a 'Slicer' visual selected. The 'Filters' pane on the right shows the 'sessions' table selected. The 'Values' pane shows 'Add data fields here'. The 'Drill through' pane shows 'Cross-report' (Off) and 'Keep all filters' (On). The 'Add drill-through fields here' pane is empty. The 'status' column is highlighted in the 'sessions' table.

24

Now we'll just do a little formatting on the slicer. Click the paintbrush to enter the formatting section.

The screenshot shows the Power BI desktop application. On the left is the navigation pane with 'Home', 'Workspaces', and 'GSMF 069'. The main area displays a table with columns 'session_id', 'Day', and 'Title'. The table lists various sessions from 1000 to 1018. A slicer for 'status' is visible, with options 'Definitely' and 'Maybe'. On the right, the 'Visual' pane is open, showing 'Format your visual' options. The 'Format your visual' button is highlighted with an orange circle.

25

Expand "Slicer settings" and "Options". In the Style section change it from "Vertical list" to "Tile".

The screenshot shows the Power BI desktop application with the 'Visualizations' pane open. The 'Slicer settings' section is expanded, and the 'Options' section is also expanded. Under 'Options', the 'Style' dropdown is set to 'Tile'. The 'Visual' pane on the right is also open, showing 'Format your visual' options. The 'Format your visual' button is highlighted with an orange circle.

26

Expand the "Selection" group and toggle Single-select to "On" to force a single selection. You can also turn the Slicer header off if you like.

The screenshot displays the Microsoft Fabric report viewer interface. On the left, a sidebar shows various workspaces and reports. The main area displays a list of sessions with columns for session_id, Attendee, and Status. A visual of a status slicer is shown, with options for 'Definitely' and 'Maybe'. The 'Format visual' pane on the right is open, showing the 'Selection' group expanded. The 'Single select' toggle is turned on, and the 'Slicer header' is also turned on. The 'Values' section is empty.

session_id	Attendee	Status
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

Add an action button to trigger a UDF

27

Now it's time to make the write-back magic happen! We'll add a button to the page to hook up your UDF. Click again in the blank space on the page.

The screenshot shows the Microsoft Fabric Data Explorer interface. On the left, there's a sidebar with navigation options like Home, Workspaces, and a list of sessions. The main area displays a table of sessions with columns for session_id, Day, and Title. Below the table, there's a section for 'session_id Attendee Status'. To the right, there's a 'Visualizations' pane with a 'Build visual' button and a 'Data' pane with a search bar and a list of fields. A large orange circle is overlaid on the visualization area, indicating the location where a button should be added.

28

Click the "Buttons" icon in the ribbon and select "Blank."

The screenshot shows the Microsoft Fabric Data Explorer interface. On the left, there's a sidebar with navigation options like Home, Workspaces, and a list of sessions. The main area displays a table of sessions with columns for session_id, Day, and Title. Below the table, there's a section for 'session_id Attendee Status'. To the right, there's a 'Visualizations' pane with a 'Build visual' button and a 'Data' pane with a search bar and a list of fields. A red box highlights the 'Buttons' icon in the ribbon, and a dropdown menu is open, showing the 'Blank' option selected.

29

It automatically puts the button on the top left part of the canvas. Click it and drag it down below the slicer.

The screenshot shows the Microsoft Power BI interface. On the left is the navigation pane with the 'GSMF 069' workspace selected. The main canvas displays a table with columns 'session_id', 'Attendee', and 'Status'. The table contains 18 rows of data. A button is placed on the canvas, and the 'Format button' pane on the right is open, showing the 'General' tab. The 'Text' toggle is turned 'On', and the text 'Add/Update' is entered. The 'Style' section is expanded, showing font settings (Segoe UI, size 10) and padding (4 px). The 'Data' pane on the right shows the 'attendees' table with columns like 'Attendee', 'session_id', 'Status', etc.

30

With the new blank button selected, expand the "Style" section. Turn the "Text" toggle to "On" and enter "Add/Update" for the text. This will be the button that saves the selection to the attendees table.

This screenshot is similar to the previous one but focuses on the 'Format button' pane. The 'Style' section is expanded, and the 'Text' toggle is turned 'On'. The text 'Add/Update' is entered in the 'Text' field. The 'Font' is set to 'Segoe UI' with a size of '10'. The 'Font color' is set to a dark color. The 'Horizontal alignment' is set to 'Left', and the 'Vertical alignment' is set to 'Top'. The 'Padding' is set to '4 px' on all sides. The 'Data' pane on the right shows the 'attendees' table with columns like 'Attendee', 'session_id', 'Status', etc.

31

Scroll to the bottom of the "Style" section and turn the "Action" toggle on. This is where we tell the button what to do.

The screenshot shows the Microsoft Fabric report editor interface. On the left is a sidebar with various tool icons. The main area displays a report titled "Untitled report" with a table of sessions. The table has columns for "session_id", "Attendee", and "Status". The "Status" column contains a button labeled "Add/Update". To the right of the report is a "Style" panel. In the "Style" panel, the "Action" toggle is turned on, indicated by a green dot. An orange circle highlights the "Action" toggle. The "Style" panel also includes sections for "Shape", "Rotation", and "Text".

32

Change the "Type" dropdown from "Back" to "Data function."

The screenshot shows the Microsoft Fabric report editor interface, similar to the previous one. The "Action" section in the "Style" panel is expanded, showing a dropdown menu for "Type". The dropdown menu is open, and "Data function" is selected, highlighted by an orange circle. The "Action" toggle is also turned on. The "Style" panel also includes sections for "Text", "Icon", "Fill", "Border", "Shadow", and "Glow".

33 Click the fx button to find your UDF.

The screenshot shows the Microsoft Power BI interface. On the left is a navigation pane with icons for Create, Browse, OneLake catalog, Apps, Scorecards, Monitor, Learn, Workspaces, workshop tester, and session report. The main area displays a table with columns for date, title, and status. A green callout box at the bottom left says "Design your report on mobile" and "Switch to mobile layout to optimize this report for the Power BI mobile app." On the right, the 'Functions Catalog' panel is open, showing a list of functions. A red circle highlights the 'fx' button in the 'Functions Catalog' panel, which is used to find user-defined functions (UDFs).




Alert! If you're using the pre-baked version of the semantic model from the lakshmanie workspace, choose the udf from the lakshmanie workspace.

If you're using the semantic model that you created, use the udf from your own workspace.

This is important so that the udf writes to the correct SQL database.


34

Click "udf_fabcon_scheduler" from either your workspace (if you're using your semantic model) or the lakshmanie workspace (if you're using the pre-baked model from the lakshmanie workspace).




35


Expand the udf.



36 Click "save_to_agenda"



37 Click "Connect"



38

Now we get even more dropdowns! Once you choose the data function, you'll get additional dropdowns for each parameter of the data function. If you remember from your testing, you need three parameters for this function. For the SessionId parameter, click the little "fx" button.

The screenshot shows the Power BI Desktop interface. On the left is the 'Fields' pane with a list of measures including 'session_id', 'Attendee', 'Status', 'Selected Status', 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', 'startdt', 'Time', 'Title', 'Topic', 'Track', 'URL', 'User', and 'speakers'. The 'Selected Status' measure is selected. In the center, a 'Conditional formatting' pane is open for the 'Selected Status' measure. It shows a 'Data function' dropdown set to 'Data function', a 'Workspace' dropdown set to 'GSMF 069', and a 'Function Set' dropdown set to 'udf_fabcon_scheduler'. The 'Data function' dropdown is expanded, showing a list of data functions. The 'fx' button is highlighted in the 'Data function' dropdown. The 'Conditional formatting' pane also has a 'Format style' dropdown set to 'Field value' and a 'What field should we base this on?' dropdown set to 'Select an option'. The 'Format style' dropdown is also expanded, showing a list of format styles. The 'What field should we base this on?' dropdown is also expanded, showing a list of fields. The 'fx' button is highlighted in the 'What field should we base this on?' dropdown.

39

Expand the dropdown and find your "Selected Session" measure.

The screenshot shows the Power BI Desktop interface. On the left is the 'Fields' pane with a list of measures including 'session_id', 'Attendee', 'Status', 'Selected Status', 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', 'startdt', 'Time', 'Title', 'Topic', 'Track', 'URL', 'User', and 'speakers'. The 'Selected Status' measure is selected. In the center, a 'Conditional formatting' pane is open for the 'Selected Status' measure. It shows a 'Data function' dropdown set to 'Data function', a 'Workspace' dropdown set to 'GSMF 069', and a 'Function Set' dropdown set to 'udf_fabcon_scheduler'. The 'Data function' dropdown is expanded, showing a list of data functions. The 'fx' button is highlighted in the 'Data function' dropdown. The 'Conditional formatting' pane also has a 'Format style' dropdown set to 'Field value' and a 'What field should we base this on?' dropdown set to 'Select an option'. The 'Format style' dropdown is also expanded, showing a list of format styles. The 'What field should we base this on?' dropdown is also expanded, showing a list of fields. The 'Selected Session' measure is highlighted in the 'What field should we base this on?' dropdown.

40 Click "OK"

Format style

Field value

What field should we base this on?

Selected Session

Learn more about conditional formatting

OK Cancel

session_id Attendee Sta

1007 Monday Get

1008 Monday Get

1009 Monday Wh

1010 Monday Cha

1011 Tuesday CO

1012 Tuesday CO

1013 Tuesday CO

1014 Tuesday TML

1015 Tuesday Dev

1016 Tuesday Bull

1017 Tuesday CO

1018 Tuesday Tru

session_id

attending status

status

sessions

Attendee Count

conf_id

conference

Date

Day

DayNum

Description

End

enddt

Length

Level

Location

Selected Sessi...

Selected Status

session_id

Speaker count

Speakers

startdt

Time

Title

Topic

Track

URL

User

speakers

Auto clear

Tooltip

Reset to default

Page 1

41 Click the "fx" button next to the "Attendee" dropdown.

Format style

Field value

What field should we base this on?

Selected Session

Learn more about conditional formatting

OK Cancel

session_id Attendee Sta

1007 Monday Get

1008 Monday Get

1009 Monday Wh

1010 Monday Cha

1011 Tuesday CO

1012 Tuesday CO

1013 Tuesday CO

1014 Tuesday TML

1015 Tuesday Dev

1016 Tuesday Bull

1017 Tuesday CO

1018 Tuesday Tru

session_id

attending status

status

sessions

Attendee Count

conf_id

conference

Date

Day

DayNum

Description

End

enddt

Length

Level

Location

Selected Sessi...

Selected Status

session_id

Speaker count

Speakers

startdt

Time

Title

Topic

Track

URL

User

speakers

Auto clear

Tooltip

Reset to default

Page 1

42 Expand the dropdown and select your "User" measure.

Data function - Action - Action

Format style
Field value

What field should we base this on?
Select an option

- ▼ Data in this visual
- ▼ All data
 - Topic
 - URL
 - User**
 - speakers

[Learn more about conditional formatting](#)

OK Cancel

43 Click "OK"

Data function - Action - Action

Format style
Field value

What field should we base this on?
User

[Learn more about conditional formatting](#)

OK Cancel

44

Last one! Click the "fx" button next to the "Status" dropdown.


The screenshot shows a Microsoft Fabric report interface. On the left is a sidebar with navigation icons. The main area displays a table with columns: session_id, Attendee, Status. The table contains several rows of session data. On the right, there is a 'Conditional formatting' dropdown menu for the 'Status' column. The menu is open, showing options like 'None', 'fx', and 'fx'. The 'fx' button is highlighted with an orange circle. Below the table, there is a 'Page 1' indicator and a '+' button.

45

Expand the dropdown and choose the "Selected Status" measure.


The screenshot shows the same Microsoft Fabric report interface as in the previous step. The 'Conditional formatting' dropdown menu is open, and the 'Selected Status' measure is selected. The menu is titled 'Data function - Action - Action' and shows 'Format style' as 'Field value'. Below this, it asks 'What field should we base this on?' and shows a list of options: 'Data in this visual' and 'All data'. The 'Selected Status' measure is highlighted with an orange circle. At the bottom of the menu, there are 'OK' and 'Cancel' buttons. A link 'Learn more about conditional formatting' is also visible.

46 Click "OK"



47 User Data Functions can take a few seconds to run and return data to the report, so we want a way to let our end users know that it's processing. To do this we can update the text on the button while the function is running.

Click the "Apply setting to" dropdown in the Style section and select "Loading."



48 Modify the Text for the Loading state to "Saving."

The screenshot shows a Power BI report editor interface. On the left is a sidebar with a list of data sources and reports. The main area displays a table with columns 'session_id', 'Attendee', and 'Status'. Above the table, there's a button labeled 'Add/Update'. To the right of the table, there's a 'User' dropdown menu showing '1007' and 'Selected Session'. Below the table, there's a 'session_id' column header. On the far right, the 'Properties' pane is open, showing the 'Text' property for the 'Add/Update' button. The 'Text' property is set to 'Saving'. The 'State' dropdown is set to 'Loading'. The 'Font' is 'Segoe UI' and the 'Font color' is black. The 'Horizontal alignment' is 'Left' and the 'Vertical alignment' is 'Top'. The 'Padding' is set to 4 px on all sides.

session_id	Attendee	Status
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

Test the button action

49


Select a row in the table so you can see a value for "Selected Session." The values you see in the multi-row card are the values that will be sent through the UDF. Notice that if you don't have selected values, the "Add/Update" button is greyed out. It doesn't become enabled unless there are values for it.

With a row selected click CTRL+Click on the Add/Update button to trigger that action. (Once the report is published, end users only need to click it, not hold down the CTRL key)


The screenshot shows the Microsoft Fabric Data Explorer interface. On the left, there's a sidebar with navigation options like Home, Workspaces, and a list of reports. The main area displays a table with columns 'session_id', 'Day', and 'Title'. A row for session 1007 is selected. To the right of the table, a multi-row card for session 1007 is shown, displaying details like 'Selected Session', 'Definitely', and 'Maybe'. Below this card is an 'Add/Update' button, which is highlighted with an orange circle. The right sidebar contains 'Visualizations' and 'Data' panels. The 'Data' panel shows a search bar and a list of fields including 'Attendee', 'session_id', 'Status', 'attending status', 'status', 'sessions', 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', and 'startdt'.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

50 Notice the button says "Saving" while it's running.



51 Also notice the pop-up that lets you know your function was completed.



52 And finally, you have an attendee row added!! Ta-da!!

The screenshot shows the Microsoft Fabric interface. On the left, a sidebar lists various workspaces and reports. The main area displays a list of sessions with columns for session_id, day, and title. A table below the list shows the details of a selected session (1007) with columns for session_id, attendee, and status. The table contains one row: 1007, GSMF.user069@fabcon25eu.onmicrosoft.com, Definitely. An orange box highlights the table. To the right of the table is an 'Add/Update' button. Further right, there are 'Definitely' and 'Maybe' buttons. On the far right, there are panels for 'Visualizations' and 'Data'.

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

Add the delete button

53 Click (not with CTRL) the Add/Update button and copy it by pressing ctrl+c.

The screenshot shows the Microsoft Fabric interface with an orange circle highlighting the 'Add/Update' button. A tooltip points to the button with the text 'CTRL+click here to invoke the function'. The rest of the interface is the same as in the previous screenshot.

54

Click on the canvas and press ctrl+v to paste a copy of the button to the canvas.

The screenshot shows the Microsoft Fabric Canvas interface. On the left, there is a sidebar with a list of sessions. The main canvas area displays a button labeled 'Add/Update' with a tooltip that reads 'GSMF.user069@fabcon25e... User', '1007 Selected Session', 'Definitely', and 'Selected Status'. The right-hand sidebar contains two panels: 'Format button' and 'Data'. The 'Format button' panel has tabs for 'Button', 'General', and '...', with 'Button' selected. The 'Data' panel has a search bar and a list of data fields including 'attendees', 'attending status', and 'sessions'.

55

Drag the new button next to the original button.

This screenshot shows the same Microsoft Fabric Canvas interface as the previous one, but with a new button being dragged next to the original 'Add/Update' button. A tooltip above the new button reads 'CTRL+click here to invoke the function'. The right-hand sidebar remains the same, showing the 'Format button' and 'Data' panels.

56 Click the text field in the Style section to rename this one.

The screenshot shows a design tool interface with a list of sessions on the left, a status selection UI in the center, and a style panel on the right. The style panel is open to the 'Style' section, and the 'Text' field is highlighted with an orange circle. The 'Text' field contains the text 'Saving'.

Session List:

session_id	Attendee	Status
1007	GSMFuser069@fabcon25eu.onmicrosoft.com	Definitely

Status Selection UI:

Definitely Maybe

Add/Update Add/Update

Style Panel:

- Apply settings to
- State: Loading
- Text: Saving
- Font: Segoe UI, 10
- Font color: [Color Picker]
- Horizontal alignment: [Left, Center, Right]
- Vertical alignment: [Top, Middle, Bottom]
- Padding: 4 px

Filters:

- attendees
- session_id
- Status
- attending status
- status
- sessions
- Attendee Count
- conf_id
- conference
- Date
- Day
- DayNum
- Description
- End
- enddt
- Length
- Level
- Location
- Selected Sessi...
- Selected Status
- session_id
- Speaker count
- Speakers
- startdt
- Time
- Title
- Topic
- Track
- URL

57 Click the text field in the Style section to rename this one. In the Loading state, change the text to something like "Deleting from Agenda."

The screenshot shows a design tool interface with a list of sessions on the left, a status selection UI in the center, and a style panel on the right. The style panel is open to the 'Style' section, and the 'Text' field is highlighted with an orange circle. The 'Text' field contains the text 'Deleting from Agenda'.

Session List:

session_id	Attendee	Status
1007	GSMFuser069@fabcon25eu.onmicrosoft.com	Definitely

Status Selection UI:

Definitely Maybe

Add/Update Add/Update

Style Panel:

- Apply settings to
- State: Loading
- Text: Deleting from Agenda
- Font: Segoe UI, 10
- Font color: [Color Picker]
- Horizontal alignment: [Left, Center, Right]
- Vertical alignment: [Top, Middle, Bottom]
- Padding: 4 px

Filters:

- session_id
- Status
- attending status
- status
- sessions
- Attendee Count
- conf_id
- conference
- Date
- Day
- DayNum
- Description
- End
- enddt
- Length
- Level
- Location
- Selected Sessi...
- Selected Status
- session_id
- Speaker count
- Speakers
- startdt
- Time
- Title
- Topic
- Track
- URL

58

Change the state dropdown from "Loading" to "Default" to modify the default text.

The screenshot shows a Power BI report with a list of sessions on the left and a button configuration panel on the right. The button configuration panel is open, showing the 'Style' tab. The 'State' dropdown is set to 'Default'. The 'Text' property is highlighted with an orange circle.

Session List:

User	1007	Selected Session	Definitely	Maybe	Selected Status
Database in Microsoft Fabric (Hands-on)					
iven architectures using Microsoft Fabric (Hands-on)					
Scalable Data Warehouse Solutions with Microsoft Fabric					
abric					
Hands-On Workshop					
Data Estate with Microsoft Purview					
AI Insights in Power BI					
icrosoft SQL ground to cloud to fabric					
What's New and Roadmap					
use - what's new, what's next					
r BI Productivity					
nizations in Microsoft Fabric					
r Enterprise Data with Azure AI Foundry & Fabric Data Agents					
Data Governance in the era of AI					
Dive into Technical Logging for Fabric's Meta-Driven Pipelines					

Button Configuration Panel:

- State: Loading (highlighted with an orange circle)
- Font: Segoe UI, 10
- Font color: Black
- Horizontal alignment: Left

Properties Panel:

- attendees
 - ☐ Attendee
 - ☐ session_id
 - ☐ Status
- attending status
 - ☐ status
- sessions
 - ☐ Attendee Count
 - ☐ conf_id
 - ☐ conference
 - ☐ Date
 - ☐ Day
 - ☐ DayNum
 - ☐ Description
 - ☐ End
 - ☐ enddt
 - ☐ Length
 - ☐ Level
 - ☐ Location
 - ☐ Selected Sessi...
 - ☐ Selected Status
 - ☐ session_id
 - ☐ Speaker count
 - ☐ Speakers

59

Change the Default text to something like "Delete from Agenda."

The screenshot shows a Power BI report with a list of sessions on the left and a button configuration panel on the right. The button configuration panel is open, showing the 'Text' property set to 'Delete from Agenda'.

Session List:

User	1007	Selected Session	Definitely	Maybe	Selected Status
iven architectures using Microsoft Fabric (Hands-on)					
Scalable Data Warehouse Solutions with Microsoft Fabric					
abric					
Hands-On Workshop					
Data Estate with Microsoft Purview					
AI Insights in Power BI					
icrosoft SQL ground to cloud to fabric					
What's New and Roadmap					
use - what's new, what's next					
r BI Productivity					
nizations in Microsoft Fabric					
r Enterprise Data with Azure AI Foundry & Fabric Data Agents					
Data Governance in the era of AI					
Dive into Technical Logging for Fabric's Meta-Driven Pipelines					

Button Configuration Panel:

- State: Default
- Text: Delete from Agenda (highlighted with an orange circle)
- Font: Segoe UI, 10
- Font color: Black
- Horizontal alignment: Left

Properties Panel:

- Attendee
- session_id
- Status
- attending status
 - status
- sessions
 - Attendee Count
 - conf_id
 - conference
 - Date
 - Day
 - DayNum
 - Description
 - End
 - enddt
 - Length
 - Level
 - Location
 - Selected Sessi...
 - Selected Status
 - session_id
 - Speaker count
 - Speakers

60

Next we'll switch which user defined function this button uses. Scroll to the bottom of the Style section and expand "Action."


The screenshot shows the Power BI report editor interface. On the left, a table of data is visible with columns for date, status, and speakers. The 'Style' pane on the right is open, showing various formatting options. The 'Action' function is selected and highlighted with an orange circle. The 'Apply settings to' dropdown is set to 'Default'. The 'Text', 'Icon', 'Fill', 'Border', 'Shadow', 'Glow', and 'Action' options are all turned 'On'. The 'Reset to default' button is visible below the 'Action' option.

61


Click the fx button to swap out the function.

The screenshot shows the Power BI report editor interface. The 'Style' pane is open, and the 'Action' function is selected. A 'Functions Catalog' dialog box is open, showing a list of functions. The 'fx' button is highlighted with an orange circle. The 'Functions Catalog' dialog box is titled 'Discover data functions within your org' and contains a list of functions. The 'fx' button is located at the bottom of the dialog box. The 'Action' function is currently selected in the 'Style' pane.


- 62 Remember to choose the udf from the correct workspace (whether you're using your own model or the pre-baked lakshmanie model)




- 63 Click "delete_from_agenda"



64 Click "Connect"



65 Once you change the function, notice the only two parameters listed are the ones for the delete function. The Status dropdown has disappeared because the delete function does not use that parameter. Select the same values as you did for the previous function.



Test the delete button

66 Click the row in the table for the session you've added to your agenda.

The screenshot shows the Microsoft Power BI interface. The main area displays a table of sessions. An orange circle highlights the row for session 1007, 'Getting Started with Microsoft Fabric'. The table has columns for session_id, Day, and Title. The right sidebar shows the 'Visualizations' pane with a 'Build visual' button and a 'Filters' pane with a 'session_id' filter. The 'Data' pane on the far right shows a list of data fields, including 'session_id' and 'Status'.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven PI

67 With the session selected, CTRL+click the delete button.

The screenshot shows the Microsoft Fabric interface. On the left, a list of sessions is displayed. Session 1007, 'Getting Started with Microsoft Fabric', is selected. A tooltip appears over the 'Delete from Agenda' button, stating 'CTRL+click here to invoke the function'. The right-hand pane shows the 'Format button' and 'Data' sections.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

68 Notice the button label changes while the function is running.

The screenshot shows the Microsoft Fabric interface. On the left, a list of sessions is displayed. Session 1007, 'Getting Started with Microsoft Fabric', is selected. The 'Delete from Agenda' button is now labeled 'Deleting from Agenda' and is highlighted with an orange box. The right-hand pane shows the 'Format button' and 'Data' sections.

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

69 You also get the message letting you know that the function ran.

The screenshot shows the Microsoft Fabric interface. A notification box in the top right corner states: "Request submitted. The action on your report was completed successfully. Details". The main area displays a table of sessions. The table has columns for session_id, Status, attending status, status, sessions, Attendee Count, conf_id, conference, Date, Day, DayNum, Description, End, enddt, and Length. The table is currently empty. Below the table, there are buttons for "Add/Update" and "Delete from Agenda".

70 And the row is gone from the attendees table!!

The screenshot shows the Microsoft Fabric interface. A notification box in the top right corner states: "Request submitted. The action on your report was completed successfully. Details". The main area displays a table of sessions. The table has columns for session_id, Status, attending status, status, sessions, Attendee Count, conf_id, conference, Date, Day, DayNum, Description, End, enddt, and Length. The table is currently empty. Below the table, there are buttons for "Add/Update" and "Delete from Agenda".

Make your agenda!

71

Now that you've created all the plumbing, you can make the report page look better. You can also add more fields to search by for sessions, for example. You can make a page showing your selected sessions by day and start time.

Go ahead and build out your schedule. You won't have access to the tenant after today, but you can build it out and export it to Excel if you'd like.