

4c. Create a Power BI report with write-back



Tip! If you didn't have time to complete the semantic model, you can make your reports from a different model. We have a completed model available for you in the "lakshmanie" workspace.

Option A: use your own model and UDF.

Option B: use the pre-baked model and UDF from the "lakshmanie" workspace. If you use the pre-baked model, you *must* also use the lakshmanie UDF.

Option A: your semantic model

1

Navigate to your workspace if you're not already there.

The screenshot shows the Microsoft Fabric workspace interface. On the left is a sidebar with icons for various components like Workspaces, Copilot, and specific data assets. The main area displays a table of items within a workspace named 'GSMF 069'. The table has columns for Name, Type, Task, Owner, Refreshed, Next refresh, Endorsement, Sensitivity, and Included in app. The items listed include 'fabcon sessions' (SQL database and analysis), 'FabCon sessions schedule' (Report and Semantic model), 'FabCon sessions schedule.pbix' (Dashboard), 'fabcon_session_info' (Lakehouse and SQL analysis), 'Transform FabCon Session Info' (Dataflow), and 'udf_fabcon_scheduler' (User data).

Name	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4:...	—	—	—	☐ No
FabCon sessions schedule	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	
FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	☐ No
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	

2 Click your semantic model to see the details.

The screenshot shows the Power BI workspace 'GSMF 069'. The left sidebar contains a list of items: Home, Copilot, Workspaces, GSMF 069, FabCon sessions..., FabCon sessions..., udf_fabcon_scheduler, fabcon sessions, Transform FabCon..., fabcon_sessi..., and fabcon_sessi... The main area displays a table of items with columns: Name, Type, Task, Owner, Refreshed, Next refresh, Endorsement, Sensitivity, and Included in app. The item 'FabCon sessions schedule' is highlighted with an orange circle.

Name	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4...	—	—	—	No
FabCon sessions schedule	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	
FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	No
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	

3 Click the "Explore" button and then "Create a blank report".

The screenshot shows the 'FabCon sessions schedule' details page. The 'Explore' button is highlighted with an orange circle, and the 'Create a blank report' option is selected in the dropdown menu. The page displays details for the semantic model, including a description, refresh status, and options to discover business insights or share the data. The 'Tables' panel on the right lists the tables available in the semantic model: attendees, attending status, sessions, and speakers.

Details for FabCon sessions schedule
GSMF 069
+ Add description
Refreshed 9/13/25, 4:17:20 PM

Discover business insights
Explore this data to get insights fast or create an interactive report you can share. [Learn more](#)
[Explore this data](#)

Share this data
Give people access to the semantic model and set their permissions to work with it. [Learn more](#)
[Share semantic model](#)

Tables
Select a table and/or columns from this semantic model to view and export the underlying data. [Learn more](#)
To select more than one table, and view summarized data, create a paginated report.
[Create paginated report \(preview\)](#)

- ☐ attendees
- ☐ attending status
- ☐ sessions
- ☐ speakers

Option B: Pre-Baked

4 From your workspace, click "+ New item"

The screenshot shows the Power BI interface for a workspace named 'my fun day workspace'. The left sidebar contains navigation icons for Home, Copilot, Create, Browse, OneLake catalog, Apps, Scorecards, Monitor, Learn, Real-Time, Workloads, and Workspaces. The top bar includes a search bar and icons for deployment pipeline, app creation, access management, and settings. Below the top bar, there are buttons for '+ New item', 'New folder', 'Import', and 'Migrate'. A table lists items in the workspace:

Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
clean up my data		Dataflow ...	—	PBIF Test ...	—	—	—	—	
just_peachy		Lakehouse	—	PBIF Test ...	—	—	—	—	
just_peachy		SQL anal...	—	PBIF Test ...	—	—	—	—	

5 Choose "Report."

The screenshot shows the 'Visualize data' category in the Power BI interface. The left sidebar is the same as in the previous screenshot. The main area displays various visualization options under the 'Visualize data' heading. The 'Report' option is circled in orange.


All categories

- Visualize data


Present your data as rich visualizations and insights that can be shared with others.

Visualization Type	Description
Dashboard	Build a single-page data story.
Event Schema Set (preview)	Define the structure and format of events through schemas, enabling data quality and validation with group-level access control.
Exploration (preview)	Use lightweight tools to analyze your data and uncover trends.
Graph model (preview)	Explore data and build algorithms with Graph
Graph queryset (preview)	Build and execute queries against a graph model
Map (preview)	Visualize and explore live geospatial data with real-time, interactive map views. Learn more
Paginated Report (preview)	Display tabular data in a report that's easy to print and share.
Real-Time Dashboard	Visualize key insights to share with your team.
Report	Create an interactive presentation of your data.

6 Select "Pick a published semantic model."



7 Select the "fabcon sessions" model in the "lakshmanie" location.



8

Click "Create a blank report" from the button arrow. Don't auto-create.

The screenshot shows the Power BI Explorer pane with a list of reports. The 'fabcon sessions' report is selected. A context menu is open, showing the following options:

- Auto-create report
- Create a blank report
- Auto-create report
- Cancel


The 'Create a blank report' option is highlighted with an orange circle.

Name	Owner	Refreshed	Location	Endorsement	Sensitivity
fabcon sessions schedule	PBIF Test User 20	3/16/26, 6:49:48 AM	workshop tester	—	—
fabcon sessions	Stephanie Bruno	3/12/26, 1:05:11 PM	lakshmanie	—	—
fabcon sessions starter	PBIF Test User 20	3/16/26, 6:33:45 AM	workshop tester	—	—
OneLake catalog governance repo...	PBIF Test User 20	3/15/26, 10:03:39 P...	My Workspace	—	—
fabcon sessions tester	PBIF Test User 20	3/15/26, 7:14:10 PM	workshop tester	—	—

Create a new report


9

First things first - some of the visuals we want to use may not be in this list. We'll get them back by clicking these three little dots...




10


Then click "Restore default visuals"



Click "OK". Now we'll have all the visuals we need.




Now we're in a report editor and are connected to the semantic model. You can see the tables for the model in the Data pane on the right side. We won't work with the Filter pane today so you can minimize it to get more space on the canvas. (note - you should have more tables than this screenshot ☹)



13

First let's add a table to the canvas to see a list of FabCon sessions. Click on the "Table" visual in the Visualizations pane to add a table to the canvas.



14

With the table visual selected, open up the "sessions" table and some of the fields to the table, such as the session_id, the title, maybe the day from the date table.

The screenshot displays the Microsoft Power BI desktop application. The main area shows a table visual with the following data:

session_id	Day	Title
1000	Monday	Mastering Data Engineering gpt and C/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: what's New and roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The right-hand pane shows the 'Data' view with the 'sessions' table selected. The fields listed in the 'sessions' table are:

- Attendee Count
- conf_id
- conference
- Date
- Day
- DayNum
- Description
- End
- enddt
- Length
- Level
- Location
- Selected Session
- Selected Status
- session_id
- Speaker count
- Speakers
- startdt
- Time
- Title
- Topic
- Track
- URL
- User

15

Now add another table to the canvas to see an attendee list. Click away from the first table, somewhere in the whitespace of the canvas. Then click the table visual again to add another table to the canvas. Add the session_id from the sessions table.

The screenshot shows the Power BI Desktop interface. On the left, the 'Data' pane lists various tables including 'sessions' and 'speakers'. The 'sessions' table is expanded, and the 'session_id' field is selected. On the right, the 'Visualizations' pane shows a table visual on the canvas. The table has columns for 'session_id' and 'Attendee'. The table is currently empty.

16

Expand the attendees table and add the Attendee column to the table. As soon as you add it you'll notice the table displays no rows. This is because we have no data in the attendee table yet. We'll add some with your UDF and then it will appear here.

The screenshot shows the Power BI Desktop interface. On the left, the 'Data' pane lists various tables including 'sessions' and 'speakers'. The 'attendees' table is expanded, and the 'Attendee' field is selected. On the right, the 'Visualizations' pane shows a table visual on the canvas. The table has columns for 'session_id' and 'Attendee'. The table is currently empty.

17

We're going to add another visual to the canvas to show us the values that will be saved to the database. Click in the white space on the canvas so you don't accidentally modify the existing visuals.

The screenshot shows the Microsoft Power BI interface. The top bar includes the Power BI logo, the report name 'GSMF 069', a search bar, and various utility icons. The left sidebar contains navigation options like Home, Workspaces, and a list of reports including 'Untitled report' and 'FabCon sessions...'. The main canvas area displays a table with session data and a large orange circle visual. The table has columns for session_id, Day, and Title, with rows numbered 1000 to 1018. The right-hand side features two panes: 'Visualizations' with a 'Build visual' dropdown and a list of visual types, and 'Data' with a search bar and a list of fields under 'attendees' and 'sessions' categories. The 'sessions' category includes fields like 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Session', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', and 'startdate'.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL, ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven PI

18 Click the "Multi-row card" visual to add it to the canvas.

Note - if you don't see the multi-row card visual, click the 3 dots and select "Restore default visuals."

The screenshot shows the Microsoft Power BI interface. On the left is the navigation pane with 'Home', 'Workspaces', and 'GSMF 069' selected. The main area displays a table with columns 'session_id', 'Day', and 'Title'. The table contains 18 rows of session data. On the right, the 'Visualizations' pane is open, showing various visual types. The 'Multi-row card' visual is highlighted with an orange circle. Below the visual types, the 'Filters' section is visible, and the 'Values' section has 'Add data fields here' and 'Add drill-through fields here' buttons. The 'Data' pane on the far right shows a list of fields including 'attendees', 'sessions', and 'conf_id'.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

19 Add three measures to the multi-row card:

- User
- Selected Session
- Selected Status

The screenshot displays the Microsoft Power BI interface. On the left, the navigation pane shows the 'GSMF 069' workspace. The main area features a table with columns 'session_id', 'Day', and 'Title', listing various sessions. A multi-row card visualization is overlaid on the table, showing the email 'GSMFuser069@fabcon25e...' and three measures: 'User', 'Selected Session', and 'Selected Status'. The 'Visualizations' pane on the right shows the 'Build visual' options. The 'Data' pane on the right lists the available fields, with 'Selected Session', 'Selected Status', and 'User' highlighted in an orange box. The 'Fields' section on the right also shows these three measures selected.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

session_id Attendee Status

Visualizations

Build visual

Fields

User

Selected Session

Selected Status

Drill through

Cross-report

Keep all filters

Add drill-through fields here

Data

Search

attendees

Attendee

session_id

Status

attending status

sessions

Attendee Count

conf_id

conference

Date

Day

DayNum

Description

End

Length

Level

Selected Session

Selected Sta...

session_id

Speaker count

Speakers

startdt

Time

Title

Topic

Track

URL

User

speakers

20

When you haven't clicked any rows in the table, "Selected session" shows as (Blank). Click a row in the table to see a value populate in the card. Click the same row again to de-select it and see "Selected Session" go back to (Blank). This will be important for the write-back functionality.

The screenshot shows the Power BI interface with a table of sessions and a card for the selected session. The table has columns for session_id, Day, and Title. The card displays the selected session details.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The card displays the selected session details:

session_id	Attendee	Status
1007	GSMF.user069@fabcon25e...	Selected Session
(blank)		Selected Status

21

Next we'll add a slicer to the canvas to allow the user to select an attending status. Click in the white space of the canvas before adding another visual to make sure the other visuals on the page are not selected.

The screenshot shows the Power BI interface with a table of sessions and a card for the selected session. A slicer has been added to the canvas to allow the user to select an attending status.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

The card displays the selected session details:

session_id	Attendee	Status
1007	GSMF.user069@fabcon25e...	Selected Session
(Blank)		Selected Status

A slicer has been added to the canvas, allowing the user to select an attending status. The slicer is currently set to "Selected Session".

22 Click this Slicer visual to add it to the canvas.

The screenshot shows the Microsoft Power BI interface. On the left, the 'Data' pane displays a table with columns 'session_id', 'Day', and 'Title'. The table contains 18 rows of data. In the center, the 'Visualizations' pane is open, showing a list of visual types. The 'Slicer' visual is highlighted with an orange circle. On the right, the 'Fields' pane shows a list of fields, including 'attendees', 'attending status', and 'sessions'. The 'Slicer' visual is also highlighted with an orange circle in the 'Visualizations' pane.

23 Add the status column from the "attending status" table to the slicer.

The screenshot shows the Microsoft Power BI interface. On the left, the 'Data' pane displays a table with columns 'session_id', 'Day', and 'Title'. The table contains 18 rows of data. In the center, the 'Visualizations' pane is open, showing a list of visual types. The 'Slicer' visual is highlighted with an orange circle. On the right, the 'Fields' pane shows a list of fields, including 'attendees', 'attending status', and 'sessions'. The 'attending status' table is highlighted with an orange circle in the 'Fields' pane. The 'Slicer' visual is also highlighted with an orange circle in the 'Visualizations' pane.

24

Now we'll just do a little formatting on the slicer. Click the paintbrush to enter the formatting section.

The screenshot shows the Power BI Desktop interface. The main view displays a table with columns: session_id, Day, and Title. The table contains 18 rows of session data. The 'Filters' pane on the right shows the 'status' field selected. The 'Format your visual' pane is open, and the paintbrush icon is highlighted. The 'Data' pane on the right shows the 'status' field selected.

25

Expand "Slicer settings" and "Options". In the Style section change it from "Vertical list" to "Tile".

The screenshot shows the Power BI Desktop interface. The main view displays a table with columns: session_id, Day, and Title. The table contains 18 rows of session data. The 'Filters' pane on the right shows the 'status' field selected. The 'Format your visual' pane is open, and the 'Slicer settings' and 'Options' sections are expanded. The 'Style' dropdown is set to 'Tile'.

26

Expand the "Selection" group and toggle Single-select to "On" to force a single selection. You can also turn the Slicer header off if you like.

The screenshot displays the Microsoft Fabric report viewer interface. On the left, a sidebar shows various workspaces and reports. The main area displays a list of sessions with columns for session_id, Attendee, and Status. The 'Format visual' pane on the right is open, showing the 'Selection' group with the 'Single select' toggle set to 'On'. A red circle highlights this toggle. The 'Slicer settings' section is also visible, showing options for 'Style' and 'Title'.

session_id	Attendee	Status
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

Add an action button to trigger a UDF

27

Now it's time to make the write-back magic happen! We'll add a button to the page to hook up your UDF. Click again in the blank space on the page.

The screenshot shows the Power BI interface with a report titled 'GSMF 069'. The main area displays a table with columns 'session_id', 'Day', and 'Title'. The table lists various sessions, including 'Getting Started with Microsoft Fabric' (session 1007) and 'Mastering Data Engineering git and CI/CD in Microsoft Fabric' (session 1000). Below the table, there is a blank canvas with a large orange circle. The right-hand pane shows the 'Visualizations' and 'Data' sections. The 'Visualizations' pane has a 'Build visual' button and a 'Filters' section. The 'Data' pane shows a list of fields including 'Attendee', 'session_id', 'Status', 'attending status', 'status', 'sessions', 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', 'startdt', and 'Time'.

28

Click the "Buttons" icon in the ribbon and select "Blank."

The screenshot shows the Power BI interface with the 'Buttons' icon in the ribbon highlighted. A dropdown menu is open, showing options like 'Left arrow', 'Right arrow', 'Reset', 'Back', 'Information', 'Help', 'Q&A', 'Bookmark', 'Blank', 'Apply on slicers', 'Clear all slicers', and 'Navigator'. The 'Blank' option is highlighted with an orange circle. The background shows the same report as in the previous screenshot, with the table of sessions and the blank canvas with the orange circle.

29

It automatically puts the button on the top left part of the canvas. Click it and drag it down below the slicer.

The screenshot shows the Microsoft Power BI interface. On the left is the navigation pane with the 'GSMF 069' workspace selected. The main canvas displays a table with columns 'session_id', 'Attendee', and 'Status'. The table contains 18 rows of data. A button is placed on the canvas, and the 'Format button' pane on the right is open, showing the 'General' tab. The 'Text' toggle is turned 'On', and the text 'Add/Update' is entered. The 'Style' section is expanded, showing font settings (Segoe UI, size 10) and padding (4 px). The 'Data' pane on the right shows the 'attendees' table selected, with fields like 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', and 'Speaker' listed.

30

With the new blank button selected, expand the "Style" section. Turn the "Text" toggle to "On" and enter "Add/Update" for the text. This will be the button that saves the selection to the attendees table.

This screenshot is a closer view of the button configuration in the Power BI interface. The 'Format button' pane on the right is open, and the 'Style' section is expanded. The 'Text' toggle is turned 'On', and the text 'Add/Update' is entered. The 'Style' section shows font settings (Segoe UI, size 10) and padding (4 px). The 'Data' pane on the right shows the 'attendees' table selected, with fields like 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', and 'Speaker' listed.

31

Scroll to the bottom of the "Style" section and turn the "Action" toggle on. This is where we tell the button what to do.

The screenshot shows the Microsoft Fabric report editor interface. On the left is a sidebar with various tool icons. The main area displays a report titled "Untitled report" with a table of sessions. The table has columns for "session_id", "Attendee", and "Status". The "Status" column is currently set to "Definitely". A button labeled "Add/Update" is visible in the table. On the right, the "Style" section is expanded, showing various styling options. The "Action" toggle is turned on, and the "Type" dropdown is set to "Data function".

32

Change the "Type" dropdown from "Back" to "Data function."

The screenshot shows the Microsoft Fabric report editor interface, similar to the previous one. The "Action" section is expanded, and the "Type" dropdown is set to "Data function". The "Data function" option is highlighted with an orange circle. The "Action" toggle is also turned on.

33 Click the fx button to find your UDF.

The screenshot shows the Microsoft Power BI interface. On the left is a sidebar with navigation icons: Create, Browse, OneLake catalog, Apps, Scorecards, Monitor, Learn, Workspaces, workshop tester, and session report. The main area displays a report with a calendar table. The table has columns for date, day of the week, and a list of events. The 'status' column has a dropdown menu with 'Definitely' and 'Maybe' options. On the right, there's a 'Filters' pane with 'Filters on this page' and 'Filters on all pages' sections. Below the filters is a 'Functions Catalog' section with a red circle highlighting the 'fx' button. The 'fx' button is labeled 'Discover data functions within your org' and 'fx function'. Below it are buttons for 'Refresh the report...' and 'Tooltip'. The bottom of the screen shows a green notification box that says 'Design your report on mobile' and 'Switch to mobile layout to optimize this report for the Power BI mobile app.'




Alert! If you're using the pre-baked version of the semantic model from the lakshmanie workspace, choose the udf from the lakshmanie workspace.

If you're using the semantic model that you created, use the udf from your own workspace.

This is important so that the udf writes to the correct SQL database.


34

Click "udf_fabcon_scheduler" from either your workspace (if you're using your semantic model) or the lakshmanie workspace (if you're using the pre-baked model from the lakshmanie workspace).




35


Expand the udf.



36 Click "save_to_agenda"



37 Click "Connect"



38

Now we get even more dropdowns! Once you choose the data function, you'll get additional dropdowns for each parameter of the data function. If you remember from your testing, you need three parameters for this function. For the SessionId parameter, click the little "fx" button.

The screenshot shows the Power BI Desktop interface. On the left is the 'Fields' pane with a list of measures including 'session_id', 'Attendee', 'Status', 'Selected Status', 'Attendee Count', 'conf_id', 'conference', 'Date', 'Day', 'DayNum', 'Description', 'End', 'enddt', 'Length', 'Level', 'Location', 'Selected Sessi...', 'Selected Status', 'session_id', 'Speaker count', 'Speakers', 'startdt', 'Time', 'Title', 'Topic', 'Track', 'URL', 'User', and 'speakers'. The 'Selected Status' measure is highlighted. In the center, a 'Conditional formatting' pane is open for the 'Selected Status' measure. It shows the 'Action' dropdown set to 'Data function'. Below it, the 'Workspace' is 'GSMF 069' and the 'Function Set' is 'udf_fabcon_scheduler'. The 'Data function' dropdown is open, and the 'fx' button is highlighted. The 'Conditional formatting' pane also has a 'Format style' dropdown set to 'Field value' and a 'What field should we base this on?' dropdown set to 'Select an option'. The 'Format button' is visible at the bottom right of the pane.

39

Expand the dropdown and find your "Selected Session" measure.

The screenshot shows the Power BI Desktop interface. On the left is the 'Fields' pane with a list of measures including 'session_id', 'Day', 'Title', 'Mastering Data Engineering git and CI/CD in Microsoft Fabric', 'Mastering Fabric Administration', 'A PI', 'Bull', 'COP', 'COF', 'COF', 'COF', 'TMD', 'Des', 'Bull', 'COF', 'Tru'. The 'Selected Session' measure is highlighted. In the center, a 'Conditional formatting' pane is open for the 'Selected Session' measure. It shows the 'Action' dropdown set to 'Data function'. Below it, the 'Workspace' is 'GSMF 069' and the 'Function Set' is 'udf_fabcon_scheduler'. The 'Data function' dropdown is open, and the 'fx' button is highlighted. The 'Conditional formatting' pane also has a 'Format style' dropdown set to 'Field value' and a 'What field should we base this on?' dropdown set to 'Select an option'. The 'Format button' is visible at the bottom right of the pane.

40 Click "OK"

Format style

Field value

What field should we base this on?

Selected Session

Learn more about conditional formatting

OK Cancel

session_id Attendee Status

1007 Monday Getting Started with Microsoft Fabric

1008 Monday Getting Started with Power BI: A Hands-On Workshop

1009 Monday What's New in Governing Your Data Estate with Microsoft Purview

1010 Monday Chat with Your Data: Unlocking AI insights in Power BI

1011 Tuesday CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric

1012 Tuesday CORENOTE: Fabric Data Factory: What's New and Roadmap

1013 Tuesday CORENOTE: Fabric Data Warehouse - what's new, what's next

1014 Tuesday TMDL Playoffs: Boost Your Power BI Productivity

1015 Tuesday Demystifying Spark Profile Optimizations in Microsoft Fabric

1016 Tuesday Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents

1017 Tuesday CORENOTE: Microsoft Purview Data Governance in the era of AI

1018 Tuesday Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

41 Click the "fx" button next to the "Attendee" dropdown.

Format style

Field value

What field should we base this on?

Selected Session

Learn more about conditional formatting

OK Cancel

session_id Attendee Status

1007 Monday Getting Started with Microsoft Fabric

1008 Monday Getting Started with Power BI: A Hands-On Workshop

1009 Monday What's New in Governing Your Data Estate with Microsoft Purview

1010 Monday Chat with Your Data: Unlocking AI insights in Power BI

1011 Tuesday CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric

1012 Tuesday CORENOTE: Fabric Data Factory: What's New and Roadmap

1013 Tuesday CORENOTE: Fabric Data Warehouse - what's new, what's next

1014 Tuesday TMDL Playoffs: Boost Your Power BI Productivity

1015 Tuesday Demystifying Spark Profile Optimizations in Microsoft Fabric

1016 Tuesday Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents

1017 Tuesday CORENOTE: Microsoft Purview Data Governance in the era of AI

1018 Tuesday Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

42 Expand the dropdown and select your "User" measure.

Data function - Action - Action

Format style
Field value

What field should we base this on?
Select an option

- ▼ Data in this visual
- ▼ All data
 - Topic
 - URL
 - User**
 - speakers

[Learn more about conditional formatting](#)

OK Cancel

43 Click "OK"

Data function - Action - Action

Format style
Field value

What field should we base this on?
User

[Learn more about conditional formatting](#)

OK Cancel

44

Last one! Click the "fx" button next to the "Status" dropdown.


The screenshot shows a Microsoft Fabric report interface. On the left is a sidebar with navigation icons. The main area displays a table with columns: session_id, Attendee, Status. The table contains 10 rows of session data. A 'Conditional formatting' dropdown menu is open, showing options for 'Status'. The 'fx' button next to the 'Status' dropdown is highlighted with an orange circle. The right sidebar shows a list of fields including session_id, Status, attending status, sessions, Attendee Count, conf_id, conference, Date, Day, DayNum, Description, End, enddt, Length, Level, Location, Selected Sessi..., Selected Status, session_id, Speaker count, Time, Title, Topic, Track, URL, User, and speakers.

45

Expand the dropdown and choose the "Selected Status" measure.


The screenshot shows the same Microsoft Fabric report interface as in step 44. A 'Conditional formatting' dropdown menu is open, showing options for 'Status'. The 'fx' button next to the 'Status' dropdown is highlighted with an orange circle. The dropdown menu is expanded, showing a list of fields including session_id, Attendee, Status, attending status, sessions, Attendee Count, conf_id, conference, Date, Day, DayNum, Description, End, enddt, Length, Level, Location, Selected Sessi..., Selected Status, session_id, Speaker count, Time, Title, Topic, Track, URL, User, and speakers. The 'Selected Status' measure is highlighted with an orange circle.

46 Click "OK"



47 User Data Functions can take a few seconds to run and return data to the report, so we want a way to let our end users know that it's processing. To do this we can update the text on the button while the function is running.

Click the "Apply setting to" dropdown in the Style section and select "Loading."



48 Modify the Text for the Loading state to "Saving."

The screenshot displays a Power BI report editor interface. On the left, a sidebar contains various report components like 'GSMF 069', 'Untitled report', and 'FabCon sessions'. The main area shows a table with columns 'session_id', 'Attendee', and 'Status'. A button labeled 'Add/Update' is positioned below the table. A red box highlights the 'Add/Update' button. On the right, the 'Text' property settings for the button are visible, showing the 'Text' field set to 'Saving'.

session_id	Attendee	Status
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

Buttons: Definitely, Maybe, Add/Update

Text property settings:

- Text: Saving
- Font: Segoe UI, 10
- Font color: Black
- Horizontal alignment: Center
- Vertical alignment: Middle
- Padding: 4 px

Test the button action

49


Select a row in the table so you can see a value for "Selected Session." The values you see in the multi-row card are the values that will be sent through the UDF. Notice that if you don't have selected values, the "Add/Update" button is greyed out. It doesn't become enabled unless there are values for it.

With a row selected click CTRL+Click on the Add/Update button to trigger that action. (Once the report is published, end users only need to click it, not hold down the CTRL key)


The screenshot shows the Microsoft Fabric Copilot interface. On the left is a sidebar with navigation icons. The main area displays a table of sessions with columns 'session_id', 'Day', and 'Title'. Row 1007 is selected. To the right of the table is a multi-row card for session 1007, showing details like 'User', 'Selected Session', and 'Definitely' status. Below this card is an 'Add/Update' button, which is highlighted with an orange circle. The right-hand pane shows the 'Visualizations' and 'Data' sections. The 'Data' section lists various fields like 'Attendee', 'session_id', 'Status', etc., with checkboxes for selection.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

50 Notice the button says "Saving" while it's running.



51 Also notice the pop-up that lets you know your function was completed.



52

And finally, you have an attendee row added!! Ta-da!!

The screenshot shows the Microsoft Fabric interface. On the left, a sidebar lists various components like Workspaces, GSMF 069, and FabCon sessions. The main area displays a list of sessions with columns for session_id, Day, and Title. A table below the list shows the details of session 1007, with columns for session_id, Attendee, and Status. The table contains one row: 1007, GSMF.user069@fabcon25eu.onmicrosoft.com, Definitely. A callout box points to the 'Add/Update' button in the table. On the right, the 'Visualizations' and 'Data' panels are visible, showing various data fields and filters.

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

Add the delete button

53

Click (not with CTRL) the Add/Update button and copy it by pressing ctrl+c.

The screenshot shows the Microsoft Fabric interface, similar to the previous one. A callout box with an orange circle highlights the 'Add/Update' button in the table. The callout text says 'CTRL+click here to invoke the function'. The table structure is the same as in the previous screenshot.

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

54

Click on the canvas and press ctrl+v to paste a copy of the button to the canvas.

The screenshot shows the Microsoft Fabric Canvas interface. On the left, there is a sidebar with a list of sessions. The central canvas displays a button labeled 'Add/Update' with a tooltip that reads 'GSMF.user069@fabcon25e... User', '1007 Selected Session', 'Definitely', and 'Selected Status'. The right-hand sidebar contains two panels: 'Format button' and 'Data'. The 'Format button' panel has tabs for 'Button', 'General', and '...', with 'Button' selected. The 'Data' panel has a search bar and a list of data fields including 'attendees', 'attending status', and 'sessions'.

55

Drag the new button next to the original button.

This screenshot shows the same Microsoft Fabric Canvas interface as the previous one, but with a new button being dragged. A tooltip above the new button reads 'CTRL+click here to invoke the function'. The 'Add/Update' button is now being moved to a new position next to the original button. The right-hand sidebar remains the same, showing the 'Format button' and 'Data' panels.

56

Click the text field in the Style section to rename this one.

The screenshot shows a design tool interface with three main panels:

- Left Panel:** A list of sessions with columns for session_id, Attendee, and Status. Session 1007 is selected.
- Center Panel:** A UI mockup showing a status selection button labeled "Definitely" and a "Maybe" button. Below them are two "Add/Update" buttons.
- Right Panel:** A style panel with tabs for "Button", "General", and "Style". The "Style" tab is active, showing settings for "Apply settings to", "State", "Text", "Font", "Font color", "Horizontal alignment", "Vertical alignment", and "Padding". The "Text" field is highlighted with an orange circle.

57

Click the text field in the Style section to rename this one. In the Loading state, change the text to something like "Deleting from Agenda."

The screenshot shows a design tool interface with three main panels:

- Left Panel:** A list of sessions with columns for session_id, Attendee, and Status. Session 1007 is selected.
- Center Panel:** A UI mockup showing a status selection button labeled "Definitely" and a "Maybe" button. Below them are two "Add/Update" buttons.
- Right Panel:** A style panel with tabs for "Button", "General", and "Style". The "Style" tab is active, showing settings for "Apply settings to", "State", "Text", "Font", "Font color", "Horizontal alignment", "Vertical alignment", and "Padding". The "Text" field is highlighted with an orange circle.

58

Change the state dropdown from "Loading" to "Default" to modify the default text.

The screenshot shows a Power BI report with a list of sessions on the left and a button configuration pane on the right. The button configuration pane is open, showing the 'Style' tab. The 'State' dropdown is set to 'Loading'. An orange circle highlights the 'Default' option in the dropdown menu.

Session List:

User	1007	Selected Session	Definitely	Maybe	Selected Status
Database in Microsoft Fabric (Hands-on)					
iven architectures using Microsoft Fabric (Hands-on)					
Scalable Data Warehouse Solutions with Microsoft Fabric					
abric					
Hands-On Workshop					
Data Estate with Microsoft Purview					
AI Insights in Power BI					
icrosoft SQL ground to cloud to fabric					
What's New and Roadmap					
use - what's new, what's next					
r BI Productivity					
nizations in Microsoft Fabric					
r Enterprise Data with Azure AI Foundry & Fabric Data Agents					
Data Governance in the era of AI					
Dive into Technical Logging for Fabric's Meta-Driven Pipelines					

Button Configuration Pane:

- State: Loading (Default)
- Font: Segoe UI, 10
- Font color: Black
- Horizontal alignment: Left

Right Panel (Sessions):

- attendees
 - Attendee
 - session_id
 - Status
- attending status
 - status
- sessions
 - Attendee Count
 - conf_id
 - conference
 - Date
 - Day
 - DayNum
 - Description
 - End
 - enddt
 - Length
 - Level
 - Location
 - Selected Sessi...
 - Selected Status
 - session_id
 - Speaker count
 - Speakers

59

Change the Default text to something like "Delete from Agenda."

The screenshot shows a Power BI report with a list of sessions on the left and a button configuration pane on the right. The button configuration pane is open, showing the 'Style' tab. The 'Text' property is set to 'Delete from Agenda'. An orange circle highlights the 'Text' property in the configuration pane.

Session List:

User	1007	Selected Session	Definitely	Maybe	Selected Status
iven architectures using Microsoft Fabric (Hands-on)					
Scalable Data Warehouse Solutions with Microsoft Fabric					
abric					
Hands-On Workshop					
Data Estate with Microsoft Purview					
AI Insights in Power BI					
icrosoft SQL ground to cloud to fabric					
What's New and Roadmap					
use - what's new, what's next					
r BI Productivity					
nizations in Microsoft Fabric					
r Enterprise Data with Azure AI Foundry & Fabric Data Agents					
Data Governance in the era of AI					
Dive into Technical Logging for Fabric's Meta-Driven Pipelines					

Button Configuration Pane:

- State: Default
- Text: Delete from Agenda
- Font: Segoe UI, 10
- Font color: Black
- Horizontal alignment: Left

Right Panel (Sessions):

- Attendee
- session_id
- Status
- attending status
 - status
- sessions
 - Attendee Count
 - conf_id
 - conference
 - Date
 - Day
 - DayNum
 - Description
 - End
 - enddt
 - Length
 - Level
 - Location
 - Selected Sessi...
 - Selected Status
 - session_id
 - Speaker count
 - Speakers

60

Next we'll switch which user defined function this button uses. Scroll to the bottom of the Style section and expand "Action."


The screenshot shows the Power BI report editor interface. On the left, there's a list of items with a 'Status' column. Two buttons, 'Add/Update' and 'Delete from Agenda', are highlighted with red boxes. On the right, the 'Style' pane is open, showing various settings. The 'Action' function is selected and highlighted with a red circle. The 'Apply settings to' dropdown is set to 'Default'. Other settings like Text, Icon, Fill, Border, Shadow, and Glow are shown with their respective toggle switches.

61


Click the fx button to swap out the function.

The screenshot shows the Power BI report editor interface. On the left, there's a list of items with a 'Status' column. Two buttons, 'Add/Update' and 'Delete from Agenda', are highlighted with red boxes. On the right, the 'Style' pane is open, showing various settings. The 'Action' function is selected and highlighted with a red circle. A 'Functions Catalog' dialog box is open, showing a list of functions. The 'fx' button is highlighted with a red circle. The 'Apply settings to' dropdown is set to 'Default'. Other settings like Text, Icon, Fill, Border, Shadow, and Glow are shown with their respective toggle switches.

- 62 Remember to choose the udf from the correct workspace (whether you're using your own model or the pre-baked lakshmanie model)



- 63 Click "delete_from_agenda"



64 Click "Connect"

The screenshot shows the Power BI Explorer interface. On the left, there's a sidebar with 'Explorer' and a list of functions. The main area displays a table of functions. The 'Connect' button is highlighted with an orange circle.

Name	Type	Owner	Location	Endorsement	Sensitivity
udf_fabcon_scheduler	User data functions	PBIF Test User 20	workshop tester	—	—
udf_fabcon_scheduler	User data functions	Stephanie Bruno	lakshmanie	—	—
save_to_agenda	Data function	Ⓢ	lakshmanie	N/A	N/A
delete_from_agenda	Data function	Ⓢ	lakshmanie	N/A	N/A

Buttons: Connect, Cancel

65 Once you change the function, notice the only two parameters listed are the ones for the delete function. The Status dropdown has disappeared because the delete function does not use that parameter. Select the same values as you did for the previous function.

The screenshot shows the Power BI interface. The 'Delete from Agenda' button is selected. The parameters section is highlighted with an orange box.

Buttons: Add/Update, Delete from Agenda

Parameters:

- sessionid: [fx] [🔍]
- Attendee: [fx] [🔍]

Buttons: > Tooltip, Reset to default

Test the delete button

66 Click the row in the table for the session you've added to your agenda.

The screenshot shows the Power BI interface with a table of sessions. The table has columns for session_id, Day, and Title. The row for session_id 1007 is highlighted. To the right of the table, there is a detailed view of the selected session, showing the user (GSMFUser069@fabcon25e...), the session title (Blank), and the status (Definitely). Below this, there are buttons for 'Add/Update' and 'Delete from Agenda'. The interface also includes a sidebar with navigation options like Home, Workspaces, and a search bar at the top.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven PI

session_id Attendee Status

1007	GSMFUser069@fabcon25eu.onmicrosoft.com	Definitely
------	--	------------

Add/Update Delete from Agenda

67 With the session selected, CTRL+click the delete button.

The screenshot shows the Microsoft Fabric interface. On the left, there's a sidebar with navigation options like Home, Workspaces, and GSMF 069. The main area displays a list of sessions. The session '1007 Monday Getting Started with Microsoft Fabric' is selected. A tooltip appears over the 'Delete from Agenda' button, stating 'CTRL+click here to invoke the function'. The right sidebar shows the 'Format button' and 'Data' panels.

session_id	Day	Title
1000	Monday	Mastering Data Engineering git and CI/CD in Microsoft Fabric
1001	Monday	Mastering Fabric Administration
1002	Monday	A Practical Guide to Building and Deploying Fabric Data Agents for Deeper Insights
1003	Monday	Mastering the Essentials of Data Factory
1004	Monday	Build AI-Ready Apps with SQL Database in Microsoft Fabric (Hands-on)
1005	Monday	Masterclass in building event-driven architectures using Microsoft Fabric (Hands-on)
1006	Monday	Hands-On Approach to Building Scalable Data Warehouse Solutions with Microsoft Fabric
1007	Monday	Getting Started with Microsoft Fabric
1008	Monday	Getting Started with Power BI: A Hands-On Workshop
1009	Monday	What's New in Governing Your Data Estate with Microsoft Purview
1010	Monday	Chat with Your Data: Unlocking AI Insights in Power BI
1011	Tuesday	CORENOTE: The roadmap for Microsoft SQL ground to cloud to fabric
1012	Tuesday	CORENOTE: Fabric Data Factory: What's New and Roadmap
1013	Tuesday	CORENOTE: Fabric Data Warehouse - what's new, what's next
1014	Tuesday	TMDL Playoffs: Boost Your Power BI Productivity
1015	Tuesday	Demystifying Spark Profile Optimizations in Microsoft Fabric
1016	Tuesday	Building Multi-Agent Systems for Enterprise Data with Azure AI Foundry & Fabric Data Agents
1017	Tuesday	CORENOTE: Microsoft Purview Data Governance in the era of AI
1018	Tuesday	Trust Your Data's Journey: Deep Dive into Technical Logging for Fabric's Meta-Driven Pipelines

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

68 Notice the button label changes while the function is running.

The screenshot shows the same Microsoft Fabric interface as in the previous image. The session '1007 Monday Getting Started with Microsoft Fabric' is still selected. The 'Delete from Agenda' button now has a loading spinner and the text 'Deleting from Agenda', indicating that the function is running. The right sidebar shows the 'Format button' and 'Data' panels.

session_id	Attendee	Status
1007	GSMF.user069@fabcon25eu.onmicrosoft.com	Definitely

69 You also get the message letting you know that the function ran.

The screenshot shows the Microsoft Fabric interface. A notification box in the top right corner states: "Request submitted. The action on your report was completed successfully. Details". The main area displays a table of sessions. The table has columns for session_id, Status, attending status, status, sessions, Attendee Count, conf_id, conference, Date, Day, DayNum, Description, End, enddt, and Length. The row for session 1007 is highlighted, showing it is "Definitely" selected.

70 And the row is gone from the attendees table!!

The screenshot shows the Microsoft Fabric interface. The 'Attendees' table is displayed, showing columns for session_id, Attendee, Status, and sessions. The row for session 1007 is highlighted, showing it is "Definitely" selected. The 'Visualizations' pane on the right shows the 'Attendees' table selected.

Make your agenda!

71

Now that you've created all the plumbing, you can make the report page look better. You can also add more fields to search by for sessions, for example. You can make a page showing your selected sessions by day and start time.

Go ahead and build out your schedule. You won't have access to the tenant after today, but you can build it out and export it to Excel if you'd like.