

4a. Option 2 - Upload a pbix to create the semantic model starter

Training.tips

1

Download the starter fabcon_session_info.pbix file from the resources to your computer.

2

Navigate to your workspace.

Copilot

Create

Browse

OneLake catalog

Workspaces

GSMF 069

udf_fabcon_scheduler

fabcon sessions

Transform FabCon ...

fabcon_sessi on_info

fabcon_sessi on_info

...

+ New item

New folder

→ Import

Migrate


Filter by keyword

Filter

Name	Type	Task	Owner	Refreshed	Next refresh	Endorsemei	Sensitivity	Included in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	

3

Click the "Import" dropdown, choose "Report, Paginated Report or Workbook", and then select "From this computer"



Tip! The semantic model you just uploaded has parameters for the connections to the lakehouse and the SQL database. We need to update those parameters with the details of your connections. For the next few steps we'll be going back and forth between the model and the settings. If you'd like to make it easier on yourself, you can open up a second tab in your browser so you can keep the model settings in one tab.

Update the Lakehouse connection parameters

4

First we'll get the easier parameter value - the connection string for the lakehouse. Click the three dots next to the name of the lakehouse and select "Settings."

The screenshot shows the Microsoft Fabric Lakehouse interface. On the left is a sidebar with navigation options: Browse, OneLake catalog, Workspaces, and a list of items including GSMF 069, udf_fabcon_scheduler, fabcon_sessions, Transform FabCon ..., fabcon_sessi on_info, and fabcon_sessi on_info. The main area displays a table of items. The 'fabcon_session_info' item, which is a Lakehouse, is selected. A context menu is open over this item, with the 'Settings' option highlighted by an orange circle. The menu options include: Open, Delete, Settings, Favorite, View workspace lineage, View item lineage, View details, Move to, Manage permissions, Share, External data share, and Recent runs.

						refresh			in app
fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	—	
fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	—	
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4:...	—	—	—	—	No
FabCon sessions schedule	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	—	
FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	—	No
fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	—	
fabcon_session_info			GSMF De...	—	—	—	—	—	
Transform FabCon Session Info			GSMF De...	—	—	—	—	—	
udf_fabcon_scheduler			GSMF De...	—	—	—	—	—	

5

In the "SQL analytics endpoint" section, click the copy icon next to the connection string. Close the lakehouse settings by clicking on the X in the top right corner.

The screenshot shows the Microsoft Fabric Lakehouse settings for a Lakehouse named 'fabcon_session_info'. The interface includes a left sidebar with navigation options like Home, Create, Browse, and Workspaces. The main panel displays the Lakehouse details, including a list of items and a section for 'Shortcut connections'. The 'SQL analytics endpoint' is highlighted in the 'Shortcut connections' section. The 'SQL connection string' is visible, and a copy icon is present next to it. The 'Close' button (X) is located in the top right corner of the settings panel.

6

Click the three dots next to the semantic model you uploaded (not the report or the dashboard) and select "Settings".

The screenshot shows the Microsoft Fabric workspace interface. On the left is a sidebar with navigation options: Browse, OneLake catalog, Workspaces, and a list of items including GSMF 069, udf_fabcon_scheduler, fabcon sessions, Transform FabCon..., fabcon_session_info, and Power BI. The main area displays a table of items. The 'Semantic model' item is selected, and its context menu is open. The menu options are: Explore this data (preview), Analyze in Excel, Create report, Auto-create report, Create paginated report (preview), Delete, Quick insights, Security, Rename, Open data model, Settings (highlighted with an orange circle), Refresh history, Download this file, Manage permissions, and View workspace lineage.

Item	Type	Refresh	Owner	Created	Updated	Deleted
fabcon sessions	SQL database	—	GSMF Dem...	—	—	—
fabcon sessions	SQL analytics endpoint	—	GSMF Dem...	—	—	—
FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4:1...	—	—
FabCon sessions sche	Semantic model	—	GSMF 069	9/13/2025, 4...	N/A	—
FabCon sessions schedule.pbix	—	—	GSMF 069	—	—	—
fabcon_session_info	—	—	GSMF Dem...	—	—	—
fabcon_session_info	—	—	GSMF Dem...	—	—	—
Transform FabCon Session Info	—	—	GSMF Dem...	—	—	—
udf_fabcon_scheduler	—	—	GSMF Dem...	—	—	—

7

Expand the Parameters section. After we update the parameters we'll be able to fix the credentials message.

The screenshot shows the Microsoft Fabric Power BI interface. The left sidebar contains navigation icons for Home, Copilot, Create, Browse, OneLake catalog, Workspaces, GSMF 069, udf_fabcon_scheduler, fabcon_sessions, Transform FabCon ..., fabcon_session_info, and fabcon_session_info. The main content area displays a list of settings categories: Gateway and cloud connections, Data source credentials, Tags, Parameters, Scheduled refresh and performance optimization, Server settings, Data connections, Q&A, Explore, AI preparation, Endorsement and discovery, Request access, Large semantic model storage format, Query scale-out, OneLake Integration, and Semantic model Image. The 'Parameters' section is highlighted with an orange circle. Above the list, a yellow error message states: 'Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)'. The top of the interface shows the 'Power BI' logo, the workspace name 'GSMF 069', a search bar, and a character count '500 characters left'.

8

Replace the value in the "Lakehouse SQL Endpoint" parameter with the value you copied in the previous step.

Power BI GSMF 069

Search

500 characters left

Apply Discard

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon info-fdaaeeb7-d5... ase.fabric.microsoft.com sipupwxyzcy-
xc... ase.fabric.microsoft.com
fa... wxyzcy-
XGonnamimicmoxvqpsocatawarehouse.fabric.microsoft.com

Edit credentials Show in lineage view
Edit credentials Show in lineage view

Tags

Parameters

Lakehouse SQL Endpoint

tkiw... x7vqv55i

Lakehouse name

fabcon_info

SQL Database connection

tkiw... x7vqv55i

SQL Database

fabcon info-fi 4da4e

Apply Discard

Scheduled refresh and performance optimization

Server settings

Data connections

9

Replace the value in the "Lakehouse name" parameter with the name of your lakehouse.

Power BI GSMF 069

Search

500 characters left

Apply Discard

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon info-fdaa	database.fabric.microsoft.com	wxyzcy-	Edit credentials Show in lineage view
xox	nsipupwxyzcy-		Edit credentials Show in lineage view
fat	datawarehouse.fabric.microsoft.com		
xox			

Tags

Parameters

Lakehouse SQL Endpoint

ecolnty o76bv3r

Lakehouse name

fabcon_info

SQL Database connection

tkiwcz bx7vqv55i

SQL Database

fabcon info-f Ada4e

Apply Discard

Scheduled refresh and performance optimization

Server settings

Data connections

10

Click the "Apply" button. We've now updated the connection for the lakehouse, but we still need to update the settings for the SQL database.

The screenshot shows the Microsoft Fabric Data Source Settings page for a data source named 'GSMF 069'. The interface includes a left-hand navigation pane with icons for Home, Copilot, Create, Browse, OneLake catalog, Workspaces, and various data sources. The main content area is divided into sections: Gateway and cloud connections, Data source credentials, Tags, Parameters, Scheduled refresh and performance optimization, Server settings, and Data connections. The 'Data source credentials' section displays a yellow error message: 'Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)'. Below this, there are three rows of credentials, each with a 'Show in lineage' link. The 'Parameters' section contains four fields: 'Lakehouse SQL Endpoint' (with a value 'eol...nco76bv3r'), 'Lakehouse name' (with a value 'fabcon_session_info'), 'SQL Database connection' (with a value 'tkiwczc...7vqv55i'), and 'SQL Database' (with a value 'fabcon info-fda...34da4e'). The 'Apply' button is highlighted with an orange circle.

Power BI GSMF 069

Search

500 characters left

Apply Discard

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon info-fda xyczy-

xox database.fabric.microsoft.com

fabcon_info-eol database.fabric.microsoft.com

ygdq nm.datawarehouse.fabric.microsoft.com

Edit Show in lineage

Edit Show in lineage

Edit Show in lineage

Tags

Parameters

Lakehouse SQL Endpoint

eol nco76bv3r

Lakehouse name

fabcon_session_info

SQL Database connection

tkiwczc 7vqv55i

SQL Database

fabcon info-fda 34da4e

Apply Discard


Scheduled refresh and performance optimization

Server settings

Data connections

11

Go back to the workspace. If you've got another tab open you can leave this tab on the semantic model since you have to paste two more parameter values here.



Update the SQL database connection parameters

12 Open your SQL database (not lakehouse).

The screenshot shows the Power BI workspace 'workshop tester' with a list of items. The item 'fabcon sessions' is highlighted with an orange circle. The table below represents the data shown in the screenshot:


Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions		SQL data...	—	PBIF Test ...	—	—	—	—	
fabcon sessions		SQL anal...	—	PBIF Test ...	—	—	—	—	
fabcon sessions schedule		Report	—	worksho...	3/16/2026, ...	—	—	—	No
fabcon sessions schedule		Semantic...	—	worksho...	3/16/2026,...	N/A	—	—	
fabcon sessions schedule.pbix		Dashboard	—	worksho...	—	—	—	—	No
fabcon sessions starter		Semantic...	—	worksho...	3/16/2026,...	N/A	—	—	
fabcon sessions tester		Report	—	worksho...	3/15/2026, ...	—	—	—	No
fabcon sessions tester		Semantic...	—	worksho...	3/15/2026,...	N/A	—	—	
session report		Report	—	worksho...	3/12/2026, ...	—	—	—	No
superfun_lakehouse		Lakehouse	—	PBIF Test ...	—	—	—	—	
superfun_lakehouse		SQL anal...	—	PBIF Test ...	—	—	—	—	

13 Click "SQL Server Management Studio" from the "Open in" menu of the ribbon.

The screenshot shows the SQL Server Management Studio interface. The 'Open in' menu is open, showing options for 'Visual Studio Code' and 'SQL Server Management Studio'. The 'SQL Server Management Studio' option is highlighted with an orange circle. The interface includes a ribbon with tabs like 'Home', 'Replication', 'Security', and 'Help'. The 'Explorer' pane on the left shows a tree view with 'fabcon sessions' and 'Queries'. The main area displays a large circular icon and the text 'Query, preview, or connect your data'.


14

We have to copy both the Server Name and Database Name from here. Feel free to copy both items to your clipboard or notepad. Click the little Copy icon.




15


Close the connection window.



16 Go back to the workspace.



17 Click "Settings" for the semantic model.



18 Click "Parameters"

The screenshot shows the Microsoft Fabric portal interface. On the left is a navigation pane with icons for Browse, OneLake catalog, Apps, Scorecards, Monitor, Workspaces, workshop tester, fabcon sessions, session report, and Power BI. The main content area is titled 'fabcon sessions starter' and 'fabcon sessions tester'. It displays a semantic model configuration page. The 'Parameters' tab is highlighted with an orange circle. The page shows a 'Semantic model description' field, a 'Gateway and cloud connections' section, and a 'Data source credentials' section with a yellow error message: 'Failed to test the connection to your data source. Please retry your credentials. Learn more'. Below this, the 'Parameters' section is visible, showing a list of parameters including 'Lakehouse SQL Endpoint', 'Lakehouse name', 'SQL Database connection', 'SQL Database', 'Gold Lakehouse SQL endpoint', and 'Query Caching'. The 'SQL Database connection' parameter is highlighted with an orange circle.


19 Replace the value in the "SQL Database connection" parameter with the value you just copied from your SQL database.

This screenshot shows the same Microsoft Fabric portal interface as the previous one, but with the 'Parameters' tab selected. The 'SQL Database connection' parameter is highlighted with an orange circle. The value in the input field is 'hccp5nfswhetnwu5cevxgawyy-sbtsjq7cad7ejj3igfe5t2ifm4'. The 'Lakehouse name' parameter is 'superfun_lakehouse'. The 'SQL Database' parameter is 'fabcon sessions-85e81e30-c8be-4250-be0b-cb1c76202909'. The 'Gold Lakehouse SQL endpoint' is 'hccp5nfswhetnwu5cevxgawyy-pj52r6hggljenijgft52n5caje'. The 'Query Caching' parameter is also visible. The 'Data source credentials' section still shows the error message.


20 Click "Apply."

The screenshot shows the Lakehouse configuration page in Azure Data Studio. The left sidebar contains a list of icons for various tools: Copilot, Create, Browse, OneLake catalog, Apps, Scorecards, Monitor, Workspaces, workshop tester, fabcon sessions, and session report. The main area displays the configuration for a new Lakehouse. The 'Lakehouse name' field is set to 'superfun_lakehouse'. The 'SQL Database connection' field is set to 'hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm'. The 'SQL Database' field is set to 'fabcon sessions-85e81e30-c8be-4250-be0b-cb1c7620290f'. The 'Gold Lakehouse SQL endpoint' field is set to 'hocc5nfswhetnwu5cevxgawyy'. The 'Apply' button is circled in orange, and the 'Discard' button is visible next to it. Below the configuration fields, there are several expandable sections: Query Caching, Scheduled refresh and performance optimization, Server settings, Data connections, Q&A, Explore, Approved for Copilot, and Endorsement and discovery.


21 If you haven't already copied the database, do that now in the same way we did in the last step.



22 Click this icon to copy the database name.



23 Close the window.



24

For the last time, go back to the settings of the semantic model to update the last parameter.

The screenshot shows the Microsoft Fabric workspace interface. On the left is a sidebar with navigation icons. The main area displays a table of semantic models. A context menu is open for the 'fabcon sessions sc' model, showing options like 'Explore this data (preview)', 'Analyze in Excel', 'Create report', 'Auto-create report', 'Create paginated report (preview)', 'Delete', 'Quick insights', 'Security', 'Rename', 'Open semantic model', 'Settings' (highlighted with an orange circle), 'Refresh history', 'Download this file', 'Manage permissions', and 'View workspace lineage'.

Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
fabcon sessions		SQL data...	—	PBIF Test ...	—	—	—	—	
fabcon sessions		SQL anal...	—	PBIF Test ...	—	—	—	—	
fabcon sessions schedule		Report	—	worksho...	3/16/2026, ...	—	—	—	No
fabcon sessions sc		Semantic...	—	worksho...	3/16/2026, ...	N/A	—	—	
fabcon sessions schedule.pbix			—	worksho...	—	—	—	—	No
fabcon sessions starter			—	worksho...	3/16/2026, ...	N/A	—	—	
fabcon sessions tester			—	worksho...	3/15/2026, ...	—	—	—	No
fabcon sessions tester			—	worksho...	3/15/2026, ...	N/A	—	—	
session report			—	worksho...	3/12/2026, ...	—	—	—	No
superfun_lakehouse			—	PBIF Test ...	—	—	—	—	
superfun_lakehouse			—	PBIF Test ...	—	—	—	—	
Transform FabCon Session Info			—	PBIF Test ...	3/15/2026, ...	—	—	—	
udf_fabcon_scheduler			—	PBIF Test ...	—	—	—	—	

25

Replace the value for the SQL database with the value you just copied.

The screenshot shows the 'Data source credentials' settings page in Microsoft Fabric. The page has a sidebar on the left and a main content area. The 'Parameters' section is expanded, showing fields for 'Lakehouse SQL Endpoint', 'Lakehouse name', 'SQL Database connection', 'SQL Database', and 'Gold Lakehouse SQL endpoint'. The 'SQL Database' field is highlighted with an orange circle. The 'Lakehouse name' field contains 'superfun_lakehouse'. The 'SQL Database connection' field contains 'hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4'. The 'SQL Database' field contains 'fabcon sessions-85e81e30-c8be-4250-be0b-cb1c76202909'. The 'Gold Lakehouse SQL endpoint' field contains 'hocc5nfswhetnwu5cevxgawyy-pj52r6hggljenijgt52n5caje'. There are 'Apply' and 'Discard' buttons at the bottom. A yellow banner at the top says 'Failed to test the connection to your data source. Please retry your credentials. Learn more'. There are also links for 'Edit credentials' and 'Show in lineage view'.

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon sessions-85e81e30-c8be-4250-be0b-cb1c76202909-hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4.database.fabric.microsoft.com,1433

Parameters

Lakehouse SQL Endpoint

hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4

Lakehouse name

superfun_lakehouse

SQL Database connection

hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4

SQL Database

fabcon sessions-85e81e30-c8be-4250-be0b-cb1c76202909

Gold Lakehouse SQL endpoint

hocc5nfswhetnwu5cevxgawyy-pj52r6hggljenijgt52n5caje

Apply Discard

Query Caching

26 Click "Apply."

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon sessions-85e81e30-c8be-4250-be0b-cb1c76202909-hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4.database.fabric.microsoft.com,1433 [Edit credentials](#) [Show in lineage view](#)

Parameters

Lakehouse SQL Endpoint

hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4

Lakehouse name

superfun_lakehous

SQL Database connection

hocc5nfswhetnwu5cevxgawyy-sbtsjq7cad7ej3igfe5t2ifm4

SQL Database

fabcon sessions-85e81e30-c8be-4250-be0b-cb1c7620290f

Gold Lakehouse SQL endpoint

hocc5nfswhetnwu5cevxgawyy-pj52r6hgglienijgt52nscaje

Apply Discard

Query Caching

27 If you made it this far, give yourself a big pat on the back. That copying and pasting is super easy to mess up! 🐾

Update credentials

28

If you still have a yellow error message in the "Data source credentials" section, click on the "Edit credentials." link.

The screenshot shows the Power BI interface for a workspace named 'GSMF 069'. The left sidebar contains navigation icons for Home, Copilot, Create, Browse, OneLake catalog, Workspaces, and a list of recent items including 'GSMF 069', 'udf_fabcon_scheduler', 'fabcon sessions', 'Transform FabCon ...', 'fabcon_session_info', and 'fabcon_session_info'. The main content area is titled 'Data source credentials' and displays a yellow error message: 'Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)'. Below the error message, the 'Edit credentials' link is highlighted with an orange circle. The 'Parameters' section shows fields for 'Lakehouse name' (fabcon_session_info), 'SQL Database connection' (eolntye), and 'SQL Database' (fabcon se). The 'Tags' section is also visible.

Power BI GSMF 069

Search

500 characters left

Apply Discard

Gateway and cloud connections

Data source credentials

Failed to test the connection to your data source. Please retry your credentials. [Learn more](#)

fabcon sessions-23520cbf-... Jar7dshvq-...
ygdq... n.database.fabric.microsoft.com

Tags

Parameters

Lakehouse SQL Endpoint

eolntye co76bv3i

Lakehouse name

fabcon_session_info

SQL Database connection

eolntye >76bv3i

SQL Database

fabcon se 88a470f8

Apply Discard

Query Caching

Scheduled refresh and performance optimization

Server settings

29

Select the "OAuth2" option for the Authentication method. Select the "Organizational" or "None" option for Privacy level.

Power BI GSMF 069

Search

500 characters left

Apply Discard

Gateway and cloud connections

Configure FabCon session...

server
eolnty 76bv3i

database
fabco 70f8

Authentication method
OAuth2

Privacy level setting for this data source
Organizational

☐ Report viewers can access this data source with their own Power BI identities in DirectQuery or DirectLake mode. [Learn more](#)

Sign in Cancel

Apply Discard


Query Caching

Scheduled refresh and performance optimization


Server settings

30


Click the "Sign in" button. If it doesn't do anything at first, check and uncheck the checkbox again.



31 Click your workshop username and you should be logged in.



32 Note the message that says your credentials were updated.



33

At this point, there should be no more yellow error message in the Data source credentials section. Now you've wired up the starter semantic model to your lakehouse and SQL database. We will edit the model further in the next lab.

The screenshot shows the Microsoft Power BI interface with the 'Semantic models' tab selected. The left sidebar contains navigation icons for Home, Copilot, Create, Browse, OneLake catalog, Workspaces, GSMF 069, and various data sources. The main content area is titled 'Settings for FabCon sessions schedule'. It includes a 'View semantic model' link, a message about configuration by 'GSMFuser069@fabcon25eu.onmicrosoft.com', and a 'Refresh history' link. The 'Semantic model description' section has a text area with a 500-character limit. The 'Gateway and cloud connections' section is expanded, showing 'Data source credentials' for 'fabcon sessions-235' with a 'vq-' icon. Below this, the 'Tags' section is collapsed. The 'Parameters' section is expanded, showing 'Lakehouse SQL Endpoint' with a long alphanumeric string, 'Lakehouse name' as 'fabcon_session_info', and 'SQL Database connection' with another long alphanumeric string. The 'Data source credentials' section is highlighted with an orange border.

Power BI [GSMF 069](#) Search

General Dashboards **Semantic models** Workbooks Reports Dataflows App

FabCon sessions schedule

Settings for FabCon sessions schedule

[View semantic model](#)

This semantic model has been configured by [GSMFuser069@fabcon25eu.onmicrosoft.com](#).

[Refresh history](#)

Semantic model description

Describe the contents of this semantic model.

500 characters left

Apply Discard

Gateway and cloud connections

Data source credentials

fabcon sessions-235/ ygd n.database.fabric.microsoft.com vq- [Edit credentials](#) [Show in lineage view](#)

Tags

Parameters

Lakehouse SQL Endpoint

eoIntyepxtmuxdufedar7dshvq-ygdqjt4jhjnuvjybmco76bv3r


Lakehouse name

fabcon_session_info

SQL Database connection

eoIntyepxtmuxdufedar7dshvq-ygdqjt4jhjnuvjybmco76bv3r

34 Go back to the workspace.



The screenshot shows the Microsoft Fabric Copilot interface. On the left is a sidebar with navigation icons for Copilot, Create, Browse, OneLake catalog, and Workspaces. The main area displays a table of workspace items. The table has columns for Name, Type, Task, Owner, Refreshed, Next refresh, Endorsement, Sensitivity, and Included in app. The items listed include 'fabcon sessions' (SQL database and SQL analysis), 'FabCon sessions schedule' (Report), 'FabCon sessions schedule.pbix' (Dashboard), 'fabcon_session_info' (Lakehouse and SQL analysis), 'Transform FabCon Session Info' (Dataflow), and 'udf_fabcon_scheduler' (User data). The 'Included in app' column has toggle switches and 'No' labels for the 'FabCon sessions schedule' and 'FabCon sessions schedule.pbix' items.

	Name	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
	fabcon sessions	SQL datab...	—	GSMF De...	—	—	—	—	
	fabcon sessions	SQL analy...	—	GSMF De...	—	—	—	—	
	FabCon sessions schedule	Report	—	GSMF 069	9/13/2025, 4:...	—	—	—	☐ No
☐	FabCon sessions sche	Semantic ...	—	GSMF 069	9/13/2025, ...	N/A	—	—	
	FabCon sessions schedule.pbix	Dashboard	—	GSMF 069	—	—	—	—	☐ No
	fabcon_session_info	Lakehouse	—	GSMF De...	—	—	—	—	
	fabcon_session_info	SQL analy...	—	GSMF De...	—	—	—	—	
	Transform FabCon Session Info	Dataflow ...	—	GSMF De...	—	—	—	—	
	udf_fabcon_scheduler	User data ...	—	GSMF De...	—	—	—	—	