

BUSINESS ANALYSIS MODULE

TechHub Website Ordering

Requirements and Implementation Pack

TechHub Electronics - browse-to-order and omnichannel fulfilment

Module	Business outcome	Primary systems	Delivery position
EP-WEB-ORD-01	Consistent, accessible and traceable customer ordering from product discovery to delivery or collection	Website • Product / Pricing • Order service • WMS / Network Inventory • Branch / Delivery Operations	Phase 2 pilot; evidence gate before scale

Purpose

This artefact provides one complete vertical slice of Business Analysis work for the TechHub website ordering process: Epic, requirements catalogue, process models, use cases, user stories, traceability, resources, testing and pilot controls.

Boundary decision

The website owns product discovery, search, cart, guest and registered checkout, customer order visibility, reviews and refund initiation. Product and pricing services remain authoritative for catalogue content and price. WMS and the 65-store network remain authoritative for physical stock, location, reservation and fulfilment status. The order service creates the customer order, records the demonstration payment result and coordinates delivery or Click and Collect. Stock becomes order available only through approved inventory events.

Contents and document control

Section	Content
1	Module scope and Epic
2	System context and ownership
3	AS-IS process
4	TO-BE process
5	Requirement catalogue
6	Use cases
7	User stories and acceptance criteria
8	Requirements traceability
10	Resource allocation
11	Testing, UAT and evidence gate

Document control

Field	Value
Document owner	Business Analyst
Business owner	Head of Digital Commerce / Website Product Owner
Version	1.0 - draft baseline
Prepared	4 October 2026
Approval required	Website Product Owner, Digital Commerce Lead, Warehouse Operations Lead, Solution Architect, Integration Lead
Change control	Approved changes must update the requirement catalogue, user stories, traceability and test evidence

1. Module scope and Epic

1.1 Epic definition

Field	Definition
Epic ID	EP-WEB-ORD-01
Epic name	Website Ordering and Omnichannel Fulfilment
Objective	Implement an integrated customer website journey that converts product discovery into a validated, paid demonstration order fulfilled by delivery or Click and Collect.
Business value	Increase online conversion and revenue; reduce stock disappointment; improve pricing consistency, order visibility, customer service and network inventory accuracy.
Primary actors	Customer, website administrator, customer support, product and pricing service, order service, payment service, WMS, branch team and delivery operations.
Trigger	A customer visits the TechHub website and browses or searches for a product.
End state	A unique order is confirmed, stock is controlled at the selected source, fulfilment status is published and the customer can track delivery or collection.
In scope	Product browsing and search; active catalogue; price display; network availability; guest and account access; bag; delivery; Click and Collect across 65 stores; customer details; demonstration payment validation; order creation; stock synchronisation; order tracking; refunds; reviews; administration; monitoring and audit.
Out of scope	Supplier procurement; purchase-order approval; warehouse receiving; real payment settlement; carrier commercial contracting; payroll; accounting close; supplier returns and physical store POS replacement.


1.2 Assumptions requiring validation

- The current customer journey includes limited online capability, manual store contact or delayed stock confirmation for at least some purchases.
- Product, pricing and active-item data can be made available to the website before customers begin checkout.
- WMS and branch systems can publish network availability, reservation and fulfilment events to the website and order service.
- The solution supports guest checkout, account access, delivery, Click and Collect, refunds and reviews through role-based controls.
- Peak browsing, checkout and order volumes and formal response-time targets will be baselined during capacity planning.

2. System context and ownership

Target system context - website ordering and fulfilment

Channel ownership and information exchanged across the connected TechHub solution



Key control: the website presents availability, while WMS and branch inventory remain authoritative for physical stock and fulfilment status.

Figure 1. Target system context for website ordering and fulfilment.


System	Authoritative responsibility	Key information exchanged
Customer	Purchase intent, delivery or collection choice and supplied customer details	Search, bag, checkout details, review and refund request
Product / Pricing	Active product content, category, description and approved selling price	Catalogue, product status, category and price to website
Website / Order Service	Customer journey, order capture, demonstration payment result and customer-visible status	Order request, acknowledgement, customer history, review and refund status
WMS / Network Inventory	Physical stock, location, reservation, main-warehouse and branch availability	ATP by source, reservation result, stock events and fulfilment status
Fulfilment Operations	Branch pick and collection readiness or warehouse dispatch and delivery progression	Pick / dispatch task, ready, dispatched, collected or delivered status

3. AS-IS process

The current-state brief identifies no connected omnichannel experience, inconsistent prices, inventory discrepancies and manual stock-transfer communication. The following AS-IS describes the resulting customer purchase journey as a documented working assumption; it must be validated through customer research, store observation, system review and transaction evidence.

AS-IS - disconnected customer purchase and stock-check process

Customers and staff rely on separate channels, manual stock checks and delayed updates



Typical issues: no shared ATP view - manual store contact - inconsistent pricing - duplicate entry - delayed stock update - weak end-to-end audit

Figure 2. Assumed current customer purchase and stock-check process and typical failure points.

3.1 Current-state issues and validation

Observed / assumed issue	Business impact	Validation method
Limited online product discovery and no complete omnichannel checkout	Customers cannot complete a consistent end-to-end digital purchase	Website analytics; customer interviews; journey review
Store stock is checked by phone, spreadsheet, POS or visual confirmation	Customers may travel for unavailable stock and staff spend time checking	Store observation; call-log sampling; stock-check timing
Pricing and product content differ across channels	Customer trust, margin control and conversion are reduced	Price audit across website, POS and promotional records
Delivery and collection requests are managed through separate activities	Duplicate entry, missed hand-offs and inconsistent status updates	Order sample trace; staff interviews; exception-log review
Inventory updates occur after selling or fulfilment work	Website availability and replenishment decisions become stale	Order-to-stock-event timestamp trace
Limited end-to-end audit from customer order to fulfilment source	Support and reconciliation take longer and root cause is unclear	Order, inventory and status-history review

4. TO-BE process

TO-BE - integrated website ordering and omnichannel fulfilment

Search - live availability - delivery or Click and Collect - reservation - payment - fulfilment - status visibility




Figure 3. Target integrated website ordering and omnichannel fulfilment process.

4.1 Process controls

Control point	Control	Owner
Catalogue	Only active products and approved prices are displayed to customers	Digital Commerce / Product Owner
Availability	Website stock messages are based on approved network ATP events and freshness rules	WMS Product Owner
Guest and account access	Guest checkout remains available; protected account and administration functions use role-based access	Website Product Owner
Fulfilment selection	Delivery or Click and Collect is validated for the complete bag before order submission	Order Service Owner
Customer data	Mandatory name, contact and delivery details are validated and protected	Digital Commerce / Privacy Owner
Payment demonstration	Only format validation is performed; no real payment data is processed or represented as settled	Website Product Owner
Order integrity	Each accepted checkout creates one unique order and one controlled stock reservation or decrement	Order Service Owner
Fulfilment	WMS or branch tasks are created only for confirmed orders and authorised sources	Warehouse / Store Operations
Status and audit	Customer status and audit history are updated only from authorised business events	Website Product Owner / Support Lead

5. Requirement catalogue

The catalogue is split into Part A (requirement definition and acceptance criteria) and Part B (governance metadata) to keep every required field readable. The Requirement ID joins both parts. Priorities use MoSCoW; estimates are indicative and must be refined by the delivery team.

5.1 General requirements - Part A

Requirement ID	Type	Requirement statement	Acceptance criteria
GEN-WEB-001	General	The solution shall support a complete website journey from product discovery to confirmed delivery or Click and Collect order.	A customer can browse, add items, select fulfilment, enter required details and receive one confirmed order.
GEN-WEB-002	General	The ordering process shall maintain traceability from customer checkout to stock source and fulfilment status.	Authorised users can trace order, item, source facility, inventory event and status history.
GEN-WEB-003	General	Product / Pricing shall remain authoritative for catalogue and price, while WMS / branch inventory remains authoritative for physical stock.	Approved architecture shows no duplicate ownership of product price or physical stock.
GEN-WEB-004	General	The process shall support controlled pilot deployment without interrupting store or warehouse operations.	Pilot users, stores and products can be enabled or disabled by controlled rules and rollback is proven.

General requirements - Part B: governance metadata

Requirement ID	Priority	Business area	Requester	Owner	Author / date	Estimate	Sprint / phase
GEN-WEB-001	Must	Digital Commerce	Digital Transformation Sponsor	Website Product Owner	BA 4 Oct 2026	Cross-cutting	Phase 2
GEN-WEB-002	Must	Digital Commerce	Digital Transformation Sponsor	Website Product Owner	BA 4 Oct 2026	Cross-cutting	Phase 2
GEN-WEB-003	Must	Digital Commerce	Digital Transformation Sponsor	Website Product Owner	BA 4 Oct 2026	Cross-cutting	Phase 1
GEN-WEB-004	Must	Digital Commerce	Digital Transformation Sponsor	Website Product Owner	BA 4 Oct 2026	Cross-cutting	Phase 2

5.2 Functional requirements - Part A

Requirement ID	Type	Requirement statement	Acceptance criteria
FR-WEB-001	Functional	The website shall display active products with name, brand, category, description, current price and customer-facing stock message.	Inactive products are excluded and every displayed field matches approved product data.
FR-WEB-002	Functional	The website shall allow customers to search products by partial product name using case-insensitive matching.	A partial text query returns relevant active products and a no-results state when none match.
FR-WEB-003	Functional	The website shall allow customers to browse active products by approved category.	Selecting a category filters the visible product list without changing the product record.
FR-WEB-004	Functional	The website shall display current network and selected-branch availability from approved inventory data.	Availability shown for a controlled test item matches the source inventory balance and freshness rule.
FR-WEB-005	Functional	The website shall allow a visitor to continue as a guest without creating an account.	A guest can browse, add items and reach checkout without registration.
FR-WEB-006	Functional	The website shall support account registration, sign-in, sign-out and protected customer order history.	A valid account can authenticate and access only its authorised information.
FR-WEB-007	Functional	The website shall support add, remove and quantity-change actions in the shopping bag.	Bag quantity, line amount and total recalculate correctly and invalid quantities are blocked.
FR-WEB-008	Functional	The website shall allow delivery or Click and Collect as the order fulfilment method.	Exactly one valid fulfilment method is recorded on the order.
FR-WEB-009	Functional	The website shall present all 65 active TechHub stores for Click and Collect selection.	The configured store list is complete and an active store can be selected.
FR-WEB-010	Functional	The website shall validate all bag items against the selected fulfilment source before payment submission.	Checkout is blocked when the complete bag cannot be fulfilled by the selected source.
FR-WEB-011	Functional	The website shall require customer name, phone and the address fields needed for the selected fulfilment method.	Order submission is blocked with clear messages when mandatory details are missing.
FR-WEB-012	Functional	The demonstration checkout shall accept any 16-digit card number, future MM/YY expiry and three-digit CVC without real payment processing.	Valid demonstration values pass; invalid format or expired date is rejected.
FR-WEB-013	Functional	The order service shall create one unique customer order after valid checkout and payment-format validation.	One order number is returned with items, total, customer and fulfilment details.
FR-WEB-014	Functional	The solution shall reserve or decrement stock once against the approved fulfilment source.	The controlled order changes the intended source balance once with no duplicate movement.
FR-WEB-015	Functional	Website availability shall be synchronised after order, refund and authorised WMS or branch stock events.	The website reflects each controlled stock event within the approved latency target.
FR-WEB-016	Functional	Customers shall be able to view eligible order history and customer-facing status.	Order history shows reference, date, items, total, fulfilment method and current status.
FR-WEB-017	Functional	Authorised administrators shall manage products and progress eligible orders.	Access-controlled actions update the intended record and produce an audit event.
FR-WEB-018	Functional	Customers shall be able to request a refund for an eligible delivered order within the configured policy.	An eligible request records reason, amount, status and applicable return deadline.
FR-WEB-019	Functional	Eligible customers shall be able to submit one verified review for a delivered product.	Rating and comment are linked to the order and product and become publicly visible.
FR-WEB-020	Functional	The solution shall record material catalogue, order, refund, review and stock-synchronisation events.	Authorised search returns the end-to-end event history for a selected order or item.

Functional requirements - Part B: governance metadata

Requirement ID	Priority	Business area	Requester	Owner	Author / date	Estimate	Sprint / phase
FR-WEB-001	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 1
FR-WEB-002	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 1
FR-WEB-003	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 1
FR-WEB-004	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	8 SP	Sprint 1
FR-WEB-005	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 2
FR-WEB-006	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 2
FR-WEB-007	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 2
FR-WEB-008	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 2
FR-WEB-009	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 3
FR-WEB-010	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	8 SP	Sprint 3
FR-WEB-011	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 3
FR-WEB-012	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 3
FR-WEB-013	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 4
FR-WEB-014	Must	Integration / Operations	Customer Experience	Website Product Owner	BA 4 Oct 2026	8 SP	Sprint 4
FR-WEB-015	Must	Integration / Operations	Customer Experience	Website Product Owner	BA 4 Oct 2026	8 SP	Sprint 4
FR-WEB-016	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 4
FR-WEB-017	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 5
FR-WEB-018	Must	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	8 SP	Sprint 5
FR-WEB-019	Should	Digital Commerce	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 5
FR-WEB-020	Should	Integration / Operations	Customer Experience	Website Product Owner	BA 4 Oct 2026	5 SP	Sprint 5

5.3 Non-functional requirements - Part A

Requirement ID	Type	Requirement statement	Acceptance criteria
NFR-WEB-001	Non-functional	The website shall display the primary product listing within three seconds under normal operating conditions.	At least 95% of controlled page tests meet the three-second target.
NFR-WEB-002	Non-functional	Search, bag and checkout validation responses shall be displayed within two seconds under normal conditions.	At least 95% of controlled interactions meet the two-second target.
NFR-WEB-003	Non-functional	The website and order service shall meet the approved availability target during customer trading hours.	Monitoring demonstrates the approved target during pilot measurement.
NFR-WEB-004	Non-functional	Customer, administrator and WMS functions shall use role-based access.	Access testing confirms each role can perform only authorised actions.
NFR-WEB-005	Non-functional	Customer, order and inventory data shall be encrypted in transit and protected from unauthorised access.	Security testing verifies approved encryption and access controls.
NFR-WEB-006	Non-functional	Failed order or inventory messages shall not create duplicate orders or lose confirmed business events.	A simulated outage queues or safely retries events without duplication or loss.
NFR-WEB-007	Non-functional	Customer-facing errors shall explain the issue and required action in plain language.	UAT participants resolve agreed errors without technical support.
NFR-WEB-008	Non-functional	The solution shall support the forecast peak browsing, checkout and order volumes defined during capacity planning.	Performance testing meets the approved peak-volume profile without breaching response targets.

Non-functional requirements - Part B: governance metadata

Requirement ID	Priority	Business area	Requester	Owner	Author / date	Estimate	Sprint / phase
NFR-WEB-001	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 2
NFR-WEB-002	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 2
NFR-WEB-003	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 3
NFR-WEB-004	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 3
NFR-WEB-005	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 4
NFR-WEB-006	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 4
NFR-WEB-007	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 5
NFR-WEB-008	Must	Technology / Digital	IT Operations	Solution Architect	BA 4 Oct 2026	5 SP	Sprint 5

5.4 Technical requirements - Part A

Requirement ID	Type	Requirement statement	Acceptance criteria
TR-WEB-001	Technical	The website shall exchange product, price, order, customer and inventory data through approved APIs or integration services.	Contract tests validate required fields, authentication, response codes and schema version.
TR-WEB-002	Technical	Each order and business event shall contain a unique identifier and correlation identifier.	Trace tests confirm end-to-end identification and correlation.
TR-WEB-003	Technical	Order and stock integration shall use idempotency controls to prevent duplicate order and inventory processing.	Resubmitting the same request does not create a second business transaction.
TR-WEB-004	Technical	Failed messages shall be logged, retried and routed to a monitored exception queue after the retry limit.	Controlled failures demonstrate retry, alerting and exception handling.
TR-WEB-005	Technical	WMS and branch systems shall publish inventory and availability events using approved canonical definitions.	Schema validation confirms payloads conform to the approved stock-event model.
TR-WEB-006	Technical	API traffic shall use approved encrypted transport and machine-to-machine authentication.	Security testing rejects unauthenticated calls and confirms encrypted transport.
TR-WEB-007	Technical	The website shall support approved desktop and mobile browsers with responsive layouts.	Certification confirms core journeys at approved viewport sizes without clipping or horizontal overflow.
TR-WEB-008	Technical	Customer authentication shall use approved session controls and secure password handling.	Security tests confirm session expiry, protected routes and no plaintext password storage.
TR-WEB-009	Technical	Order status and inventory movements shall reconcile between website, order service, WMS and branch source.	Controlled order and refund scenarios reconcile across all participating systems.
TR-WEB-010	Technical	Technical monitoring shall expose website health, API latency, failures, retry count and order-to-stock reconciliation.	Support dashboards and alerts display agreed measures during integration testing.

Technical requirements - Part B: governance metadata

Requirement ID	Priority	Business area	Requester	Owner	Author / date	Estimate	Sprint / phase
TR-WEB-001	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	8 SP	Sprint 2
TR-WEB-002	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 2
TR-WEB-003	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 3
TR-WEB-004	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	8 SP	Sprint 3
TR-WEB-005	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	8 SP	Sprint 4
TR-WEB-006	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 4
TR-WEB-007	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 5
TR-WEB-008	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 5
TR-WEB-009	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	8 SP	Sprint 6
TR-WEB-010	Must	Integration / Architecture	Enterprise Architecture	Integration Lead	BA 4 Oct 2026	5 SP	Sprint 6

6. Use cases

Use case diagram - TechHub website ordering

Actors, channel functions and connected fulfilment services




Figure 4. Use-case view of the TechHub website ordering system boundary.

6.1 Key use-case specifications

ID	Use case	Primary actor	Precondition	Main success flow	Postcondition	Alternatives / exceptions
UC-WEB-01	Browse, search and view availability	Customer	Active product and inventory feeds are available	Browse or search; open item; review price and availability	Customer identifies an item and possible fulfilment source	No result; inactive item; stale availability response
UC-WEB-02	Manage guest or registered journey	Customer	Website is available	Continue as guest or register / sign in; provide required details	Valid customer context is available for checkout	Invalid credentials; duplicate account; missing guest details
UC-WEB-03	Manage bag and checkout	Customer	At least one active product is available	Add item; change quantity; choose fulfilment; validate source; submit details	Validated checkout request is ready for order creation	Quantity unavailable; invalid address; selected branch cannot fulfil bag
UC-WEB-04	Create and fulfil order	Order Service / WMS / Branch	Validated checkout and demonstration payment values	Create order; control stock; create fulfilment task; progress status	Order is ready, dispatched, collected or delivered	Duplicate request; reservation failure; short pick; cancelled fulfilment
UC-WEB-05	Track, review and request refund	Customer	Eligible order exists	Open order history; review status; submit verified review or refund request	Customer action is stored and visible with controlled status	Order not eligible; duplicate review; refund outside policy
UC-WEB-06	Administer and support website orders	Administrator / Support Analyst	Authorised role and target record exist	Manage product or order; inspect history; resolve supported exception	Approved change is completed and auditable	Unauthorised action; integration failure; escalation required

7. User stories and acceptance criteria

Each story is linked to requirement catalogue entries. Acceptance criteria are written as observable outcomes and should be converted into test cases during refinement.

US-WEB-001 - Product discovery

Related requirements: FR-WEB-001-003

As a customer, I want to browse active products and search by partial product name so that I can find relevant items quickly.

- **Active products appear by category with current price and stock message.**
- **Search matches product names using partial text.**
- **Inactive products are excluded from customer results.**

US-WEB-002 - Network availability

Related requirements: FR-WEB-004; TR-WEB-005

As a customer, I want to see current network and branch availability so that I can select a fulfilment option with confidence.

- **Availability is sourced from approved WMS or branch stock events.**
- **The selected branch shows whether every bag item can be collected.**
- **Stale or failed availability responses do not present unverified stock as available.**

US-WEB-003 - Shopping bag

Related requirements: FR-WEB-007

As a customer, I want to add, remove and change quantities in my bag so that I can prepare my purchase before checkout.

- **Quantity cannot exceed the currently permitted stock level.**
- **The bag shows item quantity, price and total.**
- **Removing an item recalculates the total immediately.**

US-WEB-004 - Guest or account journey

Related requirements: FR-WEB-005-006

As a customer, I want to continue as a guest or use an account so that I can choose the level of personalisation I need.

- **A guest can browse and begin checkout without registering.**
- **A registered user can sign in and access eligible order history.**
- **Required profile or guest details are validated before order submission.**

US-WEB-005 - Fulfilment selection

Related requirements: FR-WEB-008-010

As a customer, I want to choose delivery or one of 65 Click and Collect stores so that the order is fulfilled in the most convenient way.

- **All active stores are selectable for Click and Collect.**
- **The website validates the complete bag against the selected source.**
- **An unavailable option is blocked with a clear corrective message.**

US-WEB-006 - Demonstration payment

Related requirements: FR-WEB-011-012

As a demonstration user, I want simple payment validation so that I can complete the test checkout without real card processing.

- **Any 16-digit card number is accepted when format is valid.**
- **Expiry must be in MM/YY format and later than the current date.**
- **CVC must contain exactly three digits and no real payment is processed.**

US-WEB-007 - Order creation

Related requirements: FR-WEB-013-015; TR-WEB-001-004

As a customer, I want one confirmed order after checkout so that stock and fulfilment work are controlled from a single reference.

- **A successful request creates one unique TechHub order.**
- **The selected stock source is reserved or decremented once.**
- **Duplicate requests do not create duplicate orders or stock movements.**

US-WEB-008 - Order tracking

Related requirements: FR-WEB-016

As a customer, I want to see order progress so that I know when delivery or collection is ready.

- **Order history shows order number, date, items, total and fulfilment method.**
- **Status distinguishes processing, ready, dispatched and delivered as applicable.**
- **Updates are visible after authorised fulfilment actions.**

US-WEB-009 - Administration

Related requirements: FR-WEB-017; FR-WEB-020

As an authorised administrator, I want to manage catalogue and orders so that the customer experience remains accurate and supportable.

- **Product changes require authorised access.**
- **Administrators can prepare and complete eligible orders.**
- **Material actions record user and timestamp.**

US-WEB-010 - Refund request

Related requirements: FR-WEB-018

As a customer, I want to request a refund for an eligible delivered order so that the request can be reviewed and tracked.

- **Only eligible delivered orders can begin the refund workflow.**
- **The request records reason, amount, status and return deadline.**
- **Customer and administrator see the controlled refund status.**

US-WEB-011 - Product review

Related requirements: FR-WEB-019

As a verified customer, I want to review a delivered product so that other shoppers can use authentic feedback.

- **Only eligible delivered purchases can be reviewed.**
- **Rating and comment are stored against the product and order.**
- **Published reviews are visible without sign-in.**

US-WEB-012 - Operational monitoring

Related requirements: NFR-WEB-003; TR-WEB-010

As an authorised support analyst, I want end-to-end website and order monitoring so that customer-impacting failures can be investigated.

- **Search by customer, order, product, store or WMS reference.**
- **History shows event, status, source, user or system and timestamp.**
- **Unauthorised roles cannot access protected customer or audit data.**

8. Requirements traceability matrix

Epic	Requirement(s)	Process	Use case	User story	Verification
EP-WEB-ORD-01	FR-WEB-001-003	TO-BE website flow	UC-WEB-01	US-WEB-001	SIT + UAT
EP-WEB-ORD-01	FR-WEB-004; TR-WEB-005	TO-BE website flow	UC-WEB-01	US-WEB-002	Integration + UAT
EP-WEB-ORD-01	FR-WEB-007	TO-BE website flow	UC-WEB-03	US-WEB-003	SIT + UAT
EP-WEB-ORD-01	FR-WEB-005-006	TO-BE website flow	UC-WEB-02	US-WEB-004	Security + UAT
EP-WEB-ORD-01	FR-WEB-008-010	TO-BE website flow	UC-WEB-03	US-WEB-005	Integration + UAT
EP-WEB-ORD-01	FR-WEB-011-012	TO-BE website flow	UC-WEB-03	US-WEB-006	SIT + UAT
EP-WEB-ORD-01	FR-WEB-013-015	TO-BE website flow	UC-WEB-04	US-WEB-007	Integration + UAT
EP-WEB-ORD-01	FR-WEB-016	TO-BE website flow	UC-WEB-05	US-WEB-008	SIT + UAT
EP-WEB-ORD-01	FR-WEB-017-020	TO-BE website flow	UC-WEB-05 / 06	US-WEB-009-011	Security + UAT
EP-WEB-ORD-01	NFR-WEB-003; TR-WEB-010	TO-BE website flow	UC-WEB-06	US-WEB-012	Performance + Operations

Traceability rule: a change to a requirement must trigger review of its linked process step, use case, user story, test evidence and delivery work item.

10. RACI summary

Deliverable	PM	BA	Product Owner	Digital Commerce Lead	Architect / Integration	QA	Business SMEs
Scope and success measures	A	R	C	C	C	I	I
AS-IS / TO-BE	I	R	A	C	C	I	C
Requirement baseline	I	R	A	C	C	C	C
Solution and interfaces	I	C	A	C	R	C	I
Configuration and build	I	C	A	C	R	C	I
UAT and operational readiness	C	R	A	R	C	C	R
Pilot evidence gate	R	C	A	C	C	C	I

R = Responsible; A = Accountable; C = Consulted; I = Informed.

11. Testing, UAT and evidence gate

11.1 UAT test cases

Test ID	Scenario	Precondition / data	Expected result	Requirement	Status	Comment
UAT-WEB-001	Browse active catalogue	Approved active and inactive products exist	Only active products display with correct content and price	FR-WEB-001		
UAT-WEB-002	Search by partial name	Active products with known names exist	Partial case-insensitive search returns matching active products	FR-WEB-002		
UAT-WEB-003	View network and branch availability	Controlled WMS and branch balances exist	Displayed availability matches approved source balances	FR-WEB-004; TR-WEB-005		
UAT-WEB-004	Continue as guest	No authenticated session	Guest can reach checkout without registration	FR-WEB-005		
UAT-WEB-005	Register and sign in	Unique user details are available	Account is created and authorised order history is protected	FR-WEB-006; TR-WEB-008		
UAT-WEB-006	Manage shopping bag	Active item with available stock exists	Add, change and remove actions recalculate quantity and total	FR-WEB-007		
UAT-WEB-007	Validate Click and Collect source	Bag and 65-store list are available	Eligible store can be selected and unavailable complete bag is blocked	FR-WEB-008-010		
UAT-WEB-008	Validate customer and demonstration payment fields	Checkout is open	Required details and valid 16-digit card, future MM/YY and 3-digit CVC pass	FR-WEB-011-012		
UAT-WEB-009	Create one order and stock movement	Valid checkout exists	One order is created and intended source stock changes once	FR-WEB-013-014; TR-WEB-003		
UAT-WEB-010	Synchronise stock after order	Controlled order is confirmed	Website availability reflects the approved stock event within target	FR-WEB-015		
UAT-WEB-011	Progress and view order status	Confirmed pickup or delivery order exists	Authorised status update becomes visible in customer order history	FR-WEB-016-017		
UAT-WEB-012	Request eligible refund	Delivered order within policy exists	Refund request records reason, amount, deadline and status	FR-WEB-018		
UAT-WEB-013	Submit verified product review	Delivered order with unreviewed item exists	One rating and comment are linked and publicly visible	FR-WEB-019		
UAT-WEB-014	Use responsive mobile layout	Approved mobile and desktop browsers are available	Core journey remains readable and usable without clipping or horizontal overflow	TR-WEB-007		
UAT-WEB-015	Audit end-to-end order trace	Completed order with stock and fulfilment events exists	Authorised user traces checkout to order, source stock and final status	FR-WEB-020; TR-WEB-010		