




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading




Normalized Thermal Neutron Detector Reading



Normalized Thermal Neutron Detector Reading



Normalized Thermal Neutron Detector Reading



Normalized Thermal Neutron Detector Reading

