

1 Computational repeatability test of the results of the Kara Weisman (2021) study*

2 Shanshan Zhu¹, Lu Ao¹, Mengyao Yang¹, Yueyang Yu¹, & Huiling Zou¹

3 ¹ Nanjing Normal University

4 Author Note

5 The authors made the following contributions. Shanshan Zhu: Data analysis,
6 Summarize and organize; Lu Ao: Duplicate the attachment coden, PowerPoint
7 presentation; Mengyao Yang: Duplicate the attachment code, Sort out the content of the
8 report; Yueyang Yu: Participate in document writing, Make a PowerPoint; Huiling Zou:
9 Make a PowerPoint, Proofread documents.

10 Correspondence concerning this article should be addressed to Shanshan Zhu, #122
11 Ninghai Rd, Gulou District, Nanjing. E-mail: zhushanshan0717@gmail.com

Abstract

How do concepts of mental life vary across cultures? By asking simple questions about humans, animals, and other entities – for example, ‘Do beetles get hungry? Remember things? Feel love?’

Yet there were substantial cultural and developmental differences in the status of social emotional abilities as part of the body, part of the mind, or a third category unto themselves. Such differences may have far-reaching social consequences, whereas the similarities identify aspects of human understanding that may be universal.

We reconstructed concepts of mental life from the bottom up among adults ($n = 711$) and children (ages 6–12 years, $n = 693$) in the USA, Ghana, Thailand, China, and Vanuatu. This revealed a cross-cultural and developmental continuity: in all sites, among both adults and children, cognitive abilities travelled separately from bodily sensations, suggesting that a mind–body distinction is common across diverse cultures and present by middle childhood.

Keywords: Calculate reproducibility, R, Cross-cultural, Mental life

Word count: 3443

Computational repeatability test of the results of the Kara Weisman (2021) study*

1 Introduction

1.1 Selected Literature

Title: Similarities and differences in concepts of mental life among adults and children in five cultures.

Weisman, K., Legare, C. H., Smith, R. E., Dzokoto, V. A., Aulino, F., Ng, E., ... & Luhmann, T. M. (2021). Similarities and differences in concepts of mental life among adults and children in five cultures. *Nature Human Behaviour*, 5(10), 1358-1368. (APA)

We adopted the code from:
<https://github.com/kgweisman/mental-life-culture-development>.

1.2 Introduction to Literature

1.2.1 Research Background. Understanding mental life (thoughts, emotions, intentions, etc.) is crucial for social life, as it helps us predict and explain others' behaviors. Research in cultural psychology and anthropology suggests that there are differences in how mental life is understood across cultures.

1.2.2 Main Research Questions and Hypotheses. This study explores how adults and children from different cultural backgrounds understand concepts of mental life. It hypothesizes that these understandings have certain universal aspects but may show significant differences in social-emotional abilities.

1.2.3 Research Results and Conclusions. The study found that cognitive abilities travelled separately from bodily sensations among both adults and children in all sites, suggesting that a mind-body distinction is common across diverse cultures and present by middle childhood. Yet there were substantial cultural and developmental

differences in the status of social-emotional abilities – as part of the body, part of the mind or a third category unto themselves. These findings suggest that while some aspects of mental life may be universal, the influences of culture and development significantly shape the understanding of social-emotional abilities (Weisman et al., 2021).

2 Methods

2.1 Introduction to the Original Research Methods

2.1.1 Participants. The study involved participants from five diverse cultural settings: - San Francisco Bay Area, USA - Cape Coast, Ghana - Chiang Mai, Thailand - Shanghai, China - Port Vila and Malekula, Vanuatu.

The total sample consisted of 711 adults and 693 children aged 6-12 years. Adults were primarily recruited in public places, and children were recruited from elementary schools (Weisman et al., 2021).

2.1.2 Data Analysis. Exploratory factor analysis (EFA) was used to identify underlying constructs and the number of factors retained was determined by parallel analysis. Factor similarities between different cultures and age groups were compared by vector cosine (rc). The details are as follows: - Exploratory factor analysis (EFA) was used to identify latent constructs or core components of the concept of mental life within each cultural sample. - Parallel analysis determined the number of factors to retain, and oblique transformation was used to interpret factor loadings. - Comparisons across cultural sites and age groups were made using vector cosine (rc) calculations to gauge the similarity of factors (Weisman et al., 2021).

2.2 Reproduction Ideas and R Packages

2.2.1 R Packages. Install and load necessary R packages, including `dplyr` (Wickham, François, Henry, Müller, & Vaughan, 2023), `tidyr` (Wickham, Vaughan, &

Girlich, 2023), `ggplot2` (Wickham, 2016), `papaja` (Aust & Barth, 2023), `tidyverse` (Wickham et al., 2019), `lubridate` (Grolemund & Wickham, 2011), `readxl` (Wickham & Bryan, 2023), `psych` (William Revelle, 2023), `cowplot` (Wilke, 2020), `here` (Müller, 2020), `reshape2` (Wickham, 2007), `sjstats` (Lüdecke, 2024), `lsa` (Wild, 2022), `langcog` (Braginsky, Yurovsky, & Frank, 2024), `GPArotation` (Bernaards & Jennrich, 2005), `irr` (Gamer, Lemon, & <puspendra.pusp22@gmail.com>, 2019), `kableExtra` (Zhu, 2024), and `janitor` (Firke, 2023).

2.2.2 Reproduction Ideas.

- **Clean and preprocess the data:** Since the author does not provide raw data, only the code for data preprocessing, there is no data preprocessing part in our reproduction.
- **Main Analysis:** Exploratory Factor Analysis (EFA) using Pearson correlation and oblique rotation (the analysis mentioned in the main text of the paper, which is our focus for replication).
- **Secondary Analyses (mentioned in the supplementary materials of the paper):**
 - Using orthogonal rotation instead of oblique rotation.
 - Equating “somewhat” responses to “yes” and using tetrachoric correlation.
 - Excluding participants who provided the same answer (e.g., all “yes” or all “no”) in every trial.
 - Using Principal Component Analysis (PCA) instead of Exploratory Factor Analysis (EFA).
 - Incorporating demographic variables in the covariance model.

2.2.3 Verification and Comparison.

- Compare the replicated results with the original findings.
- Identify any discrepancies and investigate potential reasons for these differences.
- Document the replication process, including any challenges encountered and how they were addressed (Weisman et al., 2021).

2.2.4 Programming Environment. All analyses by the authors were conducted in the R version 4.0.0 environment, on the x86_64-apple-darwin17.0 (64-bit) platform, with macOS Catalina 10.15.7 as the operating system.

All our analyses were conducted in the R version 4.3.1 environment, on the arm64-apple-darwin platform, with macOS Sonoma 14.5 as the operating system (R Core Team, 2023).

3 Replication Results

In this section, we present the results of our replication study. The analyses were conducted following the methodologies described in the original research by Weisman et al. (2021). We compare our findings with the original results to assess the reproducibility of the study’s conclusions.

3.1 Data preparation

The data was read from adults and children in five different cultural settings. It filtered the data to include only universal targets and questions, shortened the descriptions of the questions, and for children, it additionally filtered the age range to 6-12 years. Next, the preprocessed data was converted to a wide format. This transformation was performed separately for both adult and children datasets across the five cultural settings, making the data suitable for subsequent Exploratory Factor Analysis (EFA).

3.2 Primary Analysis (Adults)


Samples.

country	n
US	127
Ghana	150
Thailand	150
China	136
Vanuatu	148
Total	711

Scale use.


country	no	kind of	yes	missing data
US	41.73%	4.90%	53.30%	0.07%
Ghana	73.86%	0.99%	24.99%	0.17%
Thailand	34.32%	18.55%	47.07%	0.06%
China	41.08%	9.21%	49.42%	0.29%
Vanuatu	35.46%	4.99%	59.17%	0.38%

Factor retention: parallel analysis.



126


Exploratory factor analysis: Factor loadings.



127


128

Congruence.





129

130




131






136

FIGURE S4.



137



```
## # A tibble: 4 x 15
##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
##   <chr>    <chr>    <dbl>    <dbl>    <dbl> <chr>      <fct>    <chr>
## 1 chADULTS~ usADULT~ 0.881    0.760    0.950 adults    China     Ch. adults F~
## 2 ghADULTS~ usADULT~ 0.871    0.700    0.959 adults    Ghana     Gh. adults F~
## 3 thADULTS~ usADULT~ 0.900    0.785    0.959 adults    Thailand  Th. adults F~
## 4 vtADULTS~ usADULT~ 0.870    0.739    0.941 adults    Vanuatu   Va. adults F~
## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
## #   factor_descript_B <chr>, factor_labdescript_B <chr>
```

```

150 ## # A tibble: 4 x 15
151 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
152 ##   <chr>      <chr>    <dbl>    <dbl>    <dbl> <chr>      <fct>      <chr>
153 ## 1 chADULTS~ usADULT~ 0.327    0.0743    0.562 adults      China      Ch. adults F~
154 ## 2 ghADULTS~ usADULT~ 0.287    0.0151    0.520 adults      Ghana      Gh. adults F~
155 ## 3 thADULTS~ usADULT~ 0.302    0.0686    0.527 adults      Thailand   Th. adults F~
156 ## 4 vtADULTS~ usADULT~ 0.294    0.0876    0.492 adults      Vanuatu    Va. adults F~
157 ## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
158 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
159 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>

160 ## # A tibble: 4 x 15
161 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
162 ##   <chr>      <chr>    <dbl>    <dbl>    <dbl> <chr>      <fct>      <chr>
163 ## 1 chADULTS~ usADULT~ 0.917    0.830    0.962 adults      China      Ch. adults F~
164 ## 2 ghADULTS~ usADULT~ 0.781    0.642    0.892 adults      Ghana      Gh. adults F~
165 ## 3 thADULTS~ usADULT~ 0.889    0.777    0.960 adults      Thailand   Th. adults F~
166 ## 4 vtADULTS~ usADULT~ 0.750    0.563    0.885 adults      Vanuatu    Va. adults F~
167 ## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
168 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
169 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>

170 ## # A tibble: 4 x 15
171 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
172 ##   <chr>      <chr>    <dbl>    <dbl>    <dbl> <chr>      <fct>      <chr>
173 ## 1 chADULTS~ usADULT~ 0.334    0.0356    0.595 adults      China      Ch. adults F~
174 ## 2 ghADULTS~ usADULT~ 0.184   -0.0690    0.447 adults      Ghana      Gh. adults F~
175 ## 3 thADULTS~ usADULT~ 0.265    0.0244    0.490 adults      Thailand   Th. adults F~

```

```

176 ## 4 vtADULTS~ usADULT~ 0.196 -0.0597 0.439 adults Vanuatu Va. adults F~
177 ## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
178 ## # age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
179 ## # factor_descript_B <chr>, factor_labdescript_B <chr>

180 ## # A tibble: 2 x 15
181 ## factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
182 ## <chr> <chr> <dbl> <dbl> <dbl> <chr> <fct> <chr>
183 ## 1 chADULTS~ usADULT~ 0.973 0.949 0.987 adults China Ch. adults F~
184 ## 2 thADULTS~ usADULT~ 0.969 0.947 0.986 adults Thailand Th. adults F~
185 ## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
186 ## # age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
187 ## # factor_descript_B <chr>, factor_labdescript_B <chr>

188 ## # A tibble: 4 x 15
189 ## factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
190 ## <chr> <chr> <dbl> <dbl> <dbl> <chr> <fct> <chr>
191 ## 1 chADULTS~ usADULT~ 0.157 -0.0930 0.416 adults China Ch. adults F~
192 ## 2 chADULTS~ usADULT~ 0.324 0.122 0.530 adults China Ch. adults F~
193 ## 3 thADULTS~ usADULT~ 0.349 0.103 0.576 adults Thailand Th. adults F~
194 ## 4 thADULTS~ usADULT~ 0.327 0.137 0.548 adults Thailand Th. adults F~
195 ## # i 7 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
196 ## # age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
197 ## # factor_descript_B <chr>, factor_labdescript_B <chr>

```


3.3 Primary Analysis (Children)


Samples.

country	n
US	117
Ghana	150
Thailand	152
China	131
Vanuatu	143
Total	693

Scale use.


country	no	kind of	yes	missing data
US	42.14%	16.09%	40.88%	0.89%
Ghana	54.12%	1.48%	44.09%	0.32%
Thailand	37.99%	25.86%	35.90%	0.26%
China	35.01%	17.03%	47.00%	0.96%
Vanuatu	50.02%	3.89%	46.03%	0.06%

Factor retention: parallel analysis.



203

Exploratory factor analysis: Factor loadings.




204

205


Congruence: Bootstrapped congruence.

206


FIGURE 4.



207



208



209

```
210 ## # A tibble: 5 x 17
211 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
212 ##   <chr>      <chr>   <dbl>   <dbl>   <dbl> <chr>      <fct>      <chr>
```

```

213 ## 1 chCHILDR~ chADULT~ 0.768    0.503    0.912 children    China    Ch. children~
214 ## 2 ghCHILDR~ ghADULT~ 0.871    0.761    0.946 children    Ghana    Gh. children~
215 ## 3 thCHILDR~ thADULT~ 0.846    0.701    0.934 children    Thailand Th. children~
216 ## 4 usCHILDR~ usADULT~ 0.482    0.252    0.687 children    US       US children ~
217 ## 5 vtCHILDR~ vtADULT~ 0.844    0.741    0.921 children    Vanuatu  Va. children~
218 ## # i 9 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
219 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
220 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>, factor_bhm_A <chr>,
221 ## #   factor_bhm_B <chr>

222 ## # A tibble: 5 x 17
223 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
224 ##   <chr>    <chr>    <dbl>    <dbl>    <dbl> <chr>        <fct>    <chr>
225 ## 1 chCHILDR~ chADULT~ 0.370    0.0946    0.628 children    China    Ch. children~
226 ## 2 ghCHILDR~ ghADULT~ 0.266    0.0680    0.480 children    Ghana    Gh. children~
227 ## 3 thCHILDR~ thADULT~ 0.221   -0.0443    0.507 children    Thailand Th. children~
228 ## 4 usCHILDR~ usADULT~ 0.259    0.0863    0.469 children    US       US children ~
229 ## 5 vtCHILDR~ vtADULT~ 0.393    0.145    0.613 children    Vanuatu  Va. children~
230 ## # i 9 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
231 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
232 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>, factor_bhm_A <chr>,
233 ## #   factor_bhm_B <chr>

234 ## # A tibble: 5 x 17
235 ##   factor_A factor_B mean ci_lower ci_upper age_group_A country_A factor_name_A
236 ##   <chr>    <chr>    <dbl>    <dbl>    <dbl> <chr>        <fct>    <chr>
237 ## 1 chCHILDR~ chADULT~ 0.814    0.608    0.922 children    China    Ch. children~
238 ## 2 ghCHILDR~ ghADULT~ 0.855    0.728    0.946 children    Ghana    Gh. children~

```

```

239 ## 3 thCHILDR~ thADULT~ 0.867    0.699    0.951 children    Thailand    Th. children~
240 ## 4 usCHILDR~ usADULT~ 0.223    0.0275   0.406 children    US           US children ~
241 ## 5 vtCHILDR~ vtADULT~ 0.890    0.823    0.948 children    Vanuatu     Va. children~
242 ## # i 9 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
243 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
244 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>, factor_bhm_A <chr>,
245 ## #   factor_bhm_B <chr>

```

```

246 ## # A tibble: 5 x 17
247 ##   factor_A factor_B   mean ci_lower ci_upper age_group_A country_A factor_name_A
248 ##   <chr>    <chr>    <dbl>   <dbl>   <dbl> <chr>        <fct>    <chr>
249 ## 1 chCHILD~ chADULT~ 0.136   -0.183    0.424 children    China      Ch. children~
250 ## 2 ghCHILD~ ghADULT~ 0.294    0.0574   0.528 children    Ghana     Gh. children~
251 ## 3 thCHILD~ thADULT~ 0.178   -0.0564   0.411 children    Thailand  Th. children~
252 ## 4 usCHILD~ usADULT~ 0.830    0.756    0.902 children    US        US children ~
253 ## 5 vtCHILD~ vtADULT~ 0.0137  -0.117    0.140 children    Vanuatu   Va. children~
254 ## # i 9 more variables: factor_descript_A <chr>, factor_labdescript_A <chr>,
255 ## #   age_group_B <chr>, country_B <fct>, factor_name_B <chr>,
256 ## #   factor_descript_B <chr>, factor_labdescript_B <chr>, factor_bhm_A <chr>,
257 ## #   factor_bhm_B <chr>


```

258 3.4 Primary Analysis (All Samples)


259 Congruence.

260

Figure 2.




261





263


Jaccard Similarity: Figure S1.





264














	BODY-like factors					BODY-like factors					EART-like factors		HEART-like factors		MIND-like factors					MIND-like factors					Other		Other				
	adults					children					adults	children	adults	children	adults	children	adults	children	adults	children	adults	children	adults	children							
get hurt feelings	0.83	0.36	0.20	0.14	-0.01	0.26	0.93	0.00	-0.04	-0.01	0.14	0.65	0.81	0.13	0.81	0.73	0.53	-0.06	0.34	0.03	-0.14	0.73	0.31	-0.04	0.02	-0.09	0.38	0.31	-0.03	0.01	-0.04
feel guilty	0.80	0.04	0.12	-0.23	0.46	0.38	0.45	0.02	-0.04	0.09	-0.03	0.50	0.61	0.09	0.61	0.73	0.71	-0.01	0.43	0.13	0.19	0.35	0.28	0.15	-0.08	-0.06	0.05	0.56	0.18	0.22	0.29
feel shy	0.70	0.22	0.09	0.07	0.41	0.70	0.49	0.44	0.15	0.12	0.26	0.44	0.57	0.08	0.07	0.55	0.61	-0.11	0.15	0.08	0.02	0.23	0.12	-0.05	-0.02	-0.29	-0.03	0.76	0.45	0.46	0.36
feel sad	0.69	0.21	0.39	0.06	0.22	0.59	0.57	-0.04	0.05	0.35	0.07	0.58	0.79	-0.02	0.90	0.76	0.38	0.22	0.62	-0.06	0.01	0.63	0.36	0.27	0.05	0.07	0.13	0.22	0.09	-0.08	-0.07
pray	0.62	0.07	-0.29	-0.28	-0.13	-0.30	0.00	-0.05	0.31	-0.01	-0.20	0.69	0.48	0.17	0.11	0.17	0.23	0.08	0.45	0.06	0.25	0.66	0.66	0.10	0.21	0.03	0.57	0.51	0.81	0.41	0.62
feel proud	0.61	-0.13	0.03	0.09	0.41	0.05	0.12	0.18	-0.10	0.13	0.07	0.47	0.64	0.07	0.31	0.66	0.47	0.16	0.87	0.18	-0.01	0.36	0.79	0.54	0.22	-0.01	0.11	0.08	0.12	0.25	0.22
feel love	0.52	0.39	0.41	0.06	0.13	0.25	0.25	0.29	0.05	0.12	0.14	0.34	0.62	0.02	0.21	0.73	0.15	0.25	0.67	0.22	0.16	0.66	0.67	0.33	0.34	0.05	0.64	-0.06	0.32	-0.10	0.00
feel happy	0.50	0.31	0.29	0.37	-0.03	0.24	0.27	0.56	0.18	0.46	0.28	0.34	0.49	-0.05	0.04	0.69	0.12	0.18	0.71	0.26	0.12	0.77	0.61	0.61	0.34	0.08	0.20	0.05	0.08	0.08	-0.05
get angry	0.44	0.22	0.42	0.41	0.68	0.46	0.53	0.16	-0.06	0.65	0.28	0.45	0.36	0.13	0.57	0.74	0.23	0.24	0.79	-0.14	0.17	0.11	0.25	0.38	0.09	0.24	-0.07	-0.06	-0.08	-0.12	-0.04
think about things	0.43	-0.08	-0.05	-0.05	0.12	0.22	0.12	0.08	-0.07	0.41	0.10	0.30	0.44	0.48	0.20	0.61	0.00	0.43	0.83	0.41	0.45	0.64	0.20	0.59	0.54	0.35	0.50	0.20	0.26	0.15	0.02
get hungry	0.03	0.93	0.80	0.81	0.66	0.86	0.86	0.89	0.95	0.81	0.90	-0.01	0.09	-0.13	-0.06	-0.06	0.08	-0.06	-0.19	0.00	-0.11	-0.01	-0.08	0.05	-0.04	0.04	-0.11	0.00	-0.19	-0.07	-0.02
feel tired	0.16	0.78	0.50	0.43	0.77	0.77	0.69	0.56	0.31	0.50	0.76	0.20	0.11	0.04	0.14	0.46	0.31	0.03	-0.07	-0.02	0.27	-0.02	0.06	0.12	0.12	-0.05	-0.02	0.23	0.03	0.09	-0.17
smell things	0.03	0.74	0.48	0.45	0.41	0.68	0.49	0.61	0.69	0.77	0.72	0.11	0.12	0.22	0.06	0.05	-0.04	0.23	0.29	0.17	0.32	0.43	-0.05	0.40	0.14	0.17	0.05	-0.20	-0.01	0.01	0.24
feel pain	0.08	0.86	0.72	0.80	0.74	0.76	0.83	0.59	0.40	0.63	0.71	0.00	0.09	-0.03	0.29	0.52	0.13	0.14	-0.02	0.11	0.02	0.13	-0.01	0.07	-0.19	-0.10	0.06	-0.02	0.05	-0.10	-0.37
feel scared	0.21	0.76	0.70	0.67	0.76	0.85	0.78	0.53	0.54	0.41	0.71	0.02	0.00	0.06	0.23	0.34	0.26	0.04	0.05	0.02	0.22	0.02	0.00	0.00	0.01	-0.20	-0.07	0.14	0.08	-0.05	0.04
feel sick [...]	0.26	0.81	0.55	0.26	0.84	0.62	0.96	0.39	0.15	0.66	0.67	0.12	0.25	0.01	0.38	0.50	0.19	0.03	-0.12	0.13	0.17	-0.06	0.13	-0.12	-0.15	0.05	0.00	0.24	0.02	0.25	0.25
sense when things are far away	0.05	0.41	0.12	0.19	0.21	0.10	-0.14	-0.26	0.10	0.48	0.03	-0.09	-0.08	0.65	0.05	0.27	-0.11	0.78	0.29	0.54	0.68	0.53	-0.12	0.69	0.58	0.43	0.25	0.13	0.02	-0.04	0.00
remember things	0.21	0.01	0.15	0.20	0.01	-0.13	0.02	-0.18	-0.01	0.11	-0.12	0.17	0.18	0.81	0.18	0.41	-0.07	0.76	0.85	0.50	0.55	0.81	0.11	0.64	0.53	0.54	0.59	0.08	0.28	0.28	0.04
hear things	-0.01	0.58	0.37	0.38	0.22	0.29	0.28	0.40	0.30	0.79	0.19	-0.08	0.03	0.48	0.04	0.09	-0.16	0.74	0.55	0.49	0.49	0.54	0.13	0.59	0.57	0.64	0.16	-0.29	-0.01	-0.06	-0.04
figure out how to do things	-0.03	-0.16	-0.01	-0.03	0.07	0.11	-0.02	0.03	0.21	0.05	0.40	-0.02	0.08	0.52	-0.10	0.32	0.06	0.54	0.92	0.75	0.68	0.56	0.01	0.75	0.61	0.37	0.62	-0.03	0.08	0.14	0.09
choose what to do	0.17	-0.12	0.13	0.04	0.01	0.31	-0.09	0.15	0.10	0.21	0.26	0.15	0.16	0.46	0.17	0.50	-0.07	0.53	0.93	0.31	0.49	0.74	-0.08	0.81	0.39	0.32	0.65	0.01	-0.16	-0.23	0.01
sense temperatures	-0.20	0.44	0.29	0.45	0.73	0.27	0.37	0.25	0.15	0.61	0.50	-0.11	-0.02	0.33	-0.07	0.37	0.06	0.53	0.17	0.20	0.29	-0.02	-0.16	0.46	0.06	0.05	0.03	0.35	0.02	0.21	-0.05
add and subtract numbers	0.32	-0.17	-0.33	-0.25	-0.24	-0.19	-0.16	-0.14	-0.06	-0.39	-0.40	0.34	0.26	0.35	-0.13	0.02	0.06	0.50	0.80	0.40	0.48	0.74	0.06	-0.02	0.09	0.51	0.66	0.06	0.70	0.65	0.46
US adults F1: Body											US adults F2: Heart				US adults F3: Mind																
Gh. adults F2: Body-like											Th. adults F1: Heart-like				Th. adults F3: Mind-like																
Th. adults F1: Body-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Body-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Ch. adults F2: Sin (body-like)											Va. children F1: Body-like				Va. children F3: Heart-like, negative																
US children F1: Body-like											US adults F2: Heart				US adults F3: Mind																
Gh. children F1: Body-like											Th. adults F1: Heart-like				Th. adults F3: Mind (mind-like)																
Th. children F1: Body-like											Ch. adults F2: Heart-like, positive				Ch. adults F3: Mind-like positive																
Ch. children F1: Body-like, negative											Th. children F1: Heart-like				Th. children F3: Mind-like positive																
Ch. children F2: Body-like											Va. children F2: Heart-like, negative				Va. children F3: Heart-like, negative																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
US adults F3: Mind											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F1: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																
Th. children F1: Heart-like											Va. children F1: Body-like				Va. children F3: Heart-like																
Va. children F1: Body-like											Gh. adults F1: Inner sphere (mind-like)				Gh. adults F3: Harmony (mind-like)																
Gh. adults F1: Inner sphere (mind-like)											Th. adults F2: Heart-like				Th. adults F3: Mind (mind-like)																
Th. adults F2: Heart-like											Ch. adults F2: Heart-like				Ch. adults F3: Mind-like																
Ch. adults F2: Heart-like											Th. children F1: Heart-like				Th. children F3: Mind-like																



	BODY-like factors					HEART-like factors			MIND-like factors					Other
get hurt feelings	0.83	0.36	0.20	0.14	-0.01	0.14	0.65	0.81	-0.08	0.34	0.03	-0.14	0.73	0.31
feel guilty	0.80	0.04	0.12	-0.23	0.46	-0.03	0.50	0.61	-0.01	0.43	0.13	0.19	0.35	0.56
feel shy	0.70	0.22	0.09	0.07	0.41	0.26	0.44	0.57	-0.11	0.15	0.08	0.02	0.23	0.76
feel sad	0.69	0.21	0.39	0.06	0.22	0.07	0.58	0.79	0.22	0.62	-0.06	0.01	0.63	0.22
pray	0.62	0.07	-0.29	-0.28	-0.13	-0.20	0.69	0.48	0.08	0.45	0.06	0.25	0.66	0.51
feel proud	0.61	-0.13	0.03	0.09	0.41	0.07	0.47	0.64	0.16	0.87	0.18	-0.01	0.36	0.08
feel love	0.52	0.39	0.41	0.06	0.13	0.14	0.34	0.62	0.25	0.67	0.22	0.16	0.66	-0.06
feel happy	0.50	0.31	0.29	0.37	-0.03	0.28	0.34	0.49	0.18	0.71	0.26	0.12	0.77	0.05
get angry	0.44	0.22	0.42	0.41	0.68	0.28	0.45	0.36	0.24	0.79	-0.14	0.17	0.11	-0.06
think about things	0.43	-0.08	-0.05	-0.05	0.12	0.10	0.30	0.44	0.43	0.83	0.41	0.45	0.64	0.20
get hungry	0.03	0.93	0.80	0.81	0.66	0.90	-0.01	0.09	-0.08	-0.19	0.00	-0.11	-0.01	0.00
feel tired	0.16	0.78	0.50	0.43	0.77	0.76	0.20	0.11	0.03	-0.07	-0.02	0.27	-0.02	0.23
smell things	0.03	0.74	0.48	0.45	0.41	0.72	0.11	0.12	0.23	0.29	0.17	0.32	0.43	-0.20
feel pain	0.08	0.86	0.72	0.80	0.74	0.71	0.00	0.09	0.14	-0.02	0.11	0.02	0.13	-0.02
feel scared	0.21	0.76	0.70	0.67	0.76	0.71	0.02	0.00	0.04	0.05	0.02	0.22	0.02	0.14
feel sick [...]	0.26	0.81	0.55	0.26	0.84	0.67	0.12	0.25	0.03	-0.12	0.13	0.17	-0.08	0.24
sense when things are far away	0.05	0.41	0.12	0.19	0.21	0.03	-0.09	-0.08	0.78	0.29	0.54	0.68	0.53	0.13
remember things	0.21	0.01	0.15	0.20	0.01	-0.12	0.17	0.18	0.76	0.85	0.50	0.55	0.81	0.08
hear things	-0.01	0.58	0.37	0.38	0.22	0.19	-0.08	0.03	0.74	0.55	0.49	0.49	0.54	-0.29
figure out how to do things	-0.03	-0.16	-0.01	-0.03	0.07	0.40	-0.02	0.08	0.54	0.92	0.75	0.68	0.56	-0.03
choose what to do	0.17	-0.12	0.13	0.04	0.01	0.26	0.15	0.16	0.53	0.93	0.31	0.49	0.74	0.01
sense temperatures	-0.20	0.44	0.29	0.45	0.73	0.50	-0.11	-0.02	0.53	0.17	0.20	0.29	-0.02	0.35
add and subtract numbers	0.32	-0.17	-0.33	-0.25	-0.24	-0.40	0.34	0.26	0.50	0.80	0.40	0.48	0.74	0.06
	SF Bay Area, US	Cape Coast, GHANA	Chiang Mai, THAILAND	Shanghai, CHINA	PV & Malekula, VANUATU	SF Bay Area, US	Chiang Mai, THAILAND	Shanghai, CHINA	SF Bay Area, US	Cape Coast, GHANA	Chiang Mai, THAILAND	Shanghai, CHINA	PV & Malekula, VANUATU	Cape Coast, GHANA

272

273	##		metric	age_group	factor	US	Ghana	Thailand	China	Vanuatu
274	## 1	Proportion Explained		adults	F1	0.36	0.50	0.41	0.39	0.55
275	## 2	Proportion Var		adults	F1	0.23	0.35	0.18	0.20	0.29
276	## 3	Proportion Explained		adults	F2	0.35	0.36	0.33	0.31	0.45
277	## 4	Proportion Var		adults	F2	0.23	0.25	0.14	0.16	0.24
278	## 5	Proportion Explained		adults	F3	0.29	0.14	0.26	0.30	NA
279	## 6	Proportion Var		adults	F3	0.19	0.10	0.11	0.15	NA
280	## 7	Proportion Explained		adults	F4	NA	NA	NA	NA	NA
281	## 8	Proportion Var		adults	F4	NA	NA	NA	NA	NA

```

282 ## 9 Proportion Explained children F1 0.51 0.49 0.34 0.52 0.49
283 ## 10 Proportion Var children F1 0.26 0.29 0.16 0.29 0.24
284 ## 11 Proportion Explained children F2 0.25 0.37 0.30 0.22 0.28
285 ## 12 Proportion Var children F2 0.13 0.22 0.14 0.12 0.14
286 ## 13 Proportion Explained children F3 0.24 0.15 0.23 0.16 0.23
287 ## 14 Proportion Var children F3 0.12 0.09 0.11 0.09 0.11
288 ## 15 Proportion Explained children F4 NA NA 0.13 0.10 NA
289 ## 16 Proportion Var children F4 NA NA 0.06 0.06 NA

```

```

290 ## # A tibble: 2 x 7

```

```

291 ## metric age_group US Ghana Thailand China Vanuatu
292 ## <chr> <fct> <dbl> <dbl> <dbl> <dbl> <dbl>
293 ## 1 Cumulative Var adults 0.65 0.7 0.43 0.52 0.53
294 ## 2 Cumulative Var children 0.5 0.6 0.47 0.57 0.49

```

```

295 ## US ADULTS

```

```

296 ## F1 F2 F3
297 ## F1 1.0000000 0.5114648 0.5376676
298 ## F2 0.5114648 1.0000000 0.4805622
299 ## F3 0.5376676 0.4805622 1.0000000

```

```

300 ##

```

```

301 ## US CHILDREN

```

```

302 ## F1 F2 F3
303 ## F1 1.0000000 0.4334098 0.3031865
304 ## F2 0.4334098 1.0000000 0.4856172
305 ## F3 0.3031865 0.4856172 1.0000000

```

306 ## GHANA ADULTS

307 ## F1 F2 F3

308 ## F1 1.0000000 0.2725881 0.3444798

309 ## F2 0.2725881 1.0000000 0.2558207

310 ## F3 0.3444798 0.2558207 1.0000000

311 ##

312 ## GHANA CHILDREN

313 ## F1 F2 F3

314 ## F1 1.0000000 0.5790820 0.1747165

315 ## F2 0.5790820 1.0000000 0.3854114

316 ## F3 0.1747165 0.3854114 1.0000000

317 ## THAILAND ADULTS

318 ## F1 F2 F3

319 ## F1 1.0000000 0.4142881 0.3218404

320 ## F2 0.4142881 1.0000000 0.4161488

321 ## F3 0.3218404 0.4161488 1.0000000

322 ##

323 ## THAILAND CHILDREN

324 ## F1 F2 F3 F4

325 ## F1 1.000000000 0.54189979 0.1468730 -0.008909088

326 ## F2 0.541899792 1.00000000 0.3169020 0.092978779

327 ## F3 0.146873030 0.31690205 1.0000000 0.269117295

328 ## F4 -0.008909088 0.09297878 0.2691173 1.000000000

329 ## CHINA ADULTS

330 ## F1 F2 F3

331 ## F1 1.0000000 0.4590388 0.6187141

332 ## F2 0.4590388 1.0000000 0.3703614

333 ## F3 0.6187141 0.3703614 1.0000000

334 ##

335 ## CHINA CHILDREN

336 ## F1 F2 F3 F4

337 ## F1 1.0000000 0.51249526 0.3245885 0.25786749

338 ## F2 0.5124953 1.00000000 0.1524842 0.07635739

339 ## F3 0.3245885 0.15248416 1.0000000 0.13450834

340 ## F4 0.2578675 0.07635739 0.1345083 1.00000000

341 ## VANUATU ADULTS

342 ## F1 F2

343 ## F1 1.000000 0.687325

344 ## F2 0.687325 1.000000

345 ##

346 ## VANUATU CHILDREN

347 ## F1 F2 F3

348 ## F1 1.0000000 0.3116574 0.5189923

349 ## F2 0.3116574 1.0000000 0.3362370

350 ## F3 0.5189923 0.3362370 1.0000000

3.5 Repeatability test results

4 Discussion

4.1 Analysis of the results of the computational reproducibility test

We successfully replicated the factor structure of adult and child conceptualizations of psychological abilities across five cultures as reported by Weisman et al. (2021), and observed similar cross-cultural and cross-age-group patterns. Specifically, we arrived at the following conclusions:

- **Cross-Cultural Consistency:** Both adults and children clearly differentiated between somatic sensations and cognitive abilities in all five cultures, aligning with the original study's conclusions.
- **Cross-Age-Group Differences:** We noted significant differences in social affective capabilities between children and adults across the five cultures, supporting the original study's findings.

Upon comparing our replication results with the original study, we identified minor discrepancies that may stem primarily from the R environment and package versions. We further explored the similarity between adult factors in different countries and those in the U.S., as well as the similarity between child factors in different countries and those of local adults, to investigate structural differences in psychological life across cultures and age groups.

Our analysis indicates that descriptive statistics, cross-cultural comparisons, and developmental comparisons align with the original study. However, we observed slight deviations in individual values in the variance explained by factors and the correlation between adult and child factors.

374 We conducted our data analysis using R version 4.3.1, while the original study was
375 based on R version 4.0.0. Additionally, updates to software packages may lead to
376 deprecated functions, contributing to minor differences in results due to variations in
377 programming environments and software package versions. To enhance result consistency,
378 we will ensure stable package versions in future research, regularly updating and testing
379 the R packages used to prevent similar issues.

380 In conclusion, our research findings support the conclusions of Weisman et al. (2021),
381 demonstrating the existence of universal patterns in the conceptualization of psychological
382 abilities across cultures and age groups, providing essential insights for understanding the
383 cultural and developmental foundations of human psychology.

384 **P.S.:** Due to the substantial amount of numerical values involved in the EFA factor
385 loading heatmaps in the main text of the paper, we did not calculate reproducibility results
386 for them. Tables 1 to 17 do not encompass comparisons for all replicated results. However,
387 through our replication of the figures in the paper, it is evident that our results align with
388 the heatmaps created by the authors.

表 1. 复现结果中各国家的样本量 (Adults)

Country	n		δ	评级
	原研究报告结果	本研究报告结果		
US	127	127	0%	完全一致
Ghana	150	150	0%	完全一致
Thailand	150	150	0%	完全一致
China	136	136	0%	完全一致
Vanuatu	148	148	0%	完全一致

表 2. 复现结果中各国家的样本量 (Children)

Country	n		δ	评级
	原研究报告结果	本研究报告结果		
US	117	117	0%	完全一致
Ghana	150	150	0%	完全一致
Thailand	152	152	0%	完全一致
China	131	131	0%	完全一致
Vanuatu	143	143	0%	完全一致

390

表 3. 复现结果中各国家不同回答类别的百分比 (Adults)

Country	报告结果	No	Kind of	Yes	missing data	δ	评级
US	原研究报告结果	41.73%	4.90%	53.30%	0.07%	0%	完全一致
	本研究报告结果	41.73%	4.90%	53.30%	0.07%		
Ghana	原研究报告结果	73.86%	0.99%	24.99%	0.17%	0%	完全一致
	本研究报告结果	73.86%	0.99%	24.99%	0.17%		
Thailand	原研究报告结果	34.32%	18.55%	47.07%	0.06%	0%	完全一致
	本研究报告结果	34.32%	18.55%	47.07%	0.06%		
China	原研究报告结果	41.08%	9.21%	49.42%	0.29%	0%	完全一致
	本研究报告结果	41.08%	9.21%	49.42%	0.29%		
Vanuatu	原研究报告结果	35.46%	4.99%	59.17%	0.38%	0%	完全一致
	本研究报告结果	35.46%	4.99%	59.17%	0.38%		

391

表 4. 复现结果中各国家不同回答类别的百分比 (Children)

Country	报告结果	No	Kind of	Yes	missing data	δ	评级
US	原研究报告结果	42.14%	16.09%	40.88%	0.89%	0%	完全一致
	本研究报告结果	42.14%	16.09%	40.88%	0.89%		
Ghana	原研究报告结果	54.12%	1.48%	44.09%	0.32%	0%	完全一致
	本研究报告结果	54.12%	1.48%	44.09%	0.32%		
Thailand	原研究报告结果	37.99%	25.86%	35.90%	0.26%	0%	完全一致
	本研究报告结果	37.99%	25.86%	35.90%	0.26%		
China	原研究报告结果	35.01%	17.03%	47.00%	0.96%	0%	完全一致
	本研究报告结果	35.01%	17.03%	47.00%	0.96%		
Vanuatu	原研究报告结果	50.02%	3.89%	46.03%	0.06%	0%	完全一致
	本研究报告结果	50.02%	3.89%	46.03%	0.06%		

392

表 5. 其他国家中与美国成人“Body”因子相似的因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chADULTS_F2	usADULTS_F1	0.881	0.760	0.950	adults	China	Ch. adults Factor 2	0%	完全一致
复现	chADULTS_F2	usADULTS_F1	0.871	0.700	0.959	adults	China	Ch. adults Factor 2		
原文	ghADULTS_F2	usADULTS_F1	0.871	0.700	0.959	adults	Ghana	Gh. adults Factor 2	0%	完全一致
复现	ghADULTS_F2	usADULTS_F1	0.871	0.700	0.959	adults	Ghana	Gh. adults Factor 2		
原文	thADULTS_F1	usADULTS_F1	0.900	0.785	0.959	adults	Thailand	Th. adults Factor 1	0%	完全一致
复现	thADULTS_F1	usADULTS_F1	0.900	0.785	0.959	adults	Thailand	Th. adults Factor 1		
原文	vtADULTS_F2	usADULTS_F1	0.870	0.739	0.941	adults	Vanuatu	Va. adults Factor 2	0%	完全一致
复现	vtADULTS_F2	usADULTS_F1	0.870	0.739	0.941	adults	Vanuatu	Va. adults Factor 2		

393

表 6. 其他国家中与美国成人“Body”因子不相似但与“Mind”因子相似的因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chADULTS_F2	usADULTS_F3	0.327	0.074	0.562	adults	China	Ch. adults Factor 2	0%	完全一致
复现	chADULTS_F2	usADULTS_F3	0.327	0.074	0.562	adults	China	Ch. adults Factor 2		
原文	ghADULTS_F2	usADULTS_F3	0.287	0.015	0.520	adults	Ghana	Gh. adults Factor 2	0%	完全一致
复现	ghADULTS_F2	usADULTS_F3	0.287	0.015	0.520	adults	Ghana	Gh. adults Factor 2		
原文	thADULTS_F1	usADULTS_F3	0.302	0.069	0.527	adults	Thailand	Th. adults Factor 1	0%	完全一致
复现	thADULTS_F1	usADULTS_F3	0.302	0.069	0.527	adults	Thailand	Th. adults Factor 1		
原文	vtADULTS_F2	usADULTS_F3	0.294	0.088	0.492	adults	Vanuatu	Va. adults Factor 2	0%	完全一致
复现	vtADULTS_F2	usADULTS_F3	0.294	0.088	0.492	adults	Vanuatu	Va. adults Factor 2		

394

表 7. 其他国家中与美国成人“Mind”因子相似的因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chADULTS_F3	usADULTS_F3	0.917	0.830	0.962	adults	China	Ch. adults Factor 3	0%	完全一致
复现	chADULTS_F3	usADULTS_F3	0.917	0.830	0.962	adults	China	Ch. adults Factor 3		
原文	ghADULTS_F1	usADULTS_F3	0.781	0.642	0.892	adults	Ghana	Gh. adults Factor 1	0%	完全一致
复现	ghADULTS_F1	usADULTS_F3	0.781	0.642	0.892	adults	Ghana	Gh. adults Factor 1		
原文	thADULTS_F3	usADULTS_F3	0.889	0.777	0.960	adults	Thailand	Th. adults Factor 3	0%	完全一致
复现	thADULTS_F3	usADULTS_F3	0.889	0.777	0.960	adults	Thailand	Th. adults Factor 3		
原文	vtADULTS_F1	usADULTS_F3	0.750	0.563	0.885	adults	Vanuatu	Va. adults Factor 1	0%	完全一致
复现	vtADULTS_F1	usADULTS_F3	0.750	0.563	0.885	adults	Vanuatu	Va. adults Factor 1		

395

表 8. 其他国家中与美国成人 “Mind” 因子不相似但与 “Body” 因子相似的因子载荷

结果 报告	factor_A	factor_B	mean	ci_ lower	ci_ upper	age_ group_ A	country _A	factor_nam e_A	δ	评级
原文	chADULTS_F3	usADULTS_F1	0.334	0.036	0.595	adults	China	Ch. adults Factor 3	0%	完全一致
复现	chADULTS_F3	usADULTS_F1	0.334	0.036	0.595	adults	China	Ch. adults Factor 3		
原文	ghADULTS_F1	usADULTS_F1	0.184	- 0.069	0.447	adults	Ghana	Gh. adults Factor 1	0%	完全一致
复现	ghADULTS_F1	usADULTS_F1	0.184	- 0.069	0.447	adults	Ghana	Gh. adults Factor 1		
原文	thADULTS_F3	usADULTS_F1	0.265	0.024	0.490	adults	Thailand	Th. adults Factor 3	0%	完全一致
复现	thADULTS_F3	usADULTS_F1	0.265	0.024	0.490	adults	Thailand	Th. adults Factor 3		
原文	vtADULTS_F1	usADULTS_F1	0.196	- 0.060	0.439	adults	Vanuatu	Va. adults Factor 1	0%	完全一致
复现	vtADULTS_F1	usADULTS_F1	0.196	- 0.060	0.439	adults	Vanuatu	Va. adults Factor 1		

396

表 9. 其他国家中与美国成人 “Heart” 因子相似的因子载荷

结果 报告	factor_A	factor_B	mean	ci_ lower	ci_ upper	age_ group_ A	country _A	factor_nam e_A	δ	评级
原文	chADULTS_F1	usADULTS_F2	0.973	0.949	0.987	adults	China	Ch. adults Factor 1	0%	完全一致
复现	chADULTS_F1	usADULTS_F2	0.973	0.949	0.987	adults	China	Ch. adults Factor 1		
原文	thADULTS_F2	usADULTS_F2	0.969	0.947	0.986	adults	Thailand	Th. adults Factor 2	0%	完全一致
复现	thADULTS_F2	usADULTS_F2	0.969	0.947	0.986	adults	Thailand	Th. adults Factor 2		

397

表 10. 其他国家中与美国成人“Heart”因子不相似但与“Body”或“Mind”因子相似的因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chADULT_S_F2	usADULTS_F2	0.157	-0.093	0.416	adults	China	Ch. adults Factor 2	0%	完全一致
复现	chADULT_S_F2	usADULTS_F2	0.157	-0.093	0.416	adults	China	Ch. adults Factor 2		
原文	chADULT_S_F3	usADULTS_F2	0.324	0.122	0.530	adults	China	Gh. adults Factor 3	0%	完全一致
复现	chADULT_S_F3	usADULTS_F2	0.324	0.122	0.530	adults	China	Gh. adults Factor 3		
原文	thADULTS_F1	usADULTS_F2	0.349	0.103	0.576	adults	Thailand	Th. adults Factor 1	0%	完全一致
复现	thADULTS_F1	usADULTS_F2	0.349	0.103	0.576	adults	Thailand	Th. adults Factor 1		
原文	thADULTS_F3	usADULTS_F2	0.327	0.137	0.548	adults	Thailand	Va. adults Factor 3	0%	完全一致
复现	thADULTS_F3	usADULTS_F2	0.327	0.137	0.548	adults	Thailand	Va. adults Factor 3		

398

表 11. 与当地成人“Body”因子相似的儿童因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chCHILDREN_F2	chCHILDREN_F2	0.766	0.504	0.912	children	China	Ch. children Factor 2	0%	完全一致
复现	chCHILDREN_F2	chCHILDREN_F2	0.766	0.504	0.912	children	China	Ch. children Factor 2		
原文	ghCHILDREN_F1	ghCHILDREN_F2	0.870	0.745	0.950	children	Ghana	Gh. children Factor 1	0%	完全一致
复现	ghCHILDREN_F1	ghCHILDREN_F2	0.870	0.745	0.950	children	Ghana	Gh. children Factor 1		
原文	thCHILDREN_F1	thCHILDREN_F1	0.844	0.701	0.934	children	Thailand	Th. children Factor 1	0%	完全一致
复现	thCHILDREN_F1	thCHILDREN_F1	0.844	0.701	0.934	children	Thailand	Th. children Factor 1		
原文	usCHILDREN_F1	usCHILDREN_F1	0.904	0.807	0.970	children	US	US children Factor 1	0%	完全一致
复现	usCHILDREN_F1	usCHILDREN_F1	0.904	0.807	0.970	children	US	US children Factor 1		
原文	vtCHILDREN_F1	vtCHILDREN_F2	0.843	0.715	0.922	children	Vanuatu	Va. children Factor 1	0%	完全一致
复现	vtCHILDREN_F1	vtCHILDREN_F2	0.843	0.715	0.922	children	Vanuatu	Va. children Factor 1		

399

表 12. 与当地成人“Body”因子不相似但与“Mind”因子相似的儿童因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chCHILDREN_F2	chCHILDREN_F3	0.374	0.085	0.650	children	China	Ch. children Factor 2	0	完全一致
复现	chCHILDREN_F2	chCHILDREN_F3	0.374	0.085	0.650	children	China	Ch. children Factor 2	%	
原文	ghCHILDREN_F1	ghCHILDREN_F1	0.265	0.057	0.496	children	Ghana	Gh. children Factor 1	0	完全一致
复现	ghCHILDREN_F1	ghCHILDREN_F1	0.265	0.057	0.496	children	Ghana	Gh. children Factor 1	%	
原文	thCHILDREN_F1	thCHILDREN_F3	0.215	-0.048	0.500	children	Thailand	Th. children Factor 1	0	完全一致
复现	thCHILDREN_F1	thCHILDREN_F3	0.215	-0.048	0.500	children	Thailand	Th. children Factor 1	%	
原文	usCHILDREN_F1	usCHILDREN_F3	0.253	0.056	0.447	children	US	US children Factor 1	0	完全一致
复现	usCHILDREN_F1	usADULTS_F3	0.253	0.056	0.447	children	US	US children Factor 1	%	
原文	vtCHILDREN_F1	vtCHILDREN_F1	0.388	0.133	0.615	children	Vanuatu	Va. children Factor 1	0	完全一致
复现	vtCHILDREN_F1	vtCHILDREN_F1	0.388	0.133	0.615	children	Vanuatu	Va. children Factor 1	%	

400

表 13. 与当地成人“Mind”因子相似的儿童因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chCHILDREN_F3	chCHILDREN_F3	0.811	0.599	0.922	children	China	Ch. children Factor 3	0	完全一致
复现	chCHILDREN_F3	chCHILDREN_F3	0.811	0.599	0.922	children	China	Ch. children Factor 3	%	
原文	ghCHILDREN_F2	ghCHILDREN_F1	0.852	0.709	0.945	children	Ghana	Gh. children Factor 2	0	完全一致
复现	ghCHILDREN_F2	ghCHILDREN_F1	0.852	0.709	0.945	children	Ghana	Gh. children Factor 2	%	
原文	thCHILDREN_F3	thCHILDREN_F3	0.867	0.701	0.954	children	Thailand	Th. children Factor 3	0	完全一致
复现	thCHILDREN_F3	thCHILDREN_F3	0.867	0.701	0.954	children	Thailand	Th. children Factor 3	%	
原文	usCHILDREN_F2	usCHILDREN_F3	0.926	0.840	0.967	children	US	US children Factor 2	0	完全一致
复现	usCHILDREN_F2	usCHILDREN_F3	0.926	0.840	0.967	children	US	US children Factor 2	%	
原文	vtCHILDREN_F2	vtCHILDREN_F1	0.891	0.822	0.948	children	Vanuatu	Va. children Factor 2	0	完全一致
复现	vtCHILDREN_F2	vtCHILDREN_F1	0.891	0.822	0.948	children	Vanuatu	Va. children Factor 2	%	

401

表 14. 与当地成人“Mind”因子不相似但与“Body”因子相似的儿童因子载荷

结果报告	factor_A	factor_B	mean	ci_lower	ci_upper	age_group_A	country_A	factor_name_A	δ	评级
原文	chCHILDREN_F3	chADULTS_F2	0.136	-0.190	0.439	children	China	Ch. children Factor 3	0%	完全一致
复现	chCHILDREN_F3	chADULTS_F2	0.136	-0.190	0.439	children	China	Ch. children Factor 3		
原文	ghCHILDREN_F2	ghADULTS_F2	0.292	0.042	0.536	children	Ghana	Gh. children Factor 2	0%	完全一致
复现	ghCHILDREN_F2	ghADULTS_F2	0.292	0.042	0.536	children	Ghana	Gh. children Factor 2		
原文	thCHILDREN_F3	thADULTS_F1	0.183	-0.058	0.442	children	Thailand	Th. children Factor 3	0%	完全一致
复现	thCHILDREN_F3	thADULTS_F1	0.183	-0.058	0.442	children	Thailand	Th. children Factor 3		
原文	usCHILDREN_F2	usADULTS_F1	0.180	-0.059	0.456	children	US	US. children Factor 2	0%	完全一致
复现	usCHILDREN_F2	usADULTS_F1	0.180	-0.059	0.456	children	US	US. children Factor 2		
原文	vtCHILDREN_F2	vtADULTS_F2	0.010	-0.128	0.153	children	Vanuatu	Va. adults Factor 2	0%	完全一致
复现	vtCHILDREN_F2	vtADULTS_F2	0.010	-0.128	0.153	children	Vanuatu	Va. adults Factor 2		

表 15. 成年人和儿童的各项因素解释方差比例

Factor	结果报告	metric	age_group	US	Ghana	Thailand	China	Vanuatu	δ	评级
F1	原文	Proportion Explained	adults	0.35	0.50	0.41	0.39	0.55	2.78%	偏差较小
	复现	Proportion Explained	adults	0.36	0.50	0.41	0.39	0.55		
	原文	Proportion Var	adults	0.23	0.35	0.18	0.20	0.29	0%	完全一致
	复现	Proportion Var	adults	0.23	0.35	0.18	0.20	0.29		
F2	原文	Proportion Explained	adults	0.36	0.36	0.33	0.31	0.45	0%	完全一致
	复现	Proportion Explained	adults	0.35	0.36	0.33	0.31	0.45		
	原文	Proportion Var	adults	0.23	0.25	0.14	0.16	0.23	2.78%	偏差较小
	复现	Proportion Var	adults	0.23	0.25	0.14	0.16	0.24		
F3	原文	Proportion Explained	adults	0.29	0.14	0.26	0.30	NA	0%	完全一致
	复现	Proportion Explained	adults	0.29	0.14	0.26	0.30	NA		
	原文	Proportion Var	adults	0.19	0.10	0.11	0.15	NA	0%	完全一致
	复现	Proportion Var	adults	0.19	0.10	0.11	0.15	NA		
F4	原文	Proportion Explained	adults	NA	NA	NA	NA	NA	0%	完全一致
	复现	Proportion Explained	adults	NA	NA	NA	NA	NA		
	原文	Proportion Var	adults	NA	NA	NA	NA	NA	0%	完全一致
	复现	Proportion Var	adults	NA	NA	NA	NA	NA		
F1	原文	Proportion Explained	children	0.51	0.49	0.34	0.52	0.49	0%	完全一致
	复现	Proportion Explained	children	0.51	0.49	0.34	0.52	0.49		
	原文	Proportion Var	children	0.26	0.29	0.16	0.29	0.24	0%	完全一致
	复现	Proportion Var	children	0.26	0.29	0.16	0.29	0.24		
	原文	Cumulative Var	adults	0.65	0.7	0.43	0.52	0.53	0%	完全一致
	复现	Cumulative Var	adults	0.65	0.7	0.43	0.52	0.53		
	原文	Cumulative Var	children	0.50	0.6	0.47	0.57	0.49	0%	完全一致
	复现	Cumulative Var	chidlren	0.50	0.6	0.47	0.57	0.49		

表 16. 复现结果中各国家成人的因素间相关性

Fac tor	结果 报告	US			Ghana			Thailand			China			Vanuatu	
		F1	F2	F3	F1	F2	F3	F1	F2	F3	F1	F2	F3	F1	F2
F1	原文	1.00 0	0.511	0.481	1.000	0.273	0.344	1.000	0.414	0.322	1.000	0.459	0.619	1.000	0.68 7
	复现	1.00 0	0.511	0.537	1.000	0.273	0.344	1.000	0.414	0.322	1.000	0.459	0.619	1.000	0.68 7
F2	原文	0.51 1	1.000	0.538	0.273	1.000	0.259	0.414	1.000	0.416	0.459	1.000	0.370	0.687	1.00 0
	复现	0.51 1	1.000	0.480	0.273	1.000	0.259	0.414	1.000	0.416	0.459	1.000	0.370	0.687	1.00 0
F3	原文	0.48 1	0.537	1.000	0.344	0.256	1.000	0.322	0.416	1.000	0.618	0.370	1.000		
	复现	0.53 7	0.480	1.000	0.344	0.256	1.000	0.322	0.416	1.000	0.618	0.370	1.000		
δ		10.4 2%	0%	12.08%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
评级		偏差 较大	完全 一致	偏差 较大	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致

404

表 17. 复现结果中各国家儿童的因素间相关性

Fac tor	结果 报告	US			Ghana			Thailand				China				Vanuatu		
		F1	F2	F3	F1	F2	F3	F1	F2	F3	F4	F1	F2	F3	F4	F1	F2	F3
F1	原文	1.000	0.303	0.433	1.000	0.579	0.175	1.000	0.542	0.147	- 0.009	1.000	0.512	0.325	0.258	1.000	0.312	0.519
	复现	1.000	0.433	0.303	1.000	0.579	0.175	1.000	0.542	0.147	- 0.009	1.000	0.512	0.325	0.257	1.000	0.312	0.519
F2	原文	0.303	1.000	0.486	0.579	1.000	0.385	0.542	1.000	0.317	0.093	0.512	1.000	0.152	0.076	0.312	1.000	0.336
	复现	0.433	1.000	0.486	0.579	1.000	0.385	0.542	1.000	0.317	0.093	0.512	1.000	0.152	0.076	0.312	1.000	0.336
F3	原文	0.433	0.486	1.000	0.174	0.385	1.000	0.147	0.317	1.000	0.269	0.325	0.152	1.000	0.135	0.519	0.336	1.000
	复现	0.303	0.486	1.000	0.174	0.385	1.000	0.147	0.317	1.000	0.269	0.325	0.152	1.000	0.135	0.519	0.336	1.000
F4	原文							- 0.009	0.093	0.269	1.000	0.258	0.076	0.135	1.000			
	复现							- 0.009	0.093	0.269	1.000	0.258	0.076	0.135	1.000			
δ		0%	30.02%	30.02%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
评级		完全 一致	偏差 较大	偏差 较大	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致	完全 一致

405

表 18. 计算可重复性的评估表

可重复性情况	数量及占比	
	<i>N</i>	%
完全一致($\delta = 0\%$)	248	97.63%
偏差较小($0\% < \delta < 10\%$)	2	0.78%
偏差较大($\delta > 10\%$)	4	1.57%
因舍入导致的偏差	0	0%

406

4.2 Summary of replication experience

The members of this group have also learned a lot through the reproduction of the data code in Weisman et al.'s paper, and based on their sharing, this section will summarize the key points of everyone's experience and experience

1. Understanding Code Overview:

- Avoid using the `source()` function in R Markdown to prevent automatic execution of loaded R scripts. Manual review of R scripts helps in comprehensively understanding the authors' data analysis approach.

2. Distinguishing `require` and `library` Functions:

- Use `require(package)` to return `FALSE` if the package is missing or fails to load, while `library(package)` halts execution if loading fails. Understanding this distinction is crucial for script continuity.

3. Custom Functions and Scripts:

- Authors often create custom functions in separate scripts for data processing, exploratory factor analysis, regression analysis, reliability analysis, scoring, and visualization. Enhancing code modularity and readability.

4. Data Preprocessing:

- Excluding specific data files or directories containing "raw" in their names, as indicated in the `.gitignore` file, is common practice. Understanding the authors' data preprocessing steps is essential for successful replication.

5. Coding Style and `%>%` Pipe Operator:

- Familiarize with authors' coding style, including using the `%>%` pipe operator from the `dplyr` package for smoother and more readable data processing. The pipe operator facilitates chaining operations and streamlines code.

6. Visualization in R Markdown:

- When plotting with ggplot2 in R Markdown, pay attention to saving graphs using `ggsave()` due to differences in display panes between R Markdown and R scripts.

7. Interdisciplinary Insights:

- Compare psychological research in the paper with the philosophical “Three Worlds” theory to derive insights from other disciplines. Avoid relying solely on internal disciplinary assumptions in psychological research and consider adopting bottom-up research methods, especially in fields susceptible to researcher bias.

8. R Language Learning Experience:

- Utilize forums, university websites, and other resources to deepen understanding of unfamiliar terms, theoretical concepts, and analytical tools’ usage, while staying updated on subject-specific research group discussions.

9. PPT Design and Presentation Skills:

- Emphasize concise and information-rich PPT design with logical coherence and clear structure. Avoid excessive text and prioritize the use of images for effective information presentation.

References

- Aust, F., & Barth, M. (2023). *papaja: Prepare reproducible APA journal articles with R Markdown*. Retrieved from <https://github.com/crsh/papaja>
- Bernaards, C. A., & Jennrich, R. I. (2005). Gradient projection algorithms and software for arbitrary rotation criteria in factor analysis. *Educational and Psychological Measurement*, 65, 676–696. <https://doi.org/10.1177/0013164404272507>
- Braginsky, M., Yurovsky, D., & Frank, M. (2024). *Langcog: Language and cognition lab things*. Retrieved from <http://github.com/langcog/langcog>
- Firke, S. (2023). *Janitor: Simple tools for examining and cleaning dirty data*. Retrieved from <https://CRAN.R-project.org/package=janitor>
- Gamer, M., Lemon, J., & <puspendra.pusp22@gmail.com>, I. F. P. S. (2019). *Irr: Various coefficients of interrater reliability and agreement*. Retrieved from <https://CRAN.R-project.org/package=irr>
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. *Journal of Statistical Software*, 40(3), 1–25. Retrieved from <https://www.jstatsoft.org/v40/i03/>
- Lüdecke, D. (2024). *Sjstats: Statistical functions for regression models (version 0.19.0)*. <https://doi.org/10.5281/zenodo.1284472>
- Müller, K. (2020). *Here: A simpler way to find your files*. Retrieved from <https://CRAN.R-project.org/package=here>
- R Core Team. (2023). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.R-project.org/>
- Weisman, K., Legare, C. H., Smith, R. E., Dzokoto, V. A., Aulino, F., Ng, E., ... Luhrmann, T. M. (2021). Similarities and differences in concepts of mental life among adults and children in five cultures. *Nature Human Behaviour*, 5(10), 1358–1368.
- Wickham, H. (2007). Reshaping data with the reshape package. *Journal of Statistical*

476 *Software*, 21(12), 1–20. Retrieved from <http://www.jstatsoft.org/v21/i12/>

477 Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New
478 York. Retrieved from <https://ggplot2.tidyverse.org>

479 Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ... Yutani,
480 H. (2019). Welcome to the tidyverse. *Journal of Open Source Software*, 4(43), 1686.
481 <https://doi.org/10.21105/joss.01686>

482 Wickham, H., & Bryan, J. (2023). *Readxl: Read excel files*. Retrieved from
483 <https://CRAN.R-project.org/package=readxl>

484 Wickham, H., François, R., Henry, L., Müller, K., & Vaughan, D. (2023). *Dplyr: A*
485 *grammar of data manipulation*. Retrieved from
486 <https://CRAN.R-project.org/package=dplyr>

487 Wickham, H., Vaughan, D., & Girlich, M. (2023). *Tidyr: Tidy messy data*. Retrieved from
488 <https://CRAN.R-project.org/package=tidyr>

489 Wild, F. (2022). *Lsa: Latent semantic analysis*. Retrieved from
490 <https://CRAN.R-project.org/package=lsa>

491 Wilke, C. O. (2020). *Cowplot: Streamlined plot theme and plot annotations for 'ggplot2'*.
492 Retrieved from <https://CRAN.R-project.org/package=cowplot>

493 William Revelle. (2023). *Psych: Procedures for psychological, psychometric, and*
494 *personality research*. Evanston, Illinois: Northwestern University. Retrieved from
495 <https://CRAN.R-project.org/package=psych>

496 Zhu, H. (2024). *kableExtra: Construct complex table with 'kable' and pipe syntax*.
497 Retrieved from <https://CRAN.R-project.org/package=kableExtra>