# **Python For Data Science** Cheat Sheet

# NumPy Basics

Learn Python for Data Science Interactively at www.DataCamp.com




## NumPy

The **NumPy** library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention: >>> import numpy as np



## NumPy Arrays



## **Creating Arrays**

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
                 dtype = float)
```

#### Initial Placeholders

>>> np.zeros((3,4)) >>> np.ones((2,3,4),dtype=np.int16) >>> d = np.arange(10,25,5)	Create an array of evenly
>>> np.linspace(0,2,9)	spaced values (step value) Create an array of evenly spaced values (number of samples)
>>> e = np.full((2,2),7) >>> f = np.eye(2) >>> np.random.random((2,2)) >>> np.empty((3,2))	Create a constant array Create a 2X2 identity matrix Create an array with random values Create an empty array

## 1/0

## Saving & Loading On Disk

```
>>> np.save('my array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my array.npy')
```

## Saving & Loading Text Files

>>>	np.loadtxt("myfile.txt")
>>>	<pre>np.genfromtxt("my_file.csv", delimiter=',')</pre>
>>>	np.savetxt("myarray.txt", a, delimiter=" ")

# **Data Types**

>>> np.int64 >>> np.float32 >>> np.complex >>> np.bool >>> np.object	Signed 64-bit integer types Standard double-precision floating point Complex numbers represented by 128 floats Boolean type storing TRUE and FALSE values Python object type
>>> np.object >>> np.string_	Fixed-length string type
>>> np.unicode_	Fixed-length unicode type

#### Inspecting Your Array

>>>	a.shape	Array dimensions
>>>	len(a)	Length of array
>>>	b.ndim	Number of array dimensions
>>>	e.size	Number of array elements
>>>	b.dtype	Data type of array elements
>>>	b.dtype.name	Name of data type
>>>	b.astype(int)	Convert an array to a different type

## **Asking For Help**

>>> np.info(np.ndarray.dtype)

## **Array Mathematics**

## **Arithmetic Operations**

>>> g = a - b array([[-0.5, 0. , 0.],	Subtraction
[-3., -3., -3.]]) >>> np.subtract(a,b)	Subtraction
>>> b + a array([[ 2.5, 4., 6.],	Addition
>>> np.add(b,a) >>> a / b	Addition Division
array([[ 0.66666667, 1. , 1. ], [ 0.25 , 0.4 , 0.5 ]]) >>> np.divide(a,b)	Division
>>> a * b array([[ 1.5, 4., 9.], [ 4., 10., 18.]])	Multiplication
>>> np.multiply(a,b) >>> np.exp(b)	Multiplication Exponentiation
>>> np.sqrt(b) >>> np.sin(a)	Square root Print sines of an array
>>> np.cos(b) >>> np.log(a)	Element-wise cosine Element-wise natural logarithm
>>> e.dot(f) array([[ 7.,  7.],	Dot product

#### Comparison

>>> a == b array([[False, True, True],	Element-wise comparison
<pre>[False, False, False]], dtype=bool) &gt;&gt;&gt; a &lt; 2 array([True, False, False], dtype=bool)</pre>	Element-wise comparison
	Array-wise comparison

## **Aggregate Functions**

>>> a.sum()	Array-wise sum
>>> a.min()	Array-wise minimum value
>>> b.max(axis=0)	Maximum value of an array row
>>> b.cumsum(axis=1)	Cumulative sum of the elements
>>> a.mean()	Mean
>>> b.median() >>>	Median
>>> a.corrcoef()	Correlation coefficient
>>> np.std(b)	Standard deviation

## **Copying Arrays**

>>> h = a.view()	Create a view of the array with the same data
>>> np.copy(a)	Create a copy of the array
>>> h = a.copy()	Create a deep copy of the array

np. medi an(a, axi s=1) 计算行中位数

## Sorting Arrays

>>> a.sort()	Sort an array
>>> c.sort(axis=0)	Sort the elements of an array's axis

# Subsetting, Slicing, Indexing

Subsetting

>>> a[2]

>>> b[1,2]

>>> a[0:2]

>>> b[:1]

array([1, 2])

array([ 2., 5.])

array([[1.5, 2., 3.]])

array([[[ 3., 2., 1.], [ 4., 5., 6.]]])

>>> b[0:2,1]

>>> c[1,...]

>>> a[ : :-1]

>>> a[a<2]

array([1])

**Fancy Indexing** 

array([3, 2, 1]) **Boolean Indexing** 

6.0 Slicina

```
1 2 3
            Select the element at the 2nd index
1.5 2 3
            Select the element at row o column 2
             (equivalent to b[1][2])
```

Also see Lists

Select items at index 0 and 1

Select items at rows 0 and 1 in column 1

Select all items at row o (equivalent to b[0:1, :]) Same as [1,:,:]

Reversed array a

1 2 3

Select elements from a less than 2

Select elements (1,0), (0,1), (1,2) and (0,0)

Select a subset of the matrix's rows and columns

# **Array Manipulation**

>>> b[[1, 0, 1, 0],[0, 1, 2, 0]]

array([ 4. , 2. , 6. , 1.5]) >>> b[[1, 0, 1, 0]][:,[0,1,2,0]]

#### Transposing Array >>> i = np.transpose(b) >>> i.T

#### **Changing Array Shape** >>> b marrol()

///	D.Iavel()
>>>	g.reshape(3,-2)

#### Adding/Removing Elements >>> h.resize((2,6))

>>> np.append(h,g) >>> np.insert(a, 1, 5) >>> np.delete(a,[1])

#### **Combining Arrays**

```
>>> np.concatenate((a,d),axis=0)
  array([ 1, 2, 3, 10, 15, 20])
>>> np.vstack((a,b))
 array([[ 1., 2., 3.], [ 1.5, 2., 3.], [ 4., 5., 6.]])
>>> np.r [e,f]
>>> np.hstack((e,f))
 array([[ 7., 7., 1., 0.],
         [ 7., 7., 0., 1.]])
>>> np.column stack((a,d))
 array([[ 1, 10],
```

[ 2, 15], [ 3, 20]])

#### >>> np.c [a,d] **Splitting Arrays**

	>>> np.hsplit(a,3)
	[array([1]),array([2]),array([3])
	>>> np.vsplit(c,2)
	[array([[[ 1.5, 2. , 1. ],
	[ 4. , 5. , 6. ]]]),
	array([[[ 3., 2., 3.],

Permute array dimensions Permute array dimensions

Flatten the array Reshape, but don't change data

Return a new array with shape (2,6) Append items to an array Insert items in an array

Concatenate arrays

Delete items from an array

Stack arrays vertically (row-wise)

Stack arrays vertically (row-wise) Stack arrays horizontally (column-wise)

Create stacked column-wise arrays

Create stacked column-wise arrays

Split the array horizontally at the 3rd

Split the array vertically at the 2nd index

