

SE LAB 2

Screenshots:


1) Creating first epic, personalized meal planning




2) Creating second epic, meal plan approval




3) Creating third epic, delivery management




4) Backlog after creating 3 epics




5) Creating first user story, manage dietary profile




6) Creating second user story, generate weekly meal plan




7) Creating third user story, validate allergens and nutritional constraints




8) Creating forth user story, reviewing generated meal plan as a dietician




9) Creating fifth user story, approving diet plan as a dietician




10) Creating sixth user story, modifying delivery schedule




11) Creating a seventh user story that ensures meal plan cannot be changed 12 hrs before delivery




12) Creating an eighth user story to track delivery




13) After creating all user stories




14) Creating sprint 1




15) Starting manage dietary profile




16) Finishing manage dietary profile




17) Starting generate weekly plan




18) Finishing generate weekly plan




19) Starting review generated plan




20) Finishing review generated plan




21) Starting approve meal plan




22) Finishing approve meal plan




23) Completing sprint 1




24) Starting sprint 2




25) Starting validate allergens and nutritional constraints




26) Finishing validate allergens and nutritional constraints




27) Starting modify delivery schedule




28) Finishing modify delivery schedule




29) Starting enforcing 12 hrs modification cutoff




30) Finishing enforcing 12 hrs modification cutoff




31) Starting tracking delivery



32) Finishing delivery tracking



33) Completing sprint 2



34) Burndown chart



35) Reflection questions:

1. Did your estimations reflect the actual effort?

The estimates were reasonably appropriate for the simulated work. Story points were used as a relative measure, with larger values assigned to work involving more functionality or uncertainty. For example, Generate Weekly Meal Plan was estimated at 8 points, while Approve Meal Plan and Enforce 12-Hour Delivery Modification Cutoff were estimated at 3 points.

Both planned sprints were completed successfully. Sprint 1 delivered 21 points across four stories, while Sprint 2 delivered 18 points across four stories. Since this was a simulated project rather than a real development project with recorded hours, the comparison is based on completion of the planned work rather than measured implementation effort.

2. Was your backlog well-prioritized?

Yes. The backlog was reasonably well-prioritized. The core personalized meal-planning functionality was addressed first, including managing the dietary profile, generating the weekly meal plan, and reviewing and approving the generated plan.

The subscription and delivery-management functionality was placed in the second sprint. This created a logical sequence where the meal-planning functionality was established first, followed by delivery-related functionality. Therefore, the backlog priorities aligned well with the main functional flow of the system.

3. How did your simulated sprint align with your plan?

The simulated sprints aligned closely with the original plan.

Sprint 1 contained:

- Manage Dietary Profile - 5 points
- Generate Weekly Meal Plan - 8 points
- Review Generated Meal Plan - 5 points
- Approve Meal Plan - 3 points

Total: 21 story points

All four stories in Sprint 1 were completed successfully.

Sprint 2 contained:

- Validate Allergens and Nutritional Constraints - 5 points
- Modify Delivery Schedule - 5 points
- Enforce 12-Hour Delivery Modification Cutoff - 3 points
- Track Delivery Fulfillment - 5 points

Total: 18 story points

All four stories in Sprint 2 were completed successfully.

Therefore, the complete backlog of 39 story points was delivered across the two simulated sprints.

4. What insights did the Burndown Chart provide about your team’s capacity?

The Sprint 2 Burndown Chart started with 18 story points and reached 0 remaining points by the end of the sprint. This indicates that the team was able to complete the full planned Sprint 2 workload.

The chart also showed that the work was completed relatively quickly rather than being distributed evenly throughout the sprint. Since the sprint was simulated in Jira, the chart reflects the timing of the status changes made during the exercise rather than actual development activity.

Overall, the simulation indicates that an 18-point sprint was achievable. However, several real sprints would be required before using velocity as a reliable measure of the team's actual long-term capacity.