



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR
Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

● Experiment No.: 10

1. Title: Load and display JSON data using fetch() and jQuery \$.getJSON(); render results dynamically in a table.

2. Software/Tools Required:

1. Visual Studio Code (VS Code)
2. Google Chrome
3. HTML5
4. JavaScript
5. CSS

3. Theory: JSON (JavaScript Object Notation) is a lightweight data format used for storing and exchanging data between a server and a web application. The fetch() API is a modern JavaScript method for making asynchronous HTTP requests and retrieving JSON data using Promises. jQuery \$.getJSON() is a simplified AJAX method that fetches JSON data from a server with minimal code. After retrieving the data, JavaScript dynamically creates and updates HTML table rows using DOM manipulation. This experiment demonstrates asynchronous data loading, JSON parsing, and dynamic content rendering in web applications.



SYMBIOSIS INSTITUTE OF TECHNOLOGY, NAGPUR

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)

Re-accredited by NAAC with 'A++' Grade | Awarded Category - I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

4. Output:

The screenshot shows a web browser window with two tables. The first table is titled 'Data Loaded via Native fetch()' and the second is titled 'Data Loaded via jQuery \$.getJSON()'. Both tables have three columns: ID, Name, and Email. The data is identical for both tables.

ID	Name	Email
1	John Doe	john.doe@example.com
2	Jane Smith	jane.smith@example.com
3	Mike Johnson	mike.johnson@example.com
4	Sarah Brown	sarah.brown@example.com
5	David Wilson	david.wilson@example.com

ID	Name	Email
1	John Doe	john.doe@example.com
2	Jane Smith	jane.smith@example.com
3	Mike Johnson	mike.johnson@example.com
4	Sarah Brown	sarah.brown@example.com
5	David Wilson	david.wilson@example.com

5. Result/Conclusion:

The application successfully loaded JSON data using both the fetch() API and jQuery \$.getJSON(). The retrieved data was parsed and displayed dynamically in an HTML table. The program demonstrates asynchronous data fetching and efficient DOM manipulation for presenting information. This experiment enhances understanding of JSON handling, AJAX techniques, and dynamic web application development using JavaScript.