

Prospecting page: test results

We ran all 122 test cases from the Prospecting test workbook against the live page, using a fictional lead file of 7,498 contacts at 1,400 companies that contains every kind of data problem the client's real file is likely to have.

Page 10-prospecting.html Build main · 6c1babe Run 5 Oct 2026

Browsers Chrome, Firefox, Safari engine

VERDICT

Prospecting is ready for demos and for lists of up to about 4,000 rows. It is not yet ready for the client's full lead file.

Every number the page shows is correct, and the core protections hold: opted-out people never reach the final list, missing data is always flagged, and nothing inside an uploaded file can run. Three things stand in the way of a real client run: the full screened list can't be saved or sent on to Scoring, the screen freezes for seconds at a time at 7,500 rows, and small spelling differences let good companies drop out and broken email addresses through.

ROWS IN THE LEAD FILE

17	50–500	≈ 4,000	7,498
Works	Works	Upper limit	Blocked
Built-in sample	A rep's hand-picked list	Largest list that can still be saved	Full file: can't be saved or sent to Scoring

91 of 122 tests pass

91**Pass**Works as intended ·
75%**18****Fail**

A defect to fix · 15%

12**Gap**Works as built, misses
a business need · 10%**1****Not run**Needs people, not
automation · 1%

TEST TYPE	CASES	PASS	FAIL	GAP	NOT RUN
Unit	32	26	3	3	0
Component	33	26	7	0	0
Smoke	27	26	1	0	0
User acceptance	30	13	7	9	1
Total	122	91	18	12	1
First run, 3 Oct	122	84	15	11	12

- Unit: one rule at a time ■ Component: one part of the screen ■ Smoke: the critical path, fast
■ User acceptance: business scenarios

WORKING WELL

What the page gets right

- ✓ **Every number on screen is right.**
Rows read, issues, accounts, exclusions and the final list all match the rules engine exactly: 7,498 rows, 7,382 issues, 1,168 of 1,443 accounts kept, 4,933 contacts in the final list.
- ✓ **Missing information is always caught.**
Every row with a missing required field is flagged with the problem, what happens next and how to fix it. Rows without a company name are not loaded.
- ✓ **Opted-out people are never contacted.**
None of the 4,933 contacts in the final list has opted out or has an unconfirmed opt-out. Contacts without a valid consent basis are held back as not contactable.
- ✓ **Exact duplicates are merged.**
Repeats with the same email (in any letter case) or the same LinkedIn link are merged into one person: all 457 repeats in the test file were merged.

✓ **Accounts outside the pilot are excluded, with the reason logged.**

Out-of-region accounts, accounts managed by a separate team and accounts where everyone opted out are excluded, and each one says why.

✓ **The client's template works as delivered.**

The page picks the right sheet from a 9-sheet workbook and matches columns in any order, letter case or with the template's * markers.

✓ **Unsafe files are handled safely.**

Code hidden in names or company fields shows up as plain text and never runs. Wrong file types are refused, and lead data never leaves the browser.

✓ **Small lists save and hand off cleanly.**

Lists can be saved, renamed, deleted and reopened after a reload. Choosing 50 prospects and sending them to Scoring works end to end.

DEFECTS

What is broken, most serious first

Each item is a test that failed: the page does not do what the agreed rules say it should.

CRITICAL

The client's full lead file can't be saved or sent to Scoring

After screening the 7,498-row file, pressing Save fails. The list never reaches Scoring, so the next stage of the pilot can't start from a real client file. The error message also blames the browser's privacy settings, which sends users looking for the wrong fix.

EVIDENCE

The screened list is 8.5 MB; browser storage holds about 5 MB. Any file over roughly 4,000 rows hits this. Small lists (17 and 50 prospects) save and hand off without problems. Because of this, the full-file hand-off to Scoring (part of UAT-18) could not be tested.

Tests: CT-26 SM-19 UAT-24

SUGGESTED FIX

Store saved lists in the browser's larger database (IndexedDB) or on the server, and show a clear message when a list is too large.

HIGH **The page becomes very slow with a real-sized file**

With 7,498 rows the screen freezes for several seconds at a time: when the list first opens, on every letter typed into search, and on every filter click. Sales ops would wait through this all day.

EVIDENCE

4.5–10 s to show the list; 2.5–15 s per search keystroke; about 1–6 s per filter click. The page draws all 6,996 rows at once (275,831 page elements). The checks pop-up also always waits a fixed 4.6 s, even for a two-row file.

SUGGESTED FIX

Show the tables a page at a time (or draw only the visible rows), wait for typing to pause before searching, and shorten the fixed animation.

Tests: [CT-12](#) [CT-15](#) [CT-13](#) [UAT-25](#) [CT-09](#)

HIGH

Good companies in the pilot region are thrown out because of how the country is written

Countries written as SG, Viet Nam, Việt Nam or with a typo such as Phillipines are treated as outside the pilot region, so real target accounts silently drop out of the campaign.

EVIDENCE

All 4 spelling variants were excluded. 49 in-region accounts in the test file were lost this way.

SUGGESTED FIX

Map common country codes and spellings to the six pilot countries before the region check, and flag the reformat.

Tests: [UT-24](#) [UAT-10](#)

HIGH **Broken email addresses are accepted as usable**

Addresses with two dots in a row, a dot at the end or a mailto: prefix pass the email check, so the campaign would send to addresses that bounce and harm the sender's reputation.

EVIDENCE

All 3 broken patterns were accepted. In the test file, none of the 95 rows with these addresses was flagged as malformed.

SUGGESTED FIX

Tighten the email format rule in the rules engine and strip a mailto: prefix with a flag.

Tests: [UT-11](#) [UAT-07](#)

HIGH

Instrument and control engineers are not recognised as the main target persona

Job titles such as Instrument Engineer, Senior Instrument Engineer and Process Control Engineer get no persona, even though they are exactly who the pilot targets. Local-language titles are missed too.

EVIDENCE

All 439 "Instrument Engineer" contacts show persona None. Across the file, 47% of contacts (3,271 of 6,996) get no persona.

Tests: UAT-17 UT-20

SUGGESTED FIX

Agree a wider title list with sales (instrument, control, I&C variants and local-language titles) and add it to the persona rules.

MEDIUM

Out-of-target companies can still pass the fit score

Companies in industries the pilot doesn't target, and distributors, are expected to fall below the fit floor of 50 in Scoring. Many don't: a company with zero points for its vertical can still reach 54 from size, relationship, account type and contact coverage.

EVIDENCE

126 of 479 out-of-target and distributor accounts score 50 or more. Example: a specialty-chemicals company scores 54 with 0 for vertical.

Tests: UAT-18

SUGGESTED FIX

Agree with the client whether vertical should be a hard knock-out or carry more weight, then re-run this check. The weights are marked in the rules engine as starting values to confirm.

MEDIUM

An unreadable 'managed separately' value lets a managed account through

When the 'managed separately' column holds something other than Y or N, the page flags it but treats the account as not managed, so an account another team owns stays in the campaign.

EVIDENCE

1 of 46 managed accounts in the test file has "X" in that column and was kept in the list. The other 45 were excluded correctly.

Tests: UAT-11

SUGGESTED FIX

Hold the account for review when the value can't be read, instead of assuming N.

MEDIUM**The same LinkedIn profile is counted twice when the link uses a country address**

A profile written as sg.linkedin.com/in/name and www.linkedin.com/in/name is treated as two different people, so one person can be contacted twice.

EVIDENCE

11 of the 70 LinkedIn duplicates in the test file were missed this way.

SUGGESTED FIX

Ignore the country sub-domain when comparing LinkedIn links.

Tests: **UT-15**

MEDIUM**The page can't be used without a mouse**

Keyboard users can't reach the upload area, and the tabs and filters aren't real buttons, so screen-reader users can't operate them. An automated scan also found low colour contrast.

EVIDENCE

Tabbing through the page never reaches the upload. The automated accessibility scan found 3 problems, the most serious being low colour contrast on 20 elements.

SUGGESTED FIX

Make the upload area focusable, turn tabs and filters into buttons, and fix the contrast flagged by the scan.

Tests: **CT-33**

LOW**Screen details that mislead or get in the way**

Two display problems make issues harder to read. Each row shows a coloured dot for its first issue rather than its most serious one. A notice listing issues from rows that weren't loaded is printed above the list, one per line.

EVIDENCE

The dot shows the wrong colour on 826 contacts. The notice lists 289 issues and is about 9.6 screens tall, so users must scroll past it to reach the list.

SUGGESTED FIX

Colour the dot by the most serious issue; collapse the notice to a one-line summary with a 'show all' option.

Tests: **CT-22** **CT-24**

GAPS

What works as built but falls short of the business need

These are not bugs in the code. The page does what it was written to do, but the client's real data or the agreed process needs more.

GAP Likely duplicates and company-name variants are not caught

The rules only match identical emails or LinkedIn links. The same person with a different email alias, or one company written two ways, slips through.

EVIDENCE

67 of 70 likely duplicates were not flagged. 43 extra accounts were created from company names written two ways (1,443 shown against 1,400 real companies).

SUGGESTED FIX

Add a 'possible duplicate' check on name plus company and on similar company names, for a person to review.

Tests: [UT-17](#) [UAT-05](#) [UAT-06](#)

GAP

Personal, role and mistyped-domain emails are treated as good work emails

Gmail addresses, shared mailboxes such as info@, addresses on another company's domain and typos such as .con are accepted without comment.

EVIDENCE

None of the 255 personal, role, mismatched-domain or typo-domain emails in the test file was flagged.

SUGGESTED FIX

Flag these for review rather than rejecting them.

Tests: [UAT-08](#)

GAP Most accounts end up in the 'needs review' pile

Industries that aren't in the mapping table fall to 'Other' and wait for a person. The agreed design hands these to an AI classifier, which isn't connected yet.

EVIDENCE

854 of 1,443 accounts (59%) need review.

SUGGESTED FIX

Connect the AI classifier as planned, and widen the mapping table for common industries.

Tests: [UAT-16](#)

GAP

The reports the agreed process promises aren't on the page

The process says the validation report goes back to the client and a readiness check decides whether the data is good enough to start. Today issues can only be read on screen.

EVIDENCE

No download of the validation report, no data-quality codes (D1–D6) shown per issue (they exist inside the rules engine), and no readiness go/no-go.

SUGGESTED FIX

Add an issues download with codes, and a readiness summary covering coverage, recency, contactability and baseline.

Tests: [UAT-19](#) [UAT-20](#) [UAT-21](#)

GAP

Sales reps see every rep's accounts

Viewers are correctly blocked, but a sales rep sees all accounts rather than only the ones they own.

EVIDENCE

As a sales rep, the list showed contacts belonging to every owner rep.

SUGGESTED FIX

Filter the list by the owner email for the rep role.

Tests: [UAT-29](#)

GAP

Smaller points to settle

The 'Required fields' check counts other kinds of problems too (no owner rep, bad owner email), so its number overstates missing data. Saved sample lists aren't marked as sample data on screen; that marking was removed on purpose on 3 Oct, so the team needs to decide which way to go.

EVIDENCE

No owner rep (70 rows) and an owner that isn't an email address (51 rows) are counted under Required fields.

SUGGESTED FIX

Give these issues their own check, and decide whether sample data should be marked.

Tests: [UT-32](#) [UAT-30](#)

BY AREA

Health of each part of the page

AREA	STATE	TESTS	IN SHORT
Reading the lead file Upload, Excel and CSV, column matching, wrong files	WORKING	 26 of 26 pass	Reads the client's workbook as delivered, picks the right sheet, matches columns in any order and refuses wrong files.
Data-quality checks Missing fields, bad emails, duplicates, formats, issue reporting	NEEDS WORK	 22 of 32 pass · 5 fail · 5 gap	Missing fields and exact duplicates are always caught. Some broken emails, LinkedIn duplicates and look-alike records slip through.
Targeting and compliance rules Pilot region, managed accounts, consent, opt-outs	NEEDS WORK	 8 of 11 pass · 3 fail	Opt-outs, consent and out-of-region rules hold. Country spellings knock out 49 good accounts, and one unreadable value lets a managed account through.
Classification and personas Vertical, account type, who the right contact is	NEEDS WORK	 3 of 7 pass · 2 fail · 2 gap	Every account is classified with a reason, but personas are missed for 47% of contacts and 59% of accounts need review.
Reports the agreed process asks for Validation report, quality codes, readiness go/no-go	NEEDS WORK	 0 of 3 pass · 3 gap	The validation report download, quality codes and readiness go/no-go are not built yet.
Working with the list Tables, filters, search, selecting prospects	WORKING	 16 of 16 pass	Tables, filters, search and selection all give correct results. Speed is covered separately.
Saving and handing off to Scoring Save, rename, delete, send to Scoring	BLOCKING	 8 of 11 pass · 3 fail	Small lists work end to end. The full screened list can't be saved, so it can't reach Scoring.

AREA	STATE	TESTS	IN SHORT
Speed at real volume How the page feels with 7,498 rows	BLOCKING	 1 of 5 pass · 4 fail	The rules run in a fraction of a second; drawing 7,000 rows at once makes the screen freeze for seconds at a time.
Security, privacy and access Unsafe file content, data leaving the browser, roles	NEEDS WORK	 5 of 7 pass · 2 gap	Unsafe file content never runs, data stays in the browser and Viewers are blocked. Reps still see every rep's accounts.
Accessibility, devices and browsers Keyboard use, phones, Firefox and Safari, first-time users	NEEDS WORK	 2 of 4 pass · 1 fail · 1 not run	Works in Firefox, Safari's engine and at phone width. Not usable by keyboard; the first-user session is still to do.

RECOMMENDATION

What to do before the client's file arrives

1. **Unblock the full file (critical).** Move saved lists out of the 5 MB browser storage and fix the error message. Then run the full file through to Scoring (UAT-18, UAT-24).
2. **Make the page fast enough for daily use.** Page the tables, wait for typing to pause before searching, and shorten the checks animation.
3. **Fix three small rules in the rules engine:** country spellings, the email format and LinkedIn country addresses. Re-running this same test file proves each fix, because the answer key lists every affected row.
4. **Agree the persona title list with sales** and connect the AI classifier, so far fewer contacts and accounts are left unclassified.
5. **Add the validation report download, quality codes and the readiness go/no-go** that the agreed process expects.
6. **Do an accessibility pass and a short session with sales ops** (UAT-26), the one scenario that needs real users.

SINCE THE FIRST RUN


What changed since 3 October

- **UT-31** Page helpers: HTML escaping, initials, avatar colour: **Not run** → **Pass**. Run inside the page.


- **CT-03** Drag and drop a file onto the drop zone: **Not run** → **Pass**. Drag-and-drop was automated in this run.
- **CT-05** Excel library unavailable (CDN blocked): **Not run** → **Pass**. Blocking the CDN was automated in this run.
- **CT-22** Issue cell shows the first issue, "+N more", and every issue on hover: **Not run** → **Fail**. The hover text works, but the dot shows the first issue's colour, not the most serious one.
- **CT-23** Duplicate issue appears on the row it was merged into: **Not run** → **Pass**. Automated in this run.
- **SM-04** Excel library loads from the CDN: **Not run** → **Pass**. This run used the real network, so the CDN check could run.
- **SM-27** Other browsers: **Not run** → **Pass**. Firefox and WebKit were run in this round.
- **UAT-11** Accounts managed by a separate team are excluded: **Pass** → **Fail**. One account with an unreadable value is kept; the first run counted it under the region rule.
- **UAT-18** Out-of-ICP industries and distributors end up below the fit floor in Scoring: **Not run** → **Fail**. The fit rule could be checked even though the full hand-off is still blocked.
- **UAT-27** Lead data stays in the browser during the PoC: **Not run** → **Pass**. Request log captured: no lead data leaves the browser.
- **UAT-28** A corrected file produces fewer issues: **Not run** → **Pass**. Automated with a corrected copy of the file.
- **UAT-30** Sample data is clearly marked as sandbox: **Not run** → **Gap**. Reported as a Gap: the sandbox wording was removed on purpose on 3 Oct.

SCREENS

What the tests saw



Upload screen with the sample-data and template buttons, required fields and pilot region.



Checks pop-up after reading the 7,498-row file: each of the 12 checks with what it found.

Final list	Accounts
ROWS READ 7498 45 not loaded 457 flagged 484 unique	ERRORS 7382 45 skip - 3628 flagged - 3708 info
ACCOUNTS 1443 1150 pass the knock-outs	EXCLUDED 275 knock-out info flagged
IN THE FINAL LIST 4933 of 6598 contacts	

289 issues not on any contact in the list (rows not loaded, or about the whole file)
 Row 3 - Row holds the template's format hints, not data. Important: For: nothing to fix
 Row 95 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 172 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 362 - last_name: Last name is missing. Looked. For: Add the last name
 Row 362 - invalid_url: Invalid URL. Invalid URL. For: Add the LinkedIn profile URL, if also is held
 Row 447 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 539 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 539 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 566 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 623 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 743 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 794 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 807 - email_verified: Email not verified. Email not used as a channel. For: Verify the address and set email_verified to Y
 Row 821 - email_verified: Email not verified. Email not used as a channel. For: Verify the address and set email_verified to Y

The final list, with the notice of issues from rows that weren't loaded above the table.

ACCOUNT	LOCATION	INDUSTRY (AS HELD)	VERTICAL	CONFIDENCE	CLASSIFICATION
Summit Global Biologics summitglobal.com	Map Ta Phut, Thailand	Pharmaceuticals	Other	Low	Pharmaceutical table: The AI class
Tanaka Consolidated Chemical I tanakaconsolidated.com	Malaka, Malaysia	Agrochemicals	Other	Low	Agrochemical table: The AI class
Cobalt Petrochem cobaltpetrochem.com	Malaka, Taiwan	Petrochemicals	Petrochemicals	Medium	From the industry
Mangrove Allied Refinery Corp mangroveallied.com	Map Ta Phut, Thailand	Petroleum Refining	Refining	High	Industry: "Petroleum" table: "Crude refining" table
Brightwater Eastern Oleo brightwateroleo.com	Rayong, Thai	Oleochemicals	Refining	Medium	From the site price
Halong Premier Oil Refining halongpremieroil.com	Chonburi, Thailand	Oil Refining	Refining	High	Industry: "Oil Refining" table: "Refining" table

Accounts tab: vertical, confidence, classification reason and knock-out result per company.


Save the screened list

List name: Lead_Research_Sample_Dataset - 2026-10-05


Cancel Save Save and go to Scoring

289 issues not on any contact in the list (rows not loaded, or about the whole file)
 Row 3 - Row holds the template's format hints, not data. Important: For: nothing to fix
 Row 95 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 172 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 362 - last_name: Last name is missing. Looked. For: Add the last name
 Row 362 - invalid_url: Invalid URL. Invalid URL. For: Add the LinkedIn profile URL, if also is held
 Row 447 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 539 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 539 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 566 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 623 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 743 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 794 - company_name: Company name is missing. Row not loaded: it can't be grouped into an account. For: Add the company name, within the same way as on the other rows for this company
 Row 807 - email_verified: Email not verified. Email not used as a channel. For: Verify the address and set email_verified to Y
 Row 821 - email_verified: Email not verified. Email not used as a channel. For: Verify the address and set email_verified to Y

Saving the full list fails, with a message that blames browser settings.



A Viewer is blocked from the page, as intended.



Saved lists after a rename: counts, rename, Score and Delete.

The results screen at phone width: no sideways scrolling of the page.

▼ All 122 test cases and what each one found

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UT-01	Unit	CSV parser handles quotes, embedded commas, escaped quotes, line breaks and a BOM Expected: Two rows; "b,c" kept as one cell; d "q" unescaped; the line break stays inside the cell; BOM stripped	High	PASS	Parsed exactly as expected: 2 rows, quoted comma kept, escaped quotes unescaped, BOM stripped

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UT-02	Unit	CSV writer round-trips through the parser Expected: Output equals input	Medium	PASS	Round-trip identical; 500 of 500 generated strings also round-trip
UT-03	Unit	Header row is found under the title row, and the format-hint row is skipped Expected: rowsRead = 1; the hint row is reported as info, not loaded as a contact	High	PASS	rowsRead = 1; hint row reported as info
UT-04	Unit	Header names are matched regardless of case, spaces, stars and hyphens Expected: All columns recognised; no "missing column" issue	High	PASS	1 contact loaded, 0 column issues
UT-05	Unit	A missing required column is reported once, against the header row Expected: Issue "Required column "owner_email" is missing" (flag); rows still processed	High	PASS	1 "missing column" issue on row 1 (flag); 2 rows still processed
UT-06	Unit	A file without the anchor column (company_name) stops processing Expected: One stop issue: header row not found; no contacts	High	PASS	1 stop issue ("Couldn't find the header row (looked for a row containing "company_name")"), 0 contacts
UT-07	Unit	Extra columns are ignored and reported as info Expected: "Column "notes" isn't in the template", severity info	Low	PASS	Info issue raised: Column "notes" isn't in the template
UT-08	Unit	Y/N parsing accepts Y, N, Yes, No in any case and with spaces; rejects TRUE, 1, X Expected: Yes/n/" y " accepted; TRUE and blank make the opt-out unknown (not contactable)	High	PASS	optOutUnknown for Yes / n / TRUE / blank / " y " = [false, false, true, true, false]
UT-09	Unit	Numbers with \$, commas or "USD" are read and flagged; text numbers are rejected Expected: \$2,400,000,000 → 2400000000 with a reformat flag; "2.4B" → "isn't a number", treated as blank	High	PASS	"\$2,400,000,000" → 2400000000 with a reformat flag; "2.4B" → not a number, treated as blank
UT-10	Unit	Malformed emails are rejected (no @, two @, no TLD, space, placeholder) Expected: Each flagged "malformed" (D3); email not used	High	PASS	195 of 195 dataset rows flagged as malformed; synthetic cases all flagged

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UT-11	Unit	Emails that pass the regex but are invalid: double dots, trailing dot, mailto:, angle brackets Expected: Each should be flagged malformed	High	FAIL	3 of 3 accepted as valid (a..b@nw..com, a@nw.com., mailto:a@nw.com); dataset: 0 of 95 rows flagged malformed
UT-12	Unit	LinkedIn URL must be a profile URL Expected: Each flagged "isn't a profile URL"; LinkedIn not used	Medium	PASS	69 of 69 dataset rows flagged; synthetic cases all flagged
UT-13	Unit	Duplicate by email is case- and space-insensitive Expected: Second row merged (D5) into the first	High	PASS	merged = 1; 80 of 80 dataset rows merged
UT-14	Unit	Duplicate by LinkedIn ignores http/https, www, trailing slash and query string Expected: Merged (D5)	High	PASS	merged = 1
UT-15	Unit	Duplicate by LinkedIn on a country subdomain (sg.linkedin.com) Expected: Merged (D5)	Medium	FAIL	Not merged: counted as two people (11 of 70 dataset LinkedIn duplicates missed)
UT-16	Unit	A merged duplicate fills blanks on the first row Expected: Contact seniority = Director	Medium	PASS	Contact seniority = "Director"
UT-17	Unit	Same person with a different email alias and no LinkedIn Expected: Flagged as a possible duplicate	Medium	GAP	Not detected: exact-key matching only (3 of 70 dataset rows caught)
UT-18	Unit	A row without company_name is not loaded Expected: notLoaded = 1, severity stop, no account created	High	PASS	notLoaded = 1, 0 accounts; 45 of 45 dataset rows not loaded
UT-19	Unit	Domain must be a bare domain Expected: "isn't in the form company.com"; domain not used for matching	Medium	PASS	Flagged; domain not used for matching
UT-20	Unit	Persona matching on job title Expected: Instrumentation and control roles are Primary; operations roles Secondary	High	GAP	3 of 5 titles wrong: "Senior Instrument Engineer" → None; "Process Control Engineer" → None; "Kepala Instrumentasi" → None. 47% of dataset contacts (3271 of 6996) get no persona

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UT-21	Unit	Vertical classification and confidence Expected: Refining/Petrochemicals/Gas processing at medium; unmapped → Other, low, needs review	High	PASS	Refining / Petrochemicals / Gas processing at medium; "Downstream Oil & Gas" and blank → Other, low, needs review
UT-22	Unit	Classification is high confidence when industry and site process agree Expected: confidence high	Medium	PASS	confidence = high
UT-23	Unit	Pilot-region knock-out ignores case Expected: Account passes	High	PASS	Account passes
UT-24	Unit	Pilot-region knock-out accepts common variants (SG, Viet Nam, Việt Nam, Phillipines) Expected: Accounts in the pilot region pass	High	FAIL	4 of 4 variants excluded as outside the pilot region (SG, Viet Nam, Việt Nam, Phillipines); 49 in-region dataset accounts lost
UT-25	Unit	Managed-separately and all-opted-out knock-outs Expected: Excluded with the matching reason	High	PASS	Managed: "Managed separately by Client"; all opted out: "No contactable contacts after suppression"
UT-26	Unit	Contactability matrix: channel × consent × opt-out Expected: reachableBy = email and LinkedIn / LinkedIn / none / none; Implied or blank opt-out → not contactable	High	PASS	All 6 combinations as specified
UT-27	Unit	Company details that differ between rows are flagged Expected: One "Differs from row N" issue; first row's value used	Medium	PASS	Synthetic: 1 issue, first row's value used. Dataset: 56 of 56 rows with differing details flagged; 2 tagged rows actually match their account in the file (answer-key artefact, not a defect)
UT-28	Unit	Counts add up Expected: rowsRead = notLoaded + merged + contacts	High	PASS	7,498 = 45 + 457 + 6,996
UT-29	Unit	Same file gives the same result every time Expected: Identical	Medium	PASS	Identical stats and issues on a second run
UT-30	Unit	Engine throughput at 1× and 10× the dataset Expected: Under 1 s for 7.5k rows; scales roughly linearly	Medium	PASS	0.18 s for 7,498 rows; 1.20 s for 74,980 rows
UT-31	Unit	Page helpers: HTML escaping, initials, avatar colour Expected: Escaped; "WM"; same colour each time	Medium	PASS was Not run	esc → &'; initials → "WM"; same colour each time: True

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UT-32	Unit	Issue → check mapping covers every issue text the engine can produce Expected: Only missing-field issues land in "Required fields"	Medium	GAP	Non-missing-field issues counted under "Required fields": No owner rep (70); Owner "..." isn't an email (51)
CT-01	Component	Upload card renders with required fields and pilot region Expected: Drop zone, "Use sample data", "Download lead template", required-field list and the 6 pilot countries visible	High	PASS	Drop zone, both buttons, required fields and all 6 pilot countries visible
CT-02	Component	Choosing a file opens the checks pop-up Expected: Checks pop-up appears	High	PASS	Checks pop-up appeared 1.3 s after choosing the file (read + parse + rules)
CT-03	Component	Drag and drop a file onto the drop zone Expected: Border highlights on dragover; file processed on drop	Medium	PASS was Not run	Border on dragover: var(--brand); dropped file processed ("0 issues · 1 of 1 accounts pass · 2 contacts in the list")
CT-04	Component	Wrong file type is refused with a message Expected: Toast "Use a .csv or .xlsx file"; nothing processed	High	PASS	Toast "Use a .csv or .xlsx file"; nothing processed
CT-05	Component	Excel library unavailable (CDN blocked) Expected: Toast tells the user to save as CSV	Medium	PASS was Not run	CDN blocked → toast "The Excel reader did not load. Save the sheet as CSV and upload that instead"
CT-06	Component	Multi-sheet workbook: the "Lead template" sheet is used, guide and answer-key sheets ignored Expected: Sheet badge reads "Lead template"; 7,498 rows read	High	PASS	Sheet badge "Lead template"; 7498 rows read (9-sheet workbook)
CT-07	Component	Checks pop-up runs all 12 steps and shows a result for each Expected: Each step turns green/amber/red/grey with a count and the first 5 rows; progress bar reaches 100%	High	PASS	All 12 steps finished, bar 100%. Columns match the template: 1 found; Required fields filled in: 1069 found; Email format: 197 found; Email verified: 1313 found; LinkedIn URL format: 72 found; Email or LinkedIn on every contact: 2184 found; Duplicates: 457 found; Values and formats: 1662 found; Consent basis: 168 found; Opt-outs: 259 found; Classification: 854 need review; Knock-outs and suppression: 275 excluded

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
CT-08	Component	Checks footer totals match the engine Expected: "7,382 issues · 1,168 of 1,443 accounts pass · 4,933 contacts in the list"	High	PASS	Footer "7382 issues · 1168 of 1443 accounts pass · 4933 contacts in the list" matches the engine run (7,382 · 1,168 of 1,443 · 4,933)
CT-09	Component	Checks pop-up timing Expected: Under 5 s	Low	FAIL	6.3 s from choosing the file to "View the list" (1.3 s processing + a fixed 12 × 380 ms ≈ 4.6 s animation)
CT-10	Component	Stat cards show rows, issues, accounts, excluded and final list Expected: Rows read 7,498 (45 not loaded · 457 merged); Issues 7,382; Accounts 1,443; Excluded 275; Final list 4,933 of 6,996	High	PASS	Rows read 7498 (45 not loaded · 457 merged duplicates) · Issues 7382 (45 stop · 3629 flagged · 3708 info) · Accounts 1443 (1168 pass the knock-outs) · Excluded 275 (knock-out rule, logged) · In the final list 4933 (of 6996 contacts)
CT-11	Component	Final list table renders every contact with 15 columns Expected: 6,996 rows; email shows Verified / Not verified / Malformed	High	PASS	6,996 rows, 15 columns; email labels used: Malformed, Not verified, Verified
CT-12	Component	Final list render time and DOM size at 7.5k rows Expected: Under 2 s; DOM under 50k nodes (virtualised or paginated)	High	FAIL	4.5 s to show the list; 275,831 DOM nodes; no pagination or virtual scrolling
CT-13	Component	Status filter pills Expected: Row counts add up to 6,996; In the final list = 4,933	High	PASS	In the final list 4,933 (5.9 s) · Not contactable 573 (1.5 s) · Not in the list 1,490 (1.1 s) · All 6,996 (4.5 s); parts add up to 6,996
CT-14	Component	Search by name, company or title Expected: Only matching rows; case-insensitive	High	PASS	877 rows match "refin", same for "REFIN"; no non-matching rows
CT-15	Component	Search responsiveness while typing Expected: Under 200 ms per keystroke (debounced)	High	FAIL	One keystroke takes 2.5–15.0 s until the screen updates (0.9–5.6 s of script) over three keystrokes on a fresh page; every row is redrawn and there is no debounce
CT-16	Component	Search with no match shows the empty state Expected: "No contacts match."	Low	PASS	Empty state: "No contacts match."
CT-17	Component	Only contacts in the list can be selected Expected: Checkbox only on "In the list" and "Not contactable" rows; "—" on others	High	PASS	14 checkboxes for 14 selectable of 17 contacts; "—" on the other 3

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
CT-18	Component	Select all respects the filter and shows a partial state Expected: All 4,933 selected; header box becomes indeterminate after unticking one	High	PASS	4,933 selected in 3.8 s; button reads "Send 4933 selected to Scoring →"; header box indeterminate after unticking one: True
CT-19	Component	Selection bar count and Clear Expected: "3 prospects selected"; Clear empties it	Medium	PASS	"3 prospects selected", button "Send 3 selected to Scoring →"; Clear empties and hides the bar: True
CT-20	Component	Accounts tab: columns, money format, classification reason, knock-out reason Expected: 1,443 rows; revenue as USD 2.4bn / USD 850m; excluded rows show the reason	High	PASS	1,443 rows; revenue shown as USD 881m, USD 547m, USD 165m; all 275 excluded rows show the reason
CT-21	Component	Accounts filters: Pass / Excluded / Needs review Expected: Pass 1,168; Excluded 275; Needs review = accounts with no mapping match	High	PASS	Pass 1,168 · Excluded 275 · Needs review 854 (59% of accounts need review)
CT-22	Component	Issue cell shows the first issue, "+N more", and every issue on hover Expected: Dot colour = worst severity; tooltip lists all issues with fixes	Medium	FAIL was Not run	Row 13: first issue + "+2 more", hover lists all 3 with fixes. Dot uses the first issue's severity, not the worst: wrong colour on 826 contacts
CT-23	Component	Duplicate issue appears on the row it was merged into Expected: Shows "Duplicate of row N" against the kept row	Medium	PASS was Not run	Row 205 shows "Duplicate of row ..." in its issues; 457 of 457 merged duplicates appear on the row they were merged into
CT-24	Component	Issues for rows not loaded are listed above the table Expected: Panel lists the rows not loaded	Medium	FAIL	289 issues listed one per line above the table; panel is 6,918 px tall (9.6 screens), pushing the list down
CT-25	Component	Save pop-up: default name, Enter to save, Cancel, click outside to close Expected: Name = file name · date; saved; toast "Saved as ..."	High	PASS	Default name "lead_file · 2026-10-05"; Cancel closes: True; click outside closes: True; Enter → "Saved as "lead_file · 2026-10-05""
CT-26	Component	Save the full screened list from a 7.5k-row file Expected: List saved, or a clear message about the size limit	Critical	FAIL	Not saved: the list is 8.5 MB, over the ~5 MB browser storage limit. Message says "This browser blocks storage, so the list can't be saved. Allow site data and try again" (wrong cause); pop-up stays open: True

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
CT-27	Component	Saved lists tab: list appears with counts, rename, delete Expected: Counts shown; rename saved on Enter, cancelled on Escape; delete removes it	High	PASS	Rename with Enter → "Renamed by QA"; Escape keeps "Renamed by QA"; counts shown (RB Renamed by QA Not scored yet lead_file.csv 9 of 12 14 contacts Oct 5, 2026 02...); Delete → "List deleted", 0 lists left
CT-28	Component	"Score →" and "Save and go to Scoring" open Scoring with the list id Expected: 11-scoring.html?list=<id>	High	PASS	Opened 11-scoring.html?list=list-muv1co9h
CT-29	Component	Save buttons disabled when no account passes Expected: Save list and Go to Scoring disabled	Medium	PASS	1 stop issue; save buttons disabled: [True, True]
CT-30	Component	Script in file contents is shown as text, not run Expected: Text displayed literally; nothing runs	Critical	PASS	Script/HTML shown as literal text in list and accounts: True; script executed: False
CT-31	Component	Download lead template Expected: lead_template.csv with the 24 column names	Medium	PASS	lead_template.csv downloaded with 24 column names
CT-32	Component	Role switcher hides the page for roles without access Expected: Viewer sees "Not available for this role"; Sales rep sees the page	Medium	PASS	Viewer sees "Not available for this role": True; Sales rep sees the page: True
CT-33	Component	Keyboard access: upload, tabs, filter pills Expected: Every control reachable and operable by keyboard	High	FAIL	Keyboard reaches the upload: False; tabs are <div> elements; axe-core: 3 rule violations on the upload screen (color-contrast (serious), page-has-heading-one (moderate), region (moderate))
SM-01	Smoke	Page opens without script errors Expected: No console errors other than blocked fonts	Critical	PASS	No console errors (font requests blocked by the test)
SM-02	Smoke	Page title and heading Expected: "Prospecting — DemandAI Pilot"; "Lead discovery and research"	High	PASS	Title "Prospecting — DemandAI Pilot"; heading "Lead discovery and research"
SM-03	Smoke	Page loads quickly Expected: Under 2 s	High	PASS	Loaded in 668 ms (local server)
SM-04	Smoke	Excel library loads from the CDN Expected: Defined	Critical	PASS was Not run	window.XLSX defined: the Excel library loaded from cdnjs over the real network
SM-05	Smoke	Upload zone, sample button and template button visible Expected: All three visible	Critical	PASS	Upload zone, sample button and template button visible

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
SM-06	Smoke	Sample data runs end to end Expected: 6 issues · 9 of 12 accounts pass · 14 contacts in the list	Critical	PASS	Footer: "6 issues · 9 of 12 accounts pass · 14 contacts in the list"
SM-07	Smoke	Generated dataset uploads Expected: Checks pop-up opens	Critical	PASS	Checks pop-up opens for the 7,498-row workbook
SM-08	Smoke	Correct sheet picked from the workbook Expected: "Lead template"	Critical	PASS	Sheet badge "Lead template"
SM-09	Smoke	All rows read Expected: 7,498	Critical	PASS	Rows read 7498
SM-10	Smoke	Checks complete Expected: Footer shows totals	Critical	PASS	Checks complete; footer shows totals (6.3 s)
SM-11	Smoke	Issues found on a dirty file Expected: > 0, with stop / flag / info split	High	PASS	7382 issues: 45 stop · 3629 flagged · 3708 info
SM-12	Smoke	Final list opens Expected: Table with rows	Critical	PASS	Final list opens (slow: 4.5 s)
SM-13	Smoke	Some accounts pass and some are excluded Expected: Both non-zero	High	PASS	1168 pass · 275 excluded
SM-14	Smoke	Accounts tab opens Expected: Table with 1,443 rows	High	PASS	Accounts tab: 1,443 rows
SM-15	Smoke	A filter works Expected: 4,933 rows	High	PASS	"In the final list" → 4,933 rows
SM-16	Smoke	Search works Expected: Rows narrow to that company	High	PASS	Search "Mekong Allied Aromatics" → 2 rows, all matching
SM-17	Smoke	Select a contact Expected: Bar shows "1 prospect selected"	High	PASS	Bar shows "1 prospect selected"
SM-18	Smoke	Save a list (small) Expected: Toast "Saved as ..."	Critical	PASS	Small list saved: "Saved as "lead_file · 2026-10-05""
SM-19	Smoke	Save a list (full dataset) Expected: Saved	Critical	FAIL	Storage quota exceeded (see CT-26)
SM-20	Smoke	Saved list appears and survives a reload Expected: List still there	High	PASS	1 saved list still listed after reload
SM-21	Smoke	Go to Scoring from a saved list Expected: 11-scoring.html opens with the list	Critical	PASS	Opened 11-scoring.html?list=list-muv1co9h

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
SM-22	Smoke	Template downloads Expected: lead_template.csv	Medium	PASS	lead_template.csv downloaded with 24 column names
SM-23	Smoke	Wrong file type refused Expected: Toast	High	PASS	Toast "Use a .csv or .xlsx file"; nothing processed
SM-24	Smoke	File with no header refused safely Expected: 1 stop issue; save disabled	High	PASS	1 stop issue; save buttons disabled: [True, True]
SM-25	Smoke	Role without access is blocked Expected: No-access screen	High	PASS	Viewer sees "Not available for this role": True
SM-26	Smoke	Narrow screen does not scroll sideways Expected: No horizontal page scroll	Medium	PASS	Upload screen: page 390px wide in a 390px window; results screen: 390px in 390px
SM-27	Smoke	Other browsers Expected: Same results	Medium	PASS was Not run	Firefox: all 10 smoke steps pass, dataset in 9.6 s; WebKit (Safari): all 10 smoke steps pass, dataset in 31.0 s
UAT-01	User acceptance	Sales ops can upload the client's file and get a validation result in under a minute Expected: Result visible within 60 s, columns mapped automatically	Critical	PASS	6.3 s to the check summary, 10.7 s to the full list; columns mapped automatically
UAT-02	User acceptance	Columns in any order and with stars or different case are mapped Expected: No column issues	High	PASS	Columns reversed, upper case, with stars: 0 column issues, 1 contact loaded
UAT-03	User acceptance	Every missing required field is reported with a plain fix Expected: Each row shows the problem, what happens and how to fix it	Critical	PASS	940 of 940 rows with a missing required field are flagged with the problem, the outcome and a fix (100%)
UAT-04	User acceptance	Duplicates are merged so nobody is contacted twice Expected: One contact each; "Duplicate of row N" shown	Critical	PASS	280 repeat rows merged into their first row (280 tagged rows = originals + repeats); nobody contacted twice
UAT-05	User acceptance	Likely duplicates the rules can't prove (alias emails, same name and company) are shown for review Expected: Flagged as possible duplicates	High	GAP	67 of 70 likely duplicates not flagged: the same person can be contacted twice
UAT-06	User acceptance	One company written two ways is treated as one account Expected: One account	High	GAP	1,443 accounts shown vs 1,400 real ones: 43 extra accounts from company names written two ways

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UAT-07	User acceptance	Invalid emails are never used as a channel Expected: Email not listed as a channel	Critical	FAIL	95 of 95 contacts with double-dot, trailing-dot or bad-character emails still have the email accepted as valid (78 list email as a live channel)
UAT-08	User acceptance	Personal, role and mismatched-domain emails are flagged for review Expected: Flagged	High	GAP	0 of 255 personal (gmail), role (info@), mismatched-domain or typo-domain (.con) emails flagged
UAT-09	User acceptance	Out-of-region accounts are excluded and the reason is logged Expected: Each shows "Outside the pilot region (country)"	Critical	PASS	152 of 152 out-of-region accounts excluded with "Outside the pilot region (country)"
UAT-10	User acceptance	In-region accounts with a country written differently are kept Expected: Not excluded	Critical	FAIL	49 of 49 in-region accounts excluded because the country is written differently (Thai, Phillipines, ID, VN, Malasia, Republic of Indonesia, Việt Nam, Kingdom of Thailand)
UAT-11	User acceptance	Accounts managed by a separate team are excluded Expected: "Managed separately by Client"	Critical	FAIL was Pass	45 of 46 managed accounts excluded: 38 for "Managed separately by Client", 7 already excluded by the region rule, which runs first
UAT-12	User acceptance	Opted-out contacts never reach the final list Expected: None present	Critical	PASS	0 opted-out or unconfirmed contacts in the final list (checked 339 tagged rows and every contact)
UAT-13	User acceptance	Contacts with no or unknown consent basis are not contactable Expected: All present with the reason	Critical	PASS	133 of 134 contacts with no or unrecognised consent (on in-list accounts) shown as "Not contactable: no consent basis"; 0 reached the final list
UAT-14	User acceptance	Consent basis is recorded per contact Expected: Every contact shows its basis	High	PASS	Consent column shows the recorded basis (or "Opted out") for 6,891 of 6,996 contacts; the 105 with none show "—" and are flagged
UAT-15	User acceptance	Each account gets a vertical, account type, confidence and one-line reason Expected: All four shown for every account	High	PASS	All 1,443 accounts show vertical, account type, confidence and a one-line reason
UAT-16	User acceptance	The "needs review" pile is manageable Expected: A small share of accounts	Medium	GAP	854 of 1,443 accounts (59%) need review: every unmapped industry lands here until the AI classifier is connected
UAT-17	User acceptance	Instrumentation and control engineers are recognised as the primary persona Expected: Persona = Primary	High	FAIL	439 of 439 "Instrument Engineer" contacts shown with persona "None"

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UAT-18	User acceptance	Out-of-ICP industries and distributors end up below the fit floor in Scoring Expected: Below fit floor	High	FAIL was Not run	Rules check: 353 of 479 out-of-ICP and distributor accounts score below the fit floor of 50. The hand-off of the full list to the Scoring page couldn't run because the full list can't be saved (CT-26)
UAT-19	User acceptance	Validation report can be sent back to the client Expected: Download of every issue with row, field, problem and fix	Critical	GAP	No download of the validation report on this page; issues can only be read on screen
UAT-20	User acceptance	Every problem carries a data-quality code (D1-D6) Expected: Code visible per issue	High	GAP	D-codes stored in the rules engine (D3, D5) but not shown in the table or the hover text
UAT-21	User acceptance	Readiness gate: is the data sufficient to start measuring? Expected: A go / no-go readiness report	High	GAP	No readiness go/no-go (coverage, recency, contactability, baseline) on this page; only the checks and counts
UAT-22	User acceptance	Nothing is changed silently Expected: Original values shown; every reformat has an issue	High	PASS	Numbers such as "\$2,400,000,000" are read and flagged (301 rows across 73 accounts); Yes/No and extra spaces are accepted as Y/N by design (0 of 180 Yes/No rows flagged); original values are shown in the table
UAT-23	User acceptance	Rep can send a chosen subset to Scoring Expected: Scoring opens with those 50	High	PASS	"Send 50 selected to Scoring →" → saved as "Lead_Research_Sample_Dataset · 50 selected · 2026-10-05" with 50 contacts; Scoring opened (11-scoring.html?list=list-muv1ha4i...)
UAT-24	User acceptance	Manager can save the whole screened universe and hand it to Scoring Expected: Scoring opens with all 1,168 accounts	Critical	FAIL	Fails at save: the whole screened list is too large for browser storage (CT-26)
UAT-25	User acceptance	Working through 7.5k rows is comfortable Expected: No freezes over 1 s	High	FAIL	Not comfortable: the list takes 4.5–10 s to appear (varied across three runs), one search keystroke takes 2.5–15.0 s, and a filter click 1–6 s. See CT-12, CT-13 and CT-15.
UAT-26	User acceptance	Screens are clear without training Expected: Completes without help	Medium	NOT RUN	Needs a moderated session with a new user; cannot be automated.
UAT-27	User acceptance	Lead data stays in the browser during the PoC Expected: No request carries contact data	High	PASS was Not run	10 requests during upload, browsing and save: all GETs for the page's own files; 0 carried data; 0 went to another server
UAT-28	User acceptance	A corrected file produces fewer issues Expected: Issue count drops by those rows	Medium	PASS was Not run	Same file as CSV: 7,382 issues; with 20 rows corrected: 7,362 issues (20 fewer)

ID	TYPE	TEST CASE	PRIORITY	RESULT	WHAT WE SAW
UAT-29	User acceptance	Each role sees what it should Expected: Viewer blocked; reps see only their accounts	Medium	GAP	Viewer blocked (CT-32). As "Sales rep" the list shows all 17 contacts across 2 different owner reps: not filtered to the rep
UAT-30	User acceptance	Sample data is clearly marked as sandbox Expected: Marked as sandbox everywhere	Low	GAP was Not run	Saved sample lists are not marked as sample data on screen (the data carries a sandbox flag). The sandbox wording was removed on purpose in the 3 Oct changes, so this case and that decision conflict: the team needs to choose one.

Test data. Lead Research Sample_Dataset.xlsx from the repository: 7,498 fictional contact rows at 1,400 companies, with an answer key that lists the expected result for each row. All names and domains are invented.

Unit tests (30 cases) ran in Node directly against the rules engine, demandai-engine.js. They check each rule with small inputs and against every tagged row in the answer key.

Component, smoke and user-acceptance tests drove the real page in a headless Chrome browser with Playwright: uploading files, reading the screen, clicking filters, selecting, saving and opening Scoring. The smoke path was repeated in Firefox and in WebKit, the engine behind Safari. The Excel reader library was served locally so results don't depend on the network, and one test confirms it also loads from the public CDN.

Result labels. Pass: works as intended. Fail: a defect. Gap: works as coded but misses a business need. Not run: needs people. A case keeps the Fail or Gap label the test workbook gave it. Timings come from a standard Windows laptop and are best read as relative.

One judgement call. UAT-30 (sample data marked as sandbox) contradicts the 3 Oct decision to remove the sandbox wording, so it is reported as a Gap for the team to settle, not as a defect.

All companies, people and domains in the test data are fictional. The client is referred to only as "Client".