

1. What does YAML stand for?

- A) Yet Another Markup Language
- B) YAML Ain't Markup Language
- C) Yet Another Markup List
- D) YAML And Markup Language

Answer: B) YAML Ain't Markup Language

2. Which of the following is a key feature of Docker Swarm?

- A) Automatic code generation
- B) Service Discovery
- C) Real-time data processing
- D) Static IP assignment

Answer: B) Service Discovery

3. In YAML, how are lists represented?

- A) By using commas
- B) By using colons
- C) By using hyphens
- D) By using brackets

Answer: C) By using hyphens

4. What is the smallest unit in Kubernetes?

- A) Node
- B) Service
- C) Pod
- D) Deployment

Answer: C) Pod

5. Which command is used to initialize a Docker Swarm?

- A) docker swarm start
- B) docker swarm create
- C) docker swarm init
- D) docker swarm deploy

Answer: C) docker swarm init

6. What is the purpose of a Kubernetes Service?

- A) To manage storage
- B) To expose Pods to network traffic
- C) To monitor resource usage

- D) To create new Pods

Answer: B) To expose Pods to network traffic

7. Which of the following is NOT a feature of Kubernetes?

- A) Self-healing
- B) Load balancing
- C) Code compilation
- D) Auto-scaling

Answer: C) Code compilation

8. What command is used to check the status of a Kubernetes cluster?

- A) kubectl status
- B) kubectl cluster-info
- C) kubectl check
- D) kubectl info

Answer: B) kubectl cluster-info

9. What file format is used to define a Docker Stack?

- A) JSON
- B) XML
- C) YAML
- D) CSV

Answer: C) YAML

10. Which command is used to deploy a stack in Docker using a docker-compose.yml file?

- A) docker stack create
- B) docker stack deploy -c docker-compose.yml my_stack
- C) docker deploy stack my_stack
- D) docker-compose up

Answer: B) docker stack deploy -c docker-compose.yml my_stack

These questions cover key concepts and features related to YAML, Docker Swarm, Docker Stack, and Kubernetes as described in the provided document.

You

@gpt-4o for the given file give me as many as mcqs using your understanding

GPT-4o

Here are additional multiple-choice questions (MCQs) based on the content of the provided document:

11. What is the primary purpose of YAML?

- A) To create web applications
- B) To serialize data in a human-readable format
- C) To compile programming languages
- D) To manage databases

Answer: B) To serialize data in a human-readable format

12. Which of the following is a feature of Docker Stack?

- A) Manual scaling of services
- B) Declarative Configuration
- C) Single-container deployment only
- D) No support for networking

Answer: B) Declarative Configuration

13. In Kubernetes, what is a ReplicaSet used for?

- A) To manage storage volumes
- B) To ensure a specified number of Pod replicas are running
- C) To expose services to external traffic
- D) To monitor application performance

Answer: B) To ensure a specified number of Pod replicas are running

14. What command is used to create a Service in Kubernetes?

- A) kubectl create service
- B) kubectl expose
- C) kubectl apply -f
- D) kubectl run

Answer: B) kubectl expose

15. Which of the following best describes a Master node in a Kubernetes cluster?

- A) It runs user applications.
- B) It manages the cluster and controls the worker nodes.
- C) It is responsible for data storage.
- D) It provides network connectivity.

Answer: B) It manages the cluster and controls the worker nodes.

16. What is the purpose of the `kubectl get nodes` command?

- A) To list all services in the cluster
- B) To display the status of worker nodes in the cluster
- C) To create new Pods

- D) To delete existing deployments

Answer: B) To display the status of worker nodes in the cluster

17. Which of the following is a valid YAML key-value pair?

- A) name = "John Doe"
- B) name: "John Doe"
- C) name -> "John Doe"
- D) name: "John Doe";

Answer: B) name: "John Doe"

18. What does the minikube start command do?

- A) It initializes a Docker Swarm.
- B) It starts a local Kubernetes cluster.
- C) It deploys a new application.
- D) It creates a new Docker image.

Answer: B) It starts a local Kubernetes cluster.

19. In a Kubernetes configuration file, what does the spec section define?

- A) The metadata of the resource
- B) The desired state and configuration of the resource
- C) The network settings
- D) The storage requirements

Answer: B) The desired state and configuration of the resource

20. What is the function of the Kubernetes Dashboard?

- A) To compile code
- B) To provide a web-based UI for managing applications
- C) To monitor network traffic
- D) To create Docker images

Answer: B) To provide a web-based UI for managing applications

21. Which command is used to deploy a service using a YAML file in Kubernetes?

- A) kubectl create -f service.yaml
- B) kubectl apply -f service.yaml
- C) kubectl deploy -f service.yaml
- D) kubectl run -f service.yaml

Answer: B) kubectl apply -f service.yaml

22. What is the role of the type: LoadBalancer in a Kubernetes Service definition?

- A) To restrict access to the service
- B) To expose the service externally with a load balancer
- C) To create a temporary service
- D) To manage internal traffic only

Answer: B) To expose the service externally with a load balancer

23. Which of the following is NOT a data type supported by YAML?

- A) Strings
- B) Integers
- C) Booleans
- D) Functions

Answer: D) Functions

24. What is the command to access the Kubernetes Dashboard in Minikube?

- A) kubectrl dashboard
- B) minikube dashboard
- C) kubectrl access dashboard
- D) minikube access dashboard

Answer: B) minikube dashboard

25. What does the docker service create command do in Docker Swarm?

- A) It creates a new Docker image.
- B) It initializes a new Swarm.
- C) It deploys a new service with specified replicas.
- D) It removes an existing service.

Answer: C) It deploys a new service with specified replicas.