

Here are some multiple-choice questions (MCQs) based on the content of the provided document:

1. What is Selenium primarily used for?

- A) Database management
- B) Automating web applications
- C) Mobile application development
- D) Desktop application development

Answer: B) Automating web applications

2. Which of the following programming languages is NOT supported by Selenium?

- A) Java
- B) Python
- C) C#
- D) Ruby

Answer: D) Ruby

3. What is the first step to set up Selenium in Eclipse?

- A) Add Selenium libraries
- B) Create a Java class file
- C) Install Eclipse IDE
- D) Download the WebDriver executable

Answer: C) Install Eclipse IDE

4. Which method is used to find an element by its ID in Selenium?

- A) findElementById()
- B) findElement(By.id())
- C) getElementById()
- D) locateElementById()

Answer: B) findElement(By.id())

5. What is the purpose of the WebDriver in Selenium?

- A) To manage database connections
- B) To control the web browser
- C) To compile Java code
- D) To create user interfaces

Answer: B) To control the web browser

6. Which of the following locators is considered the most efficient?

- A) By Name

- B) By Class Name
- C) By ID
- D) By XPath

Answer: C) By ID

7. How do you select an option from a dropdown in Selenium?

- A) Using the click() method
- B) Using the selectByVisibleText() method
- C) Using the sendKeys() method
- D) Using the findElement() method

Answer: B) Using the selectByVisibleText() method

8. Which class is used to perform advanced keyboard actions in Selenium?

- A) Keyboard
- B) Actions
- C) WebDriver
- D) Select

Answer: B) Actions

9. What does the method driver.quit() do in Selenium?

- A) Opens a new browser window
- B) Closes the current browser
- C) Navigates to a new URL
- D) Stops the WebDriver session

Answer: D) Stops the WebDriver session

10. Which of the following is NOT a type of interaction you can perform with Selenium?

- A) Text Box Interaction
- B) Radio Button Selection
- C) File Upload
- D) Mouse Actions

Answer: C) File Upload

These questions cover various aspects of Selenium, including its purpose, setup, locators, and interactions, as described in the provided document.

You

@gpt-4o for the given file give me as many as mcqs using your understanding

GPT-4o

Here are additional multiple-choice questions (MCQs) based on the content of the provided document:

11. Which of the following browsers is NOT supported by Selenium?

- A) Chrome
- B) Firefox
- C) Safari
- D) Internet Explorer

Answer: D) Internet Explorer

12. What is the purpose of the System.setProperty() method in Selenium?

- A) To create a new WebDriver instance
- B) To set the path for the WebDriver executable
- C) To open a URL in the browser
- D) To close the browser

Answer: B) To set the path for the WebDriver executable

13. Which locator would you use to find an element based on its class attribute?

- A) By.id()
- B) By.className()
- C) By.name()
- D) By.xpath()

Answer: B) By.className()

14. How can you simulate a mouse hover action in Selenium?

- A) Using the click() method
- B) Using the Actions class
- C) Using the sendKeys() method
- D) Using the WebDriver class

Answer: B) Using the Actions class

15. Which method is used to enter text into a text box in Selenium?

- A) inputText()
- B) sendKeys()
- C) typeText()
- D) enterText()

Answer: B) sendKeys()

16. What is the correct way to select multiple options from a multi-select dropdown in Selenium?

- A) Use the click() method for each option
- B) Use the selectByVisibleText() method for each option
- C) Use the selectByIndex() method for each option
- D) Use the select() method for each option

Answer: B) Use the selectByVisibleText() method for each option

17. Which of the following is a valid way to instantiate a ChromeDriver in Selenium?

- A) WebDriver driver = new ChromeDriver();
- B) ChromeDriver driver = new WebDriver();
- C) WebDriver driver = new BrowserDriver();
- D) ChromeDriver driver = new WebDriver();

Answer: A) WebDriver driver = new ChromeDriver();

18. What type of element can be located using the By.tagName() locator?

- A) Only input elements
- B) Only div elements
- C) Any HTML element based on its tag
- D) Only anchor elements

Answer: C) Any HTML element based on its tag

19. Which of the following methods is used to select a radio button in Selenium?

- A) select()
- B) click()
- C) choose()
- D) selectRadio()

Answer: B) click()

20. What is the purpose of the Select class in Selenium?

- A) To manage browser windows
- B) To handle dropdowns and multi-select lists
- C) To perform keyboard actions
- D) To manage WebDriver sessions

Answer: B) To handle dropdowns and multi-select lists

21. Which of the following is NOT a type of locator in Selenium?

- A) By ID
- B) By Class Name
- C) By CSS Selector

- D) By Attribute

Answer: D) By Attribute

22. What does the method `driver.get("URL")` do in Selenium?

- A) Closes the current browser
- B) Navigates to the specified URL
- C) Refreshes the current page
- D) Opens a new browser window

Answer: B) Navigates to the specified URL

23. Which of the following actions can be performed using the Actions class?

- A) Clicking on an element
- B) Dragging and dropping an element
- C) Hovering over an element
- D) All of the above

Answer: D) All of the above

24. What is the main advantage of using Selenium for web automation?

- A) It is a paid tool
- B) It supports only one programming language
- C) It is open-source and supports multiple browsers
- D) It requires extensive coding knowledge

Answer: C) It is open-source and supports multiple browsers

25. Which of the following is a valid way to close the browser in Selenium?

- A) `driver.close();`
- B) `driver.quit();`
- C) `driver.exit();`
- D) Both A and B

Answer: D) Both A and B
