

American International University- Bangladesh

CSC 3215: Web Technologies

CO2 and CO4 Evaluation Finished Project Report Summer 2019-2020

Project Title: HOTEL MANAGEMENT SYSTEM

Section: C

Student Name
Shanto Kumar Saha
Hasan , Md. Ekram
Md. Soumik Islam
Choyon Das Pulock

Project Description:

IN THIS PROJECT, WE TRIED TO REDUCE THE PROBLEMS OF HOTEL WORKERS.WE TRIED TO AS MUCH AS WE CAN USE CREATE THE SYSTEM LIKE THAT ONE RECEIPTINIST FOR SOME WORKS. THE KEY FEATURE, WE IMPLEMENT HERE FOR THE USER WE AUTOMATE THE SYSTEM IN THAT MANNER, WITHOUT ANY INTERFERENCE OF THE RECEIPTIONIST OR ANY HOTEL WORKER ONE CAN BOOK A ROOM WHENEVER THEY WANT.

Project Folder Structure:

-			
git	9/23/2020 2:39 AM	File folder	
css	9/23/2020 1:51 AM	File folder	
database	9/22/2020 8:17 PM	File folder	
guest	9/23/2020 1:44 AM	File folder	
<mark></mark> js	9/18/2020 2:26 AM	File folder	
manager	9/23/2020 1:51 AM	File folder	
owner	9/23/2020 1:54 AM	File folder	
receptionist	9/22/2020 10:39 PM	File folder	
rss	9/23/2020 1:51 AM	File folder	
gitattributes	9/18/2020 1:10 AM	Text Document	1 KB
aboutus.php	9/22/2020 5:18 AM	PHP File	2 KB
check_password_ajax.php	9/20/2020 6:24 PM	PHP File	1 KB
check_username_ajax.php	9/18/2020 1:10 AM	PHP File	1 KB
contact.php	9/22/2020 5:18 AM	PHP File	2 KB
gellery.php	9/22/2020 5:18 AM	PHP File	2 KB
index.php	9/22/2020 7:26 PM	PHP File	1 KB
🗐 login.php	9/23/2020 1:43 AM	PHP File	5 KB
logout.php	9/22/2020 6:56 PM	PHP File	1 KB
Ourservices.php	9/22/2020 5:18 AM	PHP File	4 KB
[] README.md	9/18/2020 2:32 AM	MD File	1 KB

'C > Local Disk (C:) > xampp > htdocs > Hotel-Management-System-io > css

Name	Date modified	Туре	Size	
image	9/23/2020 1:25 AM	File folder		
lank.css	9/19/2020 9:23 AM	CSS File	4 KB	
home.css	9/19/2020 9:23 AM	CSS File	5 KB	
login.css	9/19/2020 9:40 PM	CSS File	3 KB	
managerdashboard.css	9/22/2020 8:19 PM	CSS File	2 KB	
ownerdashboard.css	9/23/2020 1:51 AM	CSS File	2 KB	
registration.css	9/19/2020 9:40 PM	CSS File	3 KB	
team.css	9/22/2020 5:18 AM	CSS File	2 KB	

PC > Local Disk (C:) > xampp > htdocs > Hotel-Management-System-io > datal	PC →	Local Disk (C) > xampp	> htdocs >	Hotel-Management-System-io	>	database
--	------	---------------	-----------	------------	----------------------------	---	----------

Name	Date modified	Туре	Size
db_connect.php	9/18/2020 1:10 AM	PHP File	1 KB

C > Local Disk (C:) > xampp > htdocs > Hotel-Management-System-io > js			
Date modified	Туре	Size	
9/18/2020 10:55 AM	JS File	1 KB	
9/18/2020 11:01 AM	JS File	4 KB	
9/22/2020 5:38 PM	JS File	1 KB	
	Date modified 9/18/2020 10:55 AM 9/18/2020 11:01 AM	Date modified Type 9/18/2020 10:55 AM JS File 9/18/2020 11:01 AM JS File	

lame ^	Date modified	Туре	Size
chat_box.php	9/20/2020 10:13 AM	PHP File	1 KB
deletprebook.php	9/21/2020 11:50 AM	PHP File	1 KB
nistory.php	9/23/2020 1:37 AM	PHP File	3 KB
pre_booking.php	9/23/2020 2:38 AM	PHP File	10 KB
pre_booking_details.php	9/23/2020 1:45 AM	PHP File	3 KB
pre_booking_final.php	9/22/2020 4:13 AM	PHP File	4 KB
🗐 registration.php	9/23/2020 1:29 AM	PHP File	6 KB
report.php	9/20/2020 10:13 AM	PHP File	4 KB
update_user.php	9/22/2020 5:51 PM	PHP File	9 KB
user_dashboard.php	9/20/2020 10:13 AM	PHP File	1 KB



ame ^	Date modified	Туре	Size
add_receptionist.php	9/23/2020 1:51 AM	PHP File	5 KE
booked_report.php	9/22/2020 10:39 PM	PHP File	4 KE
booking.php	9/22/2020 8:19 PM	PHP File	10 KE
financial_report.php	9/23/2020 1:50 AM	PHP File	3 KI
manager_dashboard.php	9/22/2020 8:19 PM	PHP File	2 KE
picture_customize.php	9/22/2020 11:17 PM	PHP File	12 KE
prebooked_report.php	9/22/2020 10:39 PM	PHP File	4 KE
pricing_view.php	9/19/2020 9:51 PM	PHP File	1 KE
receptionist_attendance.php	9/22/2020 9:28 PM	PHP File	3 KI
report_by_customer.php	9/22/2020 11:17 PM	PHP File	3 KI
room_customize.php	9/22/2020 11:17 PM	PHP File	6 KI
setting.php	9/23/2020 1:51 AM	PHP File	5 KI
Local Disk (C:) > xampp > htdocs	; > Hotel-Management-Syste	em-io > owner	
ne	Date modified	Туре	Size
dd_manager.php	9/23/2020 1:51 AM	PHP File	5 KB
dd_owner.php	9/23/2020 1:51 AM	PHP File	5 KB
ooked_report.php	9/23/2020 1:53 AM	PHP File	4 KB
nancial_report.php	9/23/2020 1:54 AM	PHP File	3 KB
wner_dashboard.php	9/23/2020 1:51 AM	PHP File	4 KB
orebooked_report.php	9/23/2020 1:51 AM	PHP File	4 KB
report_by_customer.php	9/23/2020 1:55 AM	PHP File	3 KB
setting.php	9/23/2020 1:51 AM	PHP File	5 KB
Local Disk (C:) > xampp > htdocs	> Hotel-Management-Syster	m-io → rss	
ne ^	Date modified	Туре	Size
_			
	9/22/2020 11:17 PM	PHP File	3 KB
header&navbarfor_manager.php	9/22/2020 11:17 PM 9/23/2020 1:44 AM	PHP File PHP File	3 KB 2 KB
)header&navbarfor_manager.php)header&navbarfor_user.php			
Dheader&navbarfor_manager.php Dheader&navbarfor_user.php Tooter.php	9/23/2020 1:44 AM	PHP File	2 KB
Dheader&navbarfor_manager.php Dheader&navbarfor_user.php footer.php header.php header_for_owner.php	9/23/2020 1:44 AM 9/23/2020 1:18 AM	PHP File PHP File	2 KB 2 KB

Core Modules of the Project:

Here, add THREE of your CORE modules' source code with appropriate filename as heading. (Use either consolas or courier new font for source code)

For example:



Login.php

```
<?php
session_start();
include "database/db_connect.php";
$uname_err=$pass_err="";
$flag=0;
$uname=$pass="";
if($ SERVER["REQUEST METHOD"] == "POST")
{
    if(empty($_POST['uname']))
    {
        $uname err="user name can not be empty";
        $flag=1;
    else{
        $uname=validate($_POST['uname']);
        $uname = strtoupper($uname);
        $uname=mysqli_real_escape_string($con,$una
me);
    if(empty($_POST['pass']))
    {
        $pass err="Password can not be empty";
        $flag=1;
```



```
else{
        $pass=$_POST['pass'];
        $pass=mysqli_real_escape_string($con,$pass
);
    }
    login_validation();
function validate($data)
  $data = trim($data);
  $data = stripslashes($data);
  $data = htmlspecialchars($data);
  return $data;
function login_validation()
    global $flag,$uname,$pass,$con,$uname_err,$pas
s_err;
    $pass db = "";
    $u_type=0;
    if($flag==0)
    {
       $query="select * from login where user_name
=<mark>'$</mark>uname<mark>'"</mark>;
```

```
$result=mysqli_query($con,$query);
       $row=mysqli_num_rows($result);
       if($row>0){
           while($row = mysqli_fetch_assoc($result
)){
                $u_type=$row['user_type'];
                $pass_db=$row['password'];
           }
           if(password_verify($pass, $pass_db)){
                if($u_type==1){
                    $_SESSION['user_name']=$uname;
                    header("location:guest/user_da
shboard.php");
                elseif($u type==2)
                    $ SESSION['user name']=$uname;
                    $ SESSION['user type']=2;
                    $entry time = date(" h:i:sa ")
                    $date = date(" Y-m-d");
                    $uname = strtoupper($uname);
```

```
$uname = mysqli_real_escape_st
ring($con , $uname);
                    $entry time = mysqli_real_esca
pe string($con , $entry_time);
                    $date = mysqli_real_escape_str
ing ($con , $date);
                    $key_u = "$uname.$date";
                    $sql = "select * from receptio"
nist_timing where u_date = '$key_u' ";
                    $r = mysqli_query($con, $sql);
                    $row1 = mysqli_num_rows($r);
                    echo $row1;
                    if($row1<1)
                    {
                        $sql1 = "insert into recep
tionist_timing(user_name , date , entry_time , exi
t_time ,u_date) values('$uname' , '$date' , '$entr
y time' , 'n' ,'$key u')";
                        if(mysqli_query($con , $sq
11))
                        {
                            header("location:recep
tionist/receptionist dashboard.php");
```

```
else
                         {
                             echo "setting time err
or".mysql_error($con);
                         }
                     else
                         header("location:reception
ist/receptionist_dashboard.php");
                elseif($u_type==3){
                     $_SESSION['user_name']=$uname;
                     header("location:manager/manag
er_dashboard.php");
                elseif($u_type==4){
                     $_SESSION['user_name']=$uname;
                     header("location:owner/owner_d
ashboard.php");
                }
```

```
else{
                $pass_err = "password doesnot mat
ch";
           }
       else{
           $uname_err = "USername doesnot exist";
    }
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="css/login.css">
</head>
  <body>
  <!-- header -->
  <div class="menu">
        <div class="leftmenu">
          <h3><a href="index.php">
            <div class="logo">
```

```
<img src= "css/image/LOGO.png" cl</pre>
ass="img" style="width: 100%; padding-
top: 10px; height: 110px">
               </div>
         </a></h3>
       </div>
       <div class="rightmenu">
         <l
           <a href="index.php">HOME</a>
           <a href="ourservices.php">Services</a>
</a>
           <a href="gellery.php">Gallery</a><
/li>
           <a href="aboutus.php">About Us</a>
<1i>>
             <a href="contact.php">Contact</a>
           </div>
     </div>
<!-- header -->
```

```
<form method="post" action="<?php htmlspecialchars</pre>
($ SERVER['PHP SELF'])?>">
   <div>
<fieldset class='field'>
<legend>WELCOME TO LOGIN</legend>
   USERNAME
   <input type="text" name="uname" id="un
ame" value="<?php echo $uname;?>" placeholder="USE
RNAME">
   <div style="color:blue;"><?php echo $u
name err;?></div>
   PASSWORD
   <input type="Password" name="pass" id=
"pass" placeholder='PASSWORD'>
```

```
<div style="color:blue;"><?php echo
pass_err;?></div>
   <input type="submit" name="submit" val
ue="LOGIN">
    DON'T HAVE ACCOUNT <a href='guest/registrat</p>
ion.php'>REGISTER NOW!</a>
</fieldset>
</div>
</form>
</body>
</html>
```

Pre booking.php

```
<?php
session_start();
include "../database/db_connect.php";

$class = $category = $check_in = $check_out = $tot
al_cost = $price = $error_message = $payment = ""
;</pre>
```



```
$rn_booked = $room_available = [];
$available = 0;
if(isset($_SESSION['user_name']))
{
    if($_SERVER["REQUEST_METHOD"] == "POST" && iss
et($_POST['btn_check']))
    if(empty($_POST['class']))
    {
      $error_message = "class can not be empty";
    else
    {
      $class = $_POST['class'];
      $class=mysqli_real_escape_string($con,$class
);
    }
    if(empty($_POST['category']))
    {
      $error_message = "Category can not be empty"
    else
```

```
$category = $_POST['category'];
      $category=mysqli_real_escape_string($con,$ca
tegory);
    }
    if(empty($_POST['checkin']))
    else
    {
        $check_in = $_POST['checkin'];
    }
    if(empty($_POST['checkout']))
    {
    else
    {
        $check_out = $_POST['checkout'];
        //validation for check the date
    }
    $i=0;
```

```
$sql= "SELECT * FROM pre_booking";
    $result = mysqli_query($con , $sql);
    $row = mysqli num rows($result);
    if($row>0)
    {
      while($row = mysqli_fetch_assoc($result))
        $d1 = $row['pre_check_in'];
        $d2 = $row['pre_check_out'];
        $check_in_input = date('Y-m-
d', strtotime($check_in));
        $check out input = date('Y-m-
d', strtotime($check_out));
        $startDate = date('Y-m-
d', strtotime($d1));
        $endDate = date('Y-m-d', strtotime($d2));
        if (($check_in_input >= $startDate) && ($c
heck in input <= $endDate) || ($check out input >
= $startDate) && ($check_out_input <= $endDate))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
```

```
elseif(($startDate>= $check_in_input) &&
$startDate <= $check_out_input) | ($endDate >= $
check_in_input) && ($endDate <= $check_out_input))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
    $sql1 = "SELECT * FROM room booking";
    $result1 = mysqli_query($con , $sql1);
    $row = mysqli_num_rows($result1);
    if($row>0)
    {
      while($row = mysqli_fetch_assoc($result1))
      {
        $d1 = $row['check in'];
        $d2 = $row['check out'];
        $check_in_input = date('Y-m-
d', strtotime($check in));
```

```
$check_out_input = date('Y-m-
d', strtotime($check_out));
        $startDate = date('Y-m-
d', strtotime($d1));
        $endDate = date('Y-m-d', strtotime($d2));
        if (($check_in_input >= $startDate) && ($c
heck_in_input <= $endDate) | ($check_out_input >
= $startDate) && ($check_out_input <= $endDate))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
        elseif(($startDate>= $check_in_input) &&
$startDate <= $check_out_input) | ($endDate >= $
check_in_input) && ($endDate <= $check out input))</pre>
        {
          $rn booked[$i] = $row["room number"];
          $i++;
    $rn_booked = array_unique($rn_booked);
```

```
$sql2 = "SELECT * FROM room_details WHERE clas
s= '$class' AND category ='$category'";
    $result2 = mysqli_query($con , $sql2);
    $row = mysqli_num_rows($result2);
    if($row>0)
    {
      while($row = mysqli_fetch_assoc($result2))
      {
        array_push($room_available,$row['room_numb
er']);
      for($i=0;$i<count($rn_booked);$i++)</pre>
      {
        $index = array search($rn booked[$i],$room
available,true);
        unset($room_available[$index]);
      $room_available = array_values ($room_availa
ble);
    if(count($room_available)>0)
```

```
$available = 1;
      $sql3 = "select price from room_details wher
e room_number = '$room_available[0]' ";
      $result3 = mysqli_query($con, $sql3);
     while($row = mysqli_fetch_assoc($result3) )
         $price = $row['price'];
      $date1=date_create($check_in);
      $date2=date_create($check_out);
      $diff=date_diff($date1,$date2);
      $total_days = $diff->format("%a");
      $total_cost = $total_days * $price;
     $payment = $total_cost/5;
      $_SESSION['room'] = $room_available[0];
      $ SESSION['payment'] = $payment;
      $_SESSION['total_cost'] = $total_cost;
      $ SESSION['pre checkin'] = $check in;
      $ SESSION['pre checkout'] = $check out;
   }
   else
   {
     $error message = "room not available ";
```

```
}
   else
        $error_message = "room not available";
 }
  if($ SERVER["REQUEST_METHOD"] == "POST" && isset
($_POST['btn_book']))
  {
    //must unset this values
    $room = $_SESSION['room'];
    $payment = $_SESSION['payment'] ;
    $total_cost = $_SESSION['total_cost'];
   $payment due = $total cost - $payment;
   $pre_check_in = $_SESSION['pre_checkin'];
    $pre_check_out = $_SESSION['pre_checkout'];
    $uname = $_SESSION['user_name'];
    $sql = "insert into pre_booking(user_name , ro
om_number , payment , Totalcost , Payment_due , ch
eck_in , check_out , pre_check_in , pre_check_out
, status) values('$uname' , '$room' ,'$payment' ,
```

```
'$total_cost' , '$payment_due' , 'N' , 'N' , '$pre
 check_in','$pre_check_out', 'New') ";
    if(mysqli_query($con,$sql))
    {
      $error_message = "BOOKING CONFIRMED";
    else
    {
      echo "log in table Error: " . $sql. "<br>"
mysqli_error($con);
    mysqli_close($con);
    unset($_SESSION['room'] );
    unset($_SESSION['payment'] );
    unset($_SESSION['total_cost'] );
    unset($_SESSION['pre_checkin'] );
    unset($_SESSION['pre_checkout']_);
else
    header("Location: ../login.php");
```

```
include "../rss/Dheader&navbarfor_user.php";
?>
<style>
*{
  margin: 0px;
  padding: 0;
  box-sizing: border-box;
  outline: none;
  font-family: 'Josefin Sans', sans-serif;
      font-weight: bold;
body{
.wrapper{
  position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%,-50%);
    max-width: 350px;
    width: 100%;
    background: #fff;
```



```
padding: 25px;
    border-radius: 5px;
.wrapper h2{
 text-align: center;
 margin-bottom: 20px;
 text-transform: uppercase;
 letter-spacing: 3px;
 color: #332902;
}
.wrapper .input_field{
 margin-bottom: 36px;
    line-height: 53px;
.wrapper .input_field input[type="text"],
.wrapper textarea{
 border: 1px solid #e0e0e0;
 width: 100%;
 padding: 10px;
.wrapper textarea{
```

```
resize: none;
  height: 64px;
.wrapper .btn input[type="submit"]{
  border: 0px;
  margin-top: 15px;
  padding: 10px;
  text-align: center;
  width: 100%;
  background: #fece0c;
  color: #332902;
  text-transform: uppercase;
  letter-spacing: 5px;
  font-weight: bold;
  border-radius: 25px;
  cursor: pointer;
#error_message{
  margin-bottom: 20px;
  background: #fe8b8e;
  padding: 0px;
  text-align: center;
  font-size: 14px;
  transition: all 0.5s ease;
```

```
</style>
<section>
  <div class="main-section">
    <div class="dashbord">
      <div class="icon-section">
        <div class="wrapper">
          <h2>Update Profile</h2>
          <div id="error_message"><?php echo $erro</pre>
r message; ?></div>
<form name='update' method="POST" action="<?php ht</pre>
mlspecialchars($_SERVER['PHP_SELF'])?>">
                  <div class="input field">
                   <label for="Class">Select Class
:</label>
                   <select name="class"><br><br>
                     <option value="Premium" select</pre>
ed>Premium</option>
                     <option value="Economy" >Econo
my</option>
```

```
<option value="Basic">Basic
ption>
                   </select>
                 </div>
        <div class="input_field">
                   <label for="Class">Select Catago
ry :</label>
                   <select name="category"><br><br</pre>
                     <option value="Single" selecte</pre>
d>Single</option>
                     <option value="Double" >Double
</option>
                     <option value="Family">Family<</pre>
/option>
                   </select>
                 </div>
          <div class="input field">
```

```
<label for="checkin">Checkin :
</label >
                   <input type="date" id="in" nam</pre>
e="checkin">
        </div>
        <div class="input_field">
                    <label for="checkin">Checkout
:</label >
                    <input type="date" id="out" na</pre>
me="checkout">
       </div>
    <?php if ($available == 0) {?>
    <div class="btn">
       <input type="submit" name="
btn_check" value="Check" id='btn_submit'>
       </div>
    <?php } ?>
    <?php if ($available == 1) {?>
```

```
TOTAL COST
     <label> <?php echo $total_cost; ?> </
label> 
  Payment
     >
      <label><?php echo $payment; ?></label
>
  <div class="btn">
    <input type="submit" name="</pre>
btn_book" value="Book" id='btn_submit'>
    </div>
  <?php } ?>
 </div>
```

```
</form>
</body>
</html>
```

booking.php

```
<?php
session_start();
include "../rss/header_for_receptionist..php";
include "../database/db connect.php";
$class = $category = $check in = $check out = $tot
al cost = $price = $error message = $payment =
$rn booked = $room available = $first result = [];
$avialable = 0:
if(isset($ SESSION['user name']))
{
  $first = "SELECT * FROM room details";
  $first result = mysqli query($con , $first);
  if($ SERVER["REQUEST METHOD"] == "POST" && isset
($ POST['btn check']))
```



```
if(empty($_POST['class']))
    {
      $error_message = "class can not be empty";
    }
    else
    {
      $class = $_POST['class'];
      $class=mysqli_real_escape_string($con,$class
);
    }
    if(empty($_POST['category']))
    {
      $error_message = "Category can not be empty"
    else
    {
      $category = $_POST['category'];
      $category=mysqli_real_escape_string($con,$ca
tegory);
    }
    if(empty($_POST['cin']))
    {
```

```
else
{
    $check_in = $_POST['cin'];
}
if(empty($_POST['cout']))
else
{
    $check_out = $_POST['cout'];
    //validation for check the date
}
$i=0;
$sql= "SELECT * FROM pre_booking";
$result = mysqli_query($con , $sql);
$row = mysqli_num_rows($result);
if($row>0)
{
  while($row = mysqli_fetch_assoc($result))
```

```
$d1 = $row['pre_check_in'];
        $d2 = $row['pre check out'];
        $check_in_input = date('Y-m-
d', strtotime($check_in));
        $check_out_input = date('Y-m-
d', strtotime($check_out));
        $startDate = date('Y-m-
d', strtotime($d1));
        $endDate = date('Y-m-d', strtotime($d2));
        if (($check_in_input >= $startDate) && ($c
heck_in_input <= $endDate) | ($check_out_input >
= $startDate) && ($check_out_input <= $endDate))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
        }
        elseif(($startDate>= $check_in_input) &&
$startDate <= $check out input) | ($endDate >= $
check in input) && ($endDate <= $check out input))</pre>
        {
          $rn booked[$i] = $row["room number"];
          $i++;
        }
```

```
$sql1 = "SELECT * FROM room_booking";
    $result1 = mysqli_query($con , $sql1);
    $row = mysqli_num_rows($result1);
    if($row>0)
    {
      while($row = mysqli_fetch_assoc($result1))
        $d1 = $row['check in'];
        $d2 = $row['check_out'];
        $check_in_input = date('Y-m-
d', strtotime($check in));
        $check_out_input = date('Y-m-
d', strtotime($check out));
        $startDate = date('Y-m-
d', strtotime($d1));
        $endDate = date('Y-m-d', strtotime($d2));
```

```
if (($check_in_input >= $startDate) && ($c
heck in input <= $endDate) | ($check out input >
= $startDate) && ($check_out_input <= $endDate))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
        elseif(($startDate>= $check_in_input) &&
$startDate <= $check_out_input) || ($endDate >= $
check_in_input) && ($endDate <= $check_out_input))</pre>
        {
          $rn_booked[$i] = $row["room_number"];
          $i++;
      $avialable = 1;
    else
    {
        $error_message = "room not available";
    }
  if($_SERVER["REQUEST_METHOD"] == "POST" && isset
($_POST['btn_next']))
```

```
if(empty($_POST['room_number']))
        {
          $error_message = "PLEASE SELECT A ROOM N
UMBER FROM TABLE";
        else
        {
          $room = $_POST['room_number'];
          $rn = mysqli_escape_string($con,$room);
          $ SESSION['room'] = $rn;
          $price = $_POST['price'];
          $_SESSION['price'] = $price;
          header("location:booking_final.php");
        }
 }
else{
    header("Location: ../login.php");
```

```
?>
<style>
* {
box-sizing: border-box;
}
#myInput {
background-
image: url('https://www.w3schools.com/css/searchic
on.png');
background-position: 10px 10px;
background-repeat: no-repeat;
width: 50%;
font-size: 16px;
padding: 12px 20px 12px 40px;
border: 1px solid #ddd;
margin-bottom: 12px;
}
#myTable {
border-collapse; collapse;
  width: 50%;
  border: 1px solid #ddd;
```



```
font-size: 18px;
  color: white;
}
#myTable th, #myTable td {
text-align: left;
padding: 12px;
#myTable tr {
border-bottom: 1px solid #ddd;
}
#myTable tr.header, #myTable tr:hover {
background-color: mediumseagreen;
}
.container {
border-radius: 5px;
padding: 84px;
input[type=submit] {
background-color: #4CAF50;
color: white;
```

```
padding: 12px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
float: right;
margin-right: 47%;
}
input[type=submit]:hover {
background-color: #45a049;
}
</style>
<section>
  <div class="main-section">
    <div class="dashbord">
      <div class="icon-section">
      <form name='update' method="POST" action="<?</pre>
php htmlspecialchars($_SERVER['PHP_SELF'])?>">
        <div class="container">
      <center> <h2 style="color:black;">Select Cl
ass
                   <select name="class"><br><br>
```

```
<option value="Premium" >Premium
</option>
                   <option value="Economy" >Economy
</option>
                   <option value="Basic">Basic</opt</pre>
ion>
                   </select></h2><br>
      <center> <h2 style="color:black;">Select Ro
om Catagory
                   <select name="category"><br><br</pre>
                   <option value="Single" >Single<</pre>
/option>
                   <option value="Double" >Double<</pre>
/option>
                   <option value="Family" >Family
option>
                   </select></h2><br>
      <center> <h2 style="color:black">Check in :
<input type="date" name="cin" id="cin"</pre>
   placeholder="please select a Room" value = "<?p</pre>
```

```
hp echo $check_in; ?>" > <>||<> <style="color:blac"</pre>
k">Check out :<input type="date" name="cout" id="c</pre>
out" placeholder="please select a Room" value = "<
?php echo $check_out; ?>" ></h2></center><br>
                <div class="row">
                <input type="submit" name="btn_che</pre>
ck" value="Check">
                  <!-- label is more suitable here -->
        <center><h2 style="color:white">Room No</h</pre>
2><input type="text" name="room_number" id="fname"</pre>
 placeholder="please select a Room" readonly requi
red><br></center>
     <input type="hidden" name="price" id="no">
   <!--ei hidden input e price load hosse-->
          <div class="row">
            <input type="submit" name="btn_next" v</pre>
alue="Next">
          </div>
        <?php echo $error message;?>
        </div>
```

```
<center><input type="text" id="myInput" onke</pre>
yup="myFunction()" placeholder="Search for roomno
or roomtag.." title="Type in a name"></center>
<center>
Room No
Price
<?php
if($avialable == 0)
{
 while($row = mysqli_fetch_assoc($first_result))
 {
   echo "";
   echo "".$row["room number"]."";
   echo "".$row["price"]."";";
   echo "";
else
```



```
$rn booked = array_unique($rn_booked);
  $sq12 = "SELECT * FROM room_details WHERE class=
 '$class' AND category ='$category'";
    $result2 = mysqli_query($con , $sql2);
    $row = mysqli_num_rows($result2);
    if($row>0)
      while($row = mysqli_fetch_assoc($result2))
        array_push($room_available,$row['room_numb
er']);
      for($i=0;$i<count($rn booked);$i++)</pre>
        $index = array_search($rn_booked[$i],$room
available,true);
        unset($room_available[$index]);
      $room_available = array_values ($room_availa
ble);
```

```
$room_list=[];
     $sql3 = "select * from room details where cl
ass='$class' AND category='$category'";
     $result3 = mysqli_query($con, $sql3);
     while($row = mysqli_fetch_assoc($result3) )
           $room_list[$row['room_number']] = $row
['price'];
      foreach ($room_available as $key => $value)
{
        if(array_key_exists($value,$room_list))
         $room_number = $value;
         $price = $room_list[$value];
         echo "";
         echo "".$room number."";";
         echo "".$price."";
         echo "";
      $date1=date create($check in);
      $date2=date create($check out);
      $diff=date_diff($date1,$date2);
      $total days = $diff->format("%a");
```

```
// $total_cost = $total_days * $price ;
      // $payment = $total_cost/5;
     $_SESSION['pre_checkin'] = $check_in;
     $_SESSION['pre_checkout'] = $check_out;
   else
   {
       $error_message = "room not available";
   }
</center>
       </form>
     </div>
```



```
</div>
  </div>
</section>
</body>
</html>
<script>
                var table = document.getElementById
('myTable');
                for(var i = 1; i < table.rows.lengt</pre>
h; i++)
                {
                    table.rows[i].onclick = functio
n()
                    {
                         document.getElementById("f
name").value = this.cells[0].innerHTML;
                         document.getElementById("n
o").value = this.cells[1].innerHTML;
                    };
                }
```

```
function myFunction() {
 var input, filter, table, tr, td, i, txtValue;
 input = document.getElementById("myInput");
 filter = input.value.toUpperCase();
 table = document.getElementById("myTable");
 tr = table.getElementsByTagName("tr");
 for (i = 0; i < tr.length; i++) {
   td = tr[i].getElementsByTagName("td")[1];
   if (td) {
     txtValue = td.textContent | td.innerText;
     if (txtValue.toUpperCase().indexOf(filter) >
-1) {
       tr[i].style.display = "";
      } else {
       tr[i].style.display = "none";
     }
</script>
```

CO2 and CO4 Evaluation: Project Report Evaluation					
Completeness (5)	Validation (5)	Feature Implementation (5)	Concept Understanding (5)	Promptness (5)	Total (25)