

ACCOUNT SOFT

Complete Project Synopsis & Functional Specification

Project Name: Account Soft

Project Type: Order, Operations, PTDA, Delivery & Financial Management System

Application: Web-Based Business Management Software

Primary Integration: Lead Soft

Primary Users: Accounts, Operations, Management, Administrators, Assigned Employees

1. Executive Summary

Account Soft is a centralized business management system designed to manage the complete lifecycle of a customer order after the order has been confirmed through Lead Soft.

Lead Soft is responsible for the sales process, including lead management, calling, follow-ups, quotations, negotiations, and order confirmation.

Once an order is confirmed, the required order information is made available to Account Soft. Account Soft then becomes responsible for managing the operational and financial execution of that order.

The system will allow users to:

- Receive and review confirmed orders from Lead Soft.
- View customer and order information.
- Add and manage the services included in an order.
- Create and maintain PTDA's (Project Technical Data Sheets).
- Record technical and project-specific information.
- Assign services/work to employees.
- Set start dates and delivery dates.
- Track service and order progress.
- Monitor upcoming and overdue deliveries.
- Record customer payments.
- Track partial and complete payments.
- Calculate pending amounts automatically.
- Manage payment schedules.
- Maintain payment history.
- Maintain documents and activity history.
- Generate operational and financial reports.
- Manage reusable master data.
- Control access through user roles and permissions.

The overall objective is to create one centralized system where the Accounts and Operations teams can clearly understand:

What was ordered, what services are included, what technical information is required, who is responsible, when it must be delivered, how much has been received, and how much is still pending.

2. Business Workflow

The complete business workflow will be divided between Lead Soft and Account Soft.

Lead Soft

```
graph TD;
    Lead --> Calling;
    Calling --> Follow-up;
    Follow-up --> Quotation;
    Quotation --> Negotiation;
    Negotiation --> OrderConfirmation[Order Confirmation];
```

Account Soft

```
graph TD;
    OrderReceived[Order Received] --> OrderReview[Order Review];
    OrderReview --> ServicesConfirmed[Services Confirmed];
    ServicesConfirmed --> PTDACreated[PTDA Created];
    PTDACreated --> TechnicalDetailsAdded[Technical Details Added];
    TechnicalDetailsAdded --> WorkAssigned[Work Assigned];
    WorkAssigned --> DeliveryDateSet[Delivery Date Set];
    DeliveryDateSet --> WorkServiceExecution[Work / Service Execution];
    WorkServiceExecution --> DeliveryTracking[Delivery Tracking];
    DeliveryTracking --> PaymentTracking[Payment Tracking];
    PaymentTracking --> OrderFullyDelivered[Order Fully Delivered];
    OrderFullyDelivered --> End[ ];
```

Payment Settled



Order Completed

3. Relationship Between Lead Soft and Account Soft

Lead Soft and Account Soft are separate applications, but they can communicate through the shared database/API integration.

When an order becomes confirmed in Lead Soft, Account Soft should receive the necessary information without requiring the Accounts team to manually recreate the order.

Information transferred from Lead Soft

- Lead ID
- Customer ID
- Customer name
- Company name
- Contact person
- Phone number
- Email
- Address
- Salesperson
- Quotation ID
- Order ID
- Order date
- Products/services sold
- Quantity
- Agreed price
- Discount
- Tax
- Final order value
- Payment terms
- Expected delivery information
- Sales notes
- Other relevant commercial information

Account Soft should retain a reference to the original Lead Soft record.

Example:

Lead Soft Order ID: LEAD-ORD-2045
Account Soft Order ID: ORD-1024
Customer ID: CUST-0088

The Account Soft order should provide a **View in Lead Soft** option when required.

4. Main Account Soft Modules

The proposed main navigation is:

- Dashboard
- Orders
- Customers
- Products & Services
- PTDA
- Assignments
- Delivery Tracking
- Payments
- Reports
- Masters
 - └─ Product / Service Master
 - └─ Service Category
 - └─ Payment Methods
 - └─ Payment Terms
 - └─ Tax Master
 - └─ Delivery Type
 - └─ Employee Master
 - └─ Department Master
 - └─ Customer Type
 - └─ Status Masters
 - └─ UOM Master
- Users & Roles
- Settings

5. Dashboard

The Dashboard should answer:

What requires attention right now?

It should not simply display decorative statistics.

KPI Cards

Total Orders

Fields:

- Total order count
- Percentage change
- Previous-period comparison

Completed Orders

Fields:

- Completed count
- Percentage change
- Previous-period comparison

Orders in Progress

Fields:

- Active order count
- Percentage change

Overdue Deliveries

Fields:

- Overdue count
- Percentage change

Amount Received

Fields:

- Total received amount
- Previous-period comparison

Amount Pending

Fields:

- Total outstanding amount
- Previous-period comparison

Dashboard Sections

Order Status Overview

Display:

- New Orders
- Under Review
- PTDA Pending
- In Progress
- Partially Delivered
- Delivered
- Completed
- On Hold
- Cancelled

Financial Overview

Display:

- Order value
- Received amount
- Pending amount
- Monthly collection trend

Deliveries Due

Display:

- Service/project
- Customer
- Order ID
- Delivery date
- Status
- Days remaining/overdue

Recent Orders

Fields:

- Order ID
- Customer
- Order value
- Status
- Payment status
- Order date

Recent Payments

Fields:

- Payment date
 - Payment ID
 - Order ID
 - Customer
 - Amount
 - Payment method
 - Reference number
-

6. Orders Module

The Orders module is the central operational module.

Orders List

Summary cards

- Total Orders
- Completed
- In Progress
- Under Review
- Overdue
- Cancelled

Filters

- Search
- Order status
- Payment status
- Customer
- Salesperson
- Date from
- Date to

Order Table Fields

Field	Description
Order ID	Unique Account Soft order number
Lead Order ID	Original Lead Soft reference
Customer	Customer/company
Order Value	Total commercial value
Order Date	Date order was confirmed

Field	Description
Delivery Date	Overall delivery date
Order Status	Current order status
Payment Status	Current payment status
Sales Person	Salesperson responsible
Actions	View/edit/more

7. Order Detail

The Order Detail page should be the primary workspace for managing an individual order.

Example:

ORD-1024 — ABC Technologies

Header Fields

- Order ID
- Lead Soft Order ID
- Customer
- Customer ID
- Company
- Contact person
- Phone
- Email
- Address
- Salesperson
- Order status
- Payment status
- Order date
- Overall delivery date

Header actions

- Edit
- Print
- View in Lead Soft
- More
- Cancel Order
- Put on Hold

8. Order Information

The order information section should contain:

Commercial Information

- Order ID
- Quotation ID
- Order date
- Customer ID
- Salesperson
- Currency
- Subtotal
- Discount
- Tax
- Final amount
- Payment terms
- Delivery terms

Customer Information

- Customer name
- Company name
- Contact person
- Phone
- Email
- Billing address
- Delivery address
- Customer type

9. Services / Project Items

Instead of exposing a separate **Order Components** module to the user, Account Soft should display the services included in the order as:

Services / Project Items

Example:

Service	Category	Amount	PTDA	Delivery	Status
Domain Registration	Domain	₹1,500	Completed	12 Sep	Completed
Web Hosting	Hosting	₹8,000	In Progress	15 Sep	In Progress
SSL Certificate	SSL	₹2,500	Pending	15 Sep	In Progress
Website Development	Development	₹1,10,000	Not Created	30 Sep	In Progress

Service fields

Each service/project item should contain:

- Service ID
- Product/Service ID
- Service name
- Category
- Description
- Quantity
- Unit
- Unit price
- Discount
- Tax
- Total amount
- PTDA required
- PTDA status
- Assigned employee
- Start date
- Delivery date
- Service status
- Completion date
- Notes

Internally, these service records can be associated with the parent order, but the user does not need to understand the technical concept of "Order Components."

10. Adding a Service

The **Add Service** form should contain:

Service Information

- Product/Service
- Category
- Description
- Quantity
- UOM

Pricing

- Unit price
- Discount type
- Discount value
- Tax
- Total amount

PTDA

- PTDA required: Yes/No

- PTDA template
- PTDA status

Delivery

- Delivery type
- Start date
- Delivery date

Assignment

- Department
- Assigned employee
- Priority

Additional

- Notes
- Attachments

The system should automatically populate default values from the Product/Service Master.

11. PTDA Module

PTDA stands for:

Project Technical Data Sheet

The PTDA stores technical and project-specific information required to execute, configure, maintain, or deliver a service/project.

The PTDA is linked to the relevant order and service/project item.

The user should not need to manually create technical fields from scratch every time.

12. PTDA List

The PTDA module should provide:

Summary

- Total PDAs
- Completed
- In Progress
- Pending
- Not Required

Filters

- Search PTDA
- Order
- Customer
- Service type
- Status
- Created by
- Date range

PTDA Table

Field	Description
PTDA ID	Unique PTDA number
Order ID	Parent order
Customer	Customer
Service / Project	Related service
Status	PTDA status
Created On	Creation date
Last Updated	Latest modification
Created By	User who created it
Actions	View/Edit/Create

13. PTDA Status

Recommended statuses:

Not Required
Not Created
Draft
In Progress
Completed
Approved
Archived

The exact status flow can be simplified if the company's process does not require approval.

14. PTDA Fields

PTDA fields should be **dynamic based on the selected service**.

This is important.

A Domain PTDA should not display all the fields required by a Website Development project.

A. Common PTDA Fields

Every PTDA can contain:

- PTDA ID
 - Order ID
 - Service ID
 - Customer ID
 - Project name
 - Project description
 - Technical owner
 - Department
 - Start date
 - Target completion date
 - Status
 - Priority
 - Notes
 - Attachments
 - Created by
 - Created date
 - Last updated by
 - Last updated date
-

15. Domain PTDA

Domain Information

- Domain name
 - Domain extension
 - Registrar
 - Registration date
 - Expiry date
 - Renewal date
 - Domain status
 - DNS provider
 - Nameservers
 - Auto-renewal
 - Domain credentials/reference
 - Notes
-

16. Hosting PTDA

Hosting Information

- Hosting provider
- Hosting plan
- Server name
- Server type
- IP address
- Operating system
- Storage
- RAM
- CPU
- Bandwidth
- Control panel
- Start date
- Expiry date
- Renewal date
- Backup configuration
- Hosting status
- Notes

Sensitive credentials should not be stored as plain text.

17. SSL PTDA

SSL Information

- Certificate type
 - Certificate provider
 - Domain
 - Certificate ID
 - Issue date
 - Expiry date
 - Renewal date
 - Installation status
 - Certificate status
 - Notes
-

18. Website Development PTDA

Project Information

- Project name
- Project type
- Project URL

- Technology
- Frontend technology
- Backend technology
- Framework
- CMS
- Database
- Repository
- Hosting/server
- Development environment
- Production environment
- Deployment URL
- Version
- Project start date
- Expected completion date
- Technical owner
- Developer
- Notes

Optional technical fields

- API details
- Third-party integrations
- Payment gateway
- Email service
- Analytics
- DNS information
- Deployment information

19. Server PTDA

Server Information

- Server name
- Server type
- Provider
- IP address
- Operating system
- CPU
- RAM
- Storage
- Location/data center
- Network configuration
- Firewall
- Backup
- Monitoring
- Start date
- Expiry date
- Renewal date
- Status

20. Maintenance PTDA

Maintenance Information

- Project/service
- Maintenance type
- Start date
- End date
- Coverage period
- SLA
- Support hours
- Assigned employee
- Renewal date
- Included services
- Notes

21. PTDA Templates

A major feature should be the ability to create **PTDA templates**.

For example:

```
Domain PTDA Template
Hosting PTDA Template
SSL PTDA Template
Website Development PTDA Template
Server PTDA Template
Maintenance PTDA Template
```

Each template defines:

- Field name
- Field type
- Required/optional
- Default value
- Validation
- Display order
- Section
- Help text

This means the system can grow without developers having to redesign the database every time a new service is introduced.

22. Assignments Module

The Assignments module manages work assigned to employees.

It answers:

Who is responsible for completing this service?

Assignment fields

- Assignment ID
 - Order ID
 - Customer
 - Service/project
 - PTDA ID
 - Assigned department
 - Assigned employee
 - Assigned date
 - Start date
 - Due date
 - Priority
 - Status
 - Progress percentage
 - Completion date
 - Notes
 - Attachments
-

23. Assignment Status

Recommended statuses:

Not Started
Assigned
In Progress
On Hold
Completed
Cancelled
Overdue

The system should automatically identify overdue assignments based on the due date and completion status.

24. Assignment Progress

Employees should be able to update progress.

Example:

Website Development
Progress: 60%
Status: In Progress

Progress can be:

- 0%
- 25%
- 50%
- 75%
- 100%

or entered manually depending on operational requirements.

When progress reaches 100%, the system can prompt the employee to mark the assignment as completed.

25. Delivery Tracking Module

Delivery Tracking should focus specifically on deadlines and completion.

Dashboard information

- Due today
- Due tomorrow
- Due this week
- Upcoming
- Overdue
- Completed

Delivery table fields

- Delivery ID
- Order ID
- Customer
- Service
- Assigned employee
- Start date
- Delivery date
- Actual completion date
- Status

- Days remaining
 - Delay days
 - Remarks
-

26. Delivery Status

Recommended statuses:

Not Started
In Progress
Ready for Delivery
Delivered
Partially Delivered
Overdue
Cancelled

The system should automatically calculate whether a delivery is overdue.

27. Payments Module

The Payments module handles all financial transactions associated with orders.

The primary objective is to answer:

How much was ordered, how much has been received, and how much is still outstanding?

28. Payment Dashboard

KPI Cards

- Total Received
- Total Pending
- Total Order Value
- Collection Rate

Tabs

All Payments
Pending Payments
Completed

Filters

- Date range
- Customer
- Order
- Payment status
- Payment method

29. Payment Transaction Fields

Every payment should be recorded as an individual transaction.

Payment Information

- Payment ID
- Order ID
- Customer ID
- Payment date
- Amount
- Currency
- Payment method
- Transaction/reference number
- Bank/account
- Payment status
- Payment remarks
- Attachment/proof
- Received by
- Created date
- Last updated date

Payment methods

Examples:

- Cash
- Bank Transfer
- UPI
- Cheque
- Card
- Online Payment
- Other

These should come from the Payment Method Master.

30. Financial Calculation

The system should calculate financial values automatically.

Formula

```
Final Amount
= Subtotal
- Discount
+ Tax
```

Then:

```
Amount Received
= Sum of Valid Payment Transactions
```

And:

```
Amount Pending
= Final Amount - Amount Received
```

Example:

Subtotal	₹1,25,000
Discount	₹0
Tax	₹22,500

Final Amount	₹1,47,500
Received	₹50,000
Pending	₹97,500

The user should not manually enter the pending amount.

31. Payment Status

Payment status should be independent from order/delivery status.

Recommended statuses:

```
Unpaid
Partially Paid
```

Paid
Overdue
Refunded
Partially Refunded

For example:

Order Status: In Progress
Payment Status: Paid

or:

Order Status: Completed
Payment Status: Partially Paid

Both should be valid.

32. Payment Schedule

Some orders may use milestone-based payments.

Payment Schedule Fields

- Schedule ID
- Order ID
- Milestone name
- Description
- Amount
- Percentage
- Due date
- Payment status
- Paid amount
- Pending amount
- Payment reference
- Remarks

Example:

Milestone	Amount	Due Date	Status
Advance	₹30,000	10 Sep	Paid
Development	₹50,000	20 Sep	Pending
Final	₹67,500	30 Sep	Pending

33. Payment Rules

The system should:

- Automatically calculate outstanding amounts.
- Maintain transaction history.
- Prevent accidental duplicate payment entries.
- Track payment references.
- Allow payment proof attachments.
- Track partial payments.
- Identify overdue scheduled payments.
- Maintain an audit history.

Overpayments should have a defined business rule rather than being silently accepted.

34. Customer Module

Customer management provides a consolidated view of each customer.

Customer fields

- Customer ID
 - Customer type
 - Customer/company name
 - Contact person
 - Phone
 - Email
 - Alternate phone
 - Website
 - Billing address
 - Delivery address
 - City
 - State
 - Country
 - Postal code
 - Tax/GST information where applicable
 - Payment terms
 - Account status
 - Notes
 - Created date
 - Created by
-

35. Customer Profile

A customer profile should display:

Overview

- Customer information
- Total orders
- Total order value
- Amount received
- Amount pending
- Active services

Order History

- Order ID
- Order date
- Amount
- Status
- Payment status

Payment History

- Payment date
- Amount
- Method
- Reference

Active Services

- Service
- Order
- Start date
- Expiry/renewal date
- Status

36. Products & Services Module

This module manages all products and services that can be included in an order.

Summary

- Total products/services
- Products
- Services
- Categories

Product/Service table fields

- Product/Service ID
- Name
- Code/SKU
- Category
- Type

- Description
 - Price
 - Tax
 - PTDA required
 - Default delivery period
 - Billing type
 - Renewal period
 - Status
 - Actions
-

37. Product / Service Master

Each product/service should contain:

Basic Information

- Product/Service ID
- Name
- Code
- Type: Product / Service
- Category
- Description
- Short description
- Status

Pricing

- Default price
- Cost price if required
- Currency
- Tax
- Discount availability

PTDA Configuration

- PTDA required: Yes/No
- PTDA template
- Required technical fields

Delivery

- Default delivery type
- Default delivery period
- UOM

Billing

- One-time
- Recurring
- Subscription

- Milestone

Renewal

- Renewal applicable
 - Renewal period
 - Renewal reminder period
-

38. Service Category Master

Fields:

- Category ID
- Category name
- Code
- Description
- Parent category
- Display order
- Status
- Created by
- Created date
- Updated by
- Updated date

Examples:

- Domain
 - Hosting
 - SSL
 - Development
 - Server
 - Maintenance
 - Email
 - Hardware
 - Training
-

39. Payment Method Master

Fields:

- Payment Method ID
- Method name
- Code
- Description
- Account/bank mapping where applicable
- Transaction reference required: Yes/No
- Proof required: Yes/No

- Status
-

40. Payment Terms Master

Fields:

- Payment Terms ID
- Name
- Description
- Advance percentage
- Number of milestones
- Payment schedule
- Credit period
- Due period
- Status

Examples:

- Full Advance
 - 50% Advance / 50% Delivery
 - 30/40/30
 - Monthly
 - 30 Days Credit
-

41. Tax Master

Fields:

- Tax ID
- Tax name
- Tax code
- Tax percentage
- Tax type
- Applicable region
- Effective date
- Expiry date
- Status

The exact tax configuration should follow the company's accounting requirements.

42. Delivery Type Master

Fields:

- Delivery Type ID

- Delivery type
- Description
- Default duration
- UOM
- Recurring/One-time
- Status

Examples:

- One-Time
 - Recurring
 - Milestone
 - Subscription
 - Annual Renewal
-

43. Employee Master

Fields:

- Employee ID
 - Employee code
 - Name
 - Department
 - Designation
 - Email
 - Phone
 - Joining date
 - Manager
 - Skills
 - Active/inactive
 - User account
 - Role
-

44. Department Master

Fields:

- Department ID
- Department name
- Code
- Department head
- Description
- Status

Examples:

- Accounts

- Development
 - Design
 - Operations
 - Support
 - Sales
 - Administration
-

45. Customer Type Master

Fields:

- Customer Type ID
- Customer type
- Description
- Status

Examples:

- Individual
 - Business
 - Corporate
 - Government
 - Partner
-

46. Status Masters

Status configuration can be centralized.

Possible status groups:

Order Status

- New
- Under Review
- In Progress
- Partially Delivered
- Delivered
- Completed
- On Hold
- Cancelled

PTDA Status

- Not Created
- Draft
- In Progress
- Completed

- Approved
- Archived

Payment Status

- Unpaid
- Partially Paid
- Paid
- Overdue
- Refunded

Assignment Status

- Not Started
- Assigned
- In Progress
- Completed
- On Hold
- Cancelled

47. UOM Master

UOM means Unit of Measurement.

Fields:

- UOM ID
- UOM name
- Short code
- Type
- Description
- Status

Examples:

- Unit
- Day
- Month
- Year
- License
- Project
- Hour

48. Reports Module

The Reports module should provide management-level visibility.

Order Reports

- Orders by date
- Orders by customer
- Orders by salesperson
- Orders by service
- Orders by status
- Order value report
- Completed orders
- Cancelled orders

PTDA Reports

- PTDA's created
- Pending PTDA's
- Completed PTDA's
- PTDA by service
- PTDA by employee

Assignment Reports

- Assignments by employee
- Assignments by department
- Completed assignments
- Pending assignments
- Overdue assignments
- Employee workload

Delivery Reports

- Upcoming deliveries
- Overdue deliveries
- Completed deliveries
- Delayed deliveries
- Delivery performance

Financial Reports

- Total order value
 - Amount received
 - Amount pending
 - Overdue payments
 - Customer outstanding
 - Payment method report
 - Payment collection report
 - Payment schedule report
-

49. Reports Filters

Reports should support:

- Date range
- Customer
- Product/service
- Category
- Employee
- Department
- Order status
- Payment status
- PTDA status
- Delivery status

Reports should support export where appropriate.

Possible formats:

- Excel
 - CSV
 - PDF
-

50. Documents

Each order/project should support relevant documents.

Possible documents:

- Quotation
- Order confirmation
- PTDA document
- Invoice
- Payment proof
- Project document
- Delivery document
- Customer-provided document
- Other attachments

Document fields

- Document ID
- Document type
- Name
- File
- Version
- Uploaded by
- Upload date

- Related order
 - Related service
 - Related PTDA
 - Description
-

51. Activity Log / Audit Trail

Important actions should be recorded automatically.

Example:

```
15 Sep 2026 – Order received from Lead Soft
15 Sep 2026 – PTDA created
15 Sep 2026 – Domain assigned to Vikram
15 Sep 2026 – Payment of ₹30,000 recorded
16 Sep 2026 – Hosting PTDA updated
16 Sep 2026 – Domain marked completed
```

Activity fields

- Activity ID
- User
- Action
- Module
- Record ID
- Previous value
- New value
- Date
- Time
- IP/device information where appropriate

This provides accountability and traceability.

52. Users & Roles

Account Soft should implement Role-Based Access Control.

Administrator

Full access to:

- All modules
- Masters
- Users
- Settings

- Reports
- Configuration

Accounts User

Access to:

- Orders
- Customers
- Payments
- Financial reports
- Relevant documents

Operations User

Access to:

- Orders
- Services
- PTDA
- Assignments
- Delivery Tracking

Employee

Access to:

- Assigned work
- Relevant PTDA information
- Progress updates
- Delivery updates

Management

Access to:

- Dashboard
- Orders
- Financial summaries
- Reports
- Operational performance

Permissions should be configurable instead of hard-coded wherever practical.

53. Notifications

The system should generate useful operational alerts.

PTDA Alerts

- PTDA not created
- PTDA pending
- PTDA awaiting completion

Assignment Alerts

- New assignment
- Assignment due soon
- Assignment overdue
- Assignment completed

Delivery Alerts

- Delivery tomorrow
- Delivery due today
- Delivery overdue

Payment Alerts

- Payment due
- Payment overdue
- Partial payment received
- Payment completed

Notifications can initially be displayed within the application and can later be extended to email or other approved channels.

54. Business Rules

Order Rules

1. Every Account Soft order must have a unique Order ID.
2. Every imported order must retain its Lead Soft reference.
3. A customer must be associated with the order.
4. Order financial totals should be calculated automatically.
5. Cancelled orders should retain historical information.

Service Rules

1. A service must belong to an order.
2. Service price should come from the Product/Service Master by default.
3. Users with permission can modify the price when required.
4. PTDA requirement should be determined from the Product/Service Master.
5. Each service can have its own delivery date.
6. Each service can have its own assigned employee.

PTDA Rules

1. PTDA should be linked to the order.
2. PTDA can be linked to one or more relevant services depending on the business process.
3. PTDA fields should be service-specific.
4. Required technical fields must be validated before completion.

Payment Rules

1. Every payment must have a payment record.
2. Amount received must be calculated from valid payment records.
3. Pending amount must be calculated automatically.
4. Payment status must be independent of delivery status.
5. Payment references should be captured where applicable.

Delivery Rules

1. Delivery dates should be stored per service where necessary.
2. Overdue status should be automatically identified.
3. An order should not be considered fully delivered if required services remain incomplete.
4. An order may be fully delivered while payment remains pending.

55. Important Separation of Statuses

The system should **never combine operational, technical, delivery, and financial status into one status field.**

Instead:

```
Order Status
+
PTDA Status
+
Service Status
+
Delivery Status
+
Payment Status
```

Example:

```
Order Status:      In Progress
PTDA Status:       Completed
Service Status:    In Progress
```

Delivery Status:	Upcoming
Payment Status:	Partially Paid

This gives management an accurate picture of the order.

56. Recommended Order Detail Tabs

The Order Detail screen should contain:

- Overview
- Services / PTDA
- Delivery
- Payments
- Documents
- Activity Log

This is preferable to having too many separate screens.

57. Recommended Order Detail Layout

ORD-1024
ABC Technologies

[In Progress] [Partially Paid]

Order Information

Order Date
Delivery Date
Customer
Sales Person
Order Value
Payment Status

Services / Project Items

Domain Registration
PTDA: Completed
Delivery: Completed

Web Hosting

PTDA: In Progress
Delivery: In Progress

SSL
PTDA: Pending
Delivery: In Progress

Website Development
PTDA: Not Created
Delivery: In Progress

Payment Summary

Order Value
Amount Received
Amount Pending

[Record Payment]


Recent Activity


Order received
PTDA created
Service assigned
Payment received

This keeps the interface understandable to normal business users.

58. Database-Level Conceptual Structure

At a high level, the system should be structured around:





This means there is still a clean internal relationship between the order and the individual services without forcing users to understand technical database terminology.

59. Core Entity Relationships

Customer → Orders

One customer can have multiple orders.

Order → Services

One order can contain multiple services.

Service → PTDA

A service may require a PTDA.

Service → Assignment

A service may be assigned to an employee/team.

Service → Delivery

Each service may have its own delivery information.

Order → Payments

One order can have multiple payment transactions.

Order → Payment Schedule

One order can have multiple payment milestones.

Order → Documents

One order can have multiple documents.

Order → Activity

One order can have multiple activity records.

60. Example Complete Order

Customer

ABC Technologies Pvt Ltd

Order

ORD-1024

Order Value: ₹1,47,500
Received: ₹50,000
Pending: ₹97,500
Status: In Progress
Payment: Partially Paid

Services

1. Domain Registration
₹1,500
PTDA: Completed
Status: Completed
2. Web Hosting
₹8,000
PTDA: In Progress
Status: In Progress
3. SSL Certificate
₹2,500
PTDA: Pending
Status: In Progress
4. Website Development
₹1,10,000
PTDA: Not Created
Status: In Progress
5. Maintenance
₹3,500
PTDA: Not Required
Status: Not Started

Assignments

Domain → Vikram
Hosting → Sneha
SSL → Amit
Website → Rohit

Financial

Final Amount:	₹1,47,500
Payment 1:	₹30,000
Payment 2:	₹20,000

Received:	₹50,000
Pending:	₹97,500

This single order record gives the company a complete picture.

61. End-to-End Example

Step 1 — Lead Soft

Salesperson confirms a website package.

Lead Soft creates:

Order: LEAD-ORD-2045

Step 2 — Account Soft

Account Soft imports the order.

Creates:

ORD-1024

Step 3 — Review

Accounts verifies:

- Customer
- Order amount
- Services
- Payment terms
- Delivery expectations

Step 4 — Services

The system identifies:

- Domain
- Hosting
- SSL
- Website Development
- Maintenance

Step 5 — PTDA

The system identifies which services require technical data.

Step 6 — PTDA Creation

Users create the necessary technical sheets.

Step 7 — Assignment

Services are assigned to responsible employees.

Step 8 — Delivery

Each service receives its delivery date.

Step 9 — Execution

Employees update progress.

Step 10 — Payment

Accounts records payments as they are received.

Step 11 — Delivery Completion

Services are marked completed.

Step 12 — Order Completion

Once all required services are completed, the order becomes fully delivered.

The payment status remains independently tracked.

Step 13 — Financial Closure

Once all required payment is received:

Payment Status → Paid

The order can then be considered financially settled.

62. Future Scope

The architecture should allow future expansion without redesigning the entire system.

Potential future modules include:

Invoicing

- Invoice generation
- Invoice numbering
- Invoice status
- Tax invoices
- Credit notes
- Debit notes

Recurring Services

- Domain renewal
- Hosting renewal
- SSL renewal
- Maintenance renewal
- Subscription billing

Customer Portal

Customers can eventually:

- View orders
- View project progress
- View PTDA-approved information
- View invoices
- View payment history
- Make payments
- Download documents

Advanced Finance

- Expenses
- Profitability
- Cost tracking
- Revenue recognition
- Account reconciliation
- Financial dashboards

Advanced Operations

- SLA tracking
- Resource planning
- Employee workload
- Project milestones

- Escalations
 - Automated reminders
-

63. Security Requirements

Because Account Soft handles customer, financial, and technical information, security should be considered from the beginning.

The system should include:

- Secure authentication
- Role-based authorization
- Password hashing
- Session management
- Audit logging
- Secure API authentication
- Database access controls
- File access controls
- Backup and recovery
- Input validation
- Protection against common web vulnerabilities

Sensitive technical credentials should never be stored as ordinary visible text.

64. Performance & Usability Requirements

The application should be designed for daily business use.

Usability

- Simple navigation
- Consistent forms
- Search across major modules
- Filters
- Pagination
- Clear status badges
- Confirmation dialogs for destructive actions
- Inline validation
- Minimal duplicate data entry

Performance

- Fast dashboard loading
- Server-side pagination for large tables
- Indexed database searches
- Efficient API calls
- Background processing for heavy reports

- Optimized file handling
-

65. Design Philosophy

The interface should follow a simple principle:

Show users what they need to act on, not the complexity of the underlying system.

Therefore, users should see:

```
Order
↓
Services / PTDA
↓
Assignments
↓
Delivery
↓
Payments
```

They should not be forced to understand:

- Database entities
- Parent-child relationships
- Technical record structures
- Internal IDs
- Backend terminology

The system can maintain that complexity internally.

66. Recommended Main Sidebar

The final sidebar should be:

```
Dashboard

Orders

Customers

Products & Services

PTDA

Assignments
```

Delivery Tracking

Payments

Reports

Masters

Users & Roles


Settings


This is compact enough to remain understandable while covering the core functionality.

67. Final Product Concept

Account Soft should ultimately function as the company's central system for managing the period **after a sale has been made**.

The complete relationship is:





68. Final Objective

The final system should allow an authorized user to open any order and answer all of the following without checking multiple spreadsheets, documents, or applications:

Customer

Who is the customer?

Commercial

What did the customer order and for how much?

Services

What services are included?

Technical

What technical information is required?

PTDA

Has the technical data been completed?

Assignment

Who is responsible for the work?

Delivery

When does each service need to be delivered?

Finance

How much has the customer paid?

Outstanding

How much is still pending?

Documents

Where are the relevant documents?

History

Who performed each important action and when?

If Account Soft can provide all of these answers from a single connected system, it will serve as a genuine **Order-to-Delivery and Financial Operations platform**, rather than simply functioning as an accounting or payment-recording application.