
SF Copilot Workspace is an AI-powered Salesforce admin and developer platform. It covers the full spectrum of org management: metadata generation, data loads, user and object administration, permission management, and intelligent mapping-sheet gap analysis — all with a sandbox-first safety model before any production change.

Contents

1.	Workspace Dashboard	WS-01 – WS-03
2.	CSV Data Load	DL-01 – DL-06
3.	Metadata Generator	GEN-01 – GEN-06
4.	Sandbox → Test → Production	SBX-01 – SBX-04
5.	User Management	USR-01 – USR-04
6.	Custom Object Creation	OBJ-01 – OBJ-04
7.	Profile Management	PRF-01 – PRF-03
8.	Permission Sets	PRM-01 – PRM-04
9.	Assignment Rules	ASN-01 – ASN-02
10.	Mapping Sheet Intelligence	MAP-01 – MAP-05
11.	Connected Orgs & Health	ORG-01 – ORG-03
12.	Audit & History	AUD-01 – AUD-02

1. Workspace Dashboard

The Workspace is the central command centre. It replaces the old 'Migrations' framing with a unified view across every admin operation type.

WS-01 Unified activity feed

P0 — Must Have

As a Salesforce admin, I want to see all recent operations (data loads, deploys, user creates, object changes) in one feed, **so that** I have a single place to audit everything happening across my orgs without switching screens.

Acceptance Criteria:

1. Feed shows all operation types with type badge (Data Load, Deploy, User, Object, Permission)
2. Each row shows: timestamp, org name, operation summary, status (Completed / Failed / Running)
3. Clicking any row navigates to the operation's detail page
4. Feed auto-refreshes every 10 seconds for in-progress items
5. Filter by operation type and org

WS-02 Quick-action cards

P0 — Must Have

As a Salesforce admin, I want to launch any admin operation from the dashboard without navigating through a menu, **so that** I can start common tasks in one click.

Acceptance Criteria:

1. Cards shown: CSV Data Load, Generate Metadata, Create User, Create Object, Manage Permissions, Test Org Connections
2. Each card shows a description and estimated time
3. Cards link directly to the first step of the relevant wizard

WS-03 Org health summary

P1 — Should Have

As a Salesforce admin, I want to see at a glance which orgs are healthy and which have issues, **so that** I can catch token expiry or API limit problems before they block a team member.

Acceptance Criteria:

1. Each connected org shows: status badge (Healthy / Warning / Error), last tested timestamp
2. Clicking an org shows the last health check breakdown
3. Warning badge if token has not been refreshed in 7+ days
4. Error badge if last connection test failed

2. CSV Data Load

Bulk insert, update, upsert, and delete against any Salesforce object via Bulk API v2. Partial success is handled correctly — both success and failure CSVs are always available.

DL-01 Upload and load CSV

P0 — Must Have

As a Salesforce admin, I want to upload a CSV file and load it into any Salesforce object, **so that** I can migrate large datasets without writing code or using Data Loader.

Acceptance Criteria:

1. Supports CSV and XLSX input up to 100 MB
2. Object and operation (insert/update/upsert/delete) selected before upload
3. File parsed and row count shown before submission
4. Job submitted asynchronously via Bulk API v2
5. Status page auto-polls until terminal state

DL-02 Pre-flight validation

P0 — Must Have

As a Salesforce admin, I want to see validation results before committing any records, **so that** I catch schema mismatches, read-only fields, and missing required fields before wasting API calls.

Acceptance Criteria:

1. 11 checks run automatically: object accessibility, field writability, duplicate rules, API limits, field mapping, org type
2. Hard errors block submission; warnings allow proceed with confirmation
3. Read-only columns are stripped automatically with a warning shown
4. Results displayed in a collapsible panel with error, warning, and info sections

DL-03 Partial success handling

P0 — Must Have

As a Salesforce admin, I want to download both successful and failed rows after every load, **so that** I can immediately re-process failures without re-running the entire file.

Acceptance Criteria:

1. Success CSV includes sf__Id (new Salesforce record ID) and sf__Created columns
2. Failed rows CSV includes sf__Error column with exact Salesforce error message
3. Retry-only CSV strips sf__ columns — ready to fix and re-upload
4. All three download buttons appear on the status page after every completed load
5. Row-level errors shown inline (up to 20, with 'download for full list' for more)

DL-04 Dry run mode

P0 — Must Have

As a Salesforce admin, I want to validate a CSV against the org without writing any records, **so that** I can confirm the file will load cleanly before touching production data.

Acceptance Criteria:

1. Dry Run toggle on the upload wizard
2. SF job is aborted before processing — no records written
3. Pre-flight and CSV structure validation still run
4. Status page clearly shows 'Dry Run — No records written'

DL-05

5-row sample test

P1 — Should Have

As a Salesforce admin, I want to test a small sample of rows against the org before running the full file, **so that I** discover validation rule failures and trigger errors on real data before committing 10,000 rows.

Acceptance Criteria:

1. Button: 'Test with 5 rows' on the review step
2. Creates 5 real records, captures success/failure with exact SF error messages
3. Successfully created test records are immediately deleted
4. If org has email alerts or callouts, a warning is shown before the test
5. Production orgs require explicit confirmation before sample test
6. Results show per-row pass/fail with error message

DL-06

Duplicate job guard

P1 — Should Have

As a Salesforce admin, I want to be blocked from accidentally submitting the same load twice, **so that I** don't create duplicate records if I double-click or re-submit.

Acceptance Criteria:

1. Backend checks for running jobs with same org + object + operation within 5 minutes
2. Returns 409 with the existing job ID and a link to view it
3. Frontend shows a clear 'Job already running' message with a View button

3. Metadata Generator

AI-assisted creation and modification of Salesforce metadata components. Claude reviews, asks clarifying questions, generates best-practice XML, and runs preflight → dry run → auto-repair before any real deploy.

GEN-01 Generate from plain English

P0 — Must Have

As a Salesforce admin, I want to describe a Flow, Validation Rule, or Permission Set in plain English and have it built for me, **so that** I don't need to know the metadata XML format to create production-quality components.

Acceptance Criteria:

1. Supported types: Flow, Validation Rule, Report, Apex Class, Permission Set
2. Claude asks up to 3 clarifying questions before generating
3. Generated XML shown with plan, decisions, and checklist
4. Copy XML button for manual inspection
5. Audit trail records every generated artifact

GEN-02 Edit existing component

P0 — Must Have

As a Salesforce developer, I want to retrieve a deployed component, describe a change, and deploy the updated version, **so that** I modify the real deployed component rather than replacing it with a from-scratch rebuild.

Acceptance Criteria:

1. Retrieve mode: enter API name to load the live component from the org
2. Current XML shown before modification
3. Claude generates a targeted change, not a full replacement
4. Diff is shown between original and modified XML
5. Deploy updates the existing component in-place

GEN-03 Preflight + dry run before every deploy

P0 — Must Have

As a Salesforce developer, I want to have every deployment automatically validated before any real change is made, **so that** I never deploy broken metadata to any org.

Acceptance Criteria:

1. Local preflight: API name format, required fields, known issue patterns
2. Salesforce checkOnly deploy: full server-side validation without writing
3. Auto-repair for deterministic errors (missing namespace, casing, etc.)
4. Second dry run after auto-repair to confirm fix worked
5. Real deploy only happens after dry run passes
6. All stages logged and shown in the deploy stage panel

GEN-04 Claude auto-repair on deploy failure

P1 — Should Have

As a Salesforce developer, I want to have the system automatically fix deploy errors it recognises before asking me to intervene, **so that** common errors are resolved without manual XML editing.

Acceptance Criteria:

1. Error classifier identifies 10 error categories with known fix patterns
2. Deterministic fixes applied automatically (e.g. wrong line ending, missing field reference)
3. Claude repair invoked for semantic errors with repair hints from classifier
4. Repaired XML shown with diff from original
5. If all repair attempts fail, questions are surfaced to the user

GEN-05

Migrate Workflow Rule or Process Builder to Flow

P1 — Should Have

As a Salesforce admin, I want to paste legacy Workflow Rule or Process Builder XML and get a modern Flow equivalent, **so that** I can retire legacy automation without rebuilding from scratch.

Acceptance Criteria:

1. Input types: Workflow Rule XML, Process Builder XML
2. Claude analyses the logic and generates an equivalent Record-Triggered Flow
3. Differences and limitations noted (e.g. time-based actions handled differently in Flow)
4. Dry run run against target org before offering deploy

GEN-06

Download generated artifact

P2 — Nice to Have

As a Salesforce developer, I want to download the generated XML as a file, **so that** I can add it to my repo or deploy it via CLI without copying from the browser.

Acceptance Criteria:

1. Download button appears after generation
2. File named by API name and type (e.g. Account_Renewal_Date.flow-meta.xml)
3. Available for all artifact types

4. Sandbox → Test → Production

Every metadata change is built and validated in a sandbox before production. Test records are created automatically to verify the component works correctly, then cleaned up before the production deploy is unlocked.

SBX-01 Org environment tagging and pairing

P0 — Must Have

As a Salesforce admin, I want to tag each connected org as Sandbox or Production and pair sandboxes with their production counterpart, **so that** the tool knows which org to test in and which to promote to.

Acceptance Criteria:

1. Environment badge (Sandbox / Production) shown on Connected Orgs page
2. Each sandbox can be paired with a production org via a dropdown
3. Generator org selector groups: Sandboxes first, Production second
4. Selecting a production org with no sandbox paired shows a warning

SBX-02 Sandbox-first enforcement

P0 — Must Have

As a Salesforce admin, I want to be guided to deploy to sandbox before production, **so that** I never accidentally push untested metadata directly to production.

Acceptance Criteria:

1. If production org selected in Generator: mandatory confirmation dialog
2. Dialog explains risk and recommends sandbox first
3. 'Deploy to Production' button disabled until sandbox deploy succeeds
4. Audit trail records sandbox org ID for every production deploy

SBX-03 Automated test record creation and validation

P0 — Must Have

As a Salesforce admin, I want to have the system automatically create test data in the sandbox to validate a deployed component, **so that** I know the component works on real data before it goes to production.

Acceptance Criteria:

1. Validation Rules: system creates records that should fail + records that should pass
2. Test outcome matches expected SF error message for failing records
3. Passing records insert cleanly (status 201)
4. All test records deleted immediately after validation
5. Production orgs: sample test warns about email alerts and callouts that fire on insert
6. Flows: trigger records created, side effects polled after 5 seconds
7. Complex Flows flagged as 'Manual verification recommended' if side effects can't be asserted
8. Test results shown per test case: description, expected, actual, pass/fail

SBX-04 Ship to Production

P0 — Must Have

As a Salesforce admin, I want to promote a sandbox-validated component to production in one click, **so that** the same artifact that passed in sandbox is deployed to prod without re-generating or re-uploading.

Acceptance Criteria:

1. 'Ship to Production' button enabled only after all sandbox test cases pass
2. Uses identical artifact XML — no regeneration
3. Full deploy loop (preflight → dry run → real deploy) runs against production org
4. Audit record links sandbox deployment ID to production deployment ID
5. Success notification with production component URL

5. User Management

Create and manage Salesforce users directly from the Workspace. Org-aware dropdowns pull live profiles, roles, and time zones.

USR-01 Create a single user

P0 — Must Have

As a Salesforce admin, I want to create a new Salesforce user using a form that fetches live org data, **so that** I don't need to switch to Salesforce Setup for a routine user creation.

Acceptance Criteria:

1. Fields: First Name, Last Name, Email, Username (auto-suggested from email), Alias
2. Profile dropdown populated from org's active profiles
3. Role dropdown populated from org's role hierarchy
4. Time zone and locale default to org defaults, editable
5. On submit: POST to SF REST API, show new user ID and Setup link
6. Validation: username must be unique globally (checked before submit)

USR-02 Bulk create users from CSV

P0 — Must Have

As a Salesforce admin, I want to upload a CSV of users and create all of them in one operation, **so that** I can onboard an entire team without creating each user individually.

Acceptance Criteria:

1. CSV columns: FirstName, LastName, Email, Username, ProfileName, RoleName
2. ProfileName and RoleName resolved to IDs via SOQL before load
3. Missing profile or role surfaced as a per-row error before submission
4. Uses Bulk API v2 insert on the User object
5. Success CSV includes new User IDs; failure CSV includes error per row

USR-03 Deactivate users

P1 — Should Have

As a Salesforce admin, I want to deactivate one or more users from a list, **so that** I can offboard departing employees without touching Setup.

Acceptance Criteria:

1. Search users by name or email
2. Multi-select with bulk deactivate action
3. Confirmation dialog showing count of users to be deactivated
4. Sets IsActive = false via Bulk API update
5. Warning if deactivated user owns open Opportunities or Cases

USR-04 Assign permission sets to users

P0 — Must Have

As a Salesforce admin, I want to assign one or more permission sets to a user or group of users, **so that** I can grant access immediately without deploying a profile change.

Acceptance Criteria:

1. Search users, select permission sets from org list
2. Multi-user, multi-permission-set assignment in one operation
3. Creates PermissionSetAssignment records via REST API
4. Duplicate assignment detected and skipped gracefully
5. Result shows: assigned, skipped (already assigned), failed

6. Custom Object Creation

Create custom objects with all required configuration — tabs, search layouts, field history, Chatter — via a guided wizard that asks the right questions.

OBJ-01 Create a custom object

P0 — Must Have

As a Salesforce admin, I want to create a custom object with label, API name, name field, and sharing model through a wizard, **so that** I can set up new objects without knowing the Metadata API structure.

Acceptance Criteria:

1. Fields: Object Label, Plural Label (auto-suggested), API Name (auto-generated from label)
2. Name field: auto-number or text, format configurable
3. Sharing model: Private / Read Only / Read/Write / Controlled by Parent
4. Deploys CustomObject metadata via Metadata API
5. Confirmation shows API name and a link to the object in Setup

OBJ-02 Object configuration questions

P0 — Must Have

As a Salesforce admin, I want to be asked about optional object features during creation, **so that** I don't miss important configuration like search, tabs, or activities.

Acceptance Criteria:

1. Wizard asks: Enable Activities? (yes/no)
2. Wizard asks: Enable Chatter Feed? (yes/no)
3. Wizard asks: Enable Reports? (yes/no)
4. Wizard asks: Enable Search? (yes/no)
5. Wizard asks: Create a Tab for this object? If yes: tab style picker
6. Wizard asks: Enable Field History Tracking? (yes/no)
7. Selections included in the deployed CustomObject and CustomTab metadata

OBJ-03 Add fields to a new or existing object

P0 — Must Have

As a Salesforce admin, I want to add custom fields to an object immediately after creating it or from a list of existing objects, **so that** I complete the object setup in one flow without switching to Setup.

Acceptance Criteria:

1. Field types supported: Text, Number, Date, Date/Time, Checkbox, Picklist, Lookup, Formula, Currency, Email, Phone, URL
2. Picklist: enter values inline, mark default
3. Lookup: target object selected from org object list
4. Formula: text input with field reference helper
5. Required, Unique, External ID flags configurable per field
6. Help text and description fields
7. Deploys CustomField metadata via Metadata API

OBJ-04 Create a Tab for an existing object

P1 — Should Have

As a Salesforce admin, I want to create a tab for an existing custom object that doesn't have one, **so that** I make the object accessible in the app navigation without a full Setup visit.

Acceptance Criteria:

1. Object selected from list of custom objects without tabs
2. Tab style (icon) picker
3. Visibility set per profile or default to visible to all
4. Deploys CustomTab metadata

7. Profile Management

PRF-01 Clone an existing profile

P0 — Must Have

As a Salesforce admin, I want to clone an existing profile and give it a new name, **so that** I create a new profile with a known baseline without building from scratch.

Acceptance Criteria:

1. Select source profile from org profile list
2. Enter new profile name
3. Retrieves source profile metadata via Metadata API
4. Deploys cloned profile with new name
5. Result includes new profile ID and Setup link

PRF-02 Modify object and field permissions on a profile

P1 — Should Have

As a Salesforce admin, I want to update which objects and fields a profile can read, create, edit, or delete, **so that** I manage access without navigating Setup's slow profile editor.

Acceptance Criteria:

1. Select profile and object
2. Object-level permissions shown as toggles: Read, Create, Edit, Delete, View All, Modify All
3. Field-level security shown per field: Read, Edit
4. Changes compiled into updated Profile metadata and deployed via Metadata API
5. Dry run before real deploy

PRF-03 View users assigned to a profile

P1 — Should Have

As a Salesforce admin, I want to see which users are currently assigned to a given profile, **so that** I understand the blast radius of a profile change before making it.

Acceptance Criteria:

1. Profile selected from list
2. SOQL query returns users with that profile
3. Shows: Name, Username, IsActive, Last Login
4. Count shown prominently: 'X users will be affected by profile changes'

8. Permission Set Management

PRM-01 Create a permission set

P0 — Must Have

As a Salesforce admin, I want to create a new permission set with a label, API name, and description, **so that** I can grant targeted access without modifying profiles.

Acceptance Criteria:

1. Fields: Label, API Name (auto-generated), Description, License (optional)
2. Deploys PermissionSet metadata via Metadata API
3. Optionally add object/field permissions inline after creation

PRM-02 Add object and field permissions to a permission set

P0 — Must Have

As a Salesforce admin, I want to grant object and field-level access within a permission set, **so that** I configure access precisely without navigating Setup.

Acceptance Criteria:

1. Object list pulled from org
2. Object permissions: Read, Create, Edit, Delete, View All, Modify All
3. Field list pulled from selected object
4. Field permissions: Read, Edit
5. Compiled into updated PermissionSet metadata, deployed via Metadata API with dry run

PRM-03 Assign a permission set to users

P0 — Must Have

As a Salesforce admin, I want to assign a permission set to one or more users from within the Workspace, **so that** I don't need to go to each user record in Setup.

Acceptance Criteria:

1. Permission set selected from org list
2. User search: name or email
3. Multi-select users
4. Creates PermissionSetAssignment via REST API
5. Skips duplicates, reports result per user

PRM-04 Create a Permission Set Group

P2 — Nice to Have

As a Salesforce admin, I want to bundle multiple permission sets into a group and assign the group, **so that** I manage complex permission stacks as a single unit.

Acceptance Criteria:

1. Select 2+ existing permission sets to include
2. Label and API name for the group
3. Deploys PermissionSetGroup metadata
4. Assign group to users the same way as individual permission sets

9. Assignment Rules

ASN-01 Create a Lead or Case assignment rule

P0 — Must Have

As a Salesforce admin, I want to create an assignment rule with criteria-based entries for Leads or Cases, **so that** new records are automatically routed to the right owner or queue.

Acceptance Criteria:

1. Object: Lead or Case
2. Rule entries: field criteria (Field, Operator, Value), assignee (User or Queue)
3. Multiple entries with order (evaluated top-down)
4. Option to set as the active assignment rule
5. Deploys AssignmentRules metadata via Metadata API with dry run

ASN-02 View and reorder rule entries

P1 — Should Have

As a Salesforce admin, I want to view existing assignment rule entries and change their order, **so that** I fix routing priority without re-creating the entire rule.

Acceptance Criteria:

1. Retrieves current AssignmentRules metadata
2. Drag-to-reorder entries (or up/down arrows)
3. Saves updated order via Metadata API deploy
4. Active rule highlighted

10. Mapping Sheet Intelligence

Upload a field mapping sheet (Excel or CSV). The system reads it, queries the org, finds every gap, and asks whether to create missing fields — one per gap.

MAP-01 Upload and parse a mapping sheet

P0 — Must Have

As a Salesforce admin, I want to upload an Excel or CSV mapping sheet and have it parsed automatically, **so that** I don't need to manually check each field against the org.

Acceptance Criteria:

1. Accepts .xlsx, .xls, .csv
2. Expected columns: Object, Field Label, API Name, Field Type, Required
3. Parser shows preview: total rows, unique objects, field count per object
4. Handles merged cells, blank rows, and missing columns gracefully
5. Column mapping step if headers don't match expected names

MAP-02 Compare mapping sheet against live org

P0 — Must Have

As a Salesforce admin, I want to see which fields in the mapping sheet already exist in the org and which are missing, **so that** I have an immediate gap analysis without manual cross-referencing.

Acceptance Criteria:

1. For each object in the sheet: runs SF describe API
2. Fields matched by API name (case-insensitive)
3. Result table: Object | Field API Name | Type | Status (Exists / Missing / Type Mismatch)
4. Summary: X fields checked, Y exist, Z missing, W type mismatches
5. Type mismatch: field exists but with a different field type — flagged as warning

MAP-03 Ask to create missing fields

P0 — Must Have

As a Salesforce admin, I want to be prompted per missing field with a question about whether to create it, **so that** I make an explicit decision about each gap rather than having fields created silently.

Acceptance Criteria:

1. Each missing field shown as a card: Object, Label, API Name, Type from sheet
2. Per card: 'Create this field?' with Yes / No / Customise options
3. 'Customise' opens an inline form to adjust label, type, help text, required flag
4. Fields with no type in the sheet ask the admin to specify before creation
5. Decisions saved per field — can review all before committing

MAP-04 Batch create approved fields

P0 — Must Have

As a Salesforce admin, I want to create all approved fields in one operation after reviewing the gaps, **so that** I apply the entire mapping sheet to the org without creating fields one by one.

Acceptance Criteria:

1. Creates CustomField metadata for each approved field
2. Deployed in batches by object (one package per object)
3. Dry run per object before real deploy
4. Progress shown per object: deploying / passed / failed
5. Failed fields show exact Metadata API error — no silent failures

MAP-05

Mapping sheet final report

P1 — Should Have

As a Salesforce admin, **I want to** get a downloadable report of what was done after processing a mapping sheet, **so that** I have an audit record of what fields were checked, created, and skipped.

Acceptance Criteria:

1. Report: total fields in sheet, fields that existed, fields created, fields skipped, fields that failed
2. Per-field row with status and any error message
3. Downloadable as CSV
4. Report also shown in Workspace activity feed

11. Connected Orgs & Health

ORG-01 Connect a Salesforce org via OAuth

P0 — Must Have

As a Salesforce admin, I want to connect a Salesforce org to the Workspace using OAuth without entering credentials, **so that** my tokens are never stored in plaintext and I can revoke access from Salesforce at any time.

Acceptance Criteria:

1. Separate OAuth flows for sandbox and production orgs
2. Org tagged as Sandbox or Production automatically from the OAuth response
3. Org name, username, and instance URL shown after connection
4. Refresh token stored securely and used to refresh access token on each operation

ORG-02 Run a 6-check connection health test

P0 — Must Have

As a Salesforce admin, I want to run a full health check on a connected org on demand, **so that** I know the org is ready for operations before starting a load or deploy.

Acceptance Criteria:

1. Checks: Identity, REST API, Metadata API, Deploy permission, Token validity, API version
2. Each check shows: pass/fail, response time, details
3. Overall health badge: Healthy / Warning / Error
4. Results stored — visible in the Connected Orgs list as last-tested timestamp
5. Auto-run on first connection

ORG-03 Pair sandbox with production org

P0 — Must Have

As a Salesforce admin, I want to link a sandbox org to its production counterpart, **so that** the tool can enforce sandbox-first and enable one-click promote to production.

Acceptance Criteria:

1. Dropdown on each sandbox org: 'Paired production org'
2. Can only pair with orgs already connected
3. Pairing visible in Connected Orgs list
4. Generator uses pairing to show 'Ship to Production' button

12. Audit & History

AUD-01 Full operation history

P0 — Must Have

As a Salesforce admin, I want to view a filterable history of every operation across all orgs, **so that** I can audit what changed, when, and by whom without checking Salesforce Setup logs.

Acceptance Criteria:

1. Filter by: operation type, org, status, date range
2. Expandable rows show full detail: error messages, row counts, artifact XML
3. Export filtered history as CSV
4. Operations retained for 90 days

AUD-02 Cross-org pattern learning

P1 — Should Have

As a Salesforce admin, I want to see warnings based on failures that happened in other orgs for the same operation, **so that** I avoid known pitfalls even on a brand new org I've never worked with before.

Acceptance Criteria:

1. After 2+ failures of the same type across different orgs, a cross-org pattern is recorded
2. Pattern shown as 'Heads up from past loads' in the pre-flight panel
3. Pattern includes: description, how often seen, which objects/operations affected
4. Pattern confidence score increases with each additional org that hits the same issue
5. Org-specific memories stay org-scoped and don't pollute cross-org patterns

Priority Summary

All user stories ranked by build priority. P0 items are required for initial release. P1 items should ship in the first major update. P2 items are backlog.

Story ID	Title	Priority
WS-01	Unified activity feed	P0
WS-02	Quick-action cards	P0
WS-03	Org health summary	P1
DL-01	Upload and load CSV	P0
DL-02	Pre-flight validation	P0
DL-03	Partial success handling	P0
DL-04	Dry run mode	P0
DL-05	5-row sample test	P1
DL-06	Duplicate job guard	P1
GEN-01	Generate from plain English	P0
GEN-02	Edit existing component	P0
GEN-03	Preflight + dry run	P0
GEN-04	Claude auto-repair	P1
GEN-05	Migrate Workflow/PB to Flow	P1
GEN-06	Download generated artifact	P2
SBX-01	Org environment tagging	P0
SBX-02	Sandbox-first enforcement	P0
SBX-03	Automated test record validation	P0
SBX-04	Ship to Production	P0
USR-01	Create a single user	P0
USR-02	Bulk create users from CSV	P0
USR-03	Deactivate users	P1
USR-04	Assign permission sets to users	P0
OBJ-01	Create a custom object	P0
OBJ-02	Object configuration questions	P0
OBJ-03	Add fields to an object	P0
OBJ-04	Create a Tab	P1
PRF-01	Clone a profile	P0
PRF-02	Modify object/field permissions	P1

PRF-03	View users on a profile	P1
PRM-01	Create a permission set	P0
PRM-02	Add object/field permissions	P0
PRM-03	Assign permission set to users	P0
PRM-04	Permission Set Group	P2
ASN-01	Create assignment rule	P0
ASN-02	View and reorder rule entries	P1
MAP-01	Upload and parse mapping sheet	P0
MAP-02	Compare against live org	P0
MAP-03	Ask to create missing fields	P0
MAP-04	Batch create approved fields	P0
MAP-05	Mapping sheet final report	P1
ORG-01	Connect org via OAuth	P0
ORG-02	6-check health test	P0
ORG-03	Pair sandbox with production	P0
AUD-01	Full operation history	P0
AUD-02	Cross-org pattern learning	P1