

# ब्रह्मपुत्र वैली फर्टिलाइजर कॉर्पोरेशन लिमिटेड



## BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED

(A GOVERNMENT OF INDIA UNDERTAKING)

MARKETING DIVISION

NAMRUP. P.O.: PARBATPUR, DIST: DIBRUGARH, ASSAM. PIN – 786 623

FAX: +91374 2500533, CIN No. U24123AS2002GOI006786

e-mail: marketing\_it@bvfc.co.in, marketing@bvfc.co.in, info@bvfc.co.in website: <http://www.bvfcl.com>

Please reply to:

General Manager (Mktg & HR)

BVFCL, Namrup

P.O. Parbatpur – 786 623

Dist. Dibrugarh (Assam), India

GST No: 18AABCB9399R1ZK

### NOTICE INVITING TENDER

BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED, NAMRUP (ASSAM) INVITES offline BIDS in two bid system (techno-commercial & price bid) from reputed interior decorators/ Architect for interior decoration of BVFCL State Office at 4<sup>th</sup> Floor, 6, Ganesh Chandra Avenue, Kolkata-700013.

The brief of the NIT is hereunder:

- |                  |                                  |
|------------------|----------------------------------|
| 1. NIT NO.       | : BVFCL/GM(Mktg&HR)/KOL/21-22/01 |
| 2. DATE OF ISSUE | : 27/12/2021                     |
| 3. TYPE OF BID   | : TWO STAGE                      |
| 4. BID OPENING   | : 07/01/2022 AT 03:30 PM.        |

Interested parties may download the prescribed format and send the sealed quotation in this format to the following address.

Sr. Sales Officer  
Brahmaputra Valley Fertilizer Corporation Limited.  
4<sup>th</sup> Floor, 6, Ganesh Chandra Avenue, Kolkata-700013.

#### A. Eligibility:

Party/agency should have minimum two years experience in the same field. The bidders have to submit the supporting documents as a proof of experience from recognized institution.

#### B. Scope of work:

This office is situated at 4th Floor of 6, Ganesh Chandra Avenue, Kolkata-700013, with almost 1200 sq. ft carpet area, interested parties may also visit the place before quoting the price. The scope of the work are given as follows-

As per the specification mentioned in Anexture-1

### **C. Application Fees:**

The bidders have to deposit application fees of Rs. 500/-(non refundable) through RTGS/NEFT (A/c No-30397754394, IFSC–SBIN 0000223, Branch–SBI, Namrup) from any Nationalized bank in favour of Brahmaputra Valley Fertilizer Corporation Limited only. The scanned copy of RTGS/NEFT are to be submitted along with the tender documents.

### **D. Earnest Money:**

The tenderers have to deposit EMD of Rs. 25000/- through RTGS/NEFT (A/c No-30397754394, IFSC–SBIN 0000223, Branch–SBI, Namrup) through any Nationalized bank in favour of Brahmaputra Valley Fertilizer Corporation Limited only. The scanned copy of RTGS/NEFT are to be submitted along with the tender documents.

### **E. Completion of work:**

Work as specified in “scope of work” should be completed within 20 days from the date of receipt of job order.

### **F. Mode of submitting quotation:**

Sealed Quotations in the prescribed format (as provided) should be sent either by courier service/speed post/registered AD OR personally delivered to: **Brahmaputra Valley Fertilizer Corporation Limited, 4<sup>th</sup> Floor, 6, Ganesh Chandra Avenue, Kolkata-700013.**

The quotations should be submitted in two separate sealed envelopes i.e sealed envelopes-I containing EMD, Tender Fee and other requisite documents/credentials and sealed envelopes-II containing price bid(annexure-III). Both these sealed envelopes duly superscribed as “Technical bid” (Annexure-II) and “Price bid”(Annexure-III)

In case of variation in figures and words the words version shall be taken as final. Over-writing in the quotation is not allowed. Corrections made in the quotation should be initiated by the tenderer and each page of the terms and conditions, tender forms should be signed and sealed.

The Techno-Commercial Bids will be opened on stipulated date and time. The Techno-Commercial Bids will be scrutinized in details in respect of NIT requirements. Price bids of techno commercially qualified bidders shall be opened only.

**G.** As per rule 170 of General Financial Rules (GFRs) 2007, Micro and small Enterprises (MSEs) and the firm registered with concerned Ministries/ Departments are exempted from submission of Bid Security. The tenderer having MSME certificate/ registration are hereby asked to furnish the MSME certificate with sign, seal.

### **H. Payment Terms:**

- I. 97% value of the completed work shall be released after successful completion of work within 30 days from submission of bill in triplicate and as certified by authorized contractor – in – charge after deduction, if any. Balance 3% payment shall be kept as Security Deposit (SD), which shall be release after successful completion of workmanship guarantee period of 06 (six) month.

- II. Clarification on the bills, if any, will be sought within 15 days from the date of receipt of the bill in one go. The party shall submit the sought clarification within 15 days. Payment will be released within 30 days of receipt of the rectified bill/clarification.
- III. All statutory taxes and duties shall be applicable as per rule at usual and prevailing rates. Income tax however shall be deducted from bills.
- IV. GST at the applicable rate shall be reimbursed / deducted.

**I. Arbitration:**

In case of any dispute or differences between the parties, the same shall be amicably resolved through mutual discussions and understanding. If the matter/ dispute remain unresolved, the same shall be referred to the sole arbitrator for settlement of the same. The sole arbitrator shall be appointed by the mutual consent of both the parties. The arbitration shall be conducted in accordance with the provisions of Arbitration & Conciliation Act, 1996 or any statutory modification or re-enactment thereof and the rules made there under. The venue of arbitration shall be Dibrugarh (Assam).

**J. Right of acceptance and Rejection of NIT:**

BVFCL reserves the right to accept at their sole discretion regarding NIT for whole or part of NIT or reject any or all NIT without assigning any reason thereof. No claims for compensation or otherwise whatsoever will be considered by BVFCL.

**K. Experience:**

The party must give undertaking of performing similar nature of job and in support of this party must submit work order copy and job completion certificate.

H. BVFCL reserves the right of cancelling the work order and awarding the job to other suitable and resourceful party, if the party upon which work order has been placed fails to start the job within 3 days after getting the work order.

I. The contractor shall abide by all the statutory obligation under various statutory Act and rules made there under, and as amended from time to time in respect of their establishment and /or workmen engaged by them. Under any circumstances, BVFCL shall not be liable or held responsible in any manner whatsoever, for default or omission on the part of the contractor(s) for non-compliance of the aforesaid Acts and rules, and any other laws applicable to contractors and /or their establishment and the workmen engaged by them.

**J. Agreement:**

The Contractor's responsibility under this contract will commence from date of issue of the letter of intent/Work order. The tender documents, other documents exchanged between tenderer and BVFCL, the letter of acceptance and work order shall constitute the contract. The successful tenderer shall have to execute an agreement with Bramaputra Valley Fertilizer Corporation Limited, Namrup on a non-judicial stamp paper costing Rs 100.00 within 10(Ten) days of the date of receipt/acceptance of the work order or before commencement of work whichever is earlier. The cost of stamp paper shall be borne by the contractor. The Agreement to be executed will be in the agreement form to be specified by Brahmaputra Valley Fertilizer Corporation Limited, Namrup.

**SPECIFICATION**

**Interior Decoration Works Technical Specifications :**

1. Supplying Vitrified Tiles of Johnson company ( Dimension : 2 Feet \* 2 Feet ) with fittings materials ,fixing and positioning,proper chipping,approx quarter inches proper tiles adhesive, proper tiles face edge grouting with white cements as per Architect's Drawing & Direction of BVFCL for Cabin 1 area ,Cabin 2 area , Conference room area , Work Station area , Reception area where all mentioned areas floor covered with wall skating edge of tiles And Pantri entrance , Pantri , Male Toilet , Ladies Toilet areas floors and wall upto 6 feet from floor covered with 1 Feet \* 1 feet tiles with same conditions.Tiles Colour as per Architect's Drawing & Direction of BVFCL .

2. Supplying Gypsum False Ceiling as per Architect's Drawing & Direction of BVFCL for Cabin 1 area, Cabin 2 area , Conference Room area ,Work Stations area , Executive area,Reception area , Pantri entrance area , Pantri area , Male Toilet area,Ladies Toilet area with 6 feet \* 4 feet 12.5 mm thickness gypsum board , 12 feet long and 0.04 mm thickness Steel GI channel for framing which section distance 2 feet and horizontal distance 4 feet and GI L hanger supported with 12 mm fastnut, fittings materials , fixing ,positioning, 2 inches joint taping,Sengovindgypsum compound powder coating and necessary lights shape cutting for false ceiling panel lights.

3. Supplying Royale Paint for walls and Emulsion paint for false ceilings of Asian Paint Company as per Architect's Drawing & Direction of BVFCL with 2 cote paste and powder putti mixture for wall curve leveling and 3 cote paste and powder false ceiling curve leveling ,2 cote primer , 3 cote paint ( minimum ).Paint,Primer,powder and paste putti materials must be from Asian Paint Company accepted.Colour as per Architect's Drawing & Direction of BVFCL .

4. Supplying for making of size 4 Feet 4 inches width ( approx ) \* 5 inch thickness \* 9 Feet height break wall partition with break,Cement,sand, wall cement plastering for Male and Female toilet separation and wall breaking and finishing to make new entrance for Male toilet of size 2 Feet 8 Inches width \* 6 Feet 8 Inches Height.Civil as per Architect's Drawing & Direction of BVFCL.

**5. Electrical Works :**

5.01. Supplying and fixing,positioning,connecting minimum 40 pieces 18 Watt/6000K false ceiling Led panel lights of Max either Diamond company for Office area and 6 pieces 18 Watt/6000K false ceiling Led panel lights of Max either Diamond company for Pantri and Toilets area and wiring works of led false ceiling panel lights must be done with 1 mm thickness of Finolex FR wire and wire passing through 19mm flexible pipe as per Architect's Drawing & Direction of BVFCL.

5.02. Supplying and fixing,positioning,connecting 9 pieces 48 inches diameter Ceiling Fan from Crompton either Orient company with extension fan rod

with proper hanging system and connection wiring works must be done with 1 mm thickness of Finolex FR wires as per Architect's Drawing & Direction of BVFCL.

5.03. Supplying and fixing, positioning, connecting minimum 34 pieces 6 amp Saker and 14 Pieces 15 amp Saker for Office area And 2 pieces 6 amp Saker and 2 pieces 15 amp saker for Pantri area from Pritam either Anchor Ziva company electrical modular board and every saker has individual switch from same company and connection wiring works must be done with 2.5 mm thickness of Finolex FR wires as per Architect's Drawing & Direction of BVFCL.

5.04. Supplying and fixing, positioning, connecting 5 pieces Aircondition's electrical point provision with Pritam either Anchor Ziva Company modular 15 amp saker and Starter and connection wiring works must be done with 4 mm thickness of Finolex FR wires as per Architect's Drawing & Direction of BVFCL.

5.05. Supplying and fixing, positioning, connecting minimum 7 points provision for Intercom connection with CAT 5 phone cable and with Pritam either Anchor Ziva Company modular electric board, as per Architect's Drawing & Direction of BVFCL.

5.07. Supplying and fixing, positioning, connecting minimum 14 points provision for LAN connection with CAT 6 cable and with Pritam either Anchor Ziva Company modular electric board, as per Architect's Drawing & Direction of BVFCL.

5.08. Supplying and fixing, positioning, connecting from 2 pop up box to LCD provision with HDMI cable in Conference room area and with Pritam either Anchor Ziva Company modular electric board, as per Architect's Drawing & Direction of BVFCL.

5.09. Supplying and fixing, positioning, connecting minimum 3 pieces 3 watt sticker lights of Max either Diamond company for Display cabinet and minimum 6 pieces 3 watt sticker lights of Max either Diamond company for Office main entrance outside highlighting and connection wiring works must be done with 1 mm thickness of Finolex FR wires as per Architect's Drawing & Direction of BVFCL.

5.10. Supplying and fixing, positioning, connecting Legrand company 24 to 28 pole DP box with 1 piece 4 pole 64 amp RCCB and 1 piece 4 pole 64 amp Isolater and 5 pieces Single pole 25 amp MCB and 6 pieces single pole 10 amp MCB and 8 pieces single pole 6 amp MCB and 2 pieces single pole 16 amp MCB, as per Architect's Drawing & Direction of BVFCL.

5.11. Supplying and fixing, positioning, connecting others necessary switches, sakers etc electrical modular board from Pritam either Anchor Ziva company and Others inside electrical wiring works must be use Finolex FR wire with minimum 1 mm thickness and all electrical wire wiring works must be covered by necessary dimension casing with matching colour as per Architect's Drawing & Direction of BVFCL.

5.12. Supplying and fixing, positioning, connecting for necessary Main line wiring to bring connection Office area and Patri area with 16 mm Finolex FR wire with proper wire wiring covered, as per Architect's Drawing & Direction of BVFCL.

5.13. Supplying and fixing, positioning, connecting for 2 pieces Exoist fan from Cromton company for Patri area and Male toilet areas as per Architect's Drawing & Direction of BVFCL.

## 6. Furniture works.

6.01. Supplying fittings, fixing and positioning Office Main entrance out side wall panelling design of size 8 Feet 7 Inches (W) X 11 Feet 2 Inches X 4 Inches (D) as per Architect's 3D drawing & Direction of BVFCL the wall panelling made of 19 mm plywood and Laminate also use 1 mm thickness and sgrup also use SS quality and Nel also use good quality.

6.02. Supplying fittings, fixing, and positioning Office Main Entrance 1 piece Flush Door of size 3 Feet 9 Inches (W) X 6 Feet 11 Inches (H) X 32 mm (thickness) made of 32 mm thickness flush door and both side 1 mm laminate pasting and minimum 3 pieces Stainless Steel Kabza with SS quality sgrup and with 1 piece a good quality 24 inches handle door and with 1 piece door lock system of Goodrej company and with good quality 1 piece 10 inches Brass Chitkini for inside portion lock and with 1 piece good quality SS door stopper and door edge complete with polishing, as per Architect's Drawing & Direction of BVFCL.

6.03. Supplying fittings, fixing, and positioning Office Main Entrance 1 piece Glass door of Size 3 Feet 9 Inches (W) X 6 Feet 11 Inches (H) X 10 mm (thickness) with toughen quality and with BVFCL logo and with 1 piece 2 Feet good quality glass door handle and with 1 piece good quality locking system and with 1 set good quality glass door fittings, as per Architect's Drawing & Direction of BVFCL.

6.04. Supplying fittings, fixing, and positioning 1 Pieces reception table for Reception area of size 5 Feet (W) X 1 Feet 6 Inches (D) X 2 Feet 6 Inches (H) made of 25mm plywood and with all outside and inside surface area pasted with 1 mm laminate and 1 piece good quality wire manager system and with 1 piece pvc/metal keyboard tray system and with 1 piece Pedestal cabinet of size 1 Feet 4 Inches (W) X 1 Feet 6 Inches (D) X 2 Feet 5 Inches (H) made of 19 mm plywood and both side, front, top surface area pasted with 1 mm laminate and back, inside all area, bottom area pasted 0.72 mm inner white laminate and with 1 piece Drawer system with lock and SS quality handle provision and covered file store system with lock and SS quality handle provision and with autohench system and with 1 piece covered file storage cabinet of size 3 Feet (W) X 1 Feet 4 Inches (D) X 2 Feet 6 Inches (H) made of 19 mm plywood and both side, front, top surface area pasted with 1 mm laminate and back, inside all area, bottom area pasted 0.72 mm inner white laminate and with with lock and SS quality handle provision and with middle partition and 1 pcs rack provision by 19 mm ply with tongue join, as per Architect's 3D drawing & Direction of BVFCL.

6.05. Supplying fittings, fixing, and positioning 1 piece center table of size 2 Feet 6 Inches (L) X 2 Feet (W) X 1 Feet 8 Inches (H) made of 25 mm plywood and all inside, outside, edge surface area pasted with 1 mm thick laminate as per Architect's 3D drawing & Direction of BVFCL.

6.06.Sofa 3 seater : Fully upholstered sofa 3 seater,made of treated hard wood,upholstered in 40 density polyurethane foam 150 mm thick and siliconisedpolyfill etc. size of 3 seater 7 Feet (L) X 2 Feet 8 Inches (D) X 1 Feet 5.5 Inches(SH).Leg made of solid wood with fine polishing either foam with synthetic leather covered, upholstered in synthetic leather of your choice as perArchitect 's 3D drawing @400.00 per meter,machine either Hand finished under as per Architect 's 3D drawing & Direction of BVFCL.

6.07.Supplying fittings,fixing, and positioning 1 piece product display unit of size 4 Feet (W) X 1 Feet 2 Inches (D) X 6 Feet 8 Inches (H)as per Architect 's 3D drawing in Reception area and made with 19 mm plywood and all outside surface area pasted with 1 mm thik laminate and back,others all inside surface area with pasted 0.72 mm thik inner white laminate and with telescoping chanel drawer system and covered store area with 19 mm inside partition and with SS quality handle provision and good locking provision in drawer and store portion and selves and toughen glass works ,as per Architect 's 3D drawing & Direction of BVFCL.

6.08.Supplying fittings,fixing, and positioning 1 piece DP box covering of size 4 Feet (W) X 4 Feet (H) X 1 Feet (D)as per Architect 's 3D drawing Reception area and made with 19 mm plywood and alloutside surface area pasted with 1 mm thik laminate and back,others all inside surface area with pasted 0.72 mm thik inner white laminate and with SS quality handle and magnet and autohench provision,as per Architect 's 3D drawing & Direction of BVFCL.

6.09.Supplying fittings,fixing, and positioning Wooden Partition of size 33 Feet 1 Inches (L) X 9 Feet (H) X 3 Inches (Thiknes) as per Architect 's 3D drawing for separation of Cabin 1,Cabin 2,Conference room ,work station and Reception area made with plywood and solidwood and both side surface area pasted with 1 mm laminate and with 8 mm thickness transparent toughen glass with hitching design and glass fixing wooden bitpolishing complete , as per Architect 's 3D drawing & Direction of BVFCL.

6.10.Supplying fittings,fixing, and positioning 3 pieces Flush Door of size 2 Feet 10 Inches (W) X 6 Feet 8 Inches (H) X 32 mm (Thikness)as per Architect 's 3D drawing for Cabin 1,Cabin 2,Conference Room and 1 pieces Flush Door of size 3 Feet (W) X 6 Feet 8 Inches (H) X 32 mm (Thikness) for Reception to Work Station area entrance made with 32 mm flush door plywood and both side surface area pasted with 1 mm laminate and with 8 mm toughen glass with hitching design as per Architect 's 3D drawing and with good quality handle lock ,door closer provision and all door edge and glass fixing wooden bit polishing complete and mimum 3 pieces 5 inches stailless steel kabza use for doors hanging ,as per Architect 's 3D drawing & Direction of BVFCL.

6.11.Supplying fittings,fixing, and positioning 11 pieces Pedistal cabinet of size 1 Feet 4 Inches (W) X 1 Feet 6 Inches (D) X 2 Feet 5 Inches (H) for 4 sitting work station area ,5 sitting visitor dealing work station area,Cabin 1 and Cabin 2 as per Architect 's 3D drawing made with19 mm plywood and alloutside surface area pasted with 1 mm thik laminate and back,others all inside surface area with pasted 0.72 mm thik inner white laminate and with telescoping chanel system drawer

,autohench system cover store and good quality locking provision both section and SS quality handle provision,as per Architect 's 3D drawing & Direction of BVFCL.

6.12.Supplying fittings,fixing, and positioning 5 pieces Work Station tables for visitor dealing of size 3 Feet 5 Inches (W) X 2 Feet (D) X 2 Feet 6 Inches (H) for 5 sitting visitor dealing work station areaas per Architect 's 3D drawing made with 25 mm plywood and alloutside and inside surface area pasted with 1 mm thik laminate and with each table wire manager provision and separation provision as per Architect 's 3D drawing & Direction of BVFCL.

6.13.Supplying fittings,fixing, and positioning 6 pieces File store cabinets of size 2 Feet 8 Inches (W) X 1 Feet 4 Inches (D) X 4 Feet (H)for 5 sitting visitor dealing work station area as per Architect 's 3D drawing made with 19 mm plywood and alloutside surface area pasted with 1 mm thik laminate and back ,inside all suface areapasted with 0.72 mm thik inner white laminate and with autohench provision door system ,locking system, 2 pieces 19 mm thik racks,1 piece 19 mm thik partition provision ,as per Architect 's 3D drawing & Direction of BVFCL.

6.14.Supplying fittings,fixing, and positioning 4 pieces Work Station tables of size 3 Feet 6 Inches (W) X 2 Feet 1 Inches (D) X 2 Feet 6 Inches (H) for 4 sitting work station area as per Architect 's 3D drawing made with 25 mm plywood and alloutside and inside surface area pasted with 1 mm thik laminate and with each table wire manager provision and separation and soft board provision in each section as per Architect 's 3D drawing & Direction of BVFCL.

6.15.Supplying fittings,fixing, and positioning 4 pieces Wall Hanging File store cabinets of size 3 Feet 6 Inches (W) X 1 Feet 4 Inches (D) X 2 Feet 8 Inches (H)for 4 sitting work station area as per Architect 's 3D drawing made with 19 mm plywood and alloutside surface area pasted with 1 mm thik laminate and back ,inside all suface areapasted with 0.72 mm thik inner white laminate and with autohench provision door system ,locking system, 2 pieces 19 mm thik racks,2 piece 19 mm thik partition provision ,as per Architect 's 3D drawing & Direction of BVFCL.

6.16.Supplying fittings,fixing, and positioning 1 piece Conference Table of Size 8 Feet (L) X 3 Feet(W) X 2 Feet 6 Inches (H) for Conference room area as per Architect 's 3D drawing made with 25 mm plywood and alloutside and inside surface area pasted with 1 mm thik laminate and with 2 piece pop up box system provision ,as per Architect 's 3D drawing & Direction of BVFCL.

6.17.Supplying fittings,fixing, and positioning 2 pieces tables of size 5 Feet 6 Inches (L) X 2 Feet (W) X 2 Feet 6 Inches (H) for Cabin 1 and Cabin 2 area as per Architect 's 3D drawing made with 25 mm plywood and alloutside and inside surface area pasted with 1 mm thik laminate and with each table wire manager provision and with steel profile design as per Architect 's 3D drawing & Direction of BVFCL.

6.18.Supplying fittings,fixing, and positioning 2 pieces File store cabinets of size 4 Feet (W) X 1 Feet 4 Inches (D) X 2 Feet 6 Inches (H)for Cabin 1 and Cabin 2 area as per Architect 's 3D drawing made with 19 mm plywood and alloutside surface area pasted with 1 mm thik laminate and back ,inside all suface areapasted with 0.72 mm thik inner white laminate and with autohench provision door system ,locking



system, 2 pieces 19 mm thick racks, 1 piece 19 mm thick partition provision, as per Architect's 3D drawing & Direction of BVFCL.

6.19. Supplying fittings, fixing, and positioning 2 pieces File store cabinets of size 6 Feet 9 Inches (W) X 1 Foot 4 Inches (D) X 4 Feet (H) for Cabin 1 and Cabin 2 area as per Architect's 3D drawing made with 19 mm plywood and all outside surface area pasted with 1 mm thick laminate and back, inside all surface area pasted with 0.72 mm thick inner white laminate and with autohunch provision door system, locking system, 3 pieces 19 mm thick racks, 2 piece 19 mm thick partition provision, as per Architect's 3D drawing & Direction of BVFCL.

6.20. Supplying fittings, fixing, and positioning 7 set window blinds as per Architect's 3D drawing & Direction of BVFCL and colour, horizontal either vertical shape as per Direction of BVFCL And Supplying, fixing and Positioning 2 pieces Executive and 29 pieces Executive chairs which with steel legs and wheels and seat & back to be made of polyurethane high density foam and covered with synthetic leather,

6.21. Supplying fittings, fixing, and positioning Wall panelling of size as per Architect's 3D drawing made with 19 mm plywood and all outside surface area pasted with 1 mm thick laminate and keeping provision for Aircondition resting and passing outdoor pipes, as per Architect's 3D drawing & Direction of BVFCL, as per Architect's 3D drawing & Direction of BVFCL.

6.22. Supplying fittings, fixing, and positioning Pantri cabinet of size 1 Foot 8 Inches (W) X 1 Foot 5 Inches (D) X 4 Feet (H) for Pantri area as per Architect's 3D drawing made with 19 mm plywood and all outside surface area pasted with 1 mm thick laminate and back, inside all surface area pasted with 0.72 mm thick inner white laminate and with autohunch provision door system and with 4 pieces inside 19 mm selves and with SS quality handle provision, as per Architect's 3D drawing & Direction of BVFCL.

6.23. Supplying fittings, fixing, and positioning Frame door system of size 4 Feet 6 Inches (W) X 2 Feet 6 Inches (H) for Pantri area as per Architect's 3D drawing made with 19 mm plywood and all outside and inside surface area pasted with 1 mm thick laminate and with autohunch door system and with SS quality handle provision and with 1 piece 19 mm thick selves, as per Architect's 3D drawing & Direction of BVFCL.

6.24. Supplying fittings, fixing, and positioning 3 piece Flush door of size 3 Feet (W) X 6 Feet 8 Inches (H) X 32 mm (Thickness) for Patri area main entrance, Male & Ladies Toilet entrance as per Architect's 3D drawing made with 32 mm flush door with both side door skin pasted and inside lock provision with SS 10 inches Chitkuni and with handle provision and only Pantri area main entrance door have 1 piece good quality outside lock provision, as per Architect's 3D drawing & Direction of BVFCL.

6.25. All File Cabinets, Storages, Pedistals, Tables edges of every portion should be finished with proper colour edge binding tape either proper colour 1 mm laminate, as per Architect's 3D drawing & Direction of BVFCL.

7. Pantri area:

7.01. Supplying ,fixing and positioning Granite station of size 4 Feet 6 Inches (L) X 1 Feet 5 Inches (W) X 19 MM (Thickness) for Pantri area as per Architect 's 3D drawing with sufficient dimension Stainless Steel Kitchen sink with a good quality water tap as per Architect 's 3D drawing & Direction of BVFCL.

7.02. Supplying ,fixing and positioning 1 piece Wash Basin provision for Pantri area from Hindware/Parryware/Johnson company with a good quality water tap and others nessaryaccesseries as per Architect 's 3D drawing & Direction of BVFCL.

7.03. Supplying ,fixing and positioning Window provision in Pantri area with 2.5 mm gaze powder coated aluminium framing and with 5 mm thickness fiber glass and making Exoist fan hole provision,as per Architect 's 3D drawing & Direction of BVFCL.

8. Toilet area :

8.01. Supplying ,fixing and positioning 2 pieces Toilet Seats from Hindware/Parryware/Johnson company with others nessary accessories for Male & Female Toilet area, as per Architect 's 3D drawing & Direction of BVFCL.

8.02. Supplying ,fixing and positioning 2 pieces Wash Basin provision for Male & Female Toilet area from Hindware/Parryware/Johnson company with 2 pieces good quality water tap and others nessaryaccesseries as per Architect 's 3D drawing & Direction of BVFCL.

8.03. Supplying ,fixing and positioning Window provision in Male Toilet area with 2.5 mm gaze powder coated aluminium framing and with 5 mm thickness fiber glass and making Exoist fan hole provision,as per Architect 's 3D drawing & Direction of BVFCL.

8.04. Supplying ,fixing and positioning 2 pieces Urinals provision for Male Toilet area from Hindware/Parryware/Johnson company with others nessaryaccesseries as per Architect 's 3D drawing & Direction of BVFCL.

8.05. Supplying ,fixing and positioning 1 piece 19 mm thickness Granite partition for 2 piece Urinals separation in Male Toilet area,as per Architect 's 3D drawing & Direction of BVFCL.

9. Plumbing Works:

9.01. Supplying ,fixing and positioning Water supplying process and drange process for Pantri area, Male & Female Toilet area with certified materials and accessories ,as per Architect 's 3D drawing & Direction of BVFCL.

10. All above mentioned works related rubbish removing from the premises and cleaning process are responsibility of Interior decoration Company ,as per Direction of BVFCL.

**B] Interior Decoration Works Materials Specifications :**

1. Below mentioned materials only accepted in work time and Quotation must be submitted according mentioned materials ,as per Direction of BVFCL..

- 1.01. Vitrified Tiles : Johnson Company.
- 1.02.FalseCeilling Gypsum Board : Gypstar/Gypsoman/Knauf/USG Boral Gypsum Board.
- 1.03.FalseCeilling GI Chanel : Steel GI Chanel.
- 1.04.Paint Products : Paint,Primer,Powder& Paste Putti all from Asian Paint Company.
- 1.05.Electrical Products : Already mentioned in Electrical works Technical Specifications.
- 1.06.Plywood :Bwr grade plywood conforming IS 710-1977 chemically treated for termite.
- 1.07.1 mm Laminate : Century Company 1 mm Laminate and Colouras per Architect 's 3D drawing.
- 1.08.0.72 Inner White Laminate : conforming IS 710-1977.
- 1.09.Adhesive : Febicol SH.
- 1.10.Edge Binding Tape : Rehau.
- 1.11.Edge Binding Adhesive : FebicolProbond.
- 1.12.CabinetsAutohench : Hettich/Ebco/Dorset/Goodrej ( Normal Function )
- 1.13.Cabinet Multi Lock: Hettich/Ebco/Goodrej.
- 1.14.Teleskopic Channel : Ebco/Samet/Goodrej
- 1.15.Door& Handle Lock : Goodrej/Dorset.
- 1.16.Sqrup : SS quality.
- 1.17.Cabinets Handle: SS 304 quality.
- 1.18.Sanitary Materials : All ready mentioned in Technical Specification portion.
- 1.19.Plumbing Materials :All ready mentioned in Technical Specification portion.
- 1.20.Glass : Sengovind/Modi company &all glass will be toughned.
- 1.21.Flush Door :conforming IS 710-1977.
- 1.22.Door Skin : Virgo either Equavalent company.
- C] Interior Decoration Works Others Specifications :
- .Before Quatationing you can also visit the premises.

**TECHNICAL BID**

- 1) Name:
- 2) Address:
- 3) PAN Card & GST
- 4) Details of Application Fees:
- 5) Details of EMD:
- 6) Documents of Experience:
- 7) Layout/Drawing:

Signature with Stamp

**Annexure-III**

**PRICE BID**

Quoted price will be inclusive of all taxes, BVFCL will deduct all statutory dues as per the Govt. Policy.


Sl. No	Particulars of Job	Quoted Price in Rs.
1	False Ceiling	
2	Inside Painting	
3	Floor	
4	Conference Room	
5	Two Executive Cabins	
6	Work Station as specified	
7	Window Blinds	
8	Reception area	
9	Two toilets and One pantry including all fittings	
10	All Electrical works along with light fittings	
Total Expense including all Charges and Taxes		

Declaration: I /We certify that all information furnished by me/ us is correct & true and in the event that the information given is found to be incorrect/untrue, BVFCL reserves the right to disqualify us without giving any notice or reason thereof.

Signature with Stamp

## Office Furniture Layout



(Floor Area -811 square ft.)



# Pantry & Toilet

(Floor Area - 97 square ft.)

## Electrical Layout



## Office Electrical Layout

(Floor Area -811 square ft.)

