

BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED, NAMRUP
TENDER FORM

NOT TRANSFERABLE

Date of issue.....

Sl. No.....

Tender Notice No.: Mech/U-II/17/Cont-194/3213 Date: - 20/11/2017

Last date of submission 05-12-2017 at 03:00 PM

Name of work: **Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.**

Issue to (Name & Address of the party)

No. of tender documents

Signature of Issuing Officer

Issued.....

Dept.....

TO BE FILLED IN BY THE TENDERER

I/ we hereby tender for the execution for the BVFCL, Namrup of the work scheduled in underwritten memorandum within the time specified in such memorandum and at the rates specified therein & in all respect in accordance with the specification, designs, drawing and instructions referred to in the NIT conditions "THE GENERAL DIRECTIONS AND CONDITIONS" of contract and in all other respects in accordance with such conditions and special; conditions so far as applicable.

MEMORANDUM

1. General Description of the work: **Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.**
2. Earnest Money:- Rs. 1460.00 (Rupees one thousand four hundred sixty) only.
3. Time allowed for the work: 05 (Five) days
4. Should this tender be accepted, I/We hereby agree to abide by and fulfill all the terms and provisions and conditions contained in NIT, GDCC and the special; conditions which have been read and understand by me/ us so far as applicable or in default thereof to forfeit and pay to the corporation or their successors or assignees, the sum of money mentioned in the said conditions.
5. The sum of ` has been deposited vide..... dtd..... with the Finance Manager in favor BVFCL, Namrup as earnest money, the full value of which to be absolutely forfeited to the BVFCL, on their successors or assignees without prejudice to any other rights or remedies of the said Corporation or their successors or assignees should I/We fail to commence the work specified in the above memorandum.

Contd.....2/-

ENCLOSURES:

1. Earnest money
2. Scheduled of Quantity & Performa for Quoting Price (Annexure- III)
3. Scope of work duly read and signed on every page (Annexure- III A)
4. GST Registration Certificate.
5. PAN Card.

Dated.....

Signature of the contractor
Name & Address of Contractor

.....
.....

Witness i)

Signature 1.....

& address.....

of witness.....

ii)

2.....

.....

.....

Annexure- III

NO. Mech/U-II/17/Cont-194/3213

Date: - 20/11/2017

Sub: **Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.**

SCHEDULE OF WORK, QUANTITY AND RATE

Sl. no.	Description of work	Quantity	Rate ()	Amount ()
1.	Repairing of the conical portion of the 1 st Distiller (10HE-1A) of A train for frequent leakages in Urea-II plant.	L.S.	L.S.	
2.	Manpower cost for rectification of outline welding leakage in SR-4B	L.S.	L.S.	
3.	Hire Charges of tools - tackles, chain pulley blocks, lifting tools – tackles, grinding m/c, welding m/c., welding cables etc.	L.S.	L.S.	
4.	Cost of Scaffolding	L.S.	L.S.	
5.	Material cost	L.S.	L.S.	
Sub Total				
GST				
Total				

(.....) only

Signature.....

Name and Address of Contractor

.....

.....

Pan No.....

Date :

Place :

NO. Mech/U-II/17/Cont-194/3213

Date: - 20/11/2017

SCOPE OF WORK

Sub: Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.

- 1.00 Technical scope of work shall be consist of but shall not be limited to the followings:
- 1.0 Opening of manhole cover of HE-1A by loosening 24 Nos. studs of size M 40.
- 2.0 Dismantling of safety valve, drain line and other associated lines to facilitate the repairing job.
- 3.0 Dismantling and safe positioning of solution holder (10SR-10A) from position by loosening 40 Nos. studs of size M 20.
- 4.0 Removal of insulation, if required.
- 5.0 Proper cleaning of liner and Holder for non-destructive checking.
- 6.0 Manpower assistance for non-destructive checking (DP test and Thickness test) of the liner and Holder and safety related statutory checks by BVFCL. DP test materials shall be supplied by BVFCL./ executing department free of cost.
- 7.0 Grinding of corroded portion on the liner (SS clad) of the conical portion.
- 8.0 Repairing of the conical portion by pasting of new SS liner plates welding with SS 316L electrode.
- 9.0 After getting clearance from Executing Department, all dismantled lines, solution holder, etc. to be fitted back in position with replacement of New gaskets.
- 10.0 Electrodes SS 316L shall be supplied by BVFCL./ executing department free of cost.
- 11.0 Dismantling of SR-4B outlet line (6" Φ) from position by loosening two flanges of 16 Nos. of studs of size M 24 for facilitating of grinding and then welding of the leakage portion.
- 12.0 After welding dismantled outlet line of SR-4B to be fitted back in position with replacement of new gaskets.
- 13.0 Consumables like emery papers, grinding & cutting wheels, hacksaw blades, wire brush etc shall be arranged by the party at their own cost.
- 14.0 Arrangement of all tools & tackles, lifting, hoisting & grounding arrangement like hoist, chain pulley blocks, grinding m/c, welding m/c., welding cables, consumables, etc. required for the entire scope of work shall be arranged by the party at their own cost.
- 15.0 Proper scaffolding, whenever required for safe execution of the work shall be provided by the party at their own cost.
- 16.0 Re-fixing of insulation. Site to be cleaned after completion of the job.
- 17.0 All standard engineering practices and safety procedures shall be followed till completion of the job.
- 18.0 Any other activities, not included above but required for successful completion of the jobs, shall be in the party's scope.
- 19.0 The above scope of work shall be carried out strictly as per guidance and directions of Engg.-In- Charge, BVFCL.

(T.Das)
Dy.CE (M), U-II

NO. Mech/U-II/17/Cont-194/3213

Date: - 20/11/2017

SPECIAL CONDITION RELATED TO THE WORK

Sub: Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.

A) Special Commercial Terms:

- 1) Tenderer must submit documentary evidence of PAN/TAN No.
- 2) Tenderer must furnish GSTN & VAT Certificate with the tender.
- 3) Experience in execution of Mechanical work of similar nature of job from any Govt./Semi Govt. organization must be produced.
- 4) The tenderer must pay their workmen the minimum wages & facilities as per latest circular of central Govt.
- 5) The Tenderer shall have to make an exgratia payment of ` 1000.00 (One Thousand) only to the dependents of labour in the event of the labour's death occurring while on duty. The payment will be made by BVFCL immediately & will be recovered from the Contractor's bill.
- 6) **Validity of Tender:**
The tender should remain valid for a period of 180 (One Hundred Eighty) days from the date of opening of tender.

Above documents shall have to be submitted along with the application of Tender paper or with the tender. In absence of any of the above, the Tender is liable to be cancelled.

B) Brief description of the scope of work and responsibilities:

- 1) Repairing of the conical portion of the 1st distiller (10HE-1A) for leakages and rectification of outlet line welding leakage in Ammonia tank (SR-4B) of Urea-II plant.
- 2) The tenderer shall be ready to engage his personnel on short information. Therefore, tenderer or his representative should be always in touch with the maintenance activities Engineer-In-Charge of BVFCL.
- 3) Before starting the work the tenderer has to obtain the necessary job clearance form the Engineer-In-Charge.
- 4) Necessary safety work permit shall be available from the Engineer-In-Charge and the same shall be got extended at every shift change regularly.
- 5) All safety measure skilled & unskilled manpower, welders, all consumables like CS electrode, oxy-acetylene gas, DP set, welding machine & scaffolding material etc required for the job shall have to be arranged by the tenderer.
- 6) The job shall be started immediately (within a day) on LOI/written order. After completion of job the site shall be cleaned and remove all debris properly.
- 7) Before submission of the bid the tenderer shall visit the plant to understand the job thoroughly.

1.00 BVFCL SCOPE:

- (i) Water, Air & Electricity required shall be supplied by BVFCL as free of cost.
- (ii) Electrodes SS 316L shall be supplied by BVFCL at free of cost.

2.00 COMPLETION TIME:

The subject job shall be completed within 05 (Five) days after getting site clearance and safety work permit.

Contd.....2/-

3.00 CLEANING OF SITE:

The tenderer shall clean the site by removing all the debris/ dismantled items by transporting the same to the dumping yard within factory premises at his own cost and risk.

4.00 PAYMENT TERMS:

Subject to deduction as admissible as per rule payment will be released as follows:

- i) 90% of the value of completed job will be released on successful completion of the work duly certified by BVFCL engineer.
- ii) Balance 10% shall be retained as Security Deposit unless a Bank Guarantee from a schedule bank is executed in lieu of that for the equivalent sum. SD will be released after expiry of workmanship guarantee of 6 (Six) months to be valid from the date of completion of jobs.
- iii) All other statutory deductions will be made as per BVFCL rules.

5.00 WORKMANSHIP GUARANTEE:

The work executed shall be guaranteed for a period of 6 (Six) months from the date of completion of the job. During this period the party shall rectify the defects with no cost to BVFCL.

6.00 MEASUREMENT:

Payment to be released as per joint measurement taken by contractor and BVFCL engineer and duly certified for actual quantity of work executed and at the rates quoted by you and accepted by BVFCL.

7.00 TAXES:

7.01 Income Tax at the prevailing rate shall be deducted from the party's bill.

7.02 Statutory deductions, if applicable as per BVFCL rules will also be recovered from the contractor's bill.

8.00 MEDICAL FACILITY:

Medical facilities to the extent available in BVFCL Hospital, Namrup shall be provided to the crew of contractor on chargeable basis, however, the "FIRST AID" facilities shall be provided free of cost.

9.00 COMPENSATION FOR DELAY IN COMPLETION OF JOB:

Time shall be regarded as the essence of contract and the failure on the part of the contractor to complete the contract on dates stipulated in the tender and the work order for completion of respective works shall be entitle BVFCL, Namrup to recover damages from the contractor by way of mutually agreed damages a sum equivalent to one half of one percent (subject to a maximum of ten percent) of the contract value of the work for each week or part of the week for which the contractor is in default. All terms & conditions of BVFCL GDCC shall be applicable to this contract.

10.00 AGREEMENT:

All the terms & conditions mentioned herein shall form the part of contract and be incorporated in the Agreement form which shall furnish non-judicial stamp paper of the State of Assam denomination or ` 10/- (Ten) only along with 7 (Seven) sheets of water mark papers and executed the Agreement in prescribed Performa within 7 (seven) days from the date of receipt of the work order.

11.00 LAST DATE OF SUBMISSION OF TENDERS AND OPENING DATE:

- 11.01 Tenders completed in all respect shall be mailed to C.E. (M), Urea-II, Brahmaputra Valley Fertilizer Corporation Limited, Namrup, P.O. Parbatpur, Dist.: Dibrugarh, Assam Pin- 786623 (Fax- 0374-2500524, Telephone- 0374-2507084) so as to reach him on or before 05-12-2017 at 03:00 PM. The tender shall be opened on 05-12-2017 at 03:30 PM.
- 11.02 If closing date of sale of tender papers/ last date of submission of tender papers/ scheduled opening date of tender happen to fall on Bandh Day/ Strike Day/ Holiday at Namrup, then the next working day shall be counted.

12.00 TENDER LIABLE TO REJECTION:

In addition to clause number 16 of GDCC tenders are liable to be rejected on following grounds:

- 12.01 Tenders submitted by tenderer who resort to canvassing.
- 12.02 Tenders which do not fulfill all or any of the conditions laid down in the tender documents or are incomplete in any respect.
- 12.03 Tenders, which contain uncalled for remarks or any alternative/additional conditions.
- 12.04 “BVFCL is committed to a corruption free work environment. All the works/purchase/service contracts and commitments of BVFCL will be honored without the citizen having to pay any bribe. In case any person demands any bribe, it is the duty of the responsible citizen to inform the matter to Vigilance Officer, BVFCL, Namrup, PO Parbatpur, Dist. Dibrugarh ,Assam,PIN 786623 (Tel no. 0374-2507092/0374-2507176)”.

(T.Das)
Dy.CE (M), U-II