## 2.0 SCOPE OF WORK:

If specifically not mentioned herein after or not mentioned anywhere else, the scope of work shall include but not shall not be limited to the following for completion of Reconditioning of journal bearing pads of 1<sup>st</sup> & 2<sup>nd</sup> barrel (both Driving end & Non Driving end) and drive turbine of Synthesis Gas Compressor of AMM-II Plant.

The scope of work shall include but not limited to the following:

- 2.1 Removal of damaged white metal lining.
- 2.2 Preparation of the bearing shell for proper bonding of white metal.
- 2.3 Chemical cleaning / coating for bonding of white metal.
- 2.4 Centrifugal Casting of white metal upto required thickness by adopting standard engineering practice.
- 2.5 Composition of white metal: ASTM B23 ALLOY-1/TEGOV738 or higher for higher load carrying capacity.
- 2.6 Surface finish by machining & keeping the dimension as per the sample and drawing No. N-II/M/1593 and N-II/M/1554 provided to the party.
- 2.7 Party shall provide ultrasonic testing report, D.P. Test report and detailed dimensional inspection report for defect free workmanship as per applicable international standards.
- 2.8 Bearing pads must be packed properly to avoid any damage during transit.


Date: - 05-09-2018

## SCHEDULE OF WORK, QUANTITY & RATE

**Sub:** Reconditioning of journal bearing pads of 1<sup>st</sup> & 2<sup>nd</sup> barrel (both Driving end & Non Driving end) and drive turbine of Synthesis Gas Compressor of AMM-II Plant.

SI. No.	Item	Quantity (nos.)	Rate (`)	Amount(`)
01	Journal pads for SGC1 <sup>st</sup> barrel	10		
02	Journal pads for SGC2 <sup>nd</sup> barrel	10		
03	Journal pads for SGC drive turbine	10		
			P & F charges	
	Add CGST @	9% on		
	Add SGST @	9% on		
			Grand Total	
OTHE	ER TAXES/ COST (IF ANY, PLEASE SPECIFY)	)		

OTHER TAXES/ COST (IF ANY, PLEASE SPECIFY)	
REMARKS (IF ANY),	
In words:	
Rupees	
Signature of the tenderer:	
Party's name :	<u> </u>
Address:	
SEAL:	



61 . Tan 12

\* THESE BEARINGS ARE TO BE FITTED ON SHAFT DIA 0114.30 mm WITH A DIAMETRAL CLEARANCE OF 0'14 mm.

L12t	NAMRUP	
L L L	NAM	
FY	MITTIN. N	7
DONTHANDITTRA VALLEY FEKLILIZEN	ATTON INT	
TRA	1 2	
APIT	D E	12 Y
MHV		アプラ
10	립	원 (2

SCALE	1:1	DATE :	SCALE: 1:1 DATE! TITLE:-
DRAM:	Diporglas	25/10/09	S.G. C. TURBINE
HKb :	Sprag.	26/10/09	CHKD: RM-B - 26/10/09 JOURNAL BEARING PADS
SOMP :			FUR AMMONIA - IL PLANT
APPED:	Roug.	5010192	APPED: RM.B. 26/10/09
3.5	AWING	NO	DRAWING NO: - N-IL/MECH-1554

ALL DEMENSIONS ARE IN MM'

