BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED

(A GOVT, OF INDIA UNDERTAKING)

NAMRUP



Please reply to: Dy.General Manager(MM) BVFCL, Namrup P.O. Parbatpur – 786 623 Dist. Dibrugarh (Assam),India. CIN No: U24123AS2002GOI006786 GST No: 18AABCB9399R1ZK

Phone: +91 [374] 2507216. FAX: +91 [374] 2500204 / 2500317; e-mail: matmgt@bvfct.co in, website: www.bvfcl.com

To.

MIS AS per Approved list.

NOTICE INVITING TENDER

1 NIT NO

AN/2021/64A-13/9011/RC/Enq-0106

2 DATE OF ISSUE

17.03.2021

TYPE OF BID

Two Stage

4. BID OPENING

16:04:2024 07.05.2021

5. EARNEST MONEY DEPOSIT

Bid Security Declaration at Annexure III

BRAHMAPUTRA VALLEY FERTILIZER CORPORATION LIMITED, NAMRUP INVITES SEALED BID IN TWO STAGE FOR SUPPLY OF THE FOLLOWING ITEMS AS PER ANNEXURE- A, Annexure I & II and Annexure III.

01 No.

SPECIAL TERMS & CONDITIONS

- 1. The bid will include / indicate the following.
 - a) The complete scope of supply conforming to the specifications stipulated above and at Annexure A, I & II and III.
 - b) Basic Price, Packing & Forwarding charges, if any. The applicable GST and any other applicable charges.
 - c) The mode of transportation and charges thereon for delivery of the materials at Namrup. Assam
- d) Acceptance of terms of payment within 30 days after receipt and acceptance of the materials at site, as per clause No.7 per Annexure – I...
- e) Confirmation that the firm prices have been quoted.
- f) Confirmation of the bid validity for 90 days from the bid opening date.
- g) Please clearly indicate PAN/ GST No. in your quotation
- h) Please confirm that the material shall be guaranteed for a period of 18 months from the date of receipt or 12 months from the date of commissioning, whichever is earlier. If any defected material is found, it shall have to be replaced without extra cost to the purchaser. A certificate to this effect shall accompany along with the supply.
- i) Confirmation of furnishing Security Deposit cum Performance Bank Guarantee @3% of the order value valid for the entire Guarantee period + delivery period + claim period of six months as per Clause No.16 of Annexure-I of the NIT
- j) All materials should be IS/IEC standards with ISI marking
- k) Acceptance of all other terms & conditions of Annexure I &II
- Price Strictly to be quoted on the Price Bid, if the price quoted in the Techno Commercial Bid, then the bid will not be considered.

Canta.

3 The parties who are not registered as pre-qualified vendor of BVFCL will submit the documents pertaining to the eligibility criteria.

New tenderers are requested to furnish self-certified documentary evidence in support of qualifying requirements of their tenders as stipulated below:

- Experience & Past Performance of similar contract for last 2 years.
- b. Capability with respect to Personnel, equipment and manufacturing facilities.
- c. Financial standing through Annual Report (Balance sheet and profit & loss account) of last 3 years.
- d. Statutory requirement such as GST, PAN, TAN, TIN, ESI, Labour Licence no. EPF registration no. etc. wherever applicable.

4

- a. MSEs shall be given the benefits as per Govt. Guidelines.
- SC/ST owned enterprises registered with MSME shall submit relevant SC/ST certificates and registration should remain valid at the time of bidding.
- c. Micro and Small Enterprises (MSEs) and the firms registered with concerned Ministries/ Departments are exempted from submission of Bid Security. Bidders shall sign the BID declaration form in lieu of Bid Security as per enclosed format in ANNEXURE III of the tender documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder is rejected.
- Bidder must submit techno-commercial bid and price bid in two separate- sealed envelopes as per Clause No. 1.3 of Annexure- I.
- 6. Goods bearing ISI mark will be given preference.
- Materials shall be packed properly to avoid any damage during transit.
- 8 BVFCL is committed to a corruption free work environment. "All the above purchases, services and commitments of BVFCL will be honoured without the citizen having to pay any bribe. In case any person demands any bribe, it is the duty of the responsible to inform the matter to vigilance office, BVFCL, Namrup, P. O. Parbatpur, Dist. Dibrugarh, Assam PIN, 786623. (Tel no. 0374-2507092 / 0374-2507167).

Yours faithfully,

For and on behalf of Brahmaputra Valley Fertilizer Corporation Ltd

Whi.

V.K. Tamboli Dy. Materials Manager

Enclosures:

1. Annexure-A

2. Annexure I & II and III

SPECIFICATIONS

Para	arneters		
	Detector Type		Uncooled FPA (Micro-bolometer)
Detector	Detector Resolution		160 X 120 Pixels
	Pixel Pitch		25µm
	Spectral Range		8 ~ 14 μm
Detector	Spatial Resolution (IFOV)		2.3m Rad
	Sensitivity / NETD		<65mK @ 30°C i.e., <0.065°C @ 30°C
Lens	Standard	Field of View	21° X 16° (f=11mm)
		Min Focus Dist.	0.15m i.e., 15cm
	Wide	Field of View	42° X 32° (f=5.5mm)
	Angle	Min Focus Dist.	0.1m i.e., 10cm
	Telephoto	Field of View	10" X 8" (f=22mm)
		Min Focus Dist	1m i.e., 100cm
	Display Size & Type		3.2" Colour LCD, 270" Tiltable
	Image Modes		Full Thermal Full Visual Thermal Fusion Picture-in-Picture (PIP) Thumbnail Gallery
	Visual Camera		3.0 Mega Pixel
	Spotlight		10cd/m
Image	Thermal Fusion		IR Image shown above, below or within temperature interval on visual image
Performance	Picture-in-Picture (PIP)		Resizable & Movable IR area on visual image
	Frequency / Refresh Rate		50Hz (PAL) / 60Hz (NTSC) - Selectable
	Focus		Auto / Motorized (Manual)
	Digital Zoom		1 ~ 4X Continuous (0.1X Step)
	Image Set-up		Auto / Manual adjust contrast & brightness
	Language		Selectable from 11 Languages. English, Italian, German, Simplified & Traditional Chinese, Spanish, Portuguese, Russian, Korean, Japanese & French
-	Auto Rectify		Disable / Enable, 1-3000 Sec
Set-up Commands	Real-time Video		Transfer through USB
Commands	Set-up Commands		Date, Time, Temp. Unit & Scale, Language
	System Information		Serial No., Firmware Version etc.
	Disc Information		Used & Available Memory Details
	Turo	Built-in	256MB Flash
	Туре	Removable	Micro SD
	Capacity	Built-in	Up to 800 images
		Removable	Up to 6600 images on 2GB SD Card
Image .	Storage Format		JPEG including 14bit measurement data
Storage	Storage Mode		Auto / Manual single frame image storage
	Periodic Image Storage		Disable / Enable, 6-3600 Sec
	In-built microphone		Yes
	Voice Annotation		40 Seconds per image

	Temperature Unit	Selectable between Celsius (°C) or, Fahrenheit (°F) or Kelvin (K)		
	Temperature Range	-20°C ~ 250°C (Std) -20°C ~ 600°C (Opt)		
		-20°C ~ 1200°C (Opt)		
	Accuracy	±2°C or ±2% of reading		
	Spot meter	4 Adjustable Spots		
	Area Profile	3 Boxes with Max., Min. & Avg. Temp.		
	Line Profile	Horizontal / Vertical		
	Temp. distribution curve	Yes		
	Isotherm	Detects High / Low Temp / Interval		
	Dew Point Alarm	No		
	Hot / Cold spot auto detection	Max / Min / Average Temp		
	Emissivity Correction	Selectable, 0.01 to 1.0 in steps of 0.01		
	Ambient Temp. Correction Automatic, according to the background temp. unit in			
	Atmospheric Transmission Correction	Automatic, according to distance, relative humidity, ambient temp, input		
	Measurement Rectification	Auto / Manual		
	Colour Palettes 12 Selectable Colour Pallets including Iron, Anti-iron, Iron red, Feather Red, Black Hot, White Hot, Medical, Rainbow etc.			
	Temp. Alarm	Selectable in step of 0.1°C Voice & Colour Alarm Selectable Alarm Colours : Auto, Black, White, Red, Orange, Yellow, Green, Blue, Gray, and Purple		
	Pointer Type	1mW/635nm		
Laser	Grade	Class II		
Laser	Colour	Red		
	Battery Type	Re-chargeable, Li-ion		
	Operating Time	3 Hrs		
	Charging System	In-camera or, AC adaptor		
Power System	AC Adapter	110-240V AC, 50/60Hz, 1Ph		
r ower dysielli	Voltage	5V DC ± 5%		
	Screen Saving Mode	Disable / Enable, 5/10/30 min		
	Power Off Mode	Disable / Enable, 10/20/30 min		
Accessories	Standard	Camera with Standard Lens, Hand Strap, Two (2) Batteries, Battery Charger, USB Cable, 2GB Micro SD Card, Micro SD Card Reader with USB interface, Video Cable, IRSee Software on CD-ROM, Power Supply Cord, Produ Registration Card, User Operation Manual, Calibration Certificate &		
		Carrying Case		

Annexure III

BID SECURITY DECLARATION

	D/Director/ Authorized Signatory of M/s. ————————————————————————————————————
I/ we/ am are well aware of the fact that withdra of validity etc, would lead to suspension of our to documents as per the office memorandum dated Rules (GFRs) 2017.	ender for the time specified in the tender
I have carefully read and understood all the tern convey my acceptance of the same.	ns and conditions of the tender and hereby
	Signature of the Authorized Person
	Date:
	Full Name :
	Place:
	Company Seal :